



INTERNATIONAL TELECOMMUNICATION UNION

ITU-T

TELECOMMUNICATION
STANDARDIZATION SECTOR
OF ITU

X.680

Corrigendum 1
(06/99)

SERIES X: DATA NETWORKS AND OPEN SYSTEM
COMMUNICATIONS

OSI networking and system aspects – Abstract Syntax
Notation One (ASN.1)

Information technology – Abstract Syntax Notation
One (ASN.1): Specification of basic notation

Technical Corrigendum 1

ITU-T Recommendation X.680 – Corrigendum 1

(Previously CCITT Recommendation)

ITU-T X-SERIES RECOMMENDATIONS
DATA NETWORKS AND OPEN SYSTEM COMMUNICATIONS

PUBLIC DATA NETWORKS	
Services and facilities	X.1–X.19
Interfaces	X.20–X.49
Transmission, signalling and switching	X.50–X.89
Network aspects	X.90–X.149
Maintenance	X.150–X.179
Administrative arrangements	X.180–X.199
OPEN SYSTEMS INTERCONNECTION	
Model and notation	X.200–X.209
Service definitions	X.210–X.219
Connection-mode protocol specifications	X.220–X.229
Connectionless-mode protocol specifications	X.230–X.239
PICS proformas	X.240–X.259
Protocol Identification	X.260–X.269
Security Protocols	X.270–X.279
Layer Managed Objects	X.280–X.289
Conformance testing	X.290–X.299
INTERWORKING BETWEEN NETWORKS	
General	X.300–X.349
Satellite data transmission systems	X.350–X.399
MESSAGE HANDLING SYSTEMS	X.400–X.499
DIRECTORY	X.500–X.599
OSI NETWORKING AND SYSTEM ASPECTS	
Networking	X.600–X.629
Efficiency	X.630–X.639
Quality of service	X.640–X.649
Naming, Addressing and Registration	X.650–X.679
Abstract Syntax Notation One (ASN.1)	X.680–X.699
OSI MANAGEMENT	
Systems Management framework and architecture	X.700–X.709
Management Communication Service and Protocol	X.710–X.719
Structure of Management Information	X.720–X.729
Management functions and ODMA functions	X.730–X.799
SECURITY	X.800–X.849
OSI APPLICATIONS	
Commitment, Concurrency and Recovery	X.850–X.859
Transaction processing	X.860–X.879
Remote operations	X.880–X.899
OPEN DISTRIBUTED PROCESSING	X.900–X.999

For further details, please refer to ITU-T List of Recommendations.

INTERNATIONAL STANDARD 8824-1

ITU-T RECOMMENDATION X.680

INFORMATION TECHNOLOGY – ABSTRACT SYNTAX NOTATION ONE (ASN.1): SPECIFICATION OF BASIC NOTATION

TECHNICAL CORRIGENDUM 1

Summary

This technical corrigendum to ITU-T Rec. X.680 | ISO/IEC 8824-1:

- a) clarifies what characters are in the ASN.1 character set;
- b) clarifies what is meant by the terms "white-space character" and "new-line character";
- c) clarifies the effect of subtype constraints when used in conjunction with the "COMPONENTS OF" and SelectionType notations;
- d) corrects the production for "ElementSetSpecs" so that the syntax does not allow types that can have no value;
- e) makes it clear that when a range is used in specifying a "PermittedAlphabet", the lower and upper bound must each be a single character;
- f) clarifies the requirement for tag uniqueness when the extension insertion point is not at the end of the sequence type;
- g) makes several editorial corrections.

Source

Corrigendum 1 to the ITU-T Recommendation X.680 was approved on the 18th of June 1999. The identical text is also published as Technical Corrigendum 1 to ISO/IEC 8824-1.

FOREWORD

ITU (International Telecommunication Union) is the United Nations Specialized Agency in the field of telecommunications. The ITU Telecommunication Standardization Sector (ITU-T) is a permanent organ of the ITU. The ITU-T is responsible for studying technical, operating and tariff questions and issuing Recommendations on them with a view to standardizing telecommunications on a worldwide basis.

The World Telecommunication Standardization Conference (WTSC), which meets every four years, establishes the topics for study by the ITU-T Study Groups which, in their turn, produce Recommendations on these topics.

The approval of Recommendations by the Members of the ITU-T is covered by the procedure laid down in WTSC Resolution No. 1.

In some areas of information technology which fall within ITU-T's purview, the necessary standards are prepared on a collaborative basis with ISO and IEC.

NOTE

In this Recommendation the term *recognized operating agency (ROA)* includes any individual, company, corporation or governmental organization that operates a public correspondence service. The terms *Administration*, *ROA* and *public correspondence* are defined in the *Constitution of the ITU (Geneva, 1992)*.

INTELLECTUAL PROPERTY RIGHTS

The ITU draws attention to the possibility that the practice or implementation of this Recommendation may involve the use of a claimed Intellectual Property Right. The ITU takes no position concerning the evidence, validity or applicability of claimed Intellectual Property Rights, whether asserted by ITU members or others outside of the Recommendation development process.

As of the date of approval of this Recommendation, the ITU had not received notice of intellectual property, protected by patents, which may be required to implement this Recommendation. However, implementors are cautioned that this may not represent the latest information and are therefore strongly urged to consult the TSB patent database.

© ITU 1999

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the ITU.

CONTENTS

	<i>Page</i>
1) Subclause 3.8.53	1
2) Subclause 10.1	1
3) New subclause 11.1.6	2
4) Subclause 11.4	2
5) Subclause 12.17	2
6) Subclause 19.4	2
7) Subclause 19.5	2
8) Subclause 19.6	3
9) Subclause 21.15	3
10) Subclauses 24.4 and 26.2	3
11) Subclauses 24.5.2 and 24.5.3	3
12) Subclause 24.6	3
13) Subclause 24.9, NOTE 1	3
14) Subclause 26.3	3
15) Subclause 26.9	4
16) Subclause 28.7	4
17) New subclause 29.1 <i>bis</i>	4
18) New subclause 44.2 <i>bis</i>	4
19) Clause 46	4
20) Subclause 46.1	5
21) Subclause 47.3	5
22) Subclause 47.8.1	5
23) Subclause 47.8.2	5
24) Subclause 48.4.4	6
25) Subclause 48.8.2	6
26) Annex D, subclause D.2.2	6
27) Annex G	6

INTERNATIONAL STANDARD

ITU-T RECOMMENDATION

**INFORMATION TECHNOLOGY – ABSTRACT SYNTAX NOTATION ONE (ASN.1):
SPECIFICATION OF BASIC NOTATION**

TECHNICAL CORRIGENDUM 1

1) Subclause 3.8.53

Change "Recursive definitions:" to "Recursive definition (of a type):"

2) Subclause 10.1

Add to the end of the first sentence in 10.1:

In Table 2, characters are identified by the names they are given in ISO/IEC 10646-1.

Replace the contents of Table 2 with:

A to Z (LATIN CAPITAL LETTER A to LATIN CAPITAL LETTER Z)

a to z (LATIN SMALL LETTER A to LATIN SMALL LETTER Z)

0 to 9 (DIGIT ZERO to DIGIT 9)

: (COLON)

= (EQUALS SIGN)

, (COMMA)

{ (LEFT CURLY BRACKET)

} (RIGHT CURLY BRACKET)

< (LESS-THAN SIGN)

. (FULL STOP)

@ (COMMERCIAL AT)

((LEFT PARENTHESIS)

) (RIGHT PARENTHESIS)

[(LEFT SQUARE BRACKET)

] (RIGHT SQUARE BRACKET)

- (HYPHEN-MINUS)

' (APOSTROPHE)

" (QUOTATION MARK)

| (VERTICAL LINE)

& (AMPERSAND)

^ (CIRCUMFLEX ACCENT)

- * (ASTERISK)
- ; (SEMICOLON)
- ! (EXCLAMATION MARK)

3) **New subclause 11.1.6**

Create a new subclause as follows:

11.1.6 This Recommendation | International Standard uses the terms "newline", "end of line", "white-space". In representing white-space and newline (end of line) in machine-readable specifications, any of the following characters may be used in any combination (characters are named and identified by a decimal value which is the value in the ISO/IEC 646 encoding of the character):

For white-space:

- HORIZONTAL TABULATION (9)
- SPACE (32)
- LINE FEED (10)
- VERTICAL TAB (11)
- FORM FEED (12)
- CARRIAGE RETURN (13)

For newline:

- LINE FEED (10)
- VERTICAL TAB (11)
- FORM FEED (12)
- CARRIAGE RETURN (13)

4) **Subclause 11.4**

Replace, at the end of the first sentence "in 11.2" by "in 11.3".

5) **Subclause 12.17**

Replace the word "exported" by the word "imported".

6) **Subclause 19.4**

Replace:

The value of each new "AdditionalEnumeration"

by:

The value of each new "EnumerationItem"

7) **Subclause 19.5**

Replace:

When a "NamedNumber" is used in defining an "AdditionalEnumeration"

by:

When a "NamedNumber" is used in defining an "EnumerationItem" in the "AdditionalEnumeration"

8) Subclause 19.6*Replace:*

The value associated with the first "AdditionalEnumeration"

by:

The value associated with the first "EnumerationItem" in the "AdditionalEnumeration"

9) Subclause 21.15*Replace the hexadecimal string of the example:*

'A8A'H

by:

'A98A'H

10) Subclauses 24.4 and 26.2*Add the following to the end of 24.4 and to the end of 26.2, before the Note:*

Any constraint applied to the referenced type is ignored by this transformation.

11) Subclauses 24.5.2 and 24.5.3*Replace:*

"ComponentTypes"

by:

"ComponentType"s

12) Subclause 24.6*Replace 24.6 by:*

When the third or the fourth alternative of "ComponentTypeLists" is used, all "ComponentType"s in extension additions shall have tags which are distinct from the tags of the textually following "ComponentType"s up to and including the first such "ComponentType" that is not marked OPTIONAL or DEFAULT in the trailing "RootComponentTypeList", if any.

13) Subclause 24.9, NOTE 1*Replace:*

"TaggedTypes"

by:

"TaggedType"s

14) Subclause 26.3*Replace the reference "(see 6.4)" by "(see 8.4)"*

15) Subclause 26.9

Replace:

"NamedValues"

by:

"NamedValue"s

16) Subclause 28.7

Replace:

"NamedTypes"

by:

"NamedType"s

17) New subclause 29.1 bis

Create a new subclause as follows:

29.1 bis When "Type" denotes a constrained type, the selection is performed on the parent type, ignoring the constraint.

18) New subclause 44.2 bis

Create a new subclause as follows:

44.2 bis When the "Constraint" notation follows the selection type notation, it applies to the choice type, and not to the type of the selected alternative.

NOTE – In the following example, the constraint (WITH COMPONENTS {..., a ABSENT}) applies to the CHOICE type T, not to the selected SEQUENCE type (see 29.1 bis).

```
T ::= CHOICE {  
    a SEQUENCE {  
        a INTEGER OPTIONAL,  
        b BOOLEAN  
    },  
    b NULL  
}  
  
V ::= a < T (WITH COMPONENTS {..., a ABSENT})
```

19) Clause 46

Add the following paragraph to the head of clause 46 in front of 46.1:

When performing set arithmetic involving subtype constraints and value sets, only abstract values that are defined by extension roots are used in the set arithmetic. All instances of value notation (including value references) used in these constructs are required to reference an abstract value of the extension root. Unless there is an extension marker at the outermost level of an "ElementSetSpecs", the result of the set arithmetic is not an extensible type.

When performing set arithmetic involving information object sets, all information objects (not only those in the extension roots) are used in the set arithmetic. If any of the information object sets contributing to the set arithmetic are extensible, or if there is an extension marker at the outermost level of an "ElementSetSpecs", the result of the set arithmetic is extensible.

20) Subclause 46.1

Remove the following line from "ElementSetSpecs":

```
"..." "," AdditionalElementSetSpec |
```

so that the production becomes:

```
ElementSetSpecs ::=
  RootElementSetSpec |
  RootElementSetSpec "," "..." |
  RootElementSetSpec "," "..." "," AdditionalElementSetSpec
```

21) Subclause 47.3

Replace subclause 47.3 and its Note with the following:

47.3 The result of set arithmetic involving subtype constraints, value sets or object sets that are extensible is specified in clause 46.

22) Subclause 47.8.1

Replace:

```
A ::= SET {
  a      A,
  b      CHOICE {
  c      C,
  ...,
  ...,
  d      D
  }
}
```

by:

```
A ::= SET {
  a      A,
  b      CHOICE {
  c      C,
  d      D,
  ...,
  ...
  }
}
```

23) Subclause 47.8.2

Replace:

```
A ::= SET {
  a      A,
  b      CHOICE {
  c      C,
  ...,
  ...,
  d      D,
  },
  ...,
  e      E
}
```

by:

```

A ::= SET {
    a    A,
    b    CHOICE {
        c    C,
        d    D,
        ...,
        ...
    },
    ...,
    e    E
}

```

24) Subclause 48.4.4

Add the following Note:

NOTE – When a "ValueRange" is used as a "PermittedAlphabet" constraint, "LowerEndValue" and "UpperEndValue" shall be of size 1.

25) Subclause 48.8.2

Add the following Note to the end of 48.8.2:

NOTE – An "InnerTypeConstraints" applied to a set or sequence type is ignored by the COMPONENTS OF transformation (see 24.4 and 26.2).

26) Annex D, subclause D.2.2

Replace:

(the first 62K characters)

by:

(the first 64K – 2 characters)

27) Annex G

Remove the following line from "ElementSetSpecs":

"..." ", " AdditionalElementSetSpec |

so that the production becomes:

```

ElementSetSpecs ::=
    RootElementSetSpec |
    RootElementSetSpec "..." |
    RootElementSetSpec "..." ", " AdditionalElementSetSpec

```

ITU-T RECOMMENDATIONS SERIES

Series A	Organization of the work of the ITU-T
Series B	Means of expression: definitions, symbols, classification
Series C	General telecommunication statistics
Series D	General tariff principles
Series E	Overall network operation, telephone service, service operation and human factors
Series F	Non-telephone telecommunication services
Series G	Transmission systems and media, digital systems and networks
Series H	Audiovisual and multimedia systems
Series I	Integrated services digital network
Series J	Transmission of television, sound programme and other multimedia signals
Series K	Protection against interference
Series L	Construction, installation and protection of cables and other elements of outside plant
Series M	TMN and network maintenance: international transmission systems, telephone circuits, telegraphy, facsimile and leased circuits
Series N	Maintenance: international sound programme and television transmission circuits
Series O	Specifications of measuring equipment
Series P	Telephone transmission quality, telephone installations, local line networks
Series Q	Switching and signalling
Series R	Telegraph transmission
Series S	Telegraph services terminal equipment
Series T	Terminals for telematic services
Series U	Telegraph switching
Series V	Data communication over the telephone network
Series X	Data networks and open system communications
Series Y	Global information infrastructure
Series Z	Languages and general software aspects for telecommunication systems