

التقرير النهائي

قطاع تنمية الاتصالات لجنة الدراسات 2

المسألة 14-3/2

المعلومات والاتصالات/تكنولوجيا
المعلومات والاتصالات لأغراض
الصحة الإلكترونية

e

HEALTH



فترة الدراسة الخامسة 2010-2014

قطاع تنمية الاتصالات

للاتصال بنا

الموقع الإلكتروني: www.itu.int/ITU-D/study_groups

المكتبة الإلكترونية للاتحاد: www.itu.int/pub/D-STG/

البريد الإلكتروني: devsg@itu.int

الهاتف: +41 22 730 5999

المسألة 2/3-14:

المعلومات والاتصالات/تكنولوجيا المعلومات
والاتصالات لأغراض الصحة الإلكترونية



لجان دراسات قطاع تنمية الاتصالات

دعماً لجدول أعمال تقاسم المعارف وبناء القدرات لمكتب تنمية الاتصالات، تقوم لجان دراسات قطاع تنمية الاتصالات بدعم البلدان في تحقيق أهدافها الإنمائية. وعن طريق العمل كعامل حفز من خلال استحداث وتقاسم وتطبيق معارف تكنولوجيا المعلومات والاتصالات للحد من الفقر وتحقيق التنمية الاقتصادية والاجتماعية، تسهم لجان دراسات قطاع تنمية الاتصالات في تهيئة الظروف المواتية لكي تستخدم الدول الأعضاء المعارف لتحقيق أهدافها الإنمائية بشكل أفضل.

منصة المعارف

تستخدم النواتج التي يتفق عليها في لجان دراسات قطاع تنمية الاتصالات والمواد المرجعية ذات الصلة كمدخلات لتنفيذ السياسات والاستراتيجيات والمشاريع والمبادرات الخاصة في الدول الأعضاء في الاتحاد البالغه 193 دولة. وتعمل هذه الأنشطة أيضاً على تعزيز قاعدة المعارف المشتركة للأعضاء.

محور تبادل المعلومات وتقاسم المعارف

يجري تقاسم المعلومات بشأن المواضيع ذات الاهتمام المشترك من خلال اجتماعات وجهاً لوجه والمنتديات الإلكترونية والمشاركة عن بُعد في جو يشجع الحوار المفتوح وتبادل المعلومات.

مستودع المعلومات

تعد التقارير والمبادئ التوجيهية وأفضل الممارسات والتوصيات استناداً إلى المدخلات المقدمة من أعضاء اللجان لاستعراضها. وتجمع المعلومات عن طريق دراسات استقصائية ومساهمات ودراسات حالة وتتاح لإطلاع الأعضاء عليها بسهولة باستخدام أدوات إدارة المحتوى والنشر على الويب.

لجنة الدراسات 2

أسند المؤتمر العالمي لتنمية الاتصالات لعام 2010 إلى لجنة الدراسات 2 دراسة تسع مسائل في مجالات البنية التحتية للمعلومات والاتصالات وتطوير التكنولوجيا والاتصالات في حالات الطوارئ والتكيف مع تغير المناخ. وركز العمل على أفضل الأساليب والنهج الملائمة والناجحة لتقديم الخدمات في تخطيط خدمات الاتصالات وتطويرها وتنفيذها وتشغيلها وصيانتها ومواصلتها لتحقيق الفائدة المثلى منها للمستعملين. ويشمل هذا العمل التركيز بصورة خاصة على شبكات النطاق العريض والاتصالات الراديوية المتنقلة والاتصالات/تكنولوجيا المعلومات والاتصالات للمناطق الريفية والنائية واحتياجات البلدان النامية في مجال إدارة الطيف واستخدام تكنولوجيا المعلومات والاتصالات في تخفيف أثر تغير المناخ على البلدان النامية، والاتصالات/تكنولوجيا المعلومات والاتصالات في التخفيف من آثار الكوارث الطبيعية والإغاثة واختبار المطابقة وإمكانية التشغيل البيئي والتطبيقات الإلكترونية، مع التركيز والتشديد على التطبيقات التي تدعمها الاتصالات/تكنولوجيا المعلومات والاتصالات. وتناول العمل أيضاً تنفيذ تكنولوجيا المعلومات والاتصالات مع مراعاة نتائج دراسات قطاعي تقييس الاتصالات والاتصالات الراديوية وأولويات البلدان النامية.

وتتناول لجنة الدراسات 2 إلى جانب لجنة الدراسات 1 لقطاع الاتصالات الراديوية القرار 9 (المراجع في المؤتمر العالمي لتنمية الاتصالات لعام 2010) بشأن "مشاركة البلدان، لا سيما البلدان النامية، في إدارة الطيف الترددي".

شارك في إعداد هذا التقرير عدة خبراء من إدارات وشركات مختلفة. ولا ينطوي ذكر شركات أو منتجات معينة على أي تأييد أو توصية من جانب الاتحاد الدولي للاتصالات.

جدول المحتويات

الصفحة

1	مقدمة	1
1	بيان الحالة	1.1
2	دراسة المسألة 14-3/2	2.1
2	المهمة المتعلقة بالمسألة 14-3/2	3.1
3	الأساليب المستعملة لدراسة المسألة 14-3/2	4.1
3	تعريف البلد النامي	5.1
4	بعض الجوانب المهمة	6.1
4	1.6.1 ملخص المشاكل الرئيسية المالية والمتعلقة بالرعاية الصحية في البلدان النامية	
4	2.6.1 الفجوة الرقمية	
5	3.6.1 النهج القائم على المحاكاة	
5	4.6.1 الثقافة المحلية والتقاليد	
5	7.1 نظرة عن الصحة الإلكترونية في البلدان النامية: الدراسة الاستقصائية	
7	بعض المبادئ التوجيهية لتنفيذ الصحة الإلكترونية في البلدان النامية	2
7	1.2 نحو تقييس الصحة الإلكترونية	
8	2.2 تقييس الصحة الإلكترونية - تجربة بلد نام	
8	1.2.2 مقدمة	
9	2.2.2 الشروع في العملية الوطنية للتقييس	
11	3.2.2 استعراض المعايير التقنية الرئيسية	
14	4.2.2 معيار نظام معلومات إدارة المستشفيات (HMIS)	
14	5.2.2 الجوانب المتصلة بالإطار التنظيمي والقانوني وآليات المطابقة	
15	6.2.2 آليات المطابقة والتحديات	
18	3.2 اقتصاديات تطبيقات الصحة الإلكترونية	
18	1.3.2 اقتصاديات الصحة الإلكترونية	
19	2.3.2 ماذا وأين وكم	
20	3.3.2 كيفية تقييم الأثر الاقتصادي	
21	4.3.2 خلاصة	
23	4.2 تكنولوجيا المعلومات والاتصالات من أجل تحسين المعلومات والمساءلة عن صحة المرأة والطفل	
29	من بلد نام إلى بلد نام - الدروس المستفادة من تنفيذ أفضل الممارسات	3
29	1.3 أمثلة على أفضل الممارسات من الدول الأعضاء	
	2.3 التدريب على الصحة الإلكترونية كدعم من بلد إلى بلد: 10 سنوات من الخبرة للاتحاد الدولي للاتصالات في مجال التدريب الطبي قصير الأجل	
31		
34	الاستنتاجات والتوصيات	4
34	1.4 توصيات المسألة 14-3/2 (2013)	
35	2.4 مجموعة أدوات الاستراتيجية الوطنية للصحة الإلكترونية للاتحاد الدولي للاتصالات ومنظمة الصحة العالمية	

Annex I:	Case Studies: Lessons Learned from e-Health Implementation	41
Annex II:	Lessons Learned from e-Health Implementation: Knowledge	117
Annex III:	Compendium of e-Health Projects for RMNCH Implemented in CoIA Countries	162
Annex IV:	Composition of the Rapporteur Group for Question 14-3/2	168
Annex V:	Glossary	169

الأشكال والجداول

الصفحة

6	الشكل 1: مثال من الدراسة الاستقصائية لعام 2013
25	الشكل 2: استفادة مختلف أصحاب المصلحة في قطاع الصحة من تطبيقات الصحة الإلكترونية وتكنولوجيا المعلومات والاتصالات
36	الشكل 3: مجموعة أدوات لوضع استراتيجية وطنية للصحة الإلكترونية
23	الجدول 1: المشاريع النشطة المستفيدة من المنحة لفريق العمل المعني بالابتكار (2012-2014)
26	الجدول 2: الصحة الإلكترونية وابتكارات تكنولوجيا المعلومات والاتصالات على طول سلسلة الرعاية المستمرة لمنظمة الصحة العالمية
29	الجدول 3: أمثلة على أفضل الممارسات من الدول الأعضاء
33	الجدول 4: المناهج الدراسية

المسألة 14-3/2

المعلومات والاتصالات/تكنولوجيا المعلومات والاتصالات لأغراض الصحة الإلكترونية

1 مقدمة

1.1 بيان الحالة

تعد الصحة الإلكترونية أحد المجالات الأسرع نمواً اليوم. والصحة الإلكترونية نظام متكامل لتقديم الرعاية الصحية يستخدم تكنولوجيا المعلومات والاتصالات كبديل للتواصل وجهاً لوجه بين العاملين في المجال الطبي والمرضى. ويشمل العديد من التطبيقات مثل الطب عن بُعد والسجلات الطبية الإلكترونية والاستشارات الطبية عن بُعد والاستشارات الطبية بين المراكز الطبية في المناطق الريفية والمستشفيات الحضرية وما إلى ذلك، وتسمح الصحة الإلكترونية بإرسال المعلومات الطبية وتخزينها والحصول عليها في شكل رقمي فيما بين الأطباء والمرضى وغيرهم من العاملين في المجال الطبي وذلك للأغراض الإكلينيكية والتعليمية والإدارية سواء في الموقع المحلي (مكان العمل) أو عن بُعد (أماكن العمل النائية). وفي بعض البلدان النامية، تجاوز عدد الهواتف المحمولة عدد الهواتف الثابتة ويمكن لشبكة الاتصالات المتنقلة أن تعتبر منصة أكثر جاذبية لتنفيذ خدمات الصحة الإلكترونية.

ويتمثل جزء هام من نظام الصحة الإلكترونية في النظام الإيكولوجي الأوسع من المنتجات والخدمات الذي يستعمل النطاق العريض ويوفر الخدمات المتكاملة المقدمة في إطار الصحة الإلكترونية. وضمن هذا النظام، يفيد مفهوم "إنترنت الأشياء" أن كل شيء يقوم على الذكاء والتوصيل - ويُدعم هذا النظام مباشرة بقدرة حاسوبية فعالة ومنخفضة التكلفة. وهذا سوف يمثل الخاصية الأساسية للمنتجات الإلكترونية الرقمية الذكية التي بإمكانها قياس أداء الأجهزة الإلكترونية والصحية للمستهلك وإدارته ومراقبته. وبإمكان أجهزة الاستشعار الشخصية والموصولة شبكياً إبلاغ المهنيين الطبيين بالحالة الصحية للأشخاص من خلال قياس مستويات النشاط ومعدل ضربات القلب ومستويات الغلوكوز.

وقد أصدرت منظمة الصحة العالمية خلاصة وافية¹ للحلول الطبية وأجهزة الصحة الإلكترونية التي تلائم بوجه خاص الأوضاع التي تتسم بقلّة الموارد حيث يعاني كثيرون من أمراض دون داعٍ بسبب صعوبة الحصول على تكنولوجيا الرعاية الصحية. وإضافة إلى ذلك، صدر تقرير عن بنك التنمية للبلدان الأمريكية² يبحث في التطبيقات المحتملة في مجال الرعاية الصحية باستخدام الوسائل المتنقلة ويركز تركيزاً خاصاً على الفرص الممكنة في أمريكا اللاتينية.

وفيما يلي بعض الأمثلة عن ذلك:

- الهواتف الذكية التي يمكنها تيسير الصحة الإلكترونية باعتبارها الجهاز المركزي لجمع المعلومات المتصلة بالحالة الصحية للمواطنين وتخزينها وإرسالها. ومع زيادة جمع البيانات المتعلقة بالمريض، حرص العاملون في مجال الصحة على التأكيد على أهمية أمن البيانات وحمايتها بحيث يكون المريض واثقاً من أن سجلاته الطبية آمنة. ويحدد تقرير رصد التكنولوجيا لقطاع تقييس الاتصالات لعام 2012³ بعض المبادئ بشأن الخصوصية والأمن والسلامة كجزء من إرشاداته بشأن المعايير وقابلية التشغيل البيني في إطار الصحة الإلكترونية.

¹ <http://who.int/ehealth/resources/compendium2012/en/index.html>

² <http://idbdocs.iadb.org/wsdocs/getdocument.aspx?docnum=1861959>

³ <http://www.outgrid.eu/public/outgrid/download/homepage/T23010000170001PDFE.pdf>

- الإمكانات الحاسوبية المنخفضة التكلفة والمتسمة بالكفاءة من حيث استهلاك الطاقة التي تؤدي إلى إطالة عمر البطارية وبالتالي إلى الاعتمادية والكفاءة من حيث التكلفة في رصد الصحة الإلكترونية. ومن شأن ذلك أن يؤدي إلى تقليل الحواجز التي تعترض دخول الشركات التي تقدم خدمات ومنتجات الصحة الإلكترونية الجديدة مما يمكن مقدمي الرعاية الصحية في البلدان النامية من الاستفادة من مجموعة واسعة من الخدمات المبتكرة. وهناك أيضاً منافع أوسع نطاقاً تتمثل في خفض استهلاك الطاقة إجمالاً - وهذا الأمر لا يقتصر على الحفاظ على تكاليف منخفضة، بل ويخفف أيضاً من الضغوط على شبكات الطاقة المحلية والوطنية اللازمة لتوفير الطاقة من أجل إتاحة حلول الصحة الإلكترونية الحديثة.
- تؤدي الصحة الإلكترونية دوراً هاماً في تقديم الرعاية الصحية في البلدان النامية التي تعاني من نقص حاد في الأطباء والمرضى والمساعدين الطبيين بقدر يتناظر مباشرة مع عدم إشباع الطلب الهائل على الخدمات الصحية. وقد نجحت بعض البلدان النامية بالفعل في تنفيذ مشروعات تجريبية صغيرة في مجال الطب عن بُعد وتتطلع إلى المضي لأبعد من ذلك من خلال النظر في وضع خطة أساسية للصحة الإلكترونية وفقاً لما أوصت به منظمة الصحة العالمية في قرارها WHA58.28 في مايو 2005. وتهدف الصحة الإلكترونية تحديداً إلى الحد من التفاوت بين المناطق الحضرية والريفية فيما يتعلق بالخدمات الصحية وتولي اهتماماً خاصاً للبلدان النامية وأقل البلدان نمواً، بما في ذلك الدول الجزرية الصغيرة النامية والبلدان النامية غير الساحلية والبلدان التي تمر اقتصاداتها بمرحلة انتقالية. وفي هذا التقرير، سيشار إلى البلدان المذكورة أعلاه "بالبلدان النامية".

2.1 دراسة المسألة 14-3/2

تركز المسألة 14-3/2 على الآتي:

- الخطوات اللازمة للمساعدة على توعية صانعي السياسات والمنظمين ومشغلي الاتصالات والجهات المانحة والعملاء بدور تكنولوجيا المعلومات والاتصالات في تحسين الرعاية الصحية المقدمة في البلدان النامية؛
 - تشجيع التعاون والالتزام بين قطاعي الاتصالات والصحة في البلدان النامية لتعزيز الاستفادة من الموارد المحدودة في هذين القطاعين من أجل تنفيذ خدمات الصحة الإلكترونية؛
 - مواصلة نشر الخبرات وأفضل الممارسات باستعمال تكنولوجيا المعلومات والاتصالات في مجال الصحة الإلكترونية في البلدان النامية؛
 - تشجيع التعاون بين البلدان النامية والمتقدمة في مجال حلول الصحة الإلكترونية المتنقلة وخدماتها؛
 - تشجيع وضع معايير تقنية لتطبيقات الصحة الإلكترونية بالاشتراك مع قطاع تقييس الاتصالات؛ ولا سيما وضع مبادئ توجيهية للبلدان النامية بشأن كيفية استعمال هذه المعايير؛
 - وضع معايير تقنية للاتحاد ونشرها بشأن الصحة الإلكترونية في البلدان النامية.
- وافق المؤتمر العالمي لتنمية الاتصالات لعام 1998 (WTDC-98) أصلاً على هذه المسألة وراجعتها المؤتمرات العالمية لتنمية الاتصالات في 2002 و 2006 و 2010.

3.1 المهمة المتعلقة بالمسألة 14-3/2

- تتمثل المهمة المتعلقة بالمسألة 14-3/2 في تحسين الصحة من خلال تزويد الدول الأعضاء في الاتحاد بمعلومات وإرشادات استراتيجية بشأن الممارسات والسياسات والمعايير الفعالة في مجال الصحة الإلكترونية. وأهدافها هي كالاتي:
- تقديم بيانات قاطعة ومعلومات في الوقت المناسب وذات جودة عالية لمساعدة الهيئات السياسية وهيئات صنع القرار الدولية والوطنية بشأن كيفية تحسين سياسة خدمات الصحة الإلكترونية وممارستها وإدارتها؛
 - إذكاء الوعي والالتزام لدى الهيئات السياسية وهيئات صنع القرار الدولية والوطنية والقطاع الخاص من أجل الاستثمار وإحراز التقدم في مجال الصحة الإلكترونية؛

- تجميع المعارف المتصلة بالصحة الإلكترونية وتحليلها ونشرها بما في ذلك نتائج البحوث مما سيسهم إسهاماً كبيراً في تحسين الصحة باستعمال تكنولوجيا المعلومات والاتصالات؛
- نشر تقارير بشأن مواضيع البحث الرئيسية والإنجازات العملية في مجال الصحة الإلكترونية كمرجع للحكومات وصانعي السياسة.

4.1 الأساليب المستعملة لدراسة المسألة 14-3/2

تشمل مصادر المدخلات المتعلقة بالمسألة 14-3/2 ما يلي:

- استعراض الدراسات التي اضطلع بها أعضاء الفريق المعني بالمسألة 14-3/2؛
 - إجراء دراسات استقصائية؛
 - مساهمات مقدمة من الدول الأعضاء وأعضاء القطاع والخبراء في مجال تطبيقات الصحة الإلكترونية وما إلى ذلك.
- ستتاح نواتج المسألة 14-3/2 في الموقع الإلكتروني لقطاع تنمية الاتصالات في إطار لجنة الدراسات 2.

وكما تم التأكيد أعلاه، يتمثل الهدف الاستراتيجي لهذه المسألة في حفز التعاون بين قطاع الاتصالات/تكنولوجيا المعلومات والاتصالات والقطاع الصحي وبين البلدان المتقدمة والبلدان النامية وفيما بين البلدان النامية كذلك. ومن المتوقع أيضاً أن الخبرة المكتسبة من الاتصالات/تكنولوجيا المعلومات والاتصالات لأغراض تطبيقات الصحة الإلكترونية في البلدان النامية، موردي الأجهزة ومقدمي الخدمات في البلدان المتقدمة.

وقبل المتابعة، لا بد من تعريف "البلد النامي".

5.1 تعريف البلد النامي

البلد النامي الذي يُسمى أيضاً بلداً أقل نمواً، هو⁴ بلد ذو مستوى معيشي منخفض وقاعدة صناعية متخلفة ومؤشر منخفض للتنمية البشرية (HDI) بالمقارنة مع بلدان أخرى. ومع ذلك، لا يوجد اصطلاح راسخ لتحديد البلدان أو المناطق "المتقدمة" و"النامية" في منظومة الأمم المتحدة. ومن الممارسات الشائعة في الأمم المتحدة (UN)، اعتبار اليابان في آسيا وكندا والولايات المتحدة في أمريكا الشمالية وأستراليا ونيوزيلندا في أوقيانوسيا وأوروبا بلداً أو مناطق "متقدمة". وفي إحصاءات التجارة الدولية، يعامل الاتحاد الجمركي بالجنوب الإفريقي بوصفه منطقة متقدمة وإسرائيل بوصفها بلداً متقدماً. وتُعامل البلدان المنبثقة عن يوغوسلافيا السابقة كبلدان نامية؛ في حين أن بلدان أوروبا الشرقية وكومنولث الدول المستقلة في أوروبا غير مدرجة سواء ضمن المناطق المتقدمة أو المناطق النامية.

ويستخدم صندوق النقد الدولي (IMF) نظام تصنيف مرناً يأخذ بعين الاعتبار (1) مستوى نصيب الفرد من الدخل، و(2) تنوع الصادرات - ولذلك فإن البلدان المصدرة للنفط ذات نصيب الفرد المرتفع من الناتج المحلي الإجمالي لا تُدرج في التصنيف المتقدم لأن حوالي 70% من صادراتها من النفط، و(3) درجة الاندماج في النظام المالي العالمي.

ويصنف البنك الدولي البلدان في أربع فئات دخل. ويتم تحديدها كل سنة في 1 يوليو. واعتباراً من 1 يوليو 2011 قُسمت الاقتصادات وفقاً لدخلها القومي الإجمالي (GNI) على النحو التالي:

- بلدان الدخل المنخفض ذات الدخل القومي الإجمالي للفرد الذي يبلغ 1 026 دولار أمريكي أو أقل؛
- بلدان الدخل المنخفض المتوسط الأدنى ذات الدخل القومي الإجمالي للفرد الذي يتراوح بين 1 026 و4 036 دولار أمريكي؛

⁴ الفقرة 5.1-7 من المساهمة: م. جوردانوف ول. أندروشكو، معهد الأبحاث الفضائية والتكنولوجيا، الأكاديمية البلغارية للعلوم، بلغاريا، نائب المقرر، الجامعة الدولية في جنيف، مؤسسة دومينيك، سويسرا، المقرر المعني بالمسألة 14-3/2 - الاتصالات في مجال الرعاية الصحية.

- بلدان الدخل المتوسط الأعلى ذات الدخل القومي الإجمالي للفرد الذي يتراوح بين 4 036 و12 476 دولار أمريكي؛
 - بلدان الدخل المرتفع ذات الدخل القومي الإجمالي للفرد الأعلى من 12 476 دولار أمريكي.
- يصنف البنك الدولي جميع البلدان منخفضة الدخل ومتوسطة الدخل كبلدان نامية ولكنه يشير إلى أن "استخدام المصطلح مناسب؛ ولا يُقصد به أن يعني ضمناً أن جميع الاقتصادات في هذه الفئة تشهد تطوراً مماثلاً أو أن الاقتصادات الأخرى قد وصلت إلى مرحلة أفضل أو نهائية من التنمية. والتصنيف حسب الدخل لا يظهر بالضرورة الوضع الإنمائي." والمعلومات المذكورة أعلاه مهمة وينبغي ألا تغيب عن الأذهان علماً أن مفهوم دعم البلدان النامية يمثل جوهر المسألة 14-3/2 والتقارير المتعلقة بها.

6.1 بعض الجوانب المهمة

ينبغي مراعاة هذه الجوانب دائماً عند إجراء مناقشات حول تنفيذ الصحة الإلكترونية حيث إنها قد تؤدي إلى عرقلة وتشكيل مسار تطور الصحة الإلكترونية وتطبيقها على نطاق واسع.

1.6.1 ملخص المشاكل الرئيسية المالية والمتعلقة بالرعاية الصحية في البلدان النامية

- أعباء المرض - تختلف عن المناطق المتقدمة؛
- السكان - أصغر سناً ويزدادون بسرعة مقارنة مع المناطق المتقدمة؛
- الخدمات الطبية - غير فعالة بسبب عدم وجود عدد كافٍ من المدارس والمتخصصين في المجال الطبي [1]؛
- الإنفاق على الرعاية الصحية - أقل بعدة مرات.

2.6.1 الفجوة الرقمية

الفجوة الرقمية هي إحدى المشاكل الرئيسية التي تواجهها البلدان التي تخطط أو تحاول تنفيذ خدمات الصحة الإلكترونية في البلدان النامية.

ما هي الفجوة الرقمية؟ بدأ استخدام المصطلح في تسعينيات القرن الماضي [2] ويشير إلى الفجوة بين الذين يتمتعون بالنفاز إلى تكنولوجيا الاتصالات ولديهم القدرة على استخدامها والمحرومين من ذلك.

وأسباب هذه الفجوة كثيرة - الفقر في المقام الأول فضلاً عن نقص التعليم والمعرفة والسن والجنس والثقافة وإمكانية الحصول على تكنولوجيا المعلومات والاتصالات والموقع الجغرافي والبنية التحتية والتوصيل وعرض النطاق وتكاليف الاتصالات. ولا تحدث الفجوة الرقمية بين البلدان المتقدمة والبلدان النامية فقط وإنما داخل البلدان أيضاً.

واعتبرت الفجوة الرقمية عقبة أمام تنفيذ الصحة الإلكترونية في العالم النامي وفي المناطق الريفية من العالم المتقدم. وعلى الرغم مما قيل عن الفجوة الرقمية، تشير التوقعات إلى أنه مع تحسين البنية التحتية والتوصيل سيصبح عرض النطاق الإضافي متاحاً وستنخفض تكاليف التكنولوجيا والاتصالات ويزداد استخدام الهواتف المحمولة وستضيق الفجوة الرقمية. وقد حدث ذلك بدرجات متفاوتة في كثير من المناطق في العالم النامي.

وكشف م. مارس [3] في مقال ممتاز له أن الفجوة الرقمية بين البلدان المتقدمة والبلدان النامية لم تتقلص على مدى السنوات العشر الماضية وتساءل عما إذا كانت الفجوة ستضيق في أي وقت من الأوقات. فذلك ممكن نظرياً، وإن كان غير وارد على المستوى العملي نظراً لاستمرار تطور التكنولوجيا. واستنتاجات الخبراء بشأن تلاشي الفجوة الرقمية بين البلدان المتقدمة والبلدان النامية غير مشجعة.

وهذا هو السبب في ضرورة استناد جميع الأنشطة المتصلة بالصحة الإلكترونية إلى فهم واقعي للفجوة الرقمية وآثارها والعوامل المؤدية إليها.

3.6.1 النهج القائم على المحاكاة

شهدت الرعاية الصحية خلال العقدین الماضیین فشل آلاف المشاريع في مجال الطب عن بُعد والصحة الإلكترونية. وحتى الحلول المتطورة والناجحة في البلدان المتقدمة لم تعمل جيداً وفشلت عند تنفيذها في المناطق النامية. ومن الواضح جلياً أن النهج القائم على المحاكاة لا يمثل أفضل طريقة لتطوير الصحة الإلكترونية على نطاق واسع. والحلول واسعة الاستعمال في البلدان المتقدمة ليست دائماً ما تبحث عنه البلدان النامية بالفعل أو ما هي في أمس الحاجة إليه.

4.6.1 الثقافة المحلية والتقاليد

إن عدم احترام التقاليد المحلية والخصائص الثقافية بل والأسوأ من ذلك هو إهمالها عن جهل، يمكن أن يؤدي إلى إفشال حتى المشاريع الصحية الإلكترونية التي أعدت بعناية كبيرة. والقبول الثقافي لكل مبادرة من مبادرات الصحة الإلكترونية في المناطق النامية شرط لازم.

7.1 لمحة عن الصحة الإلكترونية في البلدان النامية: الدراسة الاستقصائية

ما هو الوضع الحالي فيما يتعلق بتنفيذ الصحة الإلكترونية في البلدان النامية؟ تُنشر سنوياً آلاف الأبحاث والتقارير والعروض. ويقدم كل منها معلومات بشأن تطبيق الصحة الإلكترونية في منطقة أو بلد أو مجتمع معين. وتمثل إحدى الدراسات الاستقصائية الأكثر شمولاً التي أجريت خلال السنوات الأخيرة في ملخص نتائج دراستين استقصائيتين للمرصد العالمي للصحة الإلكترونية التابع لمنظمة الصحة العالمية - نُفذت الأولى في 2005 والثانية في 2009.


ومنذ 2009 تطور تنفيذ الصحة الإلكترونية وقبولها ومعرفتها. وهذا ما جعل الشركاء المعنيين بالمسألة 2/3-14 يقررون إجراء دراسة استقصائية صريحة في بداية 2013. والدراسة الاستقصائية هي بمثابة استبيان عبر الإنترنت متاح في العنوان التالي: <https://www.surveymonkey.com/s/KSZTVMT>. ويركز الاستبيان على ما يلي:

- الصحة الإلكترونية في المناطق النامية؛
- كيف يرى ويعتقد ممثلو البلدان النامية إمكانية إسهام الاتحاد الدولي للاتصالات لا سيما من خلال المسألة 2/3-14 في تنفيذ أوسع للصحة الإلكترونية في مناطقهم.
- وطلب من مسؤولي الاتصال للاتحاد المشاركة في تقديم معلومات بشأن بلدانهم.
- ووضع مضمون الدراسة الاستقصائية بالتعاون مع مهنيي الصحة الإلكترونية من أعضاء الفريق المعني بالمسألة 2/3-14 بدعم من طبيب نفساني وخبراء في مجال الأخلاقيات.
- وقد وردت ردود بالفعل من أكثر من 20 بلداً وسوف تستمر عملية جمع البيانات. وتكشف النتائج أن:
- 47% من الجييين أشاروا إلى عدم وجود استراتيجية وطنية للصحة الإلكترونية؛
- في البلدان التي توجد بها هذه الاستراتيجية، تُنفذ جزئياً في 90% من الحالات؛
- أفضل أدوات وخدمات الصحة الإلكترونية المتقدمة المتاحة فعلاً هي سجلات الأدوية الوطنية وأنظمة المعلومات الخاصة بالمستشفيات وأدلة المهنيين الصحيين والمؤسسات الصحية. وأشار إلى أن خدمات الطب النفسي عن بُعد والتصوير الإشعاعي عن بُعد وخدمات الرعاية المنزلية من خلال الرصد عن بُعد ورصد الأمراض المزمنة "غير متطورة" تقريباً.
- وكشفت الدراسة الاستقصائية أيضاً عن مشاكل تتعلق بتحديد المصطلحات. وأظهرت النتائج أنه إذا كان بإمكان الاتحاد تقديم نصائح و/أو أمثلة بشأن أفضل الممارسات أو نماذج عامة لتكييفها في البلدان النامية، فإن الخدمات التي تتناسب بشكل أفضل مع احتياجات هذه البلدان هي:
- إساءة المشورة بشأن قواعد الصحة الإلكترونية ومعاييرها؛
- خطة رئيسية للصحة الإلكترونية؛

- إسداء المشورة بشأن تنمية الموارد البشرية في مجال الصحة الإلكترونية؛
- إسداء المشورة بشأن برامج التعلم الإلكتروني في مجال الرعاية الصحية والتمريض وطب الأسنان وعلم النفس الإكلينيكي؛
- إسداء المشورة بشأن سياسة الصحة الإلكترونية واستراتيجيتها؛
- إسداء المشورة بشأن أساليب رصد خدمات الصحة الإلكترونية وتقييمها؛
- معلومات بشأن الممارسات الفعالة/أفضل الممارسات في مجال الصحة الإلكترونية؛
- معلومات بشأن الاتجاهات والتطورات في مجال الصحة الإلكترونية (الشكل 1)
- كانت الدراسة الاستقصائية متاحة في الموقع الإلكتروني حتى منتصف عام 2013. وبذل الفريق المعني بالمسألة 14-3/2 قصارى جهده لجمع الردود من أكبر عدد ممكن من البلدان النامية.

الشكل 1: مثال من الدراسة الاستقصائية لعام 2013

إذا كان بإمكان الاتحاد تقديم أمثلة بشأن أفضل الممارسات أو نماذج عامة لتكييفها في بلدكم، أي من الخدمات التالية يناسب احتياجات بلدكم على أفضل وجه؟ يرجى تحديد درجة فائدتها:



المراجع

- [1] JB Eastwood, RE Conroy, S Naicker, PA West, RC Tutt, J Plange-Rhule, Loss of health professionals from sub-Saharan Africa: the pivotal role of the UK. The Lancet, Volume 365, Issue 9474, 28 May–3 June 2005, pp. 1893–1900
- [2] V. E. Eubanks "Trapped in the digital divide: the distributive paradigm in community informatics," The Journal of Community Informatics, vol. 3, pp. 1-12, 2007
- [3] M. Mars, The Digital Divide: Still a Reality? In M. Jordanova and F. Lievens (Eds.) Global telemedicine and eHealth Updates: Knowledge Resources, Vol. 6, Publ. ISfTeH, Luxembourg, 2013, pp. 277-280

2 بعض المبادئ التوجيهية لتنفيذ الصحة الإلكترونية في البلدان النامية

1.2 نحو تقييس الصحة الإلكترونية

إن إيصال⁵ الرعاية الصحية الفعالة وميسورة التكلفة، من التحديات التي تواجهها جميع البلدان اليوم، بغض النظر عما إذا كانت من البلدان المتقدمة أو النامية. ودوائر صناعة المعلومات والاتصالات لديها فرصة للمساهمة بشكل كبير في الرعاية الصحية على الصعيد العالمي. ولا شك في أن الأخذ بخدمات الصحة الإلكترونية سيعود بالنفع على جميع البلدان وبالأخص البلدان النامية حيث لا توجد أي موارد لتحسين أنظمة الرعاية الصحية لديها التي تستخدم النهج التقليدي المتمثل في زيادة عدد العاملين في المجال الطبي والمستشفيات.

ونتيجة لجهود الاتحاد، طرحت مسألة الطب عن بُعد في البلدان النامية ونوقشت لأول مرة خلال المؤتمر العالمي الأول لتنمية الاتصالات في الأرجنتين في مارس 1994. ووافق المؤتمر على المسألة 6 (أعيد ترقيمها في 1998 لتصبح المسألة 14) بشأن الطب عن بُعد التي أسندت إلى لجنة الدراسات 2 التابعة لقطاع تنمية الاتصالات بالاتحاد. ووفقاً لقرارات هذا المؤتمر، اضطلع الاتحاد بأنشطة مختلفة تتصل بدراسة الفوائد المحتملة لتطبيقات الصحة الإلكترونية في قطاع الرعاية الصحية في البلدان النامية فضلاً عن توضيح هذه التطبيقات في تنفيذ مشاريع تجريبية في مجال الصحة الإلكترونية/الطب عن بُعد في بلدان مختارة.

ثم عُقدت الندوة العالمية الأولى بشأن الطب عن بُعد من أجل البلدان النامية في البرتغال من 30 يونيو إلى 4 يوليو 1997. ونظمت الندوة بمبادرة من الاتحاد، واستضافتها إدارة الاتصالات البرتغالية من خلال "Instituto das Comunicacoes de Portugal" (ICP). وحضر الندوة أكثر من 57 بلداً وكانت المرة الأولى التي يجلس فيها أخصائيي الاتصالات إلى جانب الأطباء من نفس البلد. وكانت الندوة بمثابة الفرصة الأولى المتاحة للبلدان النامية للاطلاع على عروض توضيحية بخصوص الطب عن بُعد وإجراء مناقشات مع خبراء الصحة والاتصالات وتحديد الاحتمالات المختلفة والتطبيقات العملية للطب عن بُعد في بلدانهم.

واعترفت منظمة الصحة العالمية رسمياً في مايو 2005 في الدورة الثامنة والخمسين لجمعية الصحة العالمية، بالصحة الإلكترونية واعتمدت القرار WHA 58.28 الذي وُضعت بموجبه استراتيجية الصحة الإلكترونية لمنظمة الصحة العالمية.

وكالمعتاد، أية أفكار مبتكرة تصطدم بعدة عقبات بدءاً من إحجام العاملين في المجال الطبي في البلدان النامية عن اعتماد طريقة جديدة لتقديم الخدمات لدرجة الافتقار إلى المعارف حول الصحة الإلكترونية بين المهنيين والإدارة في المجال الطبي في البلدان النامية.

وهناك عقبة رئيسية أخرى تمم البلدان المتقدمة والنامية على حد سواء ألا وهي تقييس الصحة الإلكترونية التي هي من المسائل المعقدة للغاية. وعلى الرغم من المبالغ الضخمة من المال والقوى العاملة التي تنفق في هذا المجال، لا تزال النتيجة سيئة إلى حد ما لا سيما فيما يخص البلدان النامية. فهي تقتضي إيلاء اهتمام خاص لتلبية احتياجاتها مع مراعاة ظروف شبكتها الثابتة والمتنقلة. وقد تطورت حلول تكنولوجيا المعلومات والاتصالات لأغراض خدمات الصحة والصحة الإلكترونية، بما في ذلك، الصحة المتنقلة أيضاً، تطوراً كبيراً خاصة في العقد الأخير. ومع ذلك، لا تزال هذه الحلول تقتصر في كثير من الأحيان على التطبيقات الصغيرة غير القادرة على التواصل مع الأنظمة الصحية الأخرى وأو تبادل المعلومات عبر المناطق الجغرافية والتكنولوجيات.

والحواجز أمام رفع مستوى الأنظمة الصغيرة في البلدان النامية تحول دون دعم قاعدة أوسع من المرضى ومقدمي الرعاية. وليس بمقدور صناعات القرار تقييم الحالة الصحية الفعلية مما يؤثر سلباً كذلك على التخطيط والاستجابة وصياغة السياسات بصورة شاملة.

⁵ المساهمة: ل. أندروشكو، وإ. ناكاجيما، وم. جوردانوف، الجامعة الدولية في جنيف، مؤسسة دومينيك، سويسرا، والمقرر المعني بالمسألة 14-3/2 - الاتصالات في مجال الرعاية الصحية؛ وجامعة توکاي، كلية الطب، اليابان، نائب المقرر؛ ومعهد الأبحاث الفضائية والتكنولوجيا، الأكاديمية البلغارية للعلوم، بلغاريا، نائب المقرر.

ويضطلع قطاع تقييس الاتصالات بالاتحاد بتنسيق التقييس التقني للأنظمة والإمكانيات متعددة الوسائط المتعلقة بتطبيقات الصحة الإلكترونية. وقد أصدر القطاع مؤخراً تقريراً جديداً بشأن رصد التكنولوجيا⁶ يتعلق بمستقبل الصحة الإلكترونية. ويشير التقرير إلى أن تطوير الصحة الإلكترونية سوف يتطلب المزيد من معايير التشغيل البيئي للصحة الإلكترونية والاستراتيجيات على الصعيد العالمي للتغلب على الحواجز التقنية المتصلة بالبنية التحتية ومعالجة الخصوصية والأمن والمتطلبات القانونية الأخرى. وهناك العديد من المعايير العامة المستعملة في تطبيقات الصحة الإلكترونية للتشفير الفيديوي والأمن والإرسال متعدد الوسائط واللغات على سبيل المثال. وقد وضع قطاع تقييس الاتصالات العديد من هذه المعايير. ويعالج هذه المسائل وغيرها خبراء داخل لجنتي الدراسات 16 و 17 لقطاع تقييس الاتصالات وفي إطار هيئات خارجية معنية بالتقييس. ويجب أن تستند المعايير الدولية للصحة الإلكترونية إلى "تكنولوجيات ناضجة ومستقرة" قائمة بالفعل وألا تقتصر على تكنولوجيات المستقبل المتقدمة.

وقد اعتمد مؤتمر المندوبين المفوضين للاتحاد الدولي للاتصالات الذي عقد في 2010 في غوادالاخارا بالمكسيك، قراراً جديداً، القرار 183 بشأن "تطبيقات الاتصالات/تكنولوجيا المعلومات والاتصالات من أجل الصحة الإلكترونية" يدعو فيه الاتحاد إلى "إيلاء الأولوية لتوسيع نطاق مبادرات الاتصالات/تكنولوجيا المعلومات والاتصالات لأغراض الصحة الإلكترونية فيما يقوم به الاتحاد من عمل، وتنسيق الأنشطة المتصلة بالصحة الإلكترونية فيما بين قطاعات الاتصالات الراديوية وتقييس الاتصالات وتنمية الاتصالات ولا سيما من أجل النهوض بالتوعية بمعايير الاتصالات/تكنولوجيا المعلومات والاتصالات لأغراض الصحة الإلكترونية وتعميمها وبناء القدرات ذات الصلة بوضع هذه المعايير وإبلاغ مجلس الاتحاد بالنتائج عند الاقتضاء".

وبالإضافة إلى القرار 183، وافق مؤتمر المندوبين المفوضين في غوادالاخارا على "الخطة الاستراتيجية للاتحاد للفترة 2012-2015" حيث يتمثل أحد الأهداف الاستراتيجية لقطاع تقييس الاتصالات في "سد الفجوة التقييسية: تقديم الدعم والمساعدة للبلدان النامية من أجل سد الفجوة التقييسية في كل ما يتعلق بأمور التقييس والبنية التحتية لشبكات المعلومات والاتصالات وتطبيقاتها وتوفير المواد التدريبية ذات الصلة ببناء القدرات مع الأخذ في الاعتبار خصائص بيئة الاتصالات في البلدان النامية". ويتعلق الأمر بالصحة الإلكترونية إذ يلزم أن تكون المعايير التقنية للصحة الإلكترونية مناسبة للشبكات القائمة في البلدان النامية.

واعتمد المؤتمر العالمي لتنمية الاتصالات الذي عقد في حيدرآباد في 2010 القرار 65 بشأن "تحسين النفاذ إلى خدمات الرعاية الصحية باستعمال تكنولوجيا المعلومات والاتصالات"، الذي ينص على "... مواصلة النهوض بوضع معايير اتصالات من أجل حلول شبكات الصحة الإلكترونية والتوصيل البيئي مع الأجهزة الطبية في بيئة البلدان النامية بالاشتراك تحديداً مع قطاعي الاتصالات الراديوية وتقييس الاتصالات بالاتحاد".

وتبين حالة الدراسة التالية تجربة الهند المتعلقة بوضع معايير وطنية للصحة الإلكترونية وتختتم بتحديد بعض الدروس المستفادة والتوصيات للبلدان النامية الأخرى من أجل وضع معاييرها الوطنية استناداً إلى المعايير الدولية القائمة.

2.2 تقييس الصحة الإلكترونية – تجربة بلد نام

1.2.2 مقدمة

ي طرح⁷ توفير أدنى حد مقبول من الرعاية الصحية الأساسية لسكان المناطق الريفية في البلدان النامية تحدياً مستمراً. كما أن الموارد المحدودة والتوزيع غير المتوازن للخبراء الإكلينكيين، من بين أمور أخرى، يساهمان بشكل كبير في هذه المسألة. والهند ليست استثناءً لذلك، حيث يتجاوز عدد سكانها مليار نسمة موزعين على مناطق جغرافية شاسعة مما يزيد من التحديات الماثلة أمام الالتزام بتوفير المستويات الموصى بها لتقديم الرعاية الصحية. وخيار اعتماد تكنولوجيا المعلومات لأغراض الصحة من

⁶ <http://www.itu.int/en/ITU-T/techwatch/Pages/ehealth-standards.aspx>

⁷ المساهمة: بالجيت سنغ بيدي، مستشار، المعلوماتية الصحية، مركز تطوير الحوسبة المتقدمة (CDAC)، وزارة الاتصالات وتكنولوجيا المعلومات (MCIT)، حكومة الهند. انظر الوثيقة [RGQ14.3.2-INF-0024](http://www.itu.int/ITU-T/techwatch/Pages/ehealth-standards.aspx).

المسائل التي تم استكشافها لجعل عملية تقديم الرعاية الصحية أكثر كفاءة. ويعمل حالياً العديد من مقدمي الرعاية الصحية في القطاعين العام والخاص في عزلة مع وجود تواصل محدود بين الأطباء والمستشفيات نظراً لتصرفهم ككيانات خاصة. وفي هذا السيناريو يسود شعور بالحاجة إلى تكييف نظام موحد للمعلومات الصحية عبر البلد يفي باحتياجات الفئات المتنوعة ويكون قادراً على تقديم قيمة للمرضى.

يجري الآن تبني أنظمة معلومات للمستشفيات (HIS) باستخدام السجلات الطبية الإلكترونية في العديد من مستشفيات القطاعين الخاص والعام. وتقوم مشاريع أنظمة معلومات الإدارة الصحية التي تنظمها الحكومات بتجربة أجهزة النفاذ الإلكتروني. وبدأت الهند تخطو خطوات سريعة في مجال الطب عن بُعد والصحة الإلكترونية. ومع توسع نطاق اعتماد الطب عن بُعد في البلد، فإن صناع السياسة في الهند مقتنعون بالحاجة إلى وضع المجموعة الموصى بها من المعايير والمبادئ التوجيهية بشأن الطب عن بُعد وصقلها باستمرار مع مراعاة السيناريو المتغير بسرعة لزيادة مستويات الرعاية الصحية التي يمكن تحقيقها. وفي ضوء هذه الاتجاهات وأخذاً بعين الاعتبار السيناريو الدولي، ولا سيما نمو الأنظمة مسجلة الملكية التي تجعل من الصعب تبادل المعلومات الصحية في معظم الدول المتقدمة، بادرت دائرة تكنولوجيا المعلومات (DIT) إلى تحديد إطار البنية التحتية لتكنولوجيا المعلومات لأغراض الرعاية الصحية (ITIH) في الهند (1). وفي الوقت نفسه، اقترح في إطار لجنة رفيعة المستوى وفريق عمل تقني، مجموعة من المعايير والمبادئ التوجيهية لممارسة الطب عن بُعد في الهند (2). وأدت هذه الجهود، من بين أمور أخرى، إلى اقتراح معايير تعتبر حاسمة للنظر في تطوير شبكة المعلومات الصحية في الهند. ونظراً لجهودهم الرائدة في تحديد إطار البنية ITIH، تم استشارة أصحاب المصلحة الرئيسيين في دوائر الصناعة بشأن تحديد معايير المعلومات الصحية في البلد بهدف تعريف سجل مقبول للصحة الإلكترونية (EHR). ويسعى الإطار المقترح إلى تغطية المعايير الإكلينيكية وعناصر البيانات والمعرفات الصحية ومجموعة دنيا من البيانات والإطار القانوني ومعايير المراسلة.

وتواصلت هذه المبادرة من خلال وزارة المستعمل. وقامت وزارة الصحة ورعاية الأسرة بتشكيل فريق فرعي يعنى بمعايير الطب عن بُعد تحت رعاية فريق المهام المعني بالطب عن بُعد في الهند. وينتمي أعضاء الفريق المختلفين إلى مختلف الوكالات/المؤسسات الحكومية والخاصة التي اتخذت مبادرات في شكل تطوير معايير ومبادئ توجيهية مقبولة عموماً في مجال الطب عن بُعد. وقدم الفريق الفرعي هذه الوثيقة بشأن المعايير والمبادئ التوجيهية المقبولة لممارسة الطب عن بُعد في الهند مع اقتراح المزيد من الخطوات من أجل تنفيذها. واستفادت الجهود المبذولة إلى حد كبير من مدخلات المبادرة السابقة لدائرة تكنولوجيا المعلومات. وإن عدداً من المبادرات الوطنية المتعلقة بالتقييم في الخدمات القائمة على تكنولوجيا المعلومات من أجل الرعاية الصحية، بما في ذلك الصحة الإلكترونية، يستفيد بشكل كبير من هذه الجهود الرائدة. وتشمل هذه المبادرات، مبادرات لجنة المعارف الوطنية، وهي هيئة وطنية لوضع السياسات أنشأت فريق عمل لاقتراح تطوير شبكة المعلومات الصحية في الهند (I-HIND). كما أن الفريق الفرعي التابع لفريق المهام لوزارة الصحة ورعاية الأسرة استفاد إلى حد كبير من الجهود المذكورة التي بذلت بهذا الصدد في مجال السجلات الطبية الإلكترونية. ومع زيادة اعتماد تكنولوجيا المعلومات في مختلف قطاعات الرعاية الصحية، من المتوقع أن تقطع مبادرات التقييم هذه أشواطاً طويلة في تحقيق كفاءة تقديم الرعاية الصحية المتكاملة في الهند. ويمكن أن تستفيد البلدان النامية الأخرى من الدروس المستفادة من هذه العملية في جهودها المماثلة.

2.2.2 الشروع في العملية الوطنية للتقييم

بدأت البلدان في جميع أنحاء العالم تشعر بأثر اعتماد تكنولوجيا المعلومات والاتصالات (ICT) في مختلف القطاعات الاقتصادية والاجتماعية. وعلى الرغم من البداية البطيئة المسجلة، بدأت الاقتصادات النامية تحقق فوائد من حيث التكاليف والجودة وإمكانية الحصول على خدمات الرعاية الصحية. وقد حان الوقت لهذه البلدان كي تبادر ليس فقط إلى تعزيز هذه التكنولوجيا وإنما أيضاً الاستفادة من تجارب البلدان المتقدمة والمضي قدماً في بدء عملية التقييم في هذا القطاع مع ما يصاحب ذلك من فوائد متعددة. وبالنسبة إلى بعض البلدان مثل الهند، حيث يجري بالفعل تطوير خدمات الطب عن بُعد في إطار شبكات متعددة ومتباينة بأسلوب تشغيلي، هناك حاجة ملحة لوضع معايير ومبادئ توجيهية لتيسير نمو ممارسة الطب عن بُعد على أساس موحد وعلمي. وهناك وكالتان حكوميتان توليان الاستثمار في مجال تكنولوجيا المعلومات والصحة، وتضطلعان بدور رئيسي لاحتضان هذا البرنامج والمضي قدماً فيه. وأتخذت أول مبادرة في الهند بهذا الشأن من جانب وزارة الاتصالات

وتكنولوجيا المعلومات وتولت وزارة المستعمل والصحة ورعاية الأسرة زمام الأمور بعد ذلك. وفيما يلي بعض الخطوات الهامة التي اتخذت بهذا الصدد والتي يمكن تطبيقها أيضاً على بلدان نامية أخرى:

أ) تشكيل فريق خبراء واختصاصاته

هذه هي الخطوة الأولى وتنطوي على اختيار دقيق للخبراء من المجالات المتخصصة المعنية. ويجب أن يكونوا أعضاءً ينتمون إلى رابطات مهنية وصناعية ومؤسسات حكومية وأوساط أكاديمية ومسؤولين حكوميين ومنظمات البحث والتطوير (R&D) العاملة في ميدان المعلوماتية الصحية والوكالات الرئيسية المعنية بالمستعمل وصناع القرار في إدارة المستشفيات ومهنيين بارزين في مجال تكنولوجيا المعلومات وموردي تطبيقات/خدمات الرعاية الصحية وشركات تصنيع المعدات الأصلية والأطباء وما إلى ذلك. وينبغي أن يشاركوا في المناقشات المتعلقة بالمشاكل المحتملة وأن يقوموا بجمع المعلومات المطلوبة التي يمكن على أساسها فحص المعايير التقنية الملائمة لسيناريو البلد.

وينبغي أيضاً ترك المجال لدعوة خبراء آخرين، عند اللزوم، من المهن القانونية. ويتعين على الفريق أن يحدد بعناية المعايير الرئيسية وأن تكون له رؤية محددة قبل المضي قدماً في المداولات لمتابعة اختصاصاته بالكامل ضمن سلسلة كاملة من المعايير المحددة.

ب) تحديد المعايير - الأهداف الرئيسية

من المهم بالنسبة لأي وكالة تخوض في هذه التجربة أن يكون لديها رؤية واضحة فيما يتعلق بأهداف المعايير المحددة للصحة الإلكترونية والنظام HMIS المرتبط بها. ويمكن أن تكون كالاتي:

- زيادة نفاذ الجمع للرعاية الصحية الجيدة؛
- تشجيع نمو الصحة الإلكترونية والنظام HMIS؛
- تحديد ودعم آليات حماية خصوصية وسرية البيانات الصحية للأفراد وغيرها من المسائل الأمنية والقانونية؛
- توسيع نطاق التعاون الدولي في المجالات العلمية والقانونية والأخلاقية فيما يتعلق باستعمال الصحة الإلكترونية؛
- توفير إطار للتشغيل البيئي وقابلية التوسع عبر الخدمات القائمة على تكنولوجيا المعلومات داخل البلد والعالم الخارجي؛
- تحقيق الرجحية لمختلف أصحاب المصلحة بما في ذلك الموردون والمستعملون والجمهور وغيرهم.

ج) إطار تحديد المبادئ التوجيهية والمعايير

بالنسبة إلى ممارسة الطب عن بُعد بوجه خاص

- التشغيل البيئي: تمكين شبكات الطب عن بُعد التي تتفاعل فيما بينها من تقاسم التطبيقات على مختلف الأنظمة المشاركة في الوقت الفعلي أو التواصل السلس بين تطبيقات مختلفة؛
- التوافق: قدرة الأنظمة المتاحة من مختلف الموردين والإصدارات المختلفة لنفس النظام على التوصل البيئي؛
- قابلية التوسع: إمكانية إضافة خواص ووظائف إضافية لأجهزة/أنظمة مستعملة من أجل الطب عن بُعد كخيارات وحدات إضافية؛
- قابلية النقل: القدرة على نقل البيانات التي يتم توليدها بواسطة أحد التطبيقات التي تُشغّل على نظام معين إلى منصات مختلفة مع أدنى جهد ممكن.

ويجب على الإطار التوجيهي أن يضمن:

- إشراك جميع أصحاب المصلحة؛
- جعل التوصيات محايدة تجاه المورد.

د) البروتوكولات الإكلينيكية والمبادئ التوجيهية

ينبغي لفريق الخبراء أن يبحث أيضاً البروتوكولات الإكلينيكية والمبادئ التوجيهية. وتشمل البروتوكولات الإكلينيكية المتعلقة بممارسة الطب عن بُعد إجراءات الجدولة الأولية وإجراءات الاستشارة الفعلية والإجراءات المتعلقة بتشغيل معدات الطب عن بُعد (مثل مواصفات الإرسال). وإن المعيار التقني الإكلينيكي لجودة الصورة في إرسال فيديو، يحدد المعايير التقنية التي يحتاجها الأحصائي مثل طبيب الأمراض الجلدية لتحقيق مستويات عالية من وضوح الصورة والألوان اللازمة لتشخيص المريض بشكل صحيح.

هـ) اختصاصات الفريق

ليتسنى لفريق عمل من الخبراء بدء مداولاته يلزم انتقاء اختصاصاته بعناية ليضطلع بالمهمة المنوطة به على النحو الأمثل. ويرد فيما يلي مجموعة توضيحية من الاختصاصات لفريق الخبراء المعني بالطب عن بُعد/الصحة الإلكترونية:

- 1 التداول بدقة بشأن المعايير الدولية المتاحة والتوصية بالمعايير التي ينبغي تطبيقها وفقاً لمتطلبات البلد؛
- 2 تحديد الجوانب المختلفة لتشغيل البيئي لمختلف الشبكات/المعدات التي ينبغي أن تعمل معاً؛
- 3 تحديد متطلبات توافق التكنولوجيات مع المعايير اللازمة لنظام المعلومات القائم بالمستشفى كلما أمكن ذلك عملياً؛
- 4 تحديد قابلية توسع التكنولوجيات المعتمدة وقدرتها على التحول إلى قدرات موسعة؛
- 5 اقتراح هيكل للسجل الطبي الإلكتروني؛
- 6 النظر في توافق المعلومات الرقمية القياسية مع تكنولوجيات الاتصالات المختلفة المتاحة في البلد مثل الشبكة ISDN و PSTN والمطاريق VSAT والشبكات اللاسلكية وبروتوكول الإنترنت إلخ؛
- 7 توحيد متطلبات المؤتمرات الفيديوية من أجل الطب عن بُعد وإمكانية تطبيقها بطريقة تتسم بالكفاءة من حيث التكاليف؛
- 8 توحيد متطلبات المجالات الطبية المختلفة المتعلقة بالطب عن بُعد مثل التصوير الإشعاعي وأمراض القلب وعلم الأمراض إزاء توافق الأنظمة مع نظام الطب عن بُعد؛
- 9 توحيد وتنسيق منهجية إرسال سجلات المريض بما في ذلك البيانات الطبية الرقمية والتشخيص وجوانب السرية؛
- 10 التوصية بأدوات التشخيص الطبية المعيارية مثل تخطيط القلب الكهربائي وأجهزة المسح بالأشعة السينية بما في ذلك متطلبات نظام المؤتمر الفيديوي؛
- 11 وضع توصية بشأن المعدات الطرفية الإلزامية/الخيارية فيما يتعلق بنظام الطب عن بُعد؛
- 12 اقتراح معايير الخصوصية والأمن؛
- 13 اقتراح إطار قانوني.

من الضروري أيضاً تحديد جداول زمنية تتضمن مراحل محددة لتقديم الفريق لتوصياته. وقد يكون من المفيد أيضاً إتاحة موقع إلكتروني لتقديم تعليقات من أجل تعزيز المداولات. وللتوصل إلى توافق في الآراء بشكل نهائي، من المحبذ تنظيم ورش عمل يدعى إليها عدد كبير من أصحاب المصلحة لتقديم توصياتهم ومناقشتها ووضع صيغتها النهائية.

3.2.2 استعراض المعايير التقنية الرئيسية

- توجيه نمو النظام الإلكتروني لتكنولوجيا المعلومات في مجال الرعاية الصحية

تُبدل جهود ضخمة على الصعيدين الوطني والدولي بهذا الصدد لتنظيم/توجيه نمو النظام الإلكتروني لتكنولوجيا المعلومات في مجال الرعاية الصحية. وجاءت هذه الجهود نتيجة الحالة الملحة لتقييم عمليات تقديم معلومات الرعاية الصحية وإرسالها من نظام إلى آخر. ولكي يتسنى لأي بلد نامٍ الشروع في اقتراح معايير للصحة الإلكترونية وأنظمة معلومات إدارة المستشفيات (HMIS)، لا بد من دراسة الوضع الدولي الحالي والمنظمات التي تعمل في هذا المجال واعتماد الدول المختلفة للمعايير الصادرة

وقبولها واستعمالها. ويشارك العديد من هذه المنظمات المعنية بوضع المعايير (SDO) ومجموعات الاهتمام الخاص (SIG) مشاركة فعالة في عملية التقييم لمعالجة المسائل المتعلقة بتبادل البيانات الصحية وهيكل البيانات وإدارة النفاذ وتقييم العملية الإكلينيكية والتجارية فيما يخص الرعاية الصحية والأمن والخصوصية. وفيما يلي بعض المعايير الرئيسية ذات الصلة التي يتعين على البلدان النامية دراستها والنظر في اعتمادها بخصوص الصحة الإلكترونية والنظام HMIS بالاقتران مع اسم المنظمة التي تقوم بنشرها. ويتعلق هذا الأمر بكل من البيئتين الريفية والحضرية على السواء.

- معايير السجل الصحي الإلكتروني وتبادل البيانات

- ISO/TS 18308 - متطلبات معمارية السجل الصحي الإلكتروني

تقوم اللجنة التقنية (TC) 215 المعنية بوضع المعايير في مجال المعلوماتية الصحية التابعة للمنظمة الدولية للتوحيد القياسي (ISO) بتطوير المعيار. ويوفر المعيار تعريف وخصائص السجل الصحي الإلكتروني ومواصفات متطلباته.

- CEN/TC 251 EN 13606 (EHRcom)

CEN/TC 251 EN 13606 (EHRcom) عبارة عن معيار من خمسة أجزاء وضعته اللجنة التقنية (TC) 251 التابعة للجنة الأوروبية المعنية بالتقييم (CEN). ويوفر هذا المعيار مواصفات الهيكل والمحتوى والاتصالات وسياسات الأمن للسجل الصحي الإلكتروني من أجل تحقيق التشغيل البيئي الدلالي أثناء تبادل المعلومات في إطار سجل صحي إلكتروني.

- التصوير والاتصالات الرقمية في مجال الطب (DICOM)

التصوير والاتصالات الرقمية في مجال الطب (DICOM) عبارة عن معيار للصناعة وضعته الكلية الأمريكية للتصوير الإشعاعي والرابطة الوطنية للمصنعين الكهربائيين (NEMA)، وهو يسهل تبادل ومعالجة الصور الطبية في نسق رقمي. ويمكن توصيل أجهزة حيازة الصور (مثل التصوير المقطعي بواسطة الحاسوب) ومخفوقات الصور وأجهزة النسخ المطبوعة ومحطات العمل للتصوير التشخيصي المقدمة من مختلف الموردين ببنية تحتية مشتركة للمعلومات ومتكاملة مع أنظمة معلومات أخرى (مثل خدمات حفظ الصور والاتصالات (PACS)، أنظمة المعلومات الصحية/نظام المعلومات الخاصة بالأشعة). والإصدار المتاح حالياً لهذا المعيار هو DICOM PS 3.0-2009.

- معايير المستوى الصحي 7 (HL7)

المستوى الصحي 7 معيار وضعه معهد المعايير الوطنية الأمريكية من أجل المراسلة في البيئات الإكلينيكية، وهو معيار لتبادل الرسائل الإكلينيكية بين مختلف أنظمة الطب عن بُعد. ويعني المعيار HL7 مستوى الصحة سبعة؛ ويشير مصطلح "مستوى 7" لأعلى مستوى لنموذج التوصيل البيئي للأنظمة المفتوحة (OSI) للمنظمة الدولية للتوحيد القياسي (ISO). وتشمل الإصدارات المختلفة HL7 2.x و HL7 CDA و HL7 v3. ويعرف الإصدار HL7v2.x مواصفات التشغيل البيئي لإرسال/استقبال الأحداث والاستفسارات المتعلقة بالرعاية الصحية في شكل رسائل. ويستند الإصدار الحالي HL7v3 إلى النموذج الموجه نحو الشيء ويقدم المواصفات الخاصة بالأصناف والأشياء. ومعمارية الوثيقة الإكلينيكية HL7 هي معيار توصيف الوثيقة (CDA) الذي يحدد هيكل ودلالات "الوثائق الإكلينيكية" لأغراض التبادل.

- استمرار معيار سجل الرعاية (CCR) للجمعية الأمريكية لاختبار المواد (ASTM)

استمرار معيار سجل الرعاية هو معيار شارك في وضعه الجمعية الأمريكية لاختبار المواد والمجتمع الطبي لمساتشوستس (MMS) ومجتمع أنظمة إدارة معلومات الرعاية الصحية (HIMSS) والأكاديمية الأمريكية لأطباء الأسرة (AAFP) من أجل تحديد مجموعة دنيا من البيانات (MDS) اللازمة لإعداد ملخص الرعاية للمريض حين ينتقل من مقدم رعاية صحية إلى آخر. والهدف من المعيار هو تقليل الأخطاء وتجنب تأخير العلاج بسبب المعلومات الصحية غير الكافية وتحسين تقديم الرعاية الصحية الشاملة داخل بلد معين.

• CEN/TC 251 EN 13940

هو المعيار الأوربي الذي وضعته اللجنة التقنية 251 التابعة للجنة الأوروبية المعنية بالتقييم (CEN) ويطلق عليه اسم "المعلوماتية الصحية - نظام مفاهيم دعم استمرار الرعاية" (CONTsys). ويحدد هذا المعيار المفاهيم والعمليات المستخدمة أثناء أنشطة الرعاية الصحية لتوفير الرعاية للمرضى.

• المعايير الإكلينيكية

معايير تمثيل البيانات الإكلينيكية أو مجموعة مدونات، عبارة عن تمثيل منهجي للمعلومات الصحية. ويستخدم عدد متزايد من المعايير الإكلينيكية في قطاع الصحة لتدوين المعلومات المتعلقة بالأمراض والإجراءات والملاحظة الإكلينيكية والأدوية وإجراءات التمريض والمستهلكات والعمليات الجراحية وما إلى ذلك، وتعد أساسية في عملية التقييم. وقد اعتمدت معظم البلدان مجموعات المدونات وفقاً لشروط وطبيعة استعمالها. وتحتاج أنشطة تقييم الصحة الإلكترونية والنظام HMIS في بلد نام إلى تحليل دقيق واعتماد المعايير الإكلينيكية. وهي أساسية للتشغيل البيئي من أجل وضع نظام ناجح للمعلومات الصحية على الصعيد الوطني يسمح بزيادة سلامة المريض. وهناك ثلاث فئات رئيسية للمعايير الإكلينيكية تشمل:

- مدونة الأمراض؛

- قانون الإجراءات؛

- مدونة المراقبة الإكلينيكية.

وترد فيما يلي قائمة ببعض أنظمة الترميز البارزة والمستخدم.

• التصنيف الدولي للأمراض (ICD)

شرعت منظمة الصحة العالمية (WHO) في تطوير نظام التصنيف الدولي للأمراض لتعزيز إمكانية المقارنة الدولية فيما يخص جمع البيانات الإحصائية للوفيات والأمراض ومعالجتها وتصنيفها وتمثيلها. والتصنيف الدولي للأمراض-10 (ICD-10) هو النسخة المقبولة حالياً والمستعملة في العديد من البلدان.

• التصنيف الدولي للأمراض - النسخة العاشرة - نظام الترميز الإجمالي (ICD-10-PCS)

الترميز الإجمالي هو ترجمة المصطلحات الطبية للإجراء المنجز إلى رموز

• التسميات المنهجية للمصطلحات الطبية-الإكلينيكية (SNOMED-CT)

التسميات المنهجية للمصطلحات الطبية-الإكلينيكية (SNOMED-CT) هي مصطلحات إكلينيكية شاملة وضعتها المنظمة الدولية لتطوير معايير مصطلحات الصحة (IHTSDO) وتشمل رموز التشخيص والعلاج والإجراءات المضطلع بها خلال عملية الرعاية الصحية.

• المصطلحات الإجرائية الحالية (CPT)

وضعت الرابطة الطبية الأمريكية (AMA) المصطلحات الطبية الحالية (CPT).

• نظام اللغة الطبية الموحد (UMLS)

قامت المكتبة الوطنية الأمريكية للطب بتصميم نظام اللغة الطبية الموحد وتتولى صيانتها. ويوفر بنية تقابل بين مصطلحات الترميز القائمة. وهو نظام فعال لتحقيق قابلية التشغيل البيئي في المنظمات التي قد تستخدم نفس نموذج المعلومات وإن كانت تستخدم مجموعة مختلفة من الرموز داخل نماذج المعلومات.

• معايير المؤتمرات الفيديوية

تشكل معايير المؤتمرات الفيديوية أيضاً أحد الجوانب الهامة للصحة الإلكترونية/الطب عن بُعد. ولحسن الحظ هناك معايير مقبولة دولياً بشأن قابلية التشغيل البيئي للمؤتمرات الفيديوية. بمختلف أساليب التوصيل على النحو المبين أدناه من خلال توصية الاتحاد الدولي للاتصالات (ITU).

- المعيار ITU-T H.32x

• المنظمات المعنية بوضع المعايير

من المهم الإشارة إلى أن منظمات التوحيد القياسي مثل اللجنة الأوروبية للتوحيد القياسي (CEN) والجمعية الأمريكية لاختبار المواد (ASTM) والمنظمة الدولية للتوحيد القياسي (ISO) ومنظمة الصحة العالمية (WHO) والاتحاد الدولي للاتصالات (ITU) ومعهد المعايير الوطنية الأمريكية (ANSI) ومجتمع أنظمة إدارة معلومات الرعاية الصحية (HIMSS) إلخ. تعمل على مختلف

جوانب المعايير في مجال الصحة الإلكترونية ونظام معلومات إدارة المستشفيات وفروع أخرى للمعلوماتية الصحية. وقد وضعت هذه المنظمات مجموعة من المعايير الهامة على مر السنين. وسيستفيد كل بلد نام يباشر أعمال التقييم من هذه المعايير المتاحة من خلال استعراضها لتحديد ما إذا كانت ملائمة لكي يعتمدها. وفي الوقت نفسه، يمكن أن تكون بعض التقارير الصادرة مؤخراً مثل تقرير الاتحاد بشأن الموضوع (3) مفيدة للتوصل إلى رؤية شاملة عن هذه القضايا.

4.2.2 معيار نظام معلومات إدارة المستشفيات (HMIS)

يتعلق أحد الجوانب الهامة للتقييم في نظام معلومات إدارة المستشفيات بالسجل الطبي الإلكتروني (EMR) أو السجل الصحي الإلكتروني (EHR) ومعايير تبادل البيانات والمعايير الإكلينيكية. ويرد المزيد بشأن المسائل المتعلقة بذلك وبعض المعايير ذات الصلة في القسم 2.3. والميزة الأساسية لاستخدام المعايير في النظام HMIS هي تمكين التطبيق HMIS من التواصل مع تطبيقات أخرى وتوليد سجل طبي موحد للمريض فيما يتعلق بمختلف أنظمة HMIS. ومع ذلك، هناك فرق رئيسي بين فئتين من المستشفيات من حيث وظائف المستشفيات ونطاقها. وينبغي أيضاً مراعاة البيئة الخاصة بالمعايير. فالمستشفيات الصغيرة يمكن أن يكون لها نوع أو اثنين من الأنظمة مثل نظام تسجيل المريض وإدارة المعلومات المختبرية. والالتزام بمعايير واحد مثل المعيار HL7 كافٍ في مثل هذه البيئة بينما في المستشفيات الكبيرة التي توجد فيها أنظمة مختلفة بما في ذلك خدمات حفظ الصور والاتصالات (PACS)، والنظام HMIS ونظام إدارة المختبر وأنظمة دوائر التصوير الإشعاعي، يكون السيناريو معقداً. وبيئة كهذه بحاجة إلى الالتزام بمعايير متعددة وتتطلب بالإضافة إلى ذلك الالتزام بمعايير مثل الملامح IHE التي تحدد الملامح العامة للتشغيل البيئي بين مختلف المعايير وتسمح بتبسيط تدفق العملية.

النظام HMIS وخدمات الصحة الإلكترونية

إن دمج خدمات الصحة الإلكترونية مع النظام HMIS في أحد المستشفيات يعزز بشكل كبير فعالية تفاعل خدمات الصحة الإلكترونية مع المستشفى المتخصص. ومع زيادة تقدم الصحة الإلكترونية/الطب عن بُعد، تجعل بعض المستشفيات المتخصصة هذا الأمر كأحد الشروط الوظيفية للموردين من أجل تثبيت النظام HMIS. وفي إحدى الشبكات التشغيلية الناجحة للطب عن بُعد في ولاية كيرالا في الهند، تمثل هذه الوظيفة قيمة مضافة بالنسبة إلى مرضى السرطان في المواقع النائية. وبالإضافة إلى تحديد موعد الاستشارة على الخط، يتاح السجل الطبي الإلكتروني للمريض الموجود في قاعدة بيانات النظام HMIS DICOM لكلا الموقعين بواسطة ترخيص من النظام HMIS ويجري تحديثه بعد الاستشارة.

حلول الحوسبة السحابية فيما يتعلق بالنظام HMIS

الحوسبة السحابية أسلوب آخر من الأساليب التي تحتاج الدول النامية إلى النظر في اعتماده من أجل النظام HMIS في المستشفيات. والقدرة على التواصل والتعاون بفعالية تمثل أكبر فائدة لاعتماد أسلوب الحوسبة السحابية. فهو يتيح تغطية موحدة للحلول عبر البلد بأكمله. ويسمح أيضاً بتخفيض تكلفة الملكية بشكل كبير. وستوفر معايير التشغيل البيئي للخدمات المقدمة. ويمكن للحوسبة السحابية العامة التي توفر خدمات HMIS عبر المستويات المختلفة للمستشفيات أن تحدث ثورة في سيناريو تقديم الخدمات الصحية في البلدان النامية. وقد لجأت بعض الولايات في الهند فعلاً إلى استعمال حلول الحوسبة السحابية فيما يخص عدد من المستشفيات الخاضعة لولايتها القضائية.

5.2.2 الجوانب المتصلة بالإطار التنظيمي والقانوني وآليات المطابقة

تدرج معالجة خدمات الصحة الإلكترونية في مختلف المسائل القانونية والقضائية، ولذلك من المهم فهم العديد من الجوانب القانونية بهذا الشأن. ونظراً لاختلاف العمليات القضائية من بلد لآخر، من المؤكد أن تختلف الآثار القانونية لاستخدام خدمات الصحة الإلكترونية حسب كل بلد.

وفي الهند، لا يوجد مثل هذا الإطار القانوني الذي يمكن من خلاله إدارة نمو قطاع الصحة الإلكترونية. وهناك حاجة إلى بعض الوقت لوضع مثل هذا الإطار القانوني الذي يضمن التوافق السليم بين أصحاب المصلحة لتحقيق هدف وطني لأي بلد نام يُقدم على دمج حلول الصحة الإلكترونية في سيناريو الرعاية الصحية الخاص به. وقد قام الفريق الفرعي المعني بمعايير الطب عن

بُعد التابع لفريق المهام المعني بالطب عن بُعد في الهند بالنظر بإسهاب في بعض هذه المسائل قبل رفع تقريره بهذا الشأن. ويجري النظر في هذا الجانب أيضاً في الرابطة الهندية للمعلوماتية الطبية (IAMI) وبمجمع الطب عن بُعد في الهند (TSI)، وهما من الرابطة المهنية الرئيسية في هذا المجال. ولا يتطرق القانون الهندي الحالي لهذه المسألة بشكل كافٍ. وفيما يلي بعض الجوانب الموصى بها التي تناولها الفريق الفرعي والتي ينبغي معالجتها بهذا الصدد.

سياسة الاحتفاظ بالبيانات

ينبغي الاحتفاظ بالنسق الإلكتروني للبيانات الطبية لفترة معينة كما هو الحال بالنسبة للسجلات الطبية الوثائقية. ويجب وضع أنظمة نسخ احتياطية لاسترجاع البيانات المفقودة بسبب الفيروسات/الحرائق وغيرها من الحوادث.

خصوصية/سرية المريض ومعايير الأمن

ينبغي الحفاظ دائماً على خصوصية وسرية المريض. تتصل هذه المعايير بجميع أنواع المعايير الأخرى وتشملها. ولهذا الغرض، يجب النظر في مختلف الحقوق القانونية والامتيازات التي يتمتع بها المريض. ويشمل ذلك مسائل مثل الاستيقان والتحكم في النفاذ وأمن الإرسال. وينبغي أن يكون بإمكان المستعمل عدم الإفصاح عن هويته في البيانات التي يتم إرسالها. وينبغي ألا تكون هذه البيانات المجهولة المرسله كافية للتعرف على المريض. وينبغي اعتماد أحكام أمنية مناسبة للحماية من الأفعال المتعمدة وغير المتعمدة التي يمكن أن تنتهك خصوصية المريض. ومن بين المعايير التي ينبغي اعتمادها تشفير وفك تشفير تقنيات المعلومات الصحية الإلكترونية بمستويات مختلفة.

موافقة المريض

ينبغي أن يكون مستعملو الطب عن بُعد على علم بمسائل الخصوصية التي تنطوي على نقل/تبادل البيانات المتعلقة بالمريض. ويُفضل الحصول على موافقة المريض قبل أي تفاعل طبي عن بُعد ينطوي على نقل البيانات الشخصية للمريض.

جودة الخدمة

بغية ضمان جودة الخدمة، يتعين على كل كيان في التفاعل التأكد من أن البيانات خالية من الأخطاء وأن التفاعل سلس وحاسم.

ملكية البيانات

يعتبر المريض و/أو الوصي القانوني المالك الصالح الوحيد والشرعي للبيانات الطبية. ويعتبر المكان والمستشار والأخصائي بمثابة القيم المسؤول عن البيانات الطبية وبالتالي يتخذ جميع الاحتياطات لحماية المعلومات الحميمية والشخصية.

فض النزاعات

يكتنف عدم اليقين أيضاً عدداً من المسائل القانونية المتصلة بالمسؤولية والحقوق فيما يتعلق بأساليب الطب عن بُعد. وينبغي تحديد شروط فض النزاعات بوضوح.

6.2.2 آليات المطابقة والتحديات

يتمثل أحد أكبر التحديات التي تواجهها جميع البلدان تقريباً التي شرعت في هذه العملية في الآليات اللازمة لجعل أصحاب المصلحة يتقيدون بالمعايير الموضوعية. وينبغي أن يُنظر إلى التقيد بالمعايير في خدمات الصحة الإلكترونية من منظورين: تمثيل معلومات الرعاية الصحية وإرسالها. ويشمل تمثيل المعلومات بنية المعلومات ونوع المحتوى الذي يمكن أن تمثله. وتشمل كذلك توحيد المصطلحات الإكلينيكية المستعملة في معلومات الرعاية الصحية. ويشمل الإرسال التقيد بالمعايير المطبقة وفقاً لطبيعة النظام. فعلى سبيل المثال، قد يستعمل النظام HMIS معايير HL7 لإرسال المعلومات والتطبيقات الإشعاعية وقد تستعمل الأجهزة الطبية معيار DICOM لرابطة NEMA. وستساعد المبادئ التوجيهية التنظيمية في حث صناعة تكنولوجيا المعلومات

في مجال الرعاية الصحية على التقيد بالمعايير. ولكن هذه العملية ستشكل تحديات جديدة مثل زيادة كبيرة في الجهود وتكلفة المنتج الذي يتقيد بمعايير محددة وتوسيع التقيد بالمعايير.

والخطوة الأولى لكي يتوصل أصحاب المصلحة إلى توافق الآراء بشأن معايير مقبولة، سواء أكانت قد وضعتها منظمات التوحيد القياسي الوطنية أم الدولية، مسألة تستغرق وقتاً طويلاً في حد ذاتها. وإن الطابع الشامل لمعايير تحفظ مصالح جميع أصحاب المصلحة بالاقتران مع حيادية المورد يجعل العملية صعبة وتستغرق وقتاً طويلاً. وبعد هذه الخطوة، تختلف عملية جعل المعايير المقبولة والموصى بها إلزامية من بلد إلى بلد تبعاً لنوع نظام الحكم السائد فيها.

يمكن للبلدان النامية بشكل عام أن تستفيد من ميزتين أوليتين لبدء عملية تنفيذ التوحيد القياسي في النظام. تتمثل الميزة الأولى في كون البلدان النامية غير مثقلة بعدد كبير من الأنظمة القديمة ينبغي التعامل معها. وبعبارة أخرى، فهي تتمتع بميزة المبتدأ. وثانياً، يمكن للبلدان النامية أن تدرس وتستفيد من خبرة البلدان المتقدمة وبعض البلدان النامية التي أحرزت تقدماً في العملية. وفي الوقت نفسه، يتعين على هذه البلدان التصدي للتحدي المزودج من حيث الموارد البشرية المزودة بالمعارف والحاجة إلى تحسين الأعباء المالية على المدى القصير مع توقع عائد على الاستثمار في المدى البعيد.

وغني عن الذكر أن الخطوة الأولى لإذكاء الوعي بالنشاط والتركيز عليه تتطلب الاضطلاع بدور قيادي. وهذا الدور القيادي هو الذي سيوحد المجموعة المتنوعة من أصحاب المصلحة حول هذا الهدف المشترك. وينبغي للقادة فهم الآليات التشغيلية في البلد والمضي قدماً تبعاً لذلك مع واضعي السياسات. وتحتاج الخطوة الأولى لإنشاء لجنة/فريق خبراء على الصعيد الوطني للحصول على ترخيص/موافقة السلطة المختصة. ويُعرض فيما يلي بإيجاز بعض الدروس المستفادة من السيناريو الهندي.

الدروس المستفادة وتوصية البلدان النامية الأخرى

أدى النمو الهائل الذي شهده قطاع تكنولوجيا المعلومات والبرمجيات في العقدين الأخيرين إلى اهتمام كبير بالخدمات القائمة على تكنولوجيا المعلومات في الهند. وبدأت تطبيقاته تنمو واخترقت أيضاً قطاع الرعاية الصحية. ونظراً للنسبة المثوية الكبيرة من السكان الذين يعيشون في المناطق الريفية والموارد البشرية المعكوسة والانتشار الجغرافي، انصب التركيز على الاستعمال المحتمل للطب عن بُعد، مع وجود عدد كبير من شبكات الطب عن بُعد التي تشجعها أساساً دوائر الخدمات الفضائية في وزارات التكنولوجيا التي استفادت من الاتصالات الساتلية ووزارة الاتصالات وتكنولوجيا المعلومات. وفي هذه المرحلة أي في حوالي 2002 أنشأت وزارة الاتصالات وتكنولوجيا المعلومات فريق عمل تقنياً لاقتراح معايير للطب عن بُعد والشروع في دراسة إمكانية وضع إطار لبنية تحتية لتكنولوجيا المعلومات على أساس المعايير لأغراض الصحة. وأتيحت التوصيتان في مايو 2003 بعد عقد عدة ورش عمل حضرها عدد كبير من أصحاب المصلحة من القطاعين العام والخاص بما في ذلك الحكومات والمؤسسات الأكاديمية الطبية والمعنية بتكنولوجيا المعلومات.

ونوقشت المسائل المتعلقة بالارتقاء بالتوصيات إلى مستوى إلزامي. أولاً، اتضح أن أي نشاط تشريعي يجب أن يكون تحت إشراف المستعمل الرئيسي أي وزارة الصحة وفقاً لقواعد العمل نظراً لأن الموضوع يتعلق أساساً بمجال اختصاص هذه الوزارة وليس بوزارة تكنولوجيا المعلومات التي اتخذت هذه المبادرة. وكان هذا النشاط عملاً مضمياً. وفي المقابل أتيحت التوصيات في الموقع الإلكتروني لوزارة الاتصالات وتكنولوجيا المعلومات في سبتمبر 2003. ووضعت التوصيات بعد دراسة جيدة وشاملة وبالتشاور مع كبار الخبراء ومعظم أصحاب المصلحة الرئيسيين، وأصبحت بمثابة مبادئ توجيهية تسترشد بها دوائر الصناعة وأصحاب المصلحة. وأدرجت بعض الدوائر الحكومية هذه المبادئ التوجيهية ضمن متطلباتها الأساسية وأعربت عن اهتمامها باستخدام الحاسوب في المؤسسات الطبية. وأدت هذه المنهجية في المراحل الأولى إلى خلق دعاية وتوعية وجهود على نطاق واسع لنشر الصحة الإلكترونية في الهند التي يمكن أن تكون مثلاً تقني به بلدان نامية أخرى. وغني عن الذكر أنه بغية جعل هذه التوصيات ملزمة وتبناها كلا القطاعين العام والخاص، يجب وضع قانون باتباع المنهجية المطلوبة السائدة في البلد المعني.

ويمكن التفكير في بعض الخطوات الترويجية بدعم من الوزارة/الإدارة المعنية في البلد لتشجيع أصحاب المصلحة على اعتماد المعايير المقبولة. وكمثال، دعمت وزارة الاتصالات وتكنولوجيا المعلومات في الهند أحد مجتمعاتها العلمية لتطوير مجموعة أدوات برمجية للمعايير DICOM و HL7. و DICOM هو أحد المعايير الرئيسية للتصوير والمراسلة في المجال الطبي المقبول من رابطة التصوير الإشعاعي. و HL7 هو أحد المعايير الرئيسية للمراسلة ونقل المعلومات وإدارتها في المجال الطبي. ويستخدم هذا

المعيار على نطاق واسع في أنظمة المعلومات والمراسلة الطبية. وهناك عدد قليل جداً من التطبيقات المتاحة في الصناعة حالياً التي تدعم المعيارين المذكورين أعلاه نظراً لطبيعتهما المعقدة واتساع نطاقهما على مستوى التنفيذ. ومع ذلك، من المتوقع ورود طلب كبير على هذه التكنولوجيا في فترة زمنية قصيرة. وسوف تتأكد مكثبات الفتتين DICOM و HL7 من سهولة إدراج المعيارين DICOM و HL7 في أي تطبيق والامتثال للمعيارين. ويمكن أيضاً لمصنعي الأجهزة الطبية استخدام هذه المكثبات لجعل أجهزتهم الطبية متوافقة مع المعيارين DICOM و HL7.

وهناك اعتقاد خاطئ لدى مقدمي الخدمات بأن يؤدي التقيد بالمعايير إلى تخفيض الحصة السوقية لمنتجاتهم نظراً لأن التقيد بالمعايير سيقبل من ميزات الملكية. ويتعين توضيح هذا الاعتقاد الخاطئ من خلال إذكاء الوعي بالأهمية والفرص التي يمكن إتاحتها في المستقبل من خلال الالتزام بالمعايير.

وعلاوة على ذلك، يمكن للهيئة التنظيمية التي تنظم تحول تكنولوجيا المعلومات لأغراض الرعاية الصحية أن تستخدم بعض الآليات لتحقيق الامتثال وفقاً للمبادئ التوجيهية. وينبغي وضع وثيقة مبادئ توجيهية تنظيمية لوصف استخدام المعايير وفقاً لطبيعة خدمات الصحة الإلكترونية. وتمثل إحدى الآليات الفعالة في تحفيز مقدمي خدمة الرعاية الصحية على الالتزام بالمعايير. وبغية التحفيز، يلزم تقييم الالتزام بالمعايير. ويمكن القيام بذلك من خلال إنشاء بنية تحتية وطنية لإصدار شهادات خدمات الصحة الإلكترونية التي يمكن من خلالها اعتماد مقدمي الرعاية الصحية. وقد تساعد هذه الآلية الهيئات التنظيمية في تنفيذ الطلبات المقبلة على خدمات الصحة الإلكترونية المعتمدة.

المراجع

- [1] Health Unite: Recommended Framework for Information Technology Infrastructure for Health in India, DIT, Ministry of Communication and IT
- [2] Report of the Technical Working Group on Telemedicine Standardization: Recommended Guidelines & Standards for Practice of Telemedicine in India, September, 2003; DIT, Ministry of Communication and IT
- [3] Standards and eHealth: ITU Technology Watch Report, January 2011

3.2 اقتصاديات تطبيقات الصحة الإلكترونية

يتمثل⁸ أحد الوعود الاستراتيجية للصحة الإلكترونية في زيادة الكفاءة في مجال الرعاية الصحية، أي ضمان رعاية طبية عالية الجودة 24 ساعة في اليوم و7 أيام في الأسبوع لجميع المواطنين، بغض النظر عن مكان تواجدهم وفي الوقت نفسه تقليل النفقات الصحية الإجمالية. (إجمالي الإنفاق على الصحة هو مجموع النفقات الصحية العامة والخاصة). وقد سجلت النفقات الصحية الإجمالية لجميع البلدان، كنسبة مئوية من إجمالي الناتج المحلي لديهم (GDP)، زيادة تدريجية ولكن باطراد خلال العقود الماضية وسوف تصل قريباً إلى مستوى لا يطاق [1]. ومن الواضح أن البلدان النامية غير قادرة على تحقيق نفس السرعة من حيث زيادة الأموال المخصصة للرعاية الصحية. ويتعين على البلدان النامية إيجاد طريقة أخرى واستثمار قدر أقل من الأموال لتحقيق مستوى مماثل من الخدمات الصحية التي توفرها البلدان المتقدمة لمواطنيها. وأفضل حل ممكن هو الصحة الإلكترونية التي يمكن أن تضمن انخفاض النفقات الصحية الإجمالية وتقديم رعاية صحية عالية الجودة.

والمناقشة حول ما إذا كانت تطبيقات الصحة الإلكترونية فعالة من حيث التكلفة أم لا مهمة للغاية علماً أن تطور الصحة الإلكترونية وتطبيقاتها الواسعة جزء من استراتيجية العديد من الحكومات المحلية والهيئات الدولية مثل منظمة الصحة العالمية والاتحاد الدولي للاتصالات وسياسة الصحة في الاتحاد الأوروبي (EU). وهذا هو السبب في كون فعالية تكاليف الصحة الإلكترونية مسألة حيوية بالنسبة لبلدنا أيضاً.

يلخص النص آخر الإنجازات في مجال اقتصادات الصحة الإلكترونية ويوجب على التساؤل التاليين: "هل الصحة الإلكترونية فعالة من حيث التكاليف؟" و"كيف يمكن تقييم الآثار المالية المحتملة لتطبيق الصحة الإلكترونية قبل تنفيذها؟".

1.3.2 اقتصاديات الصحة الإلكترونية

يتمثل دور اقتصادات الصحة الإلكترونية في تقييم التكاليف والفوائد التي يمكن جنيها من مبادرة الصحة الإلكترونية مع مرور الوقت وبالنسبة إلى العديد من أصحاب المصلحة بما في ذلك المواطنون والمرضى والمهنيون والصحيون والعاملون الآخرون في مجال الصحة ومقدمو الرعاية الصحية والقائمون بالدفع.

والدراسات الأولية بشأن فعالية التكاليف [2] وبعض المنشورات الأخيرة [3] واضحة - ولا يوجد أي دليل جيد على أن الصحة الإلكترونية وسيلة فعالة من حيث التكلفة لتقديم الرعاية الصحية. وقد ذهب بعض المؤلفين إلى التأكيد أن التكاليف أكبر فيما يخص الاستشارات البعيدة بالمقارنة مع المواعيد التقليدية للمريض الخارجي على الرغم من أنهم يؤيدون الفرضية التي تفيد أن الخسائر في الإنتاجية أقل [4].

وتشير البيانات المستمدة من دراسات حديثة بشأن اقتصادات الصحة الإلكترونية التي تركز على دراسات واسعة النطاق (أي، إما استناداً إلى عدد كبير من الاستشارات أو سنوات الخبرة) إلى عكس ذلك تماماً، وفيما يلي بعض الأمثلة لتلك الدراسات:

- دراسة يابانية نشرت في 2013، تناولت الآثار طويلة الأجل لاستخدام الصحة الإلكترونية على سكان مدينة نيشي-إيزو، فوكوشيما، اليابان، بين 2002 و2010. وقد قام المؤلفون بمقارنة النفقات الطبية وأيام العلاج بين مستعملي الرعاية عن بُعد وغير مستعمليها فيما يخص الأمراض المزمنة (السكتة الدماغية وارتفاع ضغط الدم وفشل القلب ومرض السكري). وقد كشفوا من خلال تطبيق أساليب إحصائية صارمة، بما في ذلك أسلوب اللحظات المعمة، عن أن مستعملي الرعاية عن بُعد يتطلبون أياماً قليلة من العلاج ونفقات طبية أقل بالمقارنة مع غير المستعملين لها [5]؛
- وكشفت دراسة استقصائية مفصلة أخرى عن نتائج استشارات طبية للأطفال عن بُعد استغرقت مدة خمسة أعوام. وأشار المؤلفون إلى أن التكاليف الإجمالية لتقديم 1 499 استشارة بلغت 955 996 دولاراً (دولار أسترالي). وبلغت التكلفة المحتملة المقدرة لتوفير خدمة المريض الخارجي لنفس العدد من المرضى في مستشفى الأطفال الملكي في بريسيان

⁸ المساهمة: مالينا جوردانوفا، معهد الأبحاث الفضائية والتكنولوجيا، الأكاديمية البلغارية للعلوم، بلغاريا.

1 553,264 دولاراً؛ وهكذا حققت الخدمات الطبية للأطفال عن بُعد وفورات صافية قدرها 600 000 دولار تقريباً لمقدمي الخدمة الصحية [6]؛

• أقوى دليل على فعالية الصحة الإلكترونية في النتائج الإكلينيكية يأتي من الرصد في المنزل لإدارة الأمراض المزمنة وارتفاع ضغط الدم ومرض السكري والإيدز. وهناك أيضاً أدلة معقولة على أن الصحة الإلكترونية فعالة من حيث التكلفة مع توفير جودة مساوية للرعاية الفعلية في طب الحالات الطارئة، وهي مفيدة في وحدات الرعاية المركزة الخاصة بالجراحة والأطفال حديثي الولادة وكذلك لنقل المرضى في جراحة المخ والأعصاب [7].

لِمَ هذه الآراء المتناقضة بشأن آثار تكلفة الصحة الإلكترونية؟ فيما يلي الأجوبة:

- بيانات أو تحليلات محدودة تستند إلى مقالات صحفية نشرت أساساً في "الطب عن بُعد والصحة الإلكترونية" و"مجلة الطب عن بُعد والرعاية عن بُعد". وتنشر المجلتان أساساً الورقات التي تخص المجتمعات الناطقة بالإنكليزية؛
- أحجام صغيرة من العينات - تقوم معظم الدراسات على عينات تشمل أقل من 100 مشارك؛
- ورقات قليلة تناولت قياس النتائج المرتبطة ارتباطاً مباشراً بحلول الصحة الإلكترونية؛
- 26% فقط من الدراسات أشارت إلى إطار زمني وهو معلمة أساسية لتحديد مزايا التكاليف طويلة الأجل؛
- أدوات تقييم رديئة وعدم وجود منهجية مقبولة تماماً؛
- الحاجة إلى وقت طويل للوصول إلى نقطة التكافؤ؛
- التغيرات المستمرة في التكنولوجيا والتكاليف.

عند النظر في نتائج الدراسات طويلة الأجل في بلدان "أقل نمواً" مثل البرازيل وروسيا، تبدو البيانات مثيرة للاهتمام ومقنعة فعلاً.

2.3.2 ماذا وأين وكم

وفقاً لتقديرات الأطباء في سيبيريا الغربية، واستناداً إلى ما يقرب من عشر سنوات من ممارسة الصحة الإلكترونية، يدفع مريض مقابل استشارات افتراضية مقدمة من أحد الخبراء ذوي التأهيل العالي في موسكو سعراً أقل مما كان سيدفعه في حال السفر إلى موسكو لاستشارة الخبير نفسه بمقدار 40 مرة تقريباً. وتظل جودة الخدمة المقدمة هي نفسها [8]. وقام نفس المؤلفين [10] بتحليل مفصل للعائد على الاستثمار في الخدمات الطبية الإكلينيكية الإلكترونية وأثبتوا أن العائد على الاستثمار يبدأ بعد فترة أولية مدتها سنتين ونصف السنة. وعلى الرغم من أن معظم منشوراتهم باللغة الروسية، من المثير للاهتمام الاطلاع على تلك الصادرة بلغات أخرى أو المترجمة، علماً أن العائد على الاستثمار هو واحد فقط من المؤشرات العشرين المطبقة في تحليلاتهم الاقتصادية لمشروع الطب عن بُعد.

وثمة مثال آخر هو خدمة طب القلب عن بُعد في ولاية ميناس جيريس في البرازيل. تقع هذه الولاية في إقليم تعادل مساحته مساحة فرنسا ويبلغ عدد سكانه 19 000 000 نسمة يعيشون في المدن. وتستعمل خدمة طب القلب عن بُعد منذ يونيو 2006 في 82 من القرى البعيدة والمعزولة. وأظهرت النتائج الأولية لتقييم الجدوى الاقتصادية أن الوفورات الناجمة عن تخفيض بنسبة 1,5% في عدد حالات العلاج خارج القرية كافية لتغطية التكاليف التشغيلية للنظام [10].

وتطبيقات الصحة الإلكترونية التي يتم اختيارها بحكمة مفيدة في كل مكان. وحسب دراسة أجريت في بلد "أصغر" نسبياً هو إيطاليا، أتاحت خدمة مجانية على خط هاتفي ساخن على مدار الساعة للأطفال والمراهقين المصابين بداء السكري من النوع 1 في منطقة بارما في 2001 [11]. وأظهرت دراسة استقصائية واسعة النطاق أجريت في الفترة من بداية 2001 حتى نهاية 2006 أن العدد الإجمالي للأطفال الذين تلقوا المساعدة بلغ 421 طفلاً (متوسط العمر 10,8 سنوات ومتوسط مدة الإصابة بداء السكري 4 سنوات ونصف السنة). وتم تسجيل 20 075 مكالمات أو 11 مكالمات في المتوسط في اليوم الواحد في غضون خمس سنوات. وكانت 52% من المكالمات مكالمات طوارئ. وبفضل إتاحة هذه الخدمة، انخفض القبول في المستشفيات بسبب الحامض الكيتوني السكري من 10 حالات في المتوسط لكل 100 طفل في السنة إلى 3 حالات لكل 100 طفل في السنة. وانخفضت تكاليف القبول بنسبة 60% [11].

ومنذ 1994، تُقدم خدمة الصحة الإلكترونية في مدينة نيشيزو، اليابان. تُنقل المعلومات الفسيولوجية الحيوية إلى مؤسسة طبية عن بُعد تراقب المرضى الذين تم تشخيص إصابتهم بارتفاع ضغط الدم، والاحتشاء الدماغي والسكتات القلبية والسكري وفي حالة كبار السن. وقامت عدة ورقات [12-13] بتحليل فعالية النظام من حيث التكاليف. وأشار إلى أن النفقات الطبية للأمراض المرتبطة بنمط الحياة لمستخدمي الصحة الإلكترونية قد انخفضت بنسبة 20,7%. وأوضح المؤلفون أيضاً أن مستخدمي الصحة الإلكترونية يتحملون منذ فترة طويلة نفقات طبية أقل بالمقارنة مع أولئك الذي استخدموها لفترة أقصر، وتثبت هذه النتيجة مرة أخرى أنه إذا كنا نسعى إلى تحقيق فعالية التكلفة، من الضروري التركيز على إجراء دراسات واسعة النطاق وطويلة الأمد.

وأثبتت نتائجنا كذلك أن تطبيقات الصحة الإلكترونية يمكن أن تحقق فعالية التكلفة. ولكن من الضروري دائماً طرح هذا التساؤل: من يستفيد من فوائد التكلفة؟ وقد تبين أن نتائج تنفيذ استشارات علم النفس عن بُعد في بلغاريا واعدة. واستناداً إلى 6 000 ساعة تقريباً من الاستشارات الافتراضية على مدى خمس سنوات، من الواضح أن العملاء يحققون وفورات مالية [14]. كما أن الاستشارات الافتراضية أرخص من الزيارات الفعلية بثلاث إلى أربع مرات.

3.3.2 كيفية تقييم الأثر الاقتصادي

من الضروري التأكيد على عدم وجود منهجية مقبولة تماماً لتقييم الأثر الاقتصادي لتنفيذ الصحة الإلكترونية. ومن أكثر الطرق سهولة للقيام بذلك، حساب العائد على الاستثمار (ROI). العائد على الاستثمار هو مقياس الأداء المستعمل لتقييم كفاءة الاستثمار أو مقارنة كفاءة عدد من الاستثمارات المختلفة. ولحساب العائد على الاستثمار، تُقسم فائدة (العائد) الاستثمار على تكلفة الاستثمار؛ ويُعبّر عن النتيجة بنسبة مئوية.

وهناك طريقة أخرى وربما أفضل لتقييم الكفاءة الاقتصادية - خاصة في الحالات الأكثر انتشاراً - تلك المتعلقة باعتماد/دعم الاستشارات البعيدة، وذلك من خلال مراعاة ما يلي:

- العدد والمسافة المتعلقة بالإحالات والتكاليف الشخصية وتكاليف النقل والاستهلاك والضرائب والتأمين على السيارات المستعملة للنقل وتكاليف الاتصال؛
- تكاليف الإدارة وتكاليف الموظفين التقنية والإكلينيكية وتكاليف الاتصال؛
- جمع جميع التكاليف الخاصة بتشغيل النظام والاستهلاك والتكاليف الرأسمالية وقسمة هذا المبلغ بعدد الأنشطة لحساب تكلفة النشاط المفردة للصحة الإلكترونية.

وإضافة إلى ذلك، يمكن أيضاً حساب فعالية نشاط الصحة الإلكترونية المعرفة كنسبة مئوية لتجنب الإحالات بسبب استخدام الصحة الإلكترونية بالنسبة إلى مجموع عدد الإحالات.

ومن خلال مقارنة التكاليف بالفوائد يمكن تحديد العدد الأدنى لأنشطة الصحة الإلكترونية (نقطة التوازن) حيث يصبح النظام مجدياً من الناحية الاقتصادية وتقييم الوفورات [15].

وهناك طريقة أخرى سهلة نسبياً لتقييم الأثر الاقتصادي اقترحت مؤخراً في البرازيل [16]. هذه الطريقة مشتقة من مجموعة هائلة من تطبيقات الصحة الإلكترونية - تم تقديم أكثر من 33 000 استشارة عن بُعد و850 000 تحليل ECG عن بُعد في 86 بلدية في فترة 5 سنوات. وقد أخذ المؤلفون في الاعتبار 3 معلمات - التكلفة المتغيرة المفردة للإحالة (RVC) ومسافة الإحالة (D):

$$(1) \quad RVC = a \cdot D$$

حيث تمثل "a" تكلفة النقل لكل كيلومتر.

ومن الضروري الإشارة إلى أنه لم يُطبق في التحليل سوى التكلفة المتغيرة. والسبب بسيط، إذ لا تقلل تطبيقات الصحة الإلكترونية من الإحالات بنسبة 100% وبالتالي يُحتفظ بالتكاليف الثابتة مثل التكاليف الشخصية والاستهلاك، وتستند الوفورات إلى التكاليف المتغيرة فقط.

ينبغي حساب وفورات (S) تطبيقات الصحة الإلكترونية على النحو التالي:

$$(2) \quad S = \eta \cdot RVC = \eta \cdot a \cdot D$$

حيث تمثل "η" فعالية نشاط الصحة الإلكترونية أو النسبة المئوية لتجنب الإحالات نظراً لاستخدام الصحة الإلكترونية بالنسبة إلى مجموع عدد الإحالات. ولكي يكون نشاط الصحة الإلكترونية المفرد (UAC) فعالاً من الناحية الاقتصادية ينبغي أن تكون تكلفته مساوية للوفورات (S) على الأقل أو

$$(3) \quad UAC = \eta \cdot a \cdot D$$

واستناداً إلى هذه المعادلة البسيطة، ينبغي أن يكون الحد الأدنى للمسافة من أجل فعالية التكلفة كالتالي:

$$(4) \quad D_{min} = UAC / \eta \cdot a$$

إذا كانت مسافة الإحالة إلى مدينة/ممارسة طبية/بلدية محددة المحسوبة كمتوسط مرجح لعدد ومسافة الإحالات، أكبر من "Dmin"، فإن تنفيذ النظام سيؤدي إلى تحقيق وفورات لتلك المدينة/الممارسة الطبية/البلدية المحددة. وقد خلص المؤلفون [16] في ضوء التجارب التي خاضوها حتى الآن إلى أن الحد الأدنى للمسافة لتحقيق الجدوى الاقتصادية هو 20 كيلومتراً أي أن اعتماد تطبيقات الصحة الإلكترونية الذي من شأنه تقليل الإحالات إلى مسافات أبعد من 20 كيلومتراً يكون مجدياً اقتصادياً. وتجدر الإشارة أيضاً إلى أنه كلما زادت فعالية النشاط أو انخفضت تكلفة النشاط المفرد، يكون النظام مجدياً اقتصادياً حتى بالنسبة للمسافات القصيرة للإحالات.

4.3.2 خلاصة

تواجه البلدان النامية مشاكل جدية في التكيف مع نظام الرعاية الصحية وتأمين خدمات صحية مناسبة للجميع على مدار الساعة. وقد أصبحت الصحة الإلكترونية واجباً لا غنى عنه. ونظراً لأن معظم تكاليف الإحالة تتعلق بنقل المرضى، ومعرفة المسافة (أ) إلى مراكز الإحالة و(ب) متوسط عدد المرضى الذين تتم إحالتهم من مدينة معينة، من الممكن مسبقاً حساب الجوانب الاقتصادية لبدء العمل بتطبيقات الصحة الإلكترونية في كل حالة على حدة.

المراجع

- [1] World Bank Database. Retrieved May 23, 2012 from http://data.worldbank.org/indicator/SH.XPD.TOTL.ZS/countries?order=wbapi_data_value_2007%20wbapi_data_value%20wbapi_data_value-first&sort=asc&display=default
- [2] Whitten, P. S, Mair, F. S., Haycox, A., May, C. R, Williams, T. L, Hellmich, S. Systematic review of cost effectiveness studies of telemedicine interventions. British Medical Journal, 324, 2002, 1434-1437
- [3] Black A. D., Car J., Pagliari C., Anandan C., Cresswell K., et al. The Impact of eHealth on the Quality and Safety of Health Care: A Systematic Overview. PLoS Med 8, (1), 2011: e1000387. doi:10.1371/journal.pmed.1000387
- [4] Jacklin P., Roberts J., Wallace P., Haines A., Harrison R., Barber J. et al. The virtual outreach project group: economic evaluation of joint teleconsultations for patients referred by their general practitioner for a specialist opinion. British Medical Journal, 327, 2003, 84
- [5] Akematsu Y., S. Nitta, K. Morita, M. Tsuji Economics of e-Health: Measuring the Long-term Effect of Telecare, , In M. Jordanova & F. Lievens (Eds.), Global Telemedicine/eHealth Updates: Knowledge Resources, Publ. ISfTeH, Luxembourg, Vol. 6, 2013, 256-259
- [6] Smit, A., Scuffham, P., Wootton R. The costs and potential savings of a novel telepaediatric service in Queensland. BioMed Centra Health Service Research, 7 (35), 2007. Retrieved January 30, 2009 from <http://www.biomedcentral.com/1472-6963/7/35>
- [7] Al-Rousan M., Al-Ali A. R., Eberlein A. Remote patient monitoring and information system. International Journal of Electronic Healthcare, 2 (3), 2006, 231-249
- [8] Sel'kov A. I., Stolyar V. L., Atkov O. U., Sel'kova E. A., Chueva N. V. Telemedicine experience to serve e-clinics. In: M. Jordanova & F. Lievens (Eds.), Electronic Proceedings Med-e-Tel 2007: The

- International Educational and Networking Forum for eHealth, Telemedicine and Health ICT, Publ. Luxexpo, Luxembourg, 2007, 211-217
- [9] Sel'kov A. I., Stolyar V. L., Atkov O. U., Sel'kova E. A., Chueva N. V. Development conception of E-Diagnosis departments of small towns and villages clinics for developing regions and countries, In: M. Jordanova & F. Lievens (Eds.), Electronic Proceedings Med-e-Tel 2008: The International Educational and Networking Forum for eHealth, Telemedicine and Health ICT, Publ. Luxexpo, Luxembourg, 2008, 395-414
- [10] Figueira R. M., Alkmim M. B. M., Ribeiro A. L. P., Pena M., Campos F. E. Implementation and maintenance costs for a tele-health system in Brazil. In M. Jordanova & F. Lievens (Eds.), Global Telemedicine/eHealth Updates: Knowledge Resources, Publ. Luxexpo, Luxembourg, Vol. 1, 2008, 354 -359
- [11] Bernardini A. L., Chiari G., Vanelli M. Telephone hotline service (THS) for children and adolescents with type 1 diabetes as a strategy to reduce diabetes-related emergencies and costs for admittance. In M. Jordanova & F. Lievens (Eds.), Global Telemedicine/eHealth Updates: Knowledge Resources, Publ. Luxexpo, Luxembourg, Vol. 1, 2008, 26-29
- [12] Akematsu Y., Tsuji M. An empirical analysis of the reduction in medical expenditure by e-health users. Journal of Telemedicine and Telecare, 15, 2009, 109-111
- [13] Tsuji M., Akematsu Y. Empirical Analysis on the Reduction of Medical Expenditures by eHealth, In M. Jordanova & F. Lievens (Eds.), Electronic Proceedings of Med-e-Tel 2012: The International eHealth, Telemedicine and Health ICT Forum for Educational, Networking and Business, Publ. ISfTeH, Luxembourg, 2012, 14-24
- [14] Jordanova M., Vasileva L., Vladimirov A., Gencheva A., Shtereva-Katsarova S., Krendeva B., Rasheva M., Bojinova R., Telepsychology: Lessons Learned from 4 Years of Experience, Journal of eHealth Technology and Application, 7 (2), 2009, 105-108
- [15] Figueira R. M., Alkmim M. B. M., Abreu M. P. et al. Operational Costs in a Large Scale Telehealth Service, In M. Jordanova & F. Lievens (Eds.), Global Telemedicine/eHealth Updates: Knowledge Resources, Publ. ISfTeH, Luxembourg Vol. 4, 2011, 98 -103
- [16] Figueira R. M., Alkmim M. B. M., Abreu M. P. et al. Introducing Economical Criteria for Telehealth Implementation: An Application at the Telehealth Network of Minas Gerais, In M. Jordanova & F. Lievens (Eds.), Global Telemedicine/eHealth Updates: Knowledge Resources, Publ. ISfTeH, Luxembourg Vol. 5, 2012, 184 -190

4.2 تكنولوجيا المعلومات والاتصالات من أجل تحسين المعلومات والمساءلة عن صحة المرأة والطفل

غالباً ما تُهمل الرعاية الصحية للأطفال والنساء نظراً لأسباب مالية وسياسية وثقافية. والتطبيق الواسع لتكنولوجيا المعلومات والاتصالات أداة رائعة لتحسين الرعاية الصحية للأطفال والنساء.⁹

أكدت لجنة المعلومات والمساءلة (CoIA) على أهمية استخدام الصحة الإلكترونية والأدوات المبتكرة وخدمات الإنترنت، للمساعدة في تحسين تقديم الرعاية الصحية للأم والطفل. وقد ازداد اعتماد تكنولوجيا المعلومات والاتصالات في قطاع الرعاية الصحية زيادة هائلة في السنوات الماضية، يحفزها جزئياً الدور الأساسي الذي تؤديه هذه التكنولوجيات في تيسير الوصول إلى التنظيم الفعال للأسرة وتحسين عمليات جمع البيانات لتعزيز المساءلة وفقاً لمؤشرات لجنة المعلومات والمساءلة.

وإن ارتفاع معدلات الانتشار والاستخدام التي حققتها الإذاعة والتلفزيون في بلدان لجنة المعلومات والمساءلة - حتى في المجتمعات ذات الدخل المنخفض والمعزولة - جعلها أداة ممتازة لنشر المعلومات الخاصة بالوقاية ورسائل الدعوة المتعلقة بصحة الأم والطفل. كما أن زيادة النفاذ إلى تكنولوجيات المعلومات والاتصالات الأخرى، بما في ذلك الهواتف الخلوية المتنقلة وخدمات الإنترنت والنطاق العريض المتنقل والثابت والأدوات القائمة على الويب وأنظمة الحوسبة السحابية تمكن بلدان لجنة المعلومات والمساءلة من إنشاء أنظمة المعلومات الصحية الوطنية (HIS). وبغية تعزيز رفع مستوى البرامج الصحية المتنقلة من أجل صحة الأمهات والأطفال حديثي الولادة والأطفال ودعماً للاستراتيجية العالمية للأمن العام للأمم المتحدة "كل امرأة، كل طفل"، بادر فريق العمل المعني بالابتكار - يديره تحالف الصحة المتنقلة - إلى وضع آلية تمويل حفازة، بتمويل من الوكالة النرويجية للتعاون الإنمائي (Norad) ودعم تقني من منظمة الصحة العالمية.

وحتى الآن، قدمت منح الصحة المتنقلة الحفازة الدعم إلى 16 مشروعاً أو جهة مستفيدة من المنحة - يرد وصفها في الجدول 1 أدناه - وهي تعمل في 12 بلداً في جميع أرجاء إفريقيا وآسيا. وتهدف هذه المشاريع إجمالاً إلى الوصول إلى 1,5 مليون من الأمهات والأطفال، و6 500 مرفق صحي و100 000 عامل في المجال الصحي. وإضافة إلى ذلك، يوفر تحالف الصحة المتنقلة ومنظمة الصحة العالمية، طوال كل فترة منحة مدتها سنتين، فرصاً للتعليم التعاوني والمساعدة التقنية المستهدفة في المجالات التي تطرح تحديات في عملية الارتقاء، بما في ذلك إيجاد أدلة مناسبة لمختلف أصحاب المصلحة ووضع نماذج تجارية مستدامة وإقامة شراكات بين القطاعين العام والخاص وتحقيق الأثر الصحي.

الجدول 1: المشاريع النشطة المستفيدة من المنحة لفريق العمل المعني بالابتكار (2012-2014)

الجهات المستفيدة من المنحة - الدورة الأولى (يناير 2012 - ديسمبر 2013)	
تستخدم منظمة "Cell-Life" خدمة الرسائل النصية لتحالف "MAMA" من أجل تزويد الأمهات بالمعلومات المتعلقة باختبار العدوى بفيروس نقص المناعة البشرية والحمل الصحي ورعاية الرضع، وتسمح للأمهات بالنفاذ إلى "خط المساعدة الوطنية بشأن الإيدز". وتقيم منظمة "Cell-Life" شراكة مع دوائر الصحة المحلية والمنظمات الحكومية من أجل الوصول إلى 38 000 من الأمهات بحلول 2014.	مبادرة Cell-Life - MAMA، جنوب إفريقيا
قامت مبادرة CHAI ووزارة الصحة الفيدرالية (FMOH) في نيجيريا وشركة Hewlett Packard بشراكة بشأن طباعت الرسائل النصية القصيرة لتتبع إعادة نتائج الاختبار لبرنامج التشخيص المبكر لعدوى الرضع بفيروس نقص المناعة البشرية (SMART) الذي يقلل المدة الزمنية لنتائج الاختبار بحوالي 15 يوماً. وبحلول 2014، تعترم مبادرة CHAI الانتهاء من نشر 600 طباعة في المناطق الجغرافية السياسية الست برمتها.	مبادرة كليبتون للنفاذ إلى الصحة (CHAI) - SMART، نيجيريا
بشراكة مع Real Medicine Foundation و World Vision و Catholic Relief Services، يجري نشر أداة إدارة الحالة الصحية للطفل والأم من خلال المنصة المتنقلة مفتوحة المصدر لمؤسسة Dimagi من جانب نشطاء الصحة الاجتماعية المعتمدين لتقديم المعلومات والخدمات الصحية عبر خمس مقاطعات في الهند. ولدعم رفع المستوى، تقوم مؤسسة Dimagi بإطلاق أداة إدارة البيانات النشطة للاستخدام الاستراتيجي للبيانات المجمعة من أجل صنع القرار.	منصة CommCare لمؤسسة Dimagi، الهند

⁹ هاني إسكندر، مسؤول الاتصال في مكتب تنمية الاتصالات المعني بالمسألة 2/3-14، دائرة البنية التحتية والبيئة التمكينية والتطبيقات الإلكترونية التابعة لمكتب تنمية الاتصالات بالاتحاد الدولي للاتصالات، سويسرا. انظر الوثيقة [RGQ14.3.2-C-0022](http://www.itu.int/ITU-T/inf/rgq14.3.2-C-0022).

الجهات المستفيدة من المنحة - الدورة الأولى (يناير 2012 - ديسمبر 2013)	
تقوم مؤسسة D-Tree International جنباً إلى جنب مع اليونيسيف وحكومة زنجبار، بتزويد العاملين الصحيين في المناطق الريفية بتطبيق دعم القرار القائم على الهاتف المحمول مما يوفر لهم الأدوات اللازمة لتحديد وعلاج ورعاية الأطفال الذين يعانون من سوء التغذية الحاد. وبحلول 2014، تهدف مؤسسة D-Tree International إلى تنفيذ النظام في جميع المقاطعات البالغ عددها 10 في زنجبار.	D-Tree International - mNUT، زنجبار
تدعم مؤسسة Grameen بالشراكة مع الخدمة الصحية في غانا المرأة الفقيرة والريفية والمرضات الصحية المجتمعية بتقديم معلومات محددة إلى المرأة عن الحمل وممارسات رعاية الطفل والمواعيد، فضلاً عن دعم أنظمة السجلات الإلكترونية للممرضات. وأقامت مؤسسة Grameen شراكة القطاع العام والخاص مع شركة MTN Ghana لتوسيع النفاذ إلى هذه الخدمة على نحو مستدام.	مؤسسة Grameen - خدمة MOTECH، غانا
البحث التفاعلي والتنمية (IRD) هو استخدام التنبيهات الإلكترونية التي هي عبارة عن سجل لقاح إلكتروني لزيادة التغطية باللقاحات دعماً للبرنامج الموسع بشأن المناعة في باكستان. وتوفر التنبيهات التفاعلية تذكيرات بواسطة رسائل نصية قصيرة للمرضى ومقدمي الرعاية وملصقات علامة لتحديد الترددات الراديوية لبطاقات التحصين، ونظام يانصيب مبتكر للتحويلات النقدية المشروطة للوصول إلى أكثر من 15 000 من الأطفال الرضع في مقاطعة سند.	البحث التفاعلي والتنمية - التنبيهات التفاعلية من أجل التغطية باللقاحات
تقوم وزارة الصحة في رواندا بتدريب العاملين الصحيين المجتمعيين على استخدام تطبيقات الصحة الإلكترونية من أجل رصد وتعزيز صحة الأمهات والأطفال حديثي الولادة وتحديد المخاطر المحتملة، وتعزيز الرعاية السابقة للولادة في المرافق الصحية. والتطبيقات المستخدمة هي "RapidSMS"، الذي يساعد على تتبع النساء الحوامل، و"mUbugiza" الذي يستخدم لجمع مؤشرات الأهداف الإنمائية للألفية وتبليغها على مستوى المجتمع المحلي.	تطبيق "RapidSMS" و"mUbugiza" لوزارة الصحة في رواندا، رواندا
وضعت شركة Novartis رسائل نصية قصيرة من أجل مبادرة الحياة التي تقوم بتتبع مستويات المخزون أسبوعياً للحد من نفاد المخزون من الأدوية الرئيسية المضادة للملاريا ويجري تطويرها لتشمل جميع المرافق الصحية في الكاميرون وتنزانيا. وفي غانا، تستخدم الرسائل القصيرة من أجل الحياة لخفض معدل الوفيات أثناء الولادة من خلال إتاحة الرؤية في الوقت الفعلي لإمدادات الدم المتوفرة في جميع المستشفيات في غانا.	Novartis - رسائل نصية قصيرة من أجل مبادرة الحياة، الكاميرون وتنزانيا وغانا

الجهات المستفيدة من المنحة - الدورة الثانية (يناير 2013 - ديسمبر 2014)	
تعمل شركة Changamka Microhealth من أجل تقليل الحواجز المالية والمتعلقة بالنقل والمعرفة التي تعرقل تقديم الرعاية الصحية للأمهات والأطفال وذلك من خلال تزويد المرأة بالنفاذ المتنقل إلى مدخراتها والتأمين الصحي والرسائل الإخبارية والتذكير بالمواعيد. وتهدف هذه الشركة التي تخدم حالياً سكان المناطق الريفية في مقاطعة فيهيغا، إلى العمل في ثلاث مقاطعات في غرب كينيا بحلول 2015.	شركة Changamka Microhealth - mPowerment كينيا
تستخدم مبادرة CHAI برمجية Frontline SMS لتحسين القدرة على متابعة المريض في نموذجها لرعاية المرضى، عيادة زوج الأم-الرضيع (MIP)، من أجل منع انتقال فيروس نقص المناعة البشرية من الأم إلى الطفل. وبحلول 2015 ستدعم برمجية Frontline SMS العاملين الصحيين في عيادات أزواج الأمهات-الأطفال الرضع في ست مقاطعات في المنطقة الجنوبية من ملاوي.	مبادرة كليبتون للنفاذ إلى الصحة (CHAI) - دعم أزواج الأمهات -الأطفال الرضع باستخدام التكنولوجيا المنقلة SMS، ملاوي
بغية تحسين رصد الملاريا، قام المعهد الدولي للاتصالات والتنمية وشركاؤه بتدريب العاملين الصحيين المجتمعيين لاستخدام التطبيقات المتنقلة من أجل تحسين جمع البيانات المحلية والتنسيق اللوجستي والاتصالات الإكلينيكية. ومكنت هذه التطبيقات أيضاً العيادات الصحية ومنظمات المجتمع المحلي من الاستجابة بسرعة أكبر لنفشي الملاريا. وبحلول 2015، يهدف المعهد إلى الانتهاء من رصد 200 000 نسمة من السكان في باماكو و100 000 في منطقة فاتيك في السنغال.	المعهد الدولي للاتصالات والتنمية (IICD) - MAMMA مالي والسنغال
ستعمل منظمة Malaria No More مع Tanzania House of Talent من أجل تطوير برنامج "NightWatch: Mobile". وسيضيف هذا البرنامج مكوناً متنقلاً تفاعلياً لمنصة الاتصالات الخاصة بالملاريا "NightWatch" من أجل تحسين المعرفة والدافع لاستخدام التاموسيات في سبيل الوقاية من الملاريا في تنزانيا.	منظمة Malaria No More - برنامج NightWatch، تنزانيا
تستعمل مؤسسة Praekelt خدمة الرسائل القصيرة لتحالف MAMA في جنوب إفريقيا من أجل تزويد الأمهات بمعلومات أسبوعية عالية الجودة وذات صلة عن الحمل ورعاية الرضع. وستوسع هذه الخدمة لتشمل بوابة مجتمعية ذات خصائص شبكات التواصل الاجتماعي وخاصية الدردشة الحية مما يسمح بالتفاعل في الوقت الفعلي مع خبراء ومستشارين إلى جانب مراسلة ومسابقات تفاعلية إضافية بواسطة الرسائل القصيرة. ويعتزم تحالف MAMA الوصول إلى مليون من الأمهات وصناع القرار في الأسر المعيشية على مدى ثلاث سنوات من خلال هذه الخدمات.	مؤسسة Praekelt - تحالف MAMA، جنوب إفريقيا

الجهات المستفيدة من المنحة – الدورة الثانية (يناير 2013 - ديسمبر 2014)	
<p>أقامت مؤسسة Medic Mobile شراكة مع مراكز المؤسسة الطبية الإنمائية في الهند لتحسين استيعاب وانتشار منصتها البرمجية الجديدة، "PatientView" التي تؤمن التطعيم والتذكير بواسطة الرسائل القصيرة للمرضى بهدف زيادة تحسين معدلات التطعيم بين السكان المحرومين من الخدمات. وتعتمد مؤسسة Medic Mobile الانتهاء من الوصول إلى 50 000 مريض بحلول 2015 في جميع أرجاء دلهي ووارنغال ومومباي وحيذر آباد.</p>	<p>منظمة Medic Mobile تطبيق Kujua، الهند</p>
<p>يستعمل مجتمع قضاء على الفقر في المناطق الريفية (SERP) مراكز mNDCC (مراكز رعاية التغذية اليومية المتنقلة) لتعزيز خدمات الصحة والتغذية التي يقدمها العاملون الصحيون المجتمعيون للأمهات والأطفال في المناطق الريفية من ولاية أندرا براديش، الهند. وبحلول 2015، ستوسع هذه المراكز من استخدامها الحالي في 4 200 قرية لتشمل جميع القرى في أندرا براديش البالغ عددها 38 000 قرية.</p>	<p>مجتمع للقضاء على الفقر في المناطق الريفية (SERP) مراكز mNDCC، الهند</p>
<p>تقوم منظمة VillageReach بتجربة خط ساخن مجاني "Chipatala cha pa Foni" (مركز صحي عن طريق الهاتف) لتحسين إدارة القضايا الصحية للأمهات والأطفال وزيادة الإقبال على الخدمات المجتمعية القائمة على المرافق في المناطق الريفية. وبحلول 2015، سيتاح المركز الصحي عن طريق الهاتف لفائدة 400 000 امرأة وطفل في 3 مقاطعات في منطقة جنوب شرق ملاوي.</p>	<p>منظمة VillageReach Chipatala cha pa Foni, (مركز صحي عن طريق الهاتف)، ملاوي</p>

المصدر: تحالف الصحة المتنقلة

وعلاوة على ذلك، أدى تنفيذ تدخلات الطب عن بُعد وخدمات الصحة الإلكترونية والخطوط الهاتفية المجانية في حالات الطوارئ وقنوات الاتصالات الأخرى القريبة من الوقت الفعلي في مختلف بلدان لجنة المعلومات والمساءلة إلى تعزيز نتائج الأنظمة التقليدية لتقديم الرعاية الصحية. وفي مناطق الصراع البعيدة والمناطق المعزولة، تحقق قنوات الاتصالات المفتوحة للطب عن بُعد بين الممارسين المحليين والخارجيين من المهنيين الصحيين وأخصائيي التشخيص وفورات كبيرة في التكاليف وتعزز قدرات الموظفين المحليين. وإن اعتماد الصحة الإلكترونية وابتكارات تكنولوجيا المعلومات والاتصالات يفيد أصحاب المصلحة ليس فقط عبر سلسلة الرعاية المستمرة لمنظمة الصحة العالمية وإنما أيضاً في جميع أنحاء قطاع الرعاية الصحية على النحو المبين في الشكل 2 والموضح في الجدول 2 أدناه: الصحة الإلكترونية وابتكارات تكنولوجيا المعلومات والاتصالات على طول سلسلة الرعاية المستمرة لمنظمة الصحة العالمية.

الشكل 2: استفادة مختلف أصحاب المصلحة في قطاع الصحة من تطبيقات الصحة الإلكترونية وتكنولوجيا المعلومات والاتصالات



الجدول 2: الصحة الإلكترونية وابتكارات تكنولوجيا المعلومات والاتصالات على طول سلسلة الرعاية المستمرة للصحة العالمية

ألف – خدمات الصحة الإلكترونية المقدمة للأفراد والأمهات والحوامل والرضع وأسهم مجتمعهم الخلية

أمنة عن مشاريع الصحة الإلكترونية وبنية في بلدان جنية المعلومات والساعة 10		العالمية		أمنة خدمات تكنولوجيا المعلومات والاتصالات على طول سلسلة الرعاية المستمرة للصحة العالمية		ابتكارات وخدمات تكنولوجيا المعلومات والاتصالات	
في بلدان جنية المعلومات والساعة 10	بعد الولادة	الولادة	الحمل	قبل الحمل	قبل الحمل	قبل الحمل	والإتصالات
MAMA [2] Text4Baby [40] Medic Mobile [13] UNICEF Reminder Mother System [42]	التفاد إلى معلومات بشأن تغذية الرضع والأطفال، والمياه الصالحة للشرب، وتشجيع النطاقة الصحية، إلخ.	حفر النساء على حضور مرافق توفير الرعاية الماهرة أثناء الولادة وبعدها	تقدم تصاتح بشأن الرعاية المناسبة ومعلومات عامة عن الحمل دعم الوقاية والعلاج من انتقال العدوى من الأم إلى الطفل من فيروس نقص المناعة البشرية/الإيدز وغيره من الأمراض المعدية شبكات الدعم النظيرة للنساء الحوامل تحسّن وصول النساء الحوامل إلى الخدمات الصحية للأمهات والاستفادة منها	التفاد إلى معلومات الصحة الإنجابية تعزيز تعبير السلوك الصحي الإنجابي مثل المساعدة بين الالادات حفر الطلب على الرعاية الصحية الإنجابية	التفاد إلى معلومات في مجال الصحة العامة مراكز الاتصال وخطوط المساعدة الإذاعة الخلية التعليم والترويج للصحة القائمة على الرسائل النصية القصيرة/الاسبحاجية الصورية التفاعلية الرسائل النصية القصيرة والشبكات الاجتماعية من أجل تغيير السلوك والاتصال	التفاد إلى معلومات في مجال الصحة العامة مراكز الاتصال وخطوط المساعدة الإذاعة الخلية التعليم والترويج للصحة القائمة على الرسائل النصية القصيرة/الاسبحاجية الصورية التفاعلية الرسائل النصية القصيرة والشبكات الاجتماعية من أجل تغيير السلوك والاتصال	التفاد إلى معلومات في مجال الصحة العامة مراكز الاتصال وخطوط المساعدة الإذاعة الخلية التعليم والترويج للصحة القائمة على الرسائل النصية القصيرة/الاسبحاجية الصورية التفاعلية الرسائل النصية القصيرة والشبكات الاجتماعية من أجل تغيير السلوك والاتصال
Healthline [26]	تحسين نقل الحوامل والأطفال حديثي الولادة الذين يعانون من مضاعفات الحصول على الرعاية الماهرة في وقت الولادة في حالة رعاية التوليد في حالات الطوارئ	تحسين نقل الحوامل والأطفال حديثي الولادة الذين يعانون من مضاعفات الحصول على الرعاية الماهرة في وقت الولادة في حالة رعاية التوليد في حالات الطوارئ	تحسين نقل الحوامل والأطفال حديثي الولادة الذين يعانون من مضاعفات الحصول على الرعاية الماهرة في وقت الولادة في حالة رعاية التوليد في حالات الطوارئ	تحسين نقل الحوامل والأطفال حديثي الولادة الذين يعانون من مضاعفات الحصول على الرعاية الماهرة في وقت الولادة في حالة رعاية التوليد في حالات الطوارئ	تحسين نقل الحوامل والأطفال حديثي الولادة الذين يعانون من مضاعفات الحصول على الرعاية الماهرة في وقت الولادة في حالة رعاية التوليد في حالات الطوارئ	تحسين نقل الحوامل والأطفال حديثي الولادة الذين يعانون من مضاعفات الحصول على الرعاية الماهرة في وقت الولادة في حالة رعاية التوليد في حالات الطوارئ	تحسين نقل الحوامل والأطفال حديثي الولادة الذين يعانون من مضاعفات الحصول على الرعاية الماهرة في وقت الولادة في حالة رعاية التوليد في حالات الطوارئ
M-Chanio [12] MoTech [32] CommCare [21]	تسجيل الرضع من أجل التحصين تذكّر من أجل الأمهات اللاق ينجحن لرعاية ما بعد الولادة لأنفسهن ولأطفالهن الرضع تتيه التفتيح الرضع	تسجيل الرضع من أجل التحصين تذكّر من أجل الأمهات اللاق ينجحن لرعاية ما بعد الولادة لأنفسهن ولأطفالهن الرضع تتيه التفتيح الرضع	تسجيل الرضع من أجل التحصين تذكّر من أجل الأمهات اللاق ينجحن لرعاية ما بعد الولادة لأنفسهن ولأطفالهن الرضع تتيه التفتيح الرضع	تسجيل الرضع من أجل التحصين تذكّر من أجل الأمهات اللاق ينجحن لرعاية ما بعد الولادة لأنفسهن ولأطفالهن الرضع تتيه التفتيح الرضع	تسجيل الرضع من أجل التحصين تذكّر من أجل الأمهات اللاق ينجحن لرعاية ما بعد الولادة لأنفسهن ولأطفالهن الرضع تتيه التفتيح الرضع	تسجيل الرضع من أجل التحصين تذكّر من أجل الأمهات اللاق ينجحن لرعاية ما بعد الولادة لأنفسهن ولأطفالهن الرضع تتيه التفتيح الرضع	تسجيل الرضع من أجل التحصين تذكّر من أجل الأمهات اللاق ينجحن لرعاية ما بعد الولادة لأنفسهن ولأطفالهن الرضع تتيه التفتيح الرضع
Hospitalsworldwide.com http://www.hospitalsworldwide.com/ http://www.obgyn.net/OBGYN.net	الرعاية المبرية وعلاج الأطفال حديثي الولادة الذين يعانون من مضاعفات	الرعاية المبرية وعلاج الأطفال حديثي الولادة الذين يعانون من مضاعفات	الرعاية المبرية وعلاج الأطفال حديثي الولادة الذين يعانون من مضاعفات	الرعاية المبرية وعلاج الأطفال حديثي الولادة الذين يعانون من مضاعفات	الرعاية المبرية وعلاج الأطفال حديثي الولادة الذين يعانون من مضاعفات	الرعاية المبرية وعلاج الأطفال حديثي الولادة الذين يعانون من مضاعفات	الرعاية المبرية وعلاج الأطفال حديثي الولادة الذين يعانون من مضاعفات
Amanece [16] RapidSMS [35]	مدفوعات المبرية وعلاج الأطفال حديثي الولادة الذين يعانون من مضاعفات	مدفوعات المبرية وعلاج الأطفال حديثي الولادة الذين يعانون من مضاعفات	مدفوعات المبرية وعلاج الأطفال حديثي الولادة الذين يعانون من مضاعفات	مدفوعات المبرية وعلاج الأطفال حديثي الولادة الذين يعانون من مضاعفات	مدفوعات المبرية وعلاج الأطفال حديثي الولادة الذين يعانون من مضاعفات	مدفوعات المبرية وعلاج الأطفال حديثي الولادة الذين يعانون من مضاعفات	مدفوعات المبرية وعلاج الأطفال حديثي الولادة الذين يعانون من مضاعفات
Health System 20/20 [27] Changamka Medical Smart Card [20]	مدفوعات المبرية وعلاج الأطفال حديثي الولادة الذين يعانون من مضاعفات	مدفوعات المبرية وعلاج الأطفال حديثي الولادة الذين يعانون من مضاعفات	مدفوعات المبرية وعلاج الأطفال حديثي الولادة الذين يعانون من مضاعفات	مدفوعات المبرية وعلاج الأطفال حديثي الولادة الذين يعانون من مضاعفات	مدفوعات المبرية وعلاج الأطفال حديثي الولادة الذين يعانون من مضاعفات	مدفوعات المبرية وعلاج الأطفال حديثي الولادة الذين يعانون من مضاعفات	مدفوعات المبرية وعلاج الأطفال حديثي الولادة الذين يعانون من مضاعفات

10 يرد وصف مشاريع الصحة الإلكترونية المبنية في هذا الجدول في الملحق أدناه، ويقابل الرقم بين أقواس مقترقة رقم المشروع في الملحق III.

بناء – خدمات الصحة الإلكترونية المقدمة إلى مقدمي الرعاية الصحية والمهنيين الصحيين والأطباء والممرضات والقابلات والعاملين الصحيين المجتمعيين (CHW)		أمنية خدمات تكنولوجيا المعلومات والاتصالات على طول سلسلة الرعاية المستمرة لنظامية الصحة العامة		أمنية خدمات تكنولوجيا المعلومات والاتصالات المقدمة إلى مقدمي الرعاية الصحية الإلكترونية والمعلومات	
ابتكارات وخدمات تكنولوجيا المعلومات والاتصالات	قبل الحمل	الحمل	بعد الولادة	الولادة	بعد الولادة
<p>الطلب عن بُعد</p> <ul style="list-style-type: none"> • التفرغات الصوتية والفيديوية • تخطيط الصدى عن بُعد، حلول أمراض القلب عن بُعد، إلخ • التشخيص عن بُعد 	<p>التعلم الإلكتروني</p> <ul style="list-style-type: none"> • مواد التدريب على الخط • مسابقات الرسائل القصيرة • التدريب القائم على الرسائل القصيرة/الرسائل متعددة الوسائط/الاستجابة التفاعلية 	<p>دعم نقاط الرعاية الصحية</p> <ul style="list-style-type: none"> • أنظمة دعم القرار (مثل التوائم المرئية والنزوحيات) 	<p>سجلات المرضى الإلكترونية</p> <ul style="list-style-type: none"> • السجل الصحي الإلكتروني، السجل الطبي الإلكتروني، السجل الإلكتروني للمريض 	<p>إتاحة التكامل السلس لسلسلة البيانات التاريخية الصحي للمريض عبر سلسلة الرعاية المستمرة</p>	<p>جمع بيانات المريض الروتينية خلال الزيارات في المنزل والعيادة لتتبع المؤشرات الصحية على مستوى المجتمع المحلي</p> <p>إدارة الحالة</p> <p>تقرير وتتبع الحالة الصحية للأمهات الحوامل والأطفال حديثي الولادة وإرسال تنبيهات في حالات الشذوذ</p> <p>إدارة القوى العاملة ورصد الأداء والحوافز</p> <p>تحسين تدفق المعلومات على مستوى المجتمع المحلي</p> <p>تحسين التواصل والمهارات الطبية بين مؤسسات الرعاية الصحية والقابلات</p>
<p>الطلب عن بُعد</p> <ul style="list-style-type: none"> • التفرغات الصوتية والفيديوية • تخطيط الصدى عن بُعد، حلول أمراض القلب عن بُعد، إلخ • التشخيص عن بُعد 	<p>التعلم الإلكتروني</p> <ul style="list-style-type: none"> • مواد التدريب على الخط • مسابقات الرسائل القصيرة • التدريب القائم على الرسائل القصيرة/الرسائل متعددة الوسائط/الاستجابة التفاعلية 	<p>دعم نقاط الرعاية الصحية</p> <ul style="list-style-type: none"> • أنظمة دعم القرار (مثل التوائم المرئية والنزوحيات) 	<p>سجلات المرضى الإلكترونية</p> <ul style="list-style-type: none"> • السجل الصحي الإلكتروني، السجل الطبي الإلكتروني، السجل الإلكتروني للمريض 	<p>إتاحة التكامل السلس لسلسلة الرعاية المستمرة</p>	<p>جمع بيانات المريض الروتينية خلال الزيارات في المنزل والعيادة لتتبع المؤشرات الصحية على مستوى المجتمع المحلي</p> <p>إدارة الحالة</p> <p>تقرير وتتبع الحالة الصحية للأمهات الحوامل والأطفال حديثي الولادة وإرسال تنبيهات في حالات الشذوذ</p> <p>إدارة القوى العاملة ورصد الأداء والحوافز</p> <p>تحسين تدفق المعلومات على مستوى المجتمع المحلي</p> <p>تحسين التواصل والمهارات الطبية بين مؤسسات الرعاية الصحية والقابلات</p>
<p>الطلب عن بُعد</p> <ul style="list-style-type: none"> • التفرغات الصوتية والفيديوية • تخطيط الصدى عن بُعد، حلول أمراض القلب عن بُعد، إلخ • التشخيص عن بُعد 	<p>التعلم الإلكتروني</p> <ul style="list-style-type: none"> • مواد التدريب على الخط • مسابقات الرسائل القصيرة • التدريب القائم على الرسائل القصيرة/الرسائل متعددة الوسائط/الاستجابة التفاعلية 	<p>دعم نقاط الرعاية الصحية</p> <ul style="list-style-type: none"> • أنظمة دعم القرار (مثل التوائم المرئية والنزوحيات) 	<p>سجلات المرضى الإلكترونية</p> <ul style="list-style-type: none"> • السجل الصحي الإلكتروني، السجل الطبي الإلكتروني، السجل الإلكتروني للمريض 	<p>إتاحة التكامل السلس لسلسلة الرعاية المستمرة</p>	<p>جمع بيانات المريض الروتينية خلال الزيارات في المنزل والعيادة لتتبع المؤشرات الصحية على مستوى المجتمع المحلي</p> <p>إدارة الحالة</p> <p>تقرير وتتبع الحالة الصحية للأمهات الحوامل والأطفال حديثي الولادة وإرسال تنبيهات في حالات الشذوذ</p> <p>إدارة القوى العاملة ورصد الأداء والحوافز</p> <p>تحسين تدفق المعلومات على مستوى المجتمع المحلي</p> <p>تحسين التواصل والمهارات الطبية بين مؤسسات الرعاية الصحية والقابلات</p>
<p>الطلب عن بُعد</p> <ul style="list-style-type: none"> • التفرغات الصوتية والفيديوية • تخطيط الصدى عن بُعد، حلول أمراض القلب عن بُعد، إلخ • التشخيص عن بُعد 	<p>التعلم الإلكتروني</p> <ul style="list-style-type: none"> • مواد التدريب على الخط • مسابقات الرسائل القصيرة • التدريب القائم على الرسائل القصيرة/الرسائل متعددة الوسائط/الاستجابة التفاعلية 	<p>دعم نقاط الرعاية الصحية</p> <ul style="list-style-type: none"> • أنظمة دعم القرار (مثل التوائم المرئية والنزوحيات) 	<p>سجلات المرضى الإلكترونية</p> <ul style="list-style-type: none"> • السجل الصحي الإلكتروني، السجل الطبي الإلكتروني، السجل الإلكتروني للمريض 	<p>إتاحة التكامل السلس لسلسلة الرعاية المستمرة</p>	<p>جمع بيانات المريض الروتينية خلال الزيارات في المنزل والعيادة لتتبع المؤشرات الصحية على مستوى المجتمع المحلي</p> <p>إدارة الحالة</p> <p>تقرير وتتبع الحالة الصحية للأمهات الحوامل والأطفال حديثي الولادة وإرسال تنبيهات في حالات الشذوذ</p> <p>إدارة القوى العاملة ورصد الأداء والحوافز</p> <p>تحسين تدفق المعلومات على مستوى المجتمع المحلي</p> <p>تحسين التواصل والمهارات الطبية بين مؤسسات الرعاية الصحية والقابلات</p>

خدمات الصحة الإلكترونية المقدمة إلى مديري الرعاية الصحية والمديرين لتعزيز الأنظمة الصحية

أمثلة عن مشاريع الصحة الإلكترونية في بلدان جنة المعلومات والمساندة*		أمثلة الرعاية الصحية العالمية بعد الولادة		أمثلة خدمات تكنولوجيا المعلومات والاتصالات على طول سلسلة الرعاية المستمرة		أمثلة خدمات تكنولوجيا المعلومات والاتصالات	
		بعد الولادة	الولادة	الحمل	قبل الحمل		
<ul style="list-style-type: none"> Online Reporting of National Rural Health Mission, Punjab, India http://www.dbnrhm.org/online_reporting.aspx 	<ul style="list-style-type: none"> جمع وتخمين وتحليل البيانات الصحية المتصلة بالرعاية الطبيعية والحمل، والعلاج بالعضادات الحيوية للالتهاب الرئوي لدى الأطفال، ومعدل انتشار الإصابة بتوقف النمو 	<ul style="list-style-type: none"> جمع وتخمين وتحليل البيانات الصحية المتصلة بالقبالات الماهرة عند الولادة، إلى جانب الرعاية ما بعد الولادة للأهواج والرضع بعد يومين من الولادة 	<ul style="list-style-type: none"> جمع وتخمين وتحليل البيانات الصحية المتصلة بتوزيع مضادات فيروس نقص المناعة البشرية- الفيروسات القهقرية للنساء الحوامل، وزيارات الرعاية السابقة للولادة 	<ul style="list-style-type: none"> جمع وتخمين وتحليل البيانات الصحية المتصلة بالطلب المتعلق بتنظيم الأسرة 	<ul style="list-style-type: none"> جمع البيانات الصحية الإلكترونية وتقديم تقرير عنها نظام المعلومات الصحية على الخط الرسائل القصيرة المنظمة أو استمارات جمع البيانات المتصلة 	<ul style="list-style-type: none"> التسجيل الإلكتروني للمواليد والوفيات وأسباب الوفاة 	<ul style="list-style-type: none"> المراقبة الإلكترونية
<ul style="list-style-type: none"> e-District Kapurthala, India [1] 	<ul style="list-style-type: none"> تسجيل المواليد والوفيات وأسباب الوفاة 						
<ul style="list-style-type: none"> Project Mwana [4] mCare [11] 	<ul style="list-style-type: none"> مراقبة صحة الأم والطفل فيما يتعلق بالتهاب السحايا والملاريا والإسهال أو التعذية 	<ul style="list-style-type: none"> الإحطار بجالة وفاة الأهواج والأطفال الرضع وفحصها ومراقبتها 					
<ul style="list-style-type: none"> http://www.dbnrhm.org/online_reporting.aspx 	<ul style="list-style-type: none"> إدارة مخزون اللقاحات وأدوية الالتهاب الرئوي والإسهال الخ. 	<ul style="list-style-type: none"> إدارة مخزون السلع الأساسية المتقدمة للحياة 	<ul style="list-style-type: none"> إدارة مخزون السلع الأساسية المتقدمة للحياة 	<ul style="list-style-type: none"> إدارة مخزون منتجات الصحة الإنجابية 	<ul style="list-style-type: none"> إدارة سلسلة التوريد الإلكترونية 		

3 من بلد نام إلى بلد نام – الدروس المستفادة من تنفيذ أفضل الممارسات

يقدم هذا الفصل معلومات مختصرة بشأن نماذج العمل المتعلقة بخدمات الصحة الإلكترونية التي وُضعت ونُفذت بالفعل (أو قيد التنفيذ) في بعض البلدان النامية. ويمكن اعتبارها بمثابة "أفضل الممارسات" لبلدان أخرى تفادياً لتكرار الجهود.

1.3 أمثلة على أفضل الممارسات من الدول الأعضاء

إضافة إلى المعلومات الواردة في الجدول 2 ترد نصوص أكثر شمولاً عن الإنجازات المحققة في مجال الصحة الإلكترونية في عدة بلدان في ملحقات التقرير. وترد في الجدول 3 أدناه بعض المشاريع الناجحة. وينصح بالاطلاع على النصوص الكاملة.

الجدول 3: أمثلة على أفضل الممارسات من الدول الأعضاء

المكان	الموضوع	المجال
الأرجنتين	مجموعة واسعة من خدمات الصحة الإلكترونية الخيرة في تطبيق البرمجيات المجانية مفتوحة المصدر	الشبكة الوطنية لطب الأطفال عن بُعد السجلات الصحية الإلكترونية الآراء الطبية الثانية برمجيات مفتوحة المصدر للتدريب المتزامن واستشارات عن بُعد، تتيح أيضاً العمليات الجراحية والإرسالات بالموجات فوق الصوتية؛ مراقبة المرضى بعد الجراحة < 5 000 تطبيق متصل بالصحة لمختلف نماذج الهواتف الذكية
كوت ديفوار	التعليم الإلكتروني	دعم تدريب الباحثين الشباب في مراكز البحوث والجامعات العامة دعم مرافق البحوث لإعادة تأهيل المحطات والمختبرات والقدرات (المعدات والتوصيل)، والنفاذ إلى المعلومات العلمية
غينيا	الخدمات على الخط – الصحة الإلكترونية، التعليم الإلكتروني	جزء من شبكة البلدان الإفريقية توصّل 53 عضواً في الاتحاد الإفريقي من أجل الاتصال والتوصيل الفعال بين الولايات المتحدة. الإنجازات: يعمل مشروع التعليم عن بُعد بنسبة 95% تحديد مشروع الصحة الإلكترونية ومرحلة التجهيز - 90%
الهند	جميع جوانب الصحة الإلكترونية	السجلات الطبية الإلكترونية وأتمتة المستشفيات مجموعة واسعة من خدمات الطب عن بُعد والتعلم الإلكتروني استحداث مراجع النفاذ المفتوح على الخط خطوات ناجحة في توحيد المقاييس والتشريعات المتعلقة بالطب عن بُعد مجموعة أدوات الصحة المتنقلة
إندونيسيا	التصوير الإشعاعي عن بُعد والتشخيص عن بُعد	النظام متاح للأرشفة ونقل الصور الطبية ذات سعة التخزين الضخمة مع انضغاط فعال بمعدل 16:1، والمحافظة على جودة إعادة بناء الصورة بمجال رؤية أوتوماتي منخفض التكلفة مجهر المسح الضوئي لأنظمة الكشف المبكر عن داء السل
اليابان	حقيبة الطبيب الإلكترونية	بإمكانها أن ترسل بسهولة معلومات بيولوجية مع صورة عالية الوضوح للمريض في بيئة متنقلة

المكان	الموضوع	المجال
اليابان	تخطيط القلب الكهربائي متعدد الوظائف "Radarcirc"	نظام طب عن بُعد متنقل لإرسال بيانات تخطيط القلب الكهربائي-12 وصور فيديو حية في الوقت الفعلي من سيارة الإسعاف المتوجهة إلى المستشفى. ويتيح النظام قياس وتحليل وإرسال بيانات تخطيط القلب الكهربائي-12 حتى في حالة تشويش الحركة الشديد وأثناء الإنعاش القلبي الرئوي
جمهورية قبرغستان	طب القلب عن بُعد والرعاية الصحية للأمومة والأطفال	دعم طبي على مدار اليوم والأسبوع والسنة من مراكز وطنية للرعاية الصحية تضم موظفين مهنيين في المجال الطبي لأبعد المناطق النائية في البلد دورات تدريبية مهنية وفي مجال تكنولوجيا المعلومات للعاملين في المجال الطبي
جمهورية لاو الديمقراطية الشعبية	توسيع الشبكة الحكومية الإلكترونية الحالية لتشمل الصحة الإلكترونية	مشاورة عن بُعد بين المستشفى المركزي ومستشفى المقاطعة التعليم الإلكتروني للأطباء والمرضات وغيرهم من الموظفين في المجال الطبي
لبنان	تطبيقات متنقلة للصحة العامة	تشمل التطبيقات: - قائمة الأدوية (الأسعار، الجرعة، النموذج، التقنين...) - المستشفيات العامة/الخاصة ودليل مراكز الرعاية الصحية الأولية - وزارة الخدمات والحملات الصحية - نصائح صحية بشأن أساليب الحياة والعادات إلخ.
مالي	مشاريع الصحة الإلكترونية الرائدة على جميع مستويات الهرم الصحي	العلاج عن بُعد - الأسطول المتنقل (إتاحة 500 هاتف محمول للعاملين في مجال الصحة على مستوى التجهيزات الطرفية) لتقديم الخدمات الصحية التي تركز على صحة الأطفال دون 5 سنوات ورعاية الأمهات. التعلم الإلكتروني والتعليم الإلكتروني عبر بوابات إلكترونية دينامية
باكستان	شبكة استشارة عن بُعد تقوم على التوصل الساتلي الطب عن بُعد في حالات الطوارئ	الاستشارة عن بُعد في مجال التصوير الإشعاعي، والجراحة، والطب، وأمراض القلب، وطب الأنف والأذن والحنجرة، والأمراض الجلدية، والطب النفسي، وجراحة العظام؛ التعليم الإلكتروني-مركز التدريب للأطباء والمرضات
بنما	تكنولوجيا الجيل التالي والخدمات الإلكترونية من أجل مشروع مستدام والشمول الرقمي القابل للنفاد-مشروع LUCY	ضمان نفاذ كل شخص يواجه حواجز تتعلق بإمكانية النفاذ بسبب الإعاقة أو الإلمام بالقراءة والكتابة أو الشيخوخة، إلى الإنترنت واستخدام جميع معلوماتها ومجتمعاتها وخدماتها من أجل التعليم والعمل والحياة اليومية والمشاركة المدنية والصحة والسلامة، بغض النظر عن الموارد الاقتصادية
تنزانيا	الاستشارات عن بُعد والتعليم الإلكتروني	توصيل جميع مناطق البلد استناداً إلى بنية تحتية وطنية أساسية بالألياف البصرية استشارات من خلال الهواتف المحمولة أو الإنترنت المؤتمرات الفيديوية: عرض الحالات الإكلينيكية والمرضية الإكلينيكية التعليم الطبي المستمر
تركيا	تنفيذ الصحة الإلكترونية استناداً إلى نجاح التعاون بين شركات الاتصالات والمستشفيات وشركات البرمجيات	خدمات متاحة 7 أيام على مدار الساعة - معلومات حول صيدلة الحراسة، والمشاورات الصحية، والنفاذ المجاني إلى سيارة إسعاف مجهزة تجهيزاً كاملاً عند الحاجة والتأمين الصحي تنفيذ نظام معلومات متكامل لإدارة الرعاية الصحية

المكان	الموضوع	المجال
أوزبكستان	تنفيذ أنظمة معلومات إدارة الصحة الإلكترونية	تحسين النافذ إلى البيانات الإدارية والإكلينيكية والوبائية؛ تمكين المنظمات الصحية ومقدمي الخدمات من العمل على نحو أكثر فعالية
زامبيا	تطبيقات الصحة الإلكترونية	استناداً إلى إطار مجان مفتوح المصدر؛ التشخيص المبكر لدى الرضع (نتائج اختبار DBS HIV) وتبني المريض من أجل الرعاية بعد الولادة، تحسين الاتصال بين مقدمي الرعاية الصحية

2.3 التدريب على الصحة الإلكترونية كدعم من بلد إلى بلد: 10 سنوات من الخبرة للاتحاد الدولي للاتصالات في مجال التدريب الطبي قصير الأجل

قدمت جامعة توكاي¹² (اليابان) بالاشتراك مع مكتب تنمية الاتصالات بالاتحاد الدولي للاتصالات دورة تدريبية للعاملين في مجال الطب والرعاية الصحية من البلدان النامية من أجل فهم الاتجاهات والتكنولوجيات الحالية في مجال الطب عن بُعد والصحة الإلكترونية، وتوفير الأساس لبدء العمل بخدمات الطب عن بُعد.

واستضافت جامعة توكاي الدورة التدريبية بدعم مالي من الوكالة اليابانية للتعاون الدولي (JICA) ومؤسسة ساساكاوا للسلام. واستفاد المشاركون في الدورة التدريبية من الخبرة التقنية والمرافق المتاحة في جامعة توكاي، التي تعد أحد الأطراف الفاعلة على الصعيد الدولي في مجال الطب عن بُعد والصحة الإلكترونية، إلى جانب الخبرة المكتسبة من تنفيذ المشاريع الرائدة لمكتب تنمية الاتصالات بالاتحاد. وهناك نوعان من البرامج.

- برامج تدريبية طويلة الأجل ما بعد الدكتوراه؛
- برامج تدريبية قصيرة الأجل.

وفي 2002، كان هناك 10 مشاركين في المجموع في البرنامج التدريبي ما بعد الدكتوراه (مشارك من بوتان وهابتي وأربعة مشاركين من إندونيسيا ومشارك من جمهورية الصين الشعبية ومشارك من باكستان ومشارك من باراغواي).

ويتألف البرنامج من أربعة أجزاء:

- نشر بحوث الطب عن بُعد وتنفيذها؛
- التقدم في مجال معدات الصحة الإلكترونية وإطلاع البلدان الأخرى على تطوير ونشر الصحة الإلكترونية في اليابان؛
- إثراء إمكانيات البحوث المتصلة بالطب عن بُعد واستكشافها؛
- تعزيز الإدارة والتنظيم بمواصفات تطبيقات الصحة الإلكترونية وتنفيذها.

تشمل الدورة التدريبية للبلدان الجزرية في المحيط الهادئ برامج تدريبية قصيرة المدى بدعم من منتدى جنوب المحيط الهادئ. وقبل بدء الدورة التدريبية، قام المعلمون بزيارة الجزر لإجراء مقابلات مع المتدربين المحتملين لتقييم دوافعهم ومعارفهم الأساسية واختيار المرشحين المناسبين (المتدربين). وبعد وصولهم إلى اليابان، أقام المتدربون في سكن الجامعة المخصص للطلاب الدوليين وحضروا البرنامج في ساحة شونان بجامعة توكاي لمدة استغرقت حوالي ثلاثة أشهر. واستُخدمت لجان مختلفان في عملية التعلم: أسلوب المحاضرات والتدريب العملي على المحتوى الرئيسي؛ وأسلوب المحاضرات والبيان العملي للمحتوى الإضافي. وكانت المحاضرات تُلقى قبل كل ممارسة. وكان التعلم عن طريق التدريب العملي فضلاً عن التجارب التي خاضها المشاركون والأخطاء التي ارتكبوها ذات أهمية لاستيعاب المواد المعنية وتطويرها وفهمها. ولذلك، تم توفير تمارين الممارسة الذاتية للمشاركين كلما دعت الضرورة. وتم أيضاً توفير حواسيب شخصية وبرمجيات والتوصيل بالإنترنت لكل مشارك.

¹² مقدم المساهمة: يوشي إشيباشي، كلية الطب بجامعة توكاي، اليابان، انظر الوثيقة [RGQ14.3.2-INF-0022](#).

مضمون التدريب

قمنا بإعداد برنامج تدريبي بالاستناد إلى خبراتنا السابقة مثل ما جرى في بوتان وبنغلاديش. واستخدمنا أنواعاً كثيرة من البرمجيات والأجهزة في هذه البرامج التدريبية. وفيما يتعلق بالبرمجيات، أكدنا على جمع المعلومات وتحليلها وتبادلها. وفيما يتعلق بالأجهزة، فإن أجهزة الاستشعار وتخطيط القلب ضرورية في المجال الطبي كما أن الشبكات المحلية اللاسلكية ضرورية من أجل البلدان الجزرية.

من الصعب اكتساب المعرفة التقنية لتطوير نظام عملي للصحة الإلكترونية في فترة 3 أشهر. ولذلك أكدنا على فهم مجموعة واسعة من التكنولوجيات ليتسنى اختيار التطبيق المناسب للبلدان المعنية.

وتعد قواعد البيانات وأنظمة المعلومات الجغرافية مهمة في المحاضرات حول البرمجيات. ويشير تقرير المرصد العالمي للصحة الإلكترونية التابع لمنظمة الصحة العالمية لعام 2005، إلى أن الصحة الإلكترونية ميدان شامل لتكنولوجيا المعلومات والاتصالات ويتضمن هذا الميدان 10 بنود. ويتمثل البند الأول في الصحة الإلكترونية والبند الثاني في نظام المعلومات الجغرافية علماً أن نظام المعلومات الجغرافية مهم من ناحية الأوثية. وكرسنا ما يكفي من الوقت للمحاضرات والتدريبات على قاعدة البيانات ونظام المعلومات الجغرافية نظراً لأن نظام المعلومات الجغرافية مفيد لمنع العدوى وإدارة الأمراض في المناطق الشاسعة كما أن تحليل المعلومات المجمعة في قاعدة البيانات مهم أيضاً. وتعلم المتدربون كيفية استخدام برنامج Microsoft ACCESS و ArkGIS ووضعوا نظاماً بسيطاً لجمع المعلومات الطبية الخاصة ببلداتهم وعرضها في قاعدة البيانات. ومن الناحية العملية، ينبغي أن يكون النظام نظاماً قائماً على الإنترنت. ولذلك، من المهم ترتيب المعلومات وعرضها لتحويلها في نهاية المطاف إلى نظام متاح على الويب. ومن المهم بالنسبة لهم اكتساب مهارات في مجال ترتيب المعلومات والتعبير عنها. ويرد نظام البرنامج في الجدول 4.

ويختلف الوضع في الدول الجزرية في المحيط الهادئ. ففي فيجي، من الضروري التعاون بين الجزيرتين الرئيسيتين والعديد من الجزر الصغيرة. وعدد سكان الجزيرة كبير وهناك العديد من العاملين في المجال الطبي نسبياً. كما أنه من المهم النظر في اعتماد الصحة الإلكترونية في المنزل. وفي ناورو، هناك حوالي 10 000 شخص يعيشون في جزيرة واحدة مع وجود عدد قليل من العاملين في المجال الطبي. ومن الضروري النظر في اعتماد الصحة الإلكترونية بين ناورو والبلدان المتقدمة مثل أستراليا.

استوعب المتدربون محتوى المحاضرات ونظروا في تطبيق التكنولوجيات في بلداتهم وأعدوا تقارير استناداً إلى ممارساتهم الذاتية بعد المحاضرات. ومن الصعب لبلداتهم الأصلية بدء العمل بتكنولوجيات الصحة الإلكترونية باستخدام ميزانيتها الخاصة. ولذلك فإن الدعم التكنولوجي والاقتصادي من البلدان المتقدمة ضروري. ونتوقع أن تشجع الأفكار المتضمنة في تقاريرهم الدعم من الحكومة اليابانية مثل الوكالة اليابانية للتعاون الدولي.

النتائج

نُظمت المناهج الدراسية بشكل جيد ووضعت المواد والكتب المدرسية في ثلاث سنوات. وبصرف النظر عن هذا البرنامج، هناك جوانب أخرى يتعين النظر فيها لضمان الاستفادة من الدورة التدريبية. وقد يشكل الافتقار إلى البنية التحتية لتكنولوجيا المعلومات والاتصالات الذي يعتبر نموذجياً في البلدان النامية عائقاً للتطبيق العملي لهذا البرنامج التدريبي وأي برامج تدريبية مماثلة أخرى. ولذلك، نوصي بشدة بأن تتبع كل منظمة ذات صلة هذا البرنامج مع تطوير البنية التحتية لتكنولوجيا المعلومات والاتصالات.

الجدول 4: المناهج الدراسية

الموضوع	المخطط	التصنيف
إنتاج الصور والأفلام تحليل البيانات باستعمال برنامجي R و MATLAB قاعدة بيانات باستخدام برمجية ACCESS برنامج تفاعلي متعدد الوسائط من أجل الصحة الإلكترونية (HTML) نظام المعلومات الجغرافية باستخدام ArcGIS	جمع المعلومات وتجميعها وتحليلها والتعبير عنها	البرمجيات
الاتصال الاستشعار الشبكة المحلية اللاسلكية	الاتصال والاستشعار	الأجهزة
طب القلب عن بُعد في بوتان نظام المؤتمرات البعيدة اتجاهات الصحة الإلكترونية لمنظمة الصحة العالمية والاتصالات الدولي للاتصالات صندوق الخدمة الشاملة من أجل الصحة الإلكترونية مخطط تفصيلي للمساعدة الإنمائية الرسمية المقدمة من الحكومة اليابانية	الأنظمة الحالية المتصلة بالصحة الإلكترونية والمساعدة الدولية	المواضيع

تتميز الدول الجزرية في المحيط الهادئ بالعديد من الخصائص، مثل قلة عدد السكان المنتشرين في جزر متناثرة ومحدودية الموارد. وتعاني هذه الدول من المشكلة الشائعة المتمثلة في محدودية الموارد اللازمة لتنفيذ شبكات وخدمات تكنولوجيا المعلومات والاتصالات التي من شأنها زيادة جودة خدمات الرعاية الصحية. ومقدمو الرعاية الصحية في الجزر بحاجة إلى الأموال الأولية اللازمة للشروع في تخطيط وتنفيذ شبكات وتطبيقات تكنولوجيا المعلومات والاتصالات وكذلك لتدريب الأطباء والمرضات والعاملين في المستشفيات في مجال تكنولوجيا المعلومات والاتصالات.

ونتوقع أن تكون الدورة التدريبية الموضحة في هذا التقرير قد حققت إلى حد ما تطوير مثل هذه الموارد، على الرغم من وجود ستة أشخاص فقط في خلال ثلاث سنوات. ونأمل توسيع ومواصلة هذا المشروع لفترة طويلة. وهناك مشاكل شائعة في الظروف الطبية، ولكن ووجهت مشاكل أخرى مختلفة. فعلى سبيل المثال، هناك العديد من الجزر متناهية الصغر في فيجي وجزر كوك، ومن ثم، فإن الربط الشبكي الداخلي مهم في هذا السياق. وفي ناورو، هناك جزيرة واحدة فقط ذات محيط يبلغ 18 كيلومتراً، وعدد قليل جداً من الأطباء؛ وهناك تعتبر الاستشارات من جانب أطباء متمرسين من بلدان أخرى ضرورية. ويمكن الوصول إلى الوضع الصحي السائد حالياً في جزر المحيط الهادئ من خلال هذه الدورة التدريبية والحصول أيضاً على المواد اللازمة لتحليل الوضع والبحث عن الحلول اللازمة لتحسينه.

المراجع

- [1] Usman K, et.al. Web-Based and Geographical Information System of Health and Medical Content for Developing Nation(Fiji e-Health Training Program), Journal of e-Health Technology and Application, Volume 5, No. 1, 2007: 46-50
- [2] Kinoue T, et.al. E-Health Expert Training Course Hosted at Tokai University. World Telecommunication Development Conference (WTDC 02), 2002, Istanbul; INF3-E:1-2
- [3] Androuchko L, Nakajima I. Developing Countries and e-Health Services, 6th International Workshop on Enterprise Networking and Computing in Healthcare Industry, Healthcom 2004, Odawara: 211-214
- [4] Kinoue T, et.al. Project for Training of Future Health Leaders around the World, Especially in the Asia-Pacific Region, Report of 2003 Activity, 2nd APT Telemedicine Workshop 2004, New Delhi, India: 95-97
- [5] Sadique M A, et al. A Study on Pacific Island e-Health projects and our support, 8th International Conference on e-Health Networking, Application and Services, Healthcom 2006, New Delhi, India: 250-253
- [6] Ishibashi Y, et.al. Training Program for e-Health in Tokai University, Healthcom 2008, Singapore: 121-124

4 الاستنتاجات والتوصيات

الصحة الإلكترونية أمر ضروري بالفعل ولا مجال للتراجع فيه. وهذا يشكل تحدياً رائعاً للمستقبل ولكنه يتطلب التعاون والتنسيق على جميع المستويات الممكنة فضلاً عن التواصل والتخطيط والاستعداد للاستفادة من الآخرين لتفادي تكرار الجهود. واستناداً إلى خبرته الطويلة ولا سيما في إطار المسألة 14-3/2، أكد الاتحاد الدولي للاتصالات دائماً على أن بعض أهم المتطلبات الأساسية لتنفيذ الصحة الإلكترونية بنجاح، هي كالاتي:

- التحليلات الأولية الدقيقة للاحتياجات والبنية التحتية المتاحة نظراً لاختلاف الاحتياجات والرعاية الصحية والنظام الإداري والتوقعات تبعاً لكل منطقة وكل بلد؛
- إهمال التقاليد المحلية والخصائص الثقافية يمكن أن يؤدي إلى إفشال حتى المشاريع التي أعدت بعناية كبيرة؛
- التوصية بشدة بمشاركة قادة الرأي على الصعيد المحلي/الوطني؛
- الحفاظ على نظام الرعاية الصحية الحالي شرط من شروط النجاح؛
- النهج القائم على المحاكاة لا يمثل أفضل طريقة! مثلاً: الحلول واسعة الاستعمال في البلدان المتقدمة ليست بالضرورة ما تبحث عنه البلدان النامية!
- التواصل أساسي. الاطلاع على ما يجري على الصعيد العالمي في مجال الصحة الإلكترونية يساعد المهنيين على:
 - بناء مستوى مشترك من التفاهم والمعرفة بما يدعم التأثير على السياسات المحلية فيما يتعلق بدور الصحة الإلكترونية في الرعاية الصحية؛
 - إذكاء الوعي العام بالصحة الإلكترونية وإمكاناتها؛
 - إجراء حوارات بناءة ومجدية وبناء توافق الآراء بين أصحاب المصلحة المتعددين بشأن المبادئ والسياسات والاستراتيجيات فيما يتعلق بتنفيذ الصحة الإلكترونية على نحو فعال ومناسب من الناحية التكنولوجية ويراعي الحساسيات الثقافية.

ودور المسألة 14-3/2 قِيم للغاية من حيث القدرة والاستعداد لتقديم الخبرة التقنية والمشورة الملائمة لتعبئة موارد محددة والتحقق من موثوقية الصحة الإلكترونية وكفاءتها عند الاقتضاء. واستناداً إلى الخبرة المكتسبة خلال فترة المسألة 14-3/2، تم التوصل إلى التوصيات التالية التي تعتبر أساسية لسياسة الرعاية الصحية وصانعي القرار في البلدان النامية:

1.4 توصيات المسألة 14-3/2 (2013)

- وصلت جميع البلدان النامية اليوم إلى مستوى معين من الوعي فيما يتعلق بحلول الصحة الإلكترونية وخدماتها ويتعين اتخاذ الخطوة الثانية المتصلة بتنفيذ هذه التكنولوجيا المتقدمة على مستوى الممارسة العملية لصالح المواطنين في البلدان المعنية.
- الإسراع باتخاذ خطوات¹³ إضافية للمساعدة في رفع مستوى الوعي لدى صناع القرار والمنظمين ومشغلي الاتصالات والجهات المانحة والعملاء حول دور تكنولوجيا المعلومات والاتصالات في تحسين النفاذ إلى خدمات الصحة الإلكترونية في البلدان النامية.
- تشجيع التعاون والالتزام بين قطاع الاتصالات والقطاع الصحي من أجل تعظيم الاستفادة من الموارد المحدودة على كلا الجانبين لتنفيذ خدمات الصحة الإلكترونية وحلها في الممارسة الطبية.

¹³ ل. أندروشكو، وإ. ناكاجيما، وم. جوردانوف، الجامعة الدولية في جنيف، مؤسسة دومينيك، سويسرا، المقرر المعني بالمسألة 14-3/2 - الاتصالات في مجال الرعاية الصحية.

- تيسير فرص التواصل ونقل المعارف في مجال الصحة الإلكترونية (الجزء التقني).
- التثقيف بشأن نطاق تطبيق الصحة الإلكترونية والمراحل المقبلة لتحسين فرص الوصول إلى الرعاية الصحية والاتجاهات وأحدث التكنولوجيات، إلخ.
- تشجيع ثقافة الصحة الإلكترونية بين جميع الأطراف المعنية بما في ذلك المواطنون.
- الابتكارات المستخدمة في مجموعة واسعة من مجالات الرعاية الصحية.
- أفضل استخدام لتكنولوجيا الاتصالات، والتركيز بشكل أكبر على مساعدة جميع أصحاب المصلحة يمكن هذا الاتصال. ودور الرعاية الصحية الأساسية المشتركة هو التواصل. تبليغ المريض عن الأعراض وتبليغ مقدمي الخدمات عن العلاج.
- تشجيع مشاركة المهنيين الطبيين في أنشطة الاتحاد بشأن الصحة الإلكترونية/الصحة المتنقلة.
- نشر الخبرات وأفضل الممارسات على نحو فعال باستخدام تكنولوجيا المعلومات والاتصالات في مجال الصحة الإلكترونية/الصحة المتنقلة في البلدان النامية مع التركيز على تطبيق أنظمة سهلة الاستعمال وموثوقة ومنخفضة التكلفة وفعالة من حيث استهلاك الطاقة مثل تكنولوجيا الشرائح الدقيقة الحديثة.
- الاستمرار في إنشاء شبكات الخبراء المعنيين لإقامة الاتصال مع المعنيين بدراسة تكنولوجيا وتطبيقات الصحة الإلكترونية/الصحة المتنقلة من أجل الإسراع بتنفيذها في البلدان النامية.
- تحديد التكنولوجيات المختلفة المستعملة في تطوير حلول الصحة الإلكترونية/الصحة المتنقلة وإعداد خلاصة وافية للمنصات التقنية بشأن الصحة الإلكترونية/الصحة المتنقلة لمختلف الخدمات الطبية مع مراعاة شبكات الاتصالات المتاحة في البلدان النامية.
- وضع مجموعة من المعايير لتقييم مشاريع/خدمات الصحة الإلكترونية مع التركيز على التكنولوجيا المستعملة ونوعية الخدمات في البلدان النامية.
- تشجيع تطوير معايير تقنية لتطبيقات الصحة الإلكترونية/الصحة المتنقلة بالاشتراك مع قطاع تقييس الاتصالات ولا سيما وضع مبادئ توجيهية للبلدان النامية بشأن كيفية استخدام هذه المعايير/التوصيات.
- إيلاء الاهتمام الواجب للتقييم الاقتصادي للمشاريع التجريبية المتعلقة بالصحة الإلكترونية/الصحة المتنقلة في البلدان النامية وتشجيع مشاركة القطاع الخاص في نشر الصحة الإلكترونية/الصحة المتنقلة.
- تشجيع ثقافة الصحة الإلكترونية/الصحة المتنقلة بين جميع أصحاب المصلحة من خلال إدراج هذا الموضوع في برنامج ورش العمل والحلقات الدراسية العديدة التي ينظمها مكتب تنمية الاتصالات.
- إضافة إلى ذلك، توصي لجنة الدراسات 2 لقطاع تنمية الاتصالات المعنية بالمسألة 2/3-14 صانعي السياسات في البلدان النامية باستعمال مجموعة أدوات الاستراتيجية الوطنية للصحة الإلكترونية للاتحاد ومنظمة الصحة العالمية عند الاقتضاء.

2.4 مجموعة أدوات الاستراتيجية الوطنية للصحة الإلكترونية للاتحاد الدولي للاتصالات ومنظمة الصحة العالمية

14 الحاجة إلى التخطيط الوطني

أظهرت التجربة أن تسخير تكنولوجيا المعلومات والاتصالات لأغراض الصحة يتطلب عملاً استراتيجياً ومتكاملاً على المستوى الوطني لتحقيق استخدام أفضل للقدرات الحالية مع توفير أساس متين للاستثمار والابتكار. وإن تحديد التوجهات

¹⁴ هاني إسكندر، مسؤول الاتصال في مكتب تنمية الاتصالات المعني بالمسألة 2/3-14، دائرة البنية التحتية والبيئة التمكينية والتطبيقات الإلكترونية التابعة لمكتب تنمية الاتصالات بالاتحاد الدولي للاتصالات، انظر الوثيقة [SG02-C-0182](#).

الرئيسية ووضع الخطوات التفصيلية اللازمة أمر أساسي لتحقيق الأهداف طويلة الأجل مثل كفاءة القطاع الصحي أو الإصلاح أو التحول الأكثر جوهرية. كما أن التعاون بين قطاعي الصحة وتكنولوجيا المعلومات والاتصالات سواء على المستوى العام أو الخاص أمر أساسي لهذه الجهود. وقد اعترفت منظمة الصحة العالمية (WHO) بصفتها وكالة الأمم المتحدة المعنية بالصحة والاتحاد الدولي للاتصالات (ITU) بصفته الوكالة المتخصصة المعنية بالاتصالات، بأهمية التعاون بالنسبة للصحة الإلكترونية في قراريهما اللذين يشجعان البلدان على وضع استراتيجيات وطنية للصحة الإلكترونية: ومجموعة الأدوات هذه تدعم هذه التوصيات.

تؤدي وزارات الصحة دوراً محورياً ليس فقط في تلبية احتياجات الناس المتعلقة بالرعاية وحماية الصحة العامة بل وأيضاً في الحفاظ على الأنظمة الصحية في الأوقات العصيبة. وتؤدي وزارة تكنولوجيا المعلومات والاتصالات دوراً أساسياً فيما يخص التنمية في جميع المجالات ويمكن أن تقدم مساهمة حيوية لقطاع الصحة. وتسمح الأهداف المشتركة وبيئة تكنولوجيا المعلومات والاتصالات القابلة للتنبؤ بتنسيق الأعمال: بناء التوافق في الآراء بشأن السياسة العامة وتيسير الاستخدام الأفضل للموارد المشتركة وإشراك القطاع الخاص والاستثمار في المهارات والبنية التحتية لتحسين النتائج الصحية.

الغرض والجمهور

أدوات الاستراتيجية الوطنية للصحة الإلكترونية عبارة عن مورد لتطوير وتفعيل استراتيجية الصحة الإلكترونية لبلد معين، سواء بالنسبة للبلدان التي لا تزال في المراحل الأولى أو تلك التي استثمرت كثيراً في الصحة الإلكترونية. ويشمل ذلك البلدان التي تسعى إلى الاستفادة من نتائج واعدة لمبادرات رائدة ووضع الأسس اللازمة للارتقاء بمستوى مشاريع الصحة الإلكترونية أو تحديث الاستراتيجيات لإبراز الظروف المتغيرة. ويمكن للمسؤولين في القطاع الصحي الحكومي في الوزارات والإدارات والوكالات التي ستقوم بإدارة تطوير استراتيجية الصحة الإلكترونية باستخدام مجموعة الأدوات. ويتطلب تطبيق هذه الأدوات فريقاً من ذوي الخبرة في مجال التخطيط الاستراتيجي والتحليل والاتصالات ومشاركة أصحاب المصلحة.

الشكل 3: مجموعة أدوات لوضع استراتيجية وطنية للصحة الإلكترونية



نظرة عامة على مجموعة الأدوات

وُضعت مجموعة الأدوات في ثلاثة أجزاء، يستند كل واحد منها إلى عمل الجزء السابق:

- الجزء 1: يضع رؤية وطنية بشأن الصحة الإلكترونية تستجيب لأهداف الصحة والتنمية. ويشرح الحاجة إلى نهج وطني وما ستحققه هذه الخطة وكيف سيتم ذلك.
- الجزء 2: يضع خارطة طريق التنفيذ تبرز الأولويات القطرية وسياق الصحة الإلكترونية. وينظم الأنشطة على المدى المتوسط، مع بناء أساس للمدى البعيد.
- الجزء 3: يضع خطة لرصد تنفيذ وإدارة المخاطر ذات الصلة. ويبين التقدم المحرز ونتائج التنفيذ ويساعد في تأمين الدعم والاستثمار على المدى البعيد.

ويصف كل جزء الأنشطة المطلوبة مع تقديم مشورة عملية مستمدة من خبرة حقيقية.

يمكن للبلدان أن تضطلع بمجموعة كاملة من الأنشطة، أو تلك الخاصة بسياقها وقيودها. وسوف تعتمد كيفية استخدام مجموعة الأدوات والنتيجة النهائية على سياق البلد وأولوياته ورؤيته.

ومجموعة الأدوات متاحة في: <http://www.itu.int/ITU-D/cyb/app/e-health.html> وفي: <http://www.who.int/ehealth>

Annexes

- Annex I: Case Studies: Lessons Learned from e-Health Implementation**
- Annex II: Lessons Learned from e-Health Implementation: Knowledge**
- Annex III: Compendium of e-Health projects for RMNCH implemented in CoIA countries**
- Annex IV: Composition of the Rapporteur Group for Question 14-3/2**
- Annex V: Glossary**

Annex I: Case Studies: Lessons Learned from e-Health Implementation

1.1 Argentina: Highlights of ICTs for e-Health in Argentina

1.1.1 Introduction

¹Accessibility to resources, goods and services in healthcare, regardless of geographical location and socioeconomic status, is one of the key factors to ensure that citizens of every nation effectively exercise their Health of Right. Telemedicine, as long as it involves the provision of health care services using information and communication technologies (ICT) for the prevention, diagnosis and treatment of disease, as well as for research and continuing medical education, has become one of the conceptual developments with the greatest potential for ensuring access to health services that meet appropriate quality and coverage standards.

The purpose of the following presentation is to synthetically describe Telemedicine strategies, programs and projects currently under development in Argentina.

1.1.2 Objectives and Strategies

The geographic and demographic characteristics of the country, the diversity of systems to health care access and the unequal distribution of professional resources and equipment, allow planning strategies in which the use of telemedicine, in the widest sense of Telehealth, assist in ensuring the effective exercise of the Right of Health throughout the hole national territory.

In this regard, it has been deemed necessary:

- To develop Telemedicine tools and to implement Telehealth programs and models with adequate standards of quality, social impact, cost – benefit relationship, and interoperability, which allow all citizens reach a better and more equalitarian health care.
- To promote consensus that may unify criteria that will ensure, in the medium term, a legislative and political regulatory framework of ICT and Telemedicine in Argentina.
- To take advantage of already existing resources and programs, engaging them to new local developments and those more significant at national and international level.

1.1.3 Activities Implemented

From a general perspective, although there are some legislative initiatives, to date the country does not have a policy framework for the implementation of ICT in Telemedicine. Likewise, Telemedicine projects have not always benefited from properly manage or support, suffering the vicissitudes of economic and political changes and progressing sporadically and irregularly.

As background, we can mention the National Program for the Society of Information about ICT inclusion in the public sector. This program supported the National Telemedicine Project (2000) which sought the extension of a telemedicine network, establishing clinical and technological reference centers, deploying new terminals systems and mobile solutions (Resolution 10,869 of the National Communication Secretary–SECOM). The socio-economic crisis of 2001–2002 prevented its realization.

Currently, Argentina has a General Plan for ICT (Resolution 1357/97) led by the General Secretary of Communications, several interagency plans related to equalitarian access policies (Argentina Connected,

¹ Contribution: Guillermo Bill, Telehealth Network of the América, Argentina. See document [2/205](#)

Decret 1552, 2010), and Integrated Health Information System (SISA) under the Ministry of Health. The latter is a project of information technology with gradual implementation stages and based on a federal concept, meant to record health facilities, health professionals, research, congenital diseases, immunizations, blood donors and evaluation of health technology.

In an overview of the possible applications of ICT in various sectors concerning national development lines (White Paper on ICT-Project Foresight 2020–2009) the Ministry of Science and Technology (MST) considers e-Health as a paradigmatic shift needed to cope with Argentine Health System deficiencies. To achieve this, a drastic restructuring of the health system is necessary, combining the concepts of Telemedicine and Primary Attention Strategy (APS). In 2010 the MST passed a document entitled "Strategic area for information and communications technologies" (Order 004/10d) where Telehealth is considered as a priority issue.

Regarding the development of telemedicine specific tools, it is appropriate to highlight the background related to electronic health records (EHR). Many Argentine provincial states and municipalities followed the line of free software, such as the Group of Buenos Aires BioLinux and the National University of Rosario.

In the province of Salta, Telecom Argentina implemented, in 2009, a web EHR system for management of primary care (ACUARIO SIGMA), developed by the Iberoamerican Foundation of Telemedicine. This system links 49 public health centers with more than 2,000 users, managing 250,000 HER and scheduling 4,000 patients visits by day. GCBA managed several initiatives coordinated by the Health Information Systems General Directory who created a Telehealth Platform. The province of Santa Fe has a video collaboration platform based on open source software for synchronous training and teleconsultations, also allowing surgeries and ultrasounds transmissions. Similarly, in 1995, the Angel Project created the first complete and free medical software, taking into account the laws for Professional Practice (17132), Digital Signature (25506) as well as the Code of Ethics of the Medical Association of Argentina, being compatible with HL7.

Concerning specific education, we should mention that most of the innovative processes, programs and developments in telemedicine and e-Health are concentrated in the academic units of public medical schools in Buenos Aires, La Plata, Rosario, Cordoba, Mendoza, Entre Rios and Tucuman. The valid curricula to train future doctors at these centers include telemedicine and ICT. Also, there is a residence of Medical Informatics at Italian Hospital of Buenos Aires, Biomedical Informatics at GCBA and a postgraduate degree in Biomedical Computing Introduction at the Italian Hospital of Buenos Aires.

In the health care setting, several major hospitals provide projects and programs where ICT and Telemedicine are protagonists. We must mention the program of referral and contra referral of the Garrahan Hospital, which allows remote communication with pediatricians located in provinces that have joined the National Network Tele-Pediatrics. The hospital established the Latin-American Medical Telepresence Pilot Program and offers a Telemedicine Program in Infectious Diseases.

Mendoza has a Telehealth Network formed by universities, the Ministry of Health and private institutions. The Zaldivar Institute (devoted to ocular surgery) in Mendoza has a telemedicine program for monitoring post-surgical patients, first visits, second opinions and training of residents. The Northeastern University has a telemedicine program designed to support rural doctors in Chaco.

Doctors living in small towns of Córdoba province could reach the portal developed by the Telemedicine Center of the National University of Córdoba (UNC) in order to have second medical opinions. The "Mario Gulich Institute", emerging as a collaborative initiative between UNC and the National Commission for Aerospace Activities (CONAE), is developing various tools for applications of aerospace information to health care, including risk stratification tools for vector-borne diseases and training programs of health applied geographical processing.

Finally, in a country with 51.891 million subscribers to cellular networks, the concept of m-Health should not be neglected. There are more than 5,000 health-related apps for different smart phone models. In addition, several organizations representing health insurance systems and private prepaid companies

operate with cellular messaging systems for different events, such as doctor's arrival, confirmation of appointments, etc.

In the regional context, since October 2011, the Ministries of Health of Latin America and the Caribbean approved the Regional Strategy and Plan of Action on e-Health, whose development the Panamerican Health Organization, World Health Organization (PAHO/WHO), has the mandate to coordinate. This strategy envisages that by 2017 a large percentage of countries have developed their own ALAC National e-Health strategy and represents a challenge and an opportunity for advancement and mobilization for action in Argentina as in all countries of the Region.

1.1.4 Technologies and Solutions Deployed

The key to establish a national telemedicine project is to take advantage of the already installed technology and new programs under development, to promote professional training and to reach agreements on regulatory requirements. In this sense, the Integrated Health Information System (SISA) appears as a possible starting point for major developments and projects in telemedicine.

A program to be considered of immediate usefulness is the national fiber optic network of the Ministry of Federal Planning, Public Investment and Services. Also depending from this Ministry we can find the Argentina Connected Program, as a comprehensive connectivity strategy as well as the three national communication satellites (ARSAT-1, 2 and 3).

National Universities have developed tools for remote support to patients. The Telemedicine Center of the UNER has prototypes and platforms of great social impact potential and low cost. The Institute of Bioelectronics in Tucumán has developed a Rural Telemedicine Application. The Faculty of Medicine of the National University of Rosario has launched a mobile telemedicine station (ETMo) containing sophisticated diagnostic tools built into a suitcase transportable by air, sea or land, able to provide the physician in disaster and/or geographical detachment situation, diagnostic and therapeutic aid from academic specialist located at the university in real time.

1.1.5 Outcomes Achieved. Challenges and Success Factors

Beyond the technical advances, ideas and projects conceived, the Argentina Telemedicine Community achievement has been sustaining internal stability in their working groups, showing the potential social impact of telemedicine and ICTs related to health topics and, last but not least, progressively installing at institutional and government levels the idea that telemedicine is not only important but essential in a Federal and Democratic Integrated Health System.

The unsolved challenges are related to absence of specific legislation, scarcity of means to finance the various projects, the need to train health professionals in the management of the Telemedicine tools, and the slow incorporation of knowledge about the concept of Telemedicine in potential system users and authorities.

A possible successful alternative should be the integration of efforts, the sheared use of technological equipment and human capital available, with the input from the various government levels, investors and private providers of technical resources, as well as academic and hospital medical staff.

Following this vision, emerged the Telehealth Network of the Americas, an organization developed within the OAS-CITEL, which has been formally joined by all medical schools of public administration, various national high complexity hospitals and Ministries of Health of some provinces.

1.1.6 Lessons Learned and Next Steps

The country current situation, with all its infrastructure developments and policies of inclusion and equity, together with the actions of the State and international organizations, to generate a optimistic picture. That is already assembled and tuned the expert protagonists in e-health, appointed before, working together. Is imminent an remarkable progress of e-Health in the country, involving the National State, international agencies, academic and welfare institutions, and the experts who are developing projects and programs worldwide reference.

1.2 Bangladesh

1.2.1 Introduction

²Bangladesh is a densely populated country of around 150 million within an area of 150,000 sq. Kilometres with a per capita income of <1000 USD (700–750). The medical professionals including specialist doctors are mainly concentrated in capital city Dhaka and other large cities along with the concentrated tertiary care hospitals. While most people are still living in rural areas, the disparity in health care delivery is easily apprehended by the distribution pattern of the medical expertise and healthcare facilities. The discrepancy opens the options of either establishing equipped health facilities in rural areas or improving the infrastructure so that the service providers feel motivated to stay in village and impart in health service, or to initiate an alternative to provide quality health care to rural areas. In this very aspect Telemedicine can play a vital in a developing country like Bangladesh. There have been small initiatives from some private organizations like BIRDEM, Medinova Telemedicine, Grameen Telecommunication Network, Bangladesh Telemedicine Services, DNS Telemedicine etc. along with personal correspondence like Canadian expatriate initiative with some professors through Grameen Telecommunication Network. But these are very much sporadic and the results of these initiatives are yet to be tested.

1.2.2 Benefits and Future Opportunities

Computer literacy and skill is an integral part of activities in Telemedicine. However, medical professionals are not sufficiently skilled in computer literacy. Training of the medical professional, establishing infrastructure, initiating basic information system, protracted service system and sustainable feedback of the initiative would enable the vast majority of the medical professionals to get on board.

Cost effective service by staying away from travel and accommodation for investigation and consultancy would have been achieved. The family care environment would also be retained for the patient. The emergency services would have been prompt with specialized consultancy served from central to remote and isolated areas. The physicians working in rural areas get the mental strength of handling the patients in their vicinity and thereby the intellectual faculty development becomes a sustainable process.

The telemedicine service can be incorporated in health service networking system connecting the divisional districts with a central server based network. Through collaboration with developed countries telemedicine service could be widened to monitoring of cardiac, respiratory, diabetic, renal and other patients to combat emergency situation. Interactive Continuing Medical Education (CME) and training programs can be initiated to keep track of the latest advances and applications in medical technology and telemedicine. ITU can play a pivotal role to establish tele-consultation network. Robotic tele-pathology network is a dream with pathologists in Dhaka.

The main obstacles that are currently hindering the effort are security and confidentiality of data management, record keeping skill of the facilities, computer literacy, motivation and attitude of the service providers, scarcity of telemedicine supported equipment, patient awareness of the services, network connectivity and speed, cost of band width, and finally, government initiative, policy and support towards this growing demand of service provision.

1.2.3 Conclusion

Health service in Bangladesh is creeping and crawling with the developing economy albeit geographic barrier has become a live history. Medical knowledge should not be constrained by geographical borders. We want to think globally but act locally to bridge the digital divide.

² Contribution: Syed Muhammad Baqui Billah, MHFW, Bangladesh. See document [RGQ14.3.2-INF-0023](#)

1.3 Ghana: Ghana Health Service (GHS) e-Health Enterprise Architecture

1.3.1 Background to the GHS EA Programme

³The Government of Ghana through the Ministry of Communications commissioned the development of the national Enterprise Architecture (EA) to serve as the technology blueprint for all Ministries Departments and Agencies (MDAs). It is believed that an EA can deliver that improved focus by enabling more informed decision-making and enhanced collaboration between agencies by highlighting opportunities for common solutions, information sharing and concurrent cost reduction. As part of the process, the GHS EA was also developed to enable the Service implement the appropriate e-Health solutions to improve the delivery of services to citizens.

The GHS is a Public service agency established under Act 525 of 1996 as an autonomous agency responsible for the implementation of national policies under the control of the Minister for Health through its governing Council – the Ghana Health Service Council.

The GHS is an independent body with the freedom and flexibility to carry out its functions defined by the Act. The Service therefore needs to develop the appropriate strategies to support its mandate and the EA provides the perfect platform for the GHS to meet its responsibilities by defining the framework for technology selection and implementation strategy to improve health service delivery in the country.

The GHS EA is more than just technology architecture. It involves different architecture perspectives (Business Architecture, Applications Architecture, Data Architecture and Technical Architecture and security architecture), which are key to the implementation of an e-Health Programme.

The GHS EA describes the underlying infrastructure and provides the framework for aligning business and IT strategies of the GHS, enabling the integration of the GHS with organisations such as the National Health Insurance Authority (NHIA) and other international bodies.

The GHS has since adopted the EA reviewed and modified by GHS-EA review committee and has expressed its desire to start the implementation of the EA. It is generally accepted that EA implementation would enable the GHS meet some of its organisational challenges such as improving the delivery of service across the country and improving the efficiency of the Service.

The document serves as a comprehensive introductory paper covering the key aspects for a national rollout of the e-Health technologies. It also acts as a guide on how the different roles of national and local bodies as well as external consultants and Suppliers in the Programme will be achieved.

The Implementation Programme Strategy defines the necessary structures to minimise the risks of failures associated with technology projects in Ghana. It has been designed to avoid some of the mistakes made by other projects in the health sector, which have cost the government a considerable amount of money without delivering real value.

1.3.2 Programme Scope

The key aim of the e-Health Programme is to give healthcare professionals access to patient information safely, securely and easily, whenever and wherever it is needed. It is an essential part of the drive to improve patient care by enabling clinicians and other GHS staff to increase their efficiency and effectiveness.

The Programme is expected to cover all aspects of patient care, the management of facilities, assets and employees as well as the improvement of business processes under the control of the GHS. The scope of the Implementation Programme will be determined by a number of factors or constraints such as

³ Contribution: Policy Planning Monitoring and Evaluation Division, Ghana Health Service. See document [RGQ14.3.2-C-0012](#)

availability of funds. The Programme must also ensure the interfaces with other stakeholders such as the NHIA are effectively maintained by developing the appropriate solutions.

1.3.3 Key Areas to be Considered

The key areas to be considered include:

- Electronic Health Records (EHR) – an important element of EA is the widespread adoption of interoperable EHR. Effective use of EHR has the potential to positively influence both the quality and cost of health care for the nation. The EHR can improve quality by presenting clinical information and comprehensive patient data to the clinician at the point of care. This allows more informed decisions in a shorter time frame. Additionally, the cost of care can be decreased by streamlining data collection, decreasing the likelihood and associated cost of medical errors and by reducing resources used for duplicative or unnecessary information capture and testing.
- Improving data sharing between the GHS and other national and international agencies. One of the key priorities of the Programme is the implementation of the appropriate data exchange mechanism in SDMX standards that will ensure timely and secure transfer of data between the GHS and the agencies, particularly the NHIA.
- A medical billing system that will enable the health facilities to produce medical bills for the payer organisations such as NHIA. The prompt payment of bills is of immense priority to the GHS.
- The need for the introduction of best in class applications to automate business processes such as Clinical Services, Public Health services, Scheduling and Capacity Management, Operational Research, Performance Management, Monitoring and Evaluation, etc.
- A robust network infrastructure that will enable the GHS to connect the health and administrative facilities across the country.

The overall aim of the GHS EA is to move Healthcare towards a series of easily available, interconnected, reliable and efficient services. The EA is a model on which such solutions can be built.

The GHS EA presents a detailed analysis of the current state of the GHS' business and ICT environments with the aim to improve services provided by the Service. It also provides a roadmap to move away from current applications and supporting technologies to an environment that better meets the current and future needs of the Service.

1.4 Central African Republic: Mise en œuvre du Projet Cybersanté en République Centrafricaine

⁴La République Centrafricaine est un pays enclavé, situé au centre du continent africain. Elle couvre une superficie de 622.984 Km² [18]. Elle partage une frontière commune avec la République du Tchad au Nord, la République Démocratique du Congo (RDC) et la République du Congo au Sud, la République du Cameroun à l'Ouest et la République du Soudan à l'est.

La population est estimée à 4.216.664 habitants.

Seulement 45% de la population a accès aux soins de santé de base.

La RCA est subdivisée en sept régions sanitaires et ces dernières ne sont pas en contact permanent; ainsi si nous arriverons un jour à mettre en place la cybersanté dans ce pays nous allons faire un grand pas dans l'amélioration de la prise en charge des patients.

⁴ Lemotomo St Alban, Ministère chargé des Postes, Télécommunications et des Nouvelles Technologies, République Centrafricaine. See document [SG02-C-0217](#)

Cybersanté est un terme utilisé aujourd'hui par tout le monde pour décrire l'application des technologies de l'information et des communications dans le secteur de la santé. Il englobe toute une gamme de buts qui vont du purement administratif à la prestation des soins de santé.

1.4.1 Objectifs de la Cybersanté en RCA

La cybersanté fait entrer le système de la santé dans l'ère du numérique et celui-ci atteint ainsi un haut niveau de qualité, d'efficacité et de sécurité, elle a pour objectif:

De rendre le dossier patient électronique accessible en tout lieu et en tout temps.

Les personnes en RCA obtiendront un accès sans restriction à leurs propres données médicales grâce à la cybersanté. Le personnel de la santé et les ayants droit peuvent rapidement avoir une vision globale de l'anamnèse d'une personne. Le diagnostic pourra être établi plus rapidement et plus précisément, ce qui pourra sauver des vies en cas d'urgence.

De mettre des services en ligne présentant des informations sanitaires de qualité afin de promouvoir la culture sanitaire personnelle

La simplification d'accès à des informations médicales sûres et qui ont préalablement été évaluées, aide la population à prendre des décisions relatives à sa santé, ce qui a généralement un impact positif sur la santé.

D'instaurer la télémédecine et le télémonitorage dans les sept régions sanitaires du pays: prise en charge et conseils médicaux à distance

La prise en charge du patient et les diagnostics pourront être effectués à distance grâce aux technologies de l'information et de la communication (TIC). Le télémonitorage fait partie de la télémédecine et comprend principalement la surveillance des patient(e)s sans l'aide d'aménagements médicaux.

1.4.2 Les Avantages de la Cybersanté en RCA

La cybersanté améliore la qualité de vie, du travail et du lieu, ce qui représente un facteur économique croissant. Une fois installée et les objectifs atteints, elle va nous présenter plusieurs avantages à savoir:

Avantages médicaux de la cybersanté pour les individus, les corps professionnels et les institutions de la santé.

Le dossier patient électronique, les services en ligne ainsi que les conseils et les consultations médicales à distance amènent de nombreux avantages:

- **pour les individus en RCA**

Avec la croissance de la mobilité, les services en ligne renforcent la culture sanitaire des individus, ce qui les aide à prendre des décisions concernant leur santé et a un impact positif sur leur santé personnelle ainsi que sur leur ressenti.

- **pour les corps soignant et médical**

L'accès rapide aux données du patient aide les médecins autorisés à établir rapidement un diagnostic précis. Il est ainsi possible d'éviter de réaliser plusieurs fois le même examen et des erreurs de prescription de médicaments. Les erreurs de lecture peuvent être évitées grâce à la prescription en ligne. Les pharmaciens ayant un accès contrôlé au dossier du patient peuvent reconnaître rapidement les médicaments auxquels le patient est allergique ou ceux occasionnant des effets secondaires. L'introduction des TIC dans le domaine sanitaire en RCA va aussi permettre aux différents sites de prise en charge des personnes vivant avec le VIH de réduire au maximum le nombre des doublant ce qui permettra au ministère de la santé d'avoir des données fiables quant au VIH en RCA.

- **pour les institutions de la santé**

Les services en ligne du système de la santé facilitent les procédures entre les médecins, les hôpitaux et d'autres fournisseurs de prestation, permettant ainsi de renforcer la coordination entre les différents

acteurs et d'accélérer l'échange d'informations. Un système de santé comportant des processus efficaces a une incidence sur les coûts de santé.

Avantages administratifs de la cybersanté dans le domaine de l'assurance maladie.

L'utilisation des TIC dans le domaine de la santé simplifie les procédures administratives, comme par exemple l'émission de factures, et permet ainsi de faire des économies.

Avantages de la cybersanté sur l'économie.

La constitution et le développement systématique de services de santé en ligne va représenter un nouveau secteur de services. Il contribuera à l'amélioration de la santé et constitue également un facteur économique croissant. Dans l'ensemble, la cybersanté améliore la qualité de la vie, du travail et du lieu au sein du pays et ouvre de nouvelles possibilités d'exportation.

1.4.3 Conclusion

La cybersanté est un élément essentiel du renouveau en soins de santé: son application au système de soins de santé centrafricain, grâce aux améliorations de l'accessibilité, de la qualité et de l'efficacité du système, résultera en avantages pour les Centrafricains. Le gouvernement Centrafricain pourra investir dans ce domaine.

Un facteur clé du succès du travail du gouvernement est son solide engagement à collaborer.

1.5 Côte d'Ivoire: La Télémédecine en Côte d'Ivoire

1.5.1 Introduction

⁵A l'instar de nombreux pays, nous avons compris l'importance des NTIC dans le domaine de la médecine. Cependant nous nous trouvons dans une situation difficile, à tel point que de nombreux projets ont été abandonnés. Il s'agit pour nous de faire l'état des lieux de la télémédecine en Côte d'Ivoire, de situer nos besoins et surtout de recenser les projets les plus urgents.

Etat des Lieux

A. La formation

Nous avons des besoins pressants en matière de télémédecine. Dans un premier temps il s'agit d'avoir un personnel qualifié. A ce propos, nous pensons que la formation des ressources humaines (Médecins, infirmiers et informaticiens) pour démultiplier le système de télémédecine à Abidjan et en Côte d'Ivoire est d'une importance capitale. A cet effet, La SIBIM, Société Ivoirienne de Biosciences et Informatique Médical, a voulu mettre en œuvre le plan de formation qui consisterait en l'Organisation d'ateliers de formation à l'intention des professionnels de la santé et des professionnels des NTIC.

Les objectifs de ces ateliers seraient entre autres:

- Mettre à niveau en informatique de base des professionnels de la santé (Word, Excel, Powerpoint, Open Office, Acrobat professional);
- Fournir une vision globale sur les outils de l'informatique médicale;
- Apprendre les bonnes techniques de recherches d'informations médicales en ligne sur les moteurs de recherche;
- Apprendre à créer et à mettre en ligne les cours sur un système de télé-enseignement;

⁵ Logbo-Allomo Tania, ATCI, Côte d'Ivoire. See document [RGQ14.3.2-INF-0002](#)

- Favoriser l'échange entre les professionnels de la santé et ceux des NTIC par le regroupement lors des ateliers;

Cette formation concernant directement les CHU, (Centres Hospitaliers Universitaires), devra intéresser d'abord les Directeurs Médicaux Scientifiques (DMS), coordonnateurs Télémedecine CHU et les Techniciens Informatiques.

Mais à ce jour, ce projet n'a pas encore été réalisé.

B. Le matériel

Nous manquons cruellement de matériel en Côte d'Ivoire. Le matériel informatique dont dispose les CHU et CHR sont désuets voire quasi inexistants.

Ainsi, nous aurions besoin pour les CHU d'Abidjan et les CHR des régions de Côte d'Ivoire, d'équipements pour la retransmissions de la Télé – soins – enseignements. A savoir, la plate forme site web à partir de laquelle nous pourrions émettre nos cours et assurer les soins à distance, d'ordinateurs, de vidéo projecteurs, d'écrans de projection et de tous les accessoires qui accompagnent ces équipements pour faire de la Télémedecine. Enfin, Et à tout cela il faudra ajouter les bandes passantes: c'est le problème essentiel à résoudre pour faire éclore la Télémedecine en Côte d'ivoire.

C. Le cadre juridique

Nous ne disposons en Côte d'Ivoire à l'instar des pays de la CEDEAO d'aucune réglementation ni de cadre juridique pour la télésanté en Côte d'Ivoire.

Nous avons cependant des acquis.

1.5.2 Les Acquis

En termes d'acquis nous avons:

- 1) La SIBIM, (Société Ivoirienne de Biosciences et Informatique Médical). Société scientifique et de vulgarisation de la Télémedecine, dans toutes ses composantes mais dont l'accent a été mis sur le Téléenseignement dispensé actuellement par le RAFT (Réseau Afrique Francophone de Télémedecine).
- 2) Un embryon de Télésanté (équipements et logiciels) au CHU de YOPOUGON (Abidjan) à travers un projet Indien dénommé RPSL. Il s'agit du Réseau Panafricain de Service en Ligne mis en place par l'Inde et 53 pays de l'Union Africaine qui consiste en une connexion par fibre optique et par satellite (RASCOS en l'occurrence) permettant de fournir des services de télé- éducation, télémedecine et de communication diplomatique. La télémedecine devrait à cet effet et entre autres, fournir les services suivants: la téléconsultation, la télésurveillance, la télé-chirurgie, la téléformation, l'éducation Médicale Continue (formation continue de 500 médecins et 1000 infirmiers en 5 ans), les logiciels de gestion des patients, des logiciels de stockage de données et de transmission des dossiers médicaux, la mise en place d'un centre de données devant gérer et tenir les archives. Ce projet rencontre quelques difficultés pour l'instant, compte tenu des circonstances du pays la situation sociopolitique du moment.
- 3) Projet PASRES en cours de réalisation. Le Programme d'Appui Stratégique à la Recherche Scientifique en Côte d'Ivoire (PASRES) est un programme financé par le Fonds Ivoirien-Suisse de Développement Economique et Social (FISDES). Il a été soumis par le Ministère de l'Enseignement Supérieur et de la Recherche Scientifique (MESRS) et le Centre Suisse de Recherches Scientifiques en Côte d'Ivoire (CSRS). Il vient soutenir le MESRS dans son objectif prioritaire de création d'un Fonds National pour la Recherche Scientifique et Technologique (FNRST) en Côte d'Ivoire.

Le PASRES poursuit quatre principaux objectifs:

- financer des projets de recherche contribuant à la lutte contre la pauvreté;

- former des jeunes chercheurs pour assurer la relève scientifique au niveau des centres de recherche et des universités publiques;
- apporter des appuis aux structures de recherche en matière de réhabilitation des stations et laboratoires, de renforcement des capacités (équipements et connectivité) et d'accès à l'information scientifique;
- donner les appuis nécessaires à l'émergence d'un Fonds National de la Recherche Scientifique et Technologique en Côte d'Ivoire;

La dynamique de mise en œuvre du PASRES donnera des bases solides pour le développement durable de la recherche en Côte d'Ivoire. Le projet viendra revitaliser les capacités des structures de recherche lourdement affectées par la crise.

4) L'Emission de cours au niveau du RAFT depuis 2008.

5) Quelques équipements non fonctionnels.

1.5.3 Les Projets

Dans un futur proche, la Côte d'Ivoire a en projet les actions suivantes:

- 1) L'Acquisition d'un SERVEUR et Construction d'un site web pour faire de la Télémédecine au plan national;
- 2) L'Extension des salles où est installé le Projet Indien avec l'acquisition de climatiseurs. A cet effet l'ATCI et le CI-CERT prévoient de réaliser une salle entièrement équipée qui servirait pour le téléenseignement et la formation continue.
- 3) L'Extension de la Télémédecine vers les hôpitaux de banlieue situés aux alentours d'Abidjan tels que l'Hôpital Protestant de Dabou, celui de Bonoua, et ceux des deux plus grandes villes de l'intérieur, à savoir Yamoussoukro et Bouaké et enfin les CHR à moyens termes.
- 4) L'Acquisition d'équipements pour les villes suscitées.
- 5) Un séminaire sur la télémédecine mobile en Côte d'Ivoire afin de recenser les besoins et rechercher les financements pour des unités mobiles qui permettraient de développer la Télémédecine en zone rurale. Ce, pour la prise en charge entre autres, des accouchements, accidents et pathologies telles que le Diabète, l'Hypertension Artérielle (HTA) et le SIDA etc. elle est impérative pour nous.

1.5.4 Conclusion

La télémédecine en Côte d'Ivoire est au stade embryonnaire. Les technologies de l'information et de la communication sont disponibles dans le pays (fibre optique sur toute l'étendue du territoire et d'une couverture réseau (mobile) très étendue) mais sont essentiellement concentrées dans les villes et gros villages; ainsi l'accès au matériel, l'absence de politiques sanitaires spécifiques, de formation et de moyens financiers constituent autant de défis devant être relevés dans la stratégie de déploiement de la télésanté en Côte d'Ivoire.

1.6 Guinea: Projet Panafricain de Service en Ligne (e-santé, e-Education) en République de Guinée

1.6.1 La Mise en Place du Projet

⁶Pour la mise en place du projet:

⁶ Kébé Abdoulaye, ARPT, Guinée. See document [RGQ14.3.2-INF-0001](#)

- 1) Le protocole d'accord entre chaque pays africain désireux de participer au projet et le gouvernement Indien.
- 2) Les documents sollicitant des offres auprès des pays membres pour abriter les super hôpitaux et Universitaire directrices. Lors de la session inaugurale du parlement panafricain tenue à Johannesburg le 16 Septembre 2004, le Président Indien a proposé la mise en place d'un projet.

De réseau de Télécommunication pour connecter les 53 Etats membres de l'Union Africaine dans le but de rendre efficace les communications et la connectivité entre les Etats.

Ce réseau panafricain comprendra les stations VSAT et des réseaux de câbles à fibre optique et permettra de fournir aux membres des e-services avec en priorités la Télémédecine et la TéléEducation.

Trois documents ont été élaborés à l'intention des pays membres par le comité spécial consultatif.

La Guinée a signé le protocole d'accords et fait ainsi partie des 19 premiers qui ont adhéré au projet.

1.6.2 Les Avantages du Projet pour les Pays Bénéficiaires

Les avantages du projet pour les pays bénéficiaires sont entre autre:

- Pour la Télé- Médecine: accès aux soins de santé dans des zones éloignés ou isolés,

Accélération des diagnostics et des traitements, réduction des coûts et de l'isolement professionnel des docteurs en zones rurales, meilleure prise de décision entre malades et médecin traitant spécialiste.

- Pour la Télé-Education : une éducation de haute qualité à partir d'un studio où les professeurs de niveau supérieur peuvent être réunis, professeurs en formation périodique, une approche pour l'éducation formelle et pour l'alphabétisation des adultes.

Conformément à la clause 5.3 du protocole, nous avons désigné un coordonnateur national et nous avons procédé à la mise en place d'un comité interministériel pour le suivi du projet.

Par la lettre en la date du 05 janvier 2007 adressée à Monsieur le Président de la République de Guinée, le président de la commission de l'Union Africaine a félicité notre pays pour cette démarche et a demandé, pour la mise en œuvre rapide du projet dont la coordination sera assurée par la commission de l'Union Africaine, désignation au niveau national d'un coordonnateur, point focal, et la constitution d'une commission interministérielle pour le suivi effectif du projet.

Selon le rapport de la sixième réunion du comité de pilotage du Projet Panafricain de service en ligne, l'évolution du projet à ce jour, sur le plan africain se présente comme suit:

- 52 sur les 53 Etats signataires du protocole d'accord avec le partenaire Indien (TCIL) dont la République de Guinée.
- Sur 51 pays, 14 pays ont terminé l'implantation du projet et l'état d'implantation évolue dans les 17 autres.
- 46 Pays sur les 51 ont identifié les sites pour les trois e – services (Télémédecine, Télé Education et communication (VVIP), les 4 autres étant 1 à 2 sites prés identifiés.
- Les procédures d'acquisition des équipements et service pour les 51 pays sont achevées.

Les deux autres sites sont en phase d'étude.

L'évolution du projet en République de Guinée se présente comme suit:

La réception des équipements disponibles à la Direction Nationale des Postes et Télécommunications (DNPT);

- L'octroi de la licence et des VSAT et autre formalité réglementaires;
- L'identification et l'installation des trois sites devant abriter le Projet à savoir:
 - Le site de l'Université Gamal Abdel Nasser, siège du projet E-Education installé à 95%.

- Le site de l'hôpital de Donka siège du projet E-Santé identifié et en phase d'installation (90%).
- Du Département des Postes et Télécommunication (VVIP), siège du troisième site également identifié et en phase d'installation (80%).

Dans le souci de pérenniser ce projet, une réunion hebdomadaire est tenue par le comité de coordination national et une autre avec le cabinet de tutelle pour le suivi de l'évolution du projet.

A préciser que toutes ces démarches ont accompagnées des campagnes de sensibilisation à travers des correspondances adressées aux tutelles intéressées.

1.7 India: Telemedicine India Country Report

1.7.1 Introduction

⁷Most telemedicine activities are in the project mode, supported by the Indian Space Research Organization, Department of Information Technology, Ministry of External Affairs, Ministry of Health & Family Welfare and few others are being implemented through state government funding. None of the programmes are being adopted into the health system. A few corporate hospitals have developed their own telemedicine networks. Some of the nationwide projects being taken up by the Ministry of Health in the Government of India are Integrated Disease Surveillance Project (IDSP), National Cancer Network (ONCONET), National Rural Telemedicine Network, National Medical College Network and the Digital Medical Library Network. Telemedicine standardization and practice guidelines are being developed by the Department of Information Technology in the Government of India. A National Telemedicine Task Force was set up by the Health Ministry in the year 2005. The terms of reference covered all aspects of e-Health. Various committees and subcommittees have presented their reports. A follow-up action plan is awaited. The External Affairs Ministry has taken up the Pan-African e-Network Project and the SAARC Telemedicine Network Projects²⁰.

The National Knowledge Commission, a high level advisory body to the Prime Minister of India formed with the objective of transforming India into a knowledge society, has also set up a Working Group for the development of an Indian Health Information Network. This working group has proposed to design, develop, and integrate an end-to-end electronic health care informatics network framework in India to improve public health, health research, and the delivery of health care. A National Resource Center for Telemedicine & Biomedical Informatics is being developed at Lucknow with the support of the IT department of the Government of India. This will piggyback on the infrastructure of the School of Telemedicine & Biomedical Informatics (STBMI)² set up by the Uttar Pradesh state government. Besides meeting the need of capacity building in telemedicine and e-Health for the country, this school will be accepting overseas candidates also. Currently, Diploma Courses are being carried out by the STBMI.

India is acquiring a sizeable market segment in health care BPO (business-process outsourcing) and KPO (knowledge-process outsourcing) industries. It is now preferred as a healthcare destination for neighboring and far-off countries. Most of these patients are being catered to by the corporate hospitals. At the same time, both short- and long-term travel by overseas citizens is increasing for business and tourism purposes which increases the potential for the use of telemedicine and e-Health tools to facilitate exchange of electronic health information between hospitals across the globe. The so called medical tourism is getting a boost.

Orissa Trust of Technical Education and Training (Ottet) takes the lead using modern ICT platform and network in Public Private Partnership (PPP) mode in association with Government of Orissa to provide

⁷ Contribution: S.K. Mishra, Department of Endocrine Surgery & School of Telemedicine & Biomedical Informatics, SGPGIMS, Lucknow, India. See document [RGQ14.3.2-INF-0004](#)

promotive and preventive healthcare and disease management. Delivery of healthcare services at the door steps of villagers in 51,000 villages of the state is envisaged³². Gujarat state government is looking to expand telemedicine network in PPP mode. The state health department of Gujarat is all set to embark on to connect all villages through its telemedicine network. If things go according to plan, all panchayats (HQ of group of villages, first level of government administrative hierarchy) and schools in Gujarat villages would have visual-satellite connections within the next two to three years. National Institute of Mental Health and Neurosciences (NIMHANS), Bangalore and Mysore based K.R. Hospital has established connectivity for their telemedicine project in collaboration with Larsen & Toubro (L&T) Ltd., Bangalore which has gifted telemedicine solutions and equipment worth INR 600,000 to both the medical centers under Corporate Social Responsibility (CSR) initiative. Similarly, in April 2006 under the CSR program of Gas Authority of India Limited (GAIL), a telemedicine project was started linking SGPGIMS, Lucknow with District Hospital of Raibareli, located at a distance of 80 kms with fiber optic cable network. GAIL has upgraded the infrastructure by providing advanced videoconference equipment and designing and constructing a board room for eCME in the year 2010.

1.7.2 Electronic Medical Records and Hospital Automation

The majority of the hospitals in the country are rooted in manual processes, which are difficult to access. The insurance sector demands more efficient health information storage and retrieval. Automation alone can help hospitals to meet these challenges. Electronic Health Record (EHR) and Hospital Information Management (HIS) in India is still in the early growth stage. To start with it is a small market dominated by in-house design, development and implementation of customized solutions developed by software developers. In terms of technology adoption, India is far behind its Asia Pacific counterparts such as Australia, Japan, South Korea, Singapore, and Malaysia. Center for Development of Advanced Computing (C-DAC), an autonomous government scientific organization developed and deployed the first indigenously developed total Hospital Information System (HIS) software in collaboration with Sanjay Gandhi Post Graduate Institute of Medical Sciences (SGPGIMS)²², Lucknow in the year 1998. C-DAC's HIS solution is now deployed in various hospitals like Guru Teg Bahadur Hospital (Delhi), Mahatma Gandhi Institute of Medical Sciences (Sevagram, Maharashtra). C-DAC has also developed Telemedicine enabled Hospital Information System. Currently, electronic medical records and hospital automation have been rapidly getting adopted in most of the corporate and few public sector hospitals. Health system development projects in state governments aided by the World Bank are promoting rural electronic health records. Tata Consultancy Services (TCS) is developing a suitable solution to maintain electronic medical records (EMR) for the Tamil Nadu State Government⁶. Ministry of Health & Family Welfare has launched an initiative to standardize Electronic Medical Records for the country. The Apollo Hospitals Group is initiating a major project with IBM, to build a national health data network called Health Highway³⁰ to provide a diverse set of software applications for the healthcare segment. Health Highway will be offered as a hosted solution managed and maintained by IBM and Apollo with hospitals using it on demand via a pay-per-use model. A major thrust for adapting a standardized EMR is likely to come following the National Knowledge Commission's Working Group recommendation. It has suggested developing a common national EHR with a minimal data set and making it available in an open domain to encourage widespread use in the country. This would facilitate standards-based development of a knowledge base.

1.7.3 Telemedicine Initiatives

Department of Information Technology (DIT), Ministry of Communication and IT (MCIT), Government of India

The Department of IT has taken a pivotal role in defining and shaping the future of telemedicine applications in India. The DIT has been involved at multiple levels – from initiation of pilot schemes to standardization of telemedicine in the country. It has funded development of telemedicine software systems – the prominent ones being Mercury® and Sanjeevani® software by C-DAC. DIT has also sponsored the telemedicine project connecting three premier medical institutions – viz. SGPGI-Lucknow, AIIMS-New Delhi and PGIMER-Chandigarh. DIT has established more than 100 nodes all over India in

collaboration with the state governments. Telemedicine network in West Bengal for diagnosis and monitoring of tropical diseases, Kerala and Tamil Nadu Oncology Network for facilitating cancer care, North-Eastern and Himachal Pradesh hilly states for specialty healthcare access are some of the prominent projects launched by this department.

Indian Space Research Organization (ISRO)³:

Towards societal benefit of indigenously developed space technology, Indian Satellite System (INSAT), ISRO³ has implemented telemedicine pilot projects around the country under GRAMSAT (rural satellite) program which are very specific to the development of the society. In collaboration with state governments it has established a Telemedicine Network consisting of 382 Hospitals-306 Remote/Rural. District Hospitals/Health Centers connected to 51 super specialty hospitals located in major states. Sixteen mobile Telemedicine units are part of this network. Andaman & Nicobar Islands and Lakshadweep are linked to mainland specialty hospitals through satellite connectivity. In collaboration with state government it has supported establishment of Karnataka state telemedicine network where all the district hospitals in the state are connected with five specialty hospitals in Bangalore and Mysore. Similar operational network has been effectively functioning in the state of Rajasthan where all the 32 district hospitals are connected with six medical college hospitals and S.M.S. hospital in Jaipur. ISRO has also assisted Maharashtra, Madhya Pradesh and Orissa states in establishing satellite communication based telemedicine pilot projects.

Ministry of Health and Family Welfare (MoH&FW), Government of India⁴:

MoH&FW is currently implementing Integrated Disease Surveillance Programme network connecting all district hospitals with medical colleges of the state to facilitate tele-consultation, tele-education/training of health professionals and monitoring disease trends. It has funded few pilot projects at national level such as; tele-ophthalmology and rural telemedicine projects. OncoNET India project is under implementation which will network 27 Regional Cancer Centers (RCCs) with 108 Peripheral Cancer Centers (PCCs) hospitals to facilitate national cancer control programme. National Rural Telemedicine Network (NRTN) Project under National Rural Health Mission (NRHM) is under implementation phase. Recently, the ministry has decided to implement National Medical College Network project under the central scheme - e-Health including telemedicine in which all the medical colleges of the country will be linked with high speed high bandwidth optic fiber backbone from "National Knowledge Network". The proposed network will empower learners and teachers to practice distance medical education using various ICT enabled educational technologies. The digital medical library consortium created by the National Medical Library will be able to expand its reach using this network.


State Governments:

To strengthen the healthcare facilities in their states, the governments of Orissa and Uttar Pradesh supported networking of their secondary level hospitals and then further linked them to SGPGIMS, Lucknow for specialty consultation⁷. C-DAC is now implementing the third phase of telemedicine network in Orissa by connecting remaining 22 districts hospitals. State-level central telemedicine resource centre is coming up on the premises of SCB Medical College and Hospital, Cuttack for promoting, monitoring, storing and maintaining entire state telemedicine activities and digital medical contents¹⁸. The Government of Chhattisgarh with the support of ISRO has established state wide network linking state Government Medical Colleges at Raipur and Bilaspur which in turn have been linked with premier hospitals across the country. Rajasthan State Government also, in collaboration with ISRO, has established Telemedicine network between 6 state medical colleges and 32 district hospitals and 6 Mobile Vans. Karnataka State Telemedicine Network Project run by an autonomous trust formed by the State Government has set up 30 nodes in collaboration with ISRO. Intel has initiated a joint telemedicine programme to take the benefits of healthcare to rural Karnataka in association with the state government²⁶. Andhra Pradesh state government is planning to launch mobile clinics that would daily visit two villages to check blood pressure, diabetes and other health parameters of people and also carry out telemedicine through "104 services". Gujarat is also starting "104 services" over phone. People can call up and talk to paramedics in call centers who can suggest the primary action to be taken in case of any health

emergency. Also, they would be able to suggest generic and over the counter drugs." Punjab government also launched a Telemedicine Project, with state-of-art facilities at Government Medical College and Hospital to link the five polyclinics set up in the state. In Himachal Pradesh 19 health centers at district, block and tehsil headquarters connected with Indira Gandhi Medical College, Shimla and Postgraduate Institute of Medical Education & Research Chandigarh through ISDN link²⁴. The Gujarat government will soon launch a Telemedicine Project with the Indian Space Research Organisation (ISRO) as its technology advisor to enhance the quality of healthcare services in the remote areas of the state. Under this project, government plans to cover 50 Community Health Centers, mainly in interior tribal and coastal areas of the state within a year. Later, this facility will be extended to other remote areas³⁰. Maharashtra state has deployed Telemedicine network linking 28 District hospitals with Nanavati super specialty hospital under National Rural Health Mission.

Telemedicine Initiatives undertaken by large hospitals: Academic/Public/Corporate

Various tertiary level super specialty hospitals in public and corporate sector have taken initiatives in telemedicine program with the help of government agencies or on their own. Many of them have now completed a decade of telemedicine journey. Sanjay Gandhi Postgraduate Institute of Medical Sciences (SGPGIMS), Lucknow, a premier academic medical institution in the public sector, started telemedicine activities in the year 1999 in project mode with the support of various government agencies. SGPGI Telemedicine network has linked 27 national and international nodes and has been carrying out tele-education and tele-healthcare activities. Research and development is one of the focus areas at this center. SGPGI has set up a School of Telemedicine and Biomedical Informatics to train man power in the field of telemedicine and e health. Department of Information Technology, Government of India has now recognized it as a National Resource Center in Telemedicine and Biomedical Informatics. All India Institute of Medical Sciences (AIIMS), New Delhi connected with Jammu & Kashmir, Haryana, Orissa, North East states network and PGIMER, Chandigarh connected with Punjab and Himachal state network and Sri Ramachandra Medical College and Research Institute, Chennai connected with Andaman & Nicobar Island Hospital, Amritha Institute of Medical Sciences, Kochi connected with Lakshwadeep island, Tata Memorial Hospital, Mumbai, Christian Medical College, Vellore are involved actively in Telemedicine.



In corporate sector, the major players are Amrita Institute Medical of Sciences (AIMS), Kochi (69 nodes), Apollo Hospital Group (150 nodes), Asia Heart Foundation, Bangalore, Mumbai (02 nodes), Fortis Hospital (20 nodes), Narayana Hrudayalaya (26 nodes), Dr. Balabhai Nanavati Hospital, Mumbai (32 Nodes) and Escorts Heart Institute and Research Center (08 nodes). Recently Sir Ganga Ram Hospital, New Delhi has launched its telemedicine centers in Haryana and Rajasthan states. With the support of ISRO, Shankar Nethralaya at Chennai, Meenakshi Eye Mission at Madurai and four other corporate eye hospitals have launched Mobile Tele-ophthalmology service for early diagnosis and treatment of ophthalmic diseases under National Blindness Control Program. Sir Ganga Ram Hospital, New Delhi and AIMS, Kochi have

launched mobile Tele-hospital for rural access of specialty healthcare services. Hyderabad-based Global Hospitals announced the opening of their information and telemedicine centre in Ahmadabad. The telemedicine centre in the city is the fourth after Kolkata, Puducherry and Bhubaneswar. The telemedicine centre will help them to reach out to the specialists in Hyderabad and Chennai²⁹.

1.7.4 Example of a successful development is the m-Health Tool Kit for Low Resource Countries

Introduction

With over 506 million mobile phone subscribers in a low resource country like India, growing at approximately 10 million per month, mobile networks have now become the country's largest distribution platform, promising to deliver information and public services to the masses through innovative applications. On current trends, m-Health systems will be more widely offered by mobile telecommunication service providers, and simple, yet important functions may even be offered as built-in features of mobile phones¹. Mobile platforms world-wide are being used to provide financial and banking services, agriculture information, health services, telemedicine and e-education in rural and remote areas. The initiatives to provide various services using mobile applications have already started in India. m-Health application potential can be leveraged to boost social and economic activities, governance, and enhance government-citizen interaction. For this transformation to be inclusive and beneficial for the under-privileged and rural population, an innovative and low cost model has to be addressed in the context of developing countries.

Material and Method

m-Health4U[®], a portable low cost mobile telemedicine kit, was conceptualized, designed and a prototype developed at the m-Health research laboratory STBML in 2008. Two versions were worked out, i.e. m-Health4U-B (Backpack) and m-Health4U-S (Suitcase) having a weight of 2–4 kilogram depicted in Fig. 1.

After bench testing, a proof of concept study was undertaken in the field to test transmission of vital signs and ECG and software based videoconference using wireless broadband media during a local festival in the month of June 2009 and 2010 (refer to Fig 2. for technical architecture). An enterprise based six node wireless telemedicine network was set up connecting specialty hospitals at Bhubaneswar and Cuttack, and Orissa in the eastern coast of India using wireless broadband network to exchange ECG and carry out videoconference for tele-consultation. The outcome was successful transmission of vital sign data and videoconference. Subsequently, pilot field deployment was carried out in the State of Gujarat, western India in the month of November 2010. In-service paramedical, laboratory technician and nursing staff were identified to carry out the pilot project. Basic orientation, demonstration and hands-on training were imparted to give them first hand exposure on the kit and then the kit was installed in four Primary Health Centers (PHC) and one Community Health Center (CHC). All five nodes were connected over mobile wireless internet with the expert hospital located in the city. The electronic medical record was created using the Curesoft[®] telemedicine software and the input from integrated medical devices like ECG, NIBP, and Spo2 etc. were captured through USB 2.0 port into this software, which was then exchanged between the nodes, followed by a videoconference session for tele-consultation after the successful transmission of the data to the specialist.

Result

The outcome of the "proof of concept" was quite satisfactory. The doctors involved in the project were quite excited and found it an innovative solution for strengthening the healthcare services at their hospitals. Subsequently pilot deployment was started in a different environment. The patient data was transferred successfully between the expert doctors and remote end and videoconference could be possible even in low bandwidth. The doctors participating in the study suggested some minor changes in the software architecture, like incorporating more graphics to represent body parts. Overall performance of the kit was acceptable to them.

Discussion

The advancement of m-Health technology should be exploited in rural healthcare delivery setting in low resource countries where the mobile telecommunication network has already reached. The tool kit has been developed keeping in mind the basic health care needs in remote villages in an Indian setting, a situation akin to countries in the developing world. Besides the local available technology and skill, cost factor has been taken into account. While field deployment has been successful in testing, the local available mobile network, human factors such as acceptability of the device and operational simplicity were also taken into consideration.

Acknowledgement

The authors would like to acknowledge the financial grant support received from Department of Information Technology, Ministry of Communications & Information Technology, Government of India under the Project "National Resource Center for Telemedicine & Biomedical Informatics".

References

- [1] <http://ehealth-connection.org/content/executive-summary> accessed on 25.01.2011
- [2] Singh Indra Pratap, Bhagat K N, Mishra S K "Technical Evaluation of Low Cost Telemedicine Solution in Indian Situation: A Case Study in Ratha Yatra Festival at Puri," Abstract in the Proceedings 5th National Conference of Telemedicine Society of India, Pune, 6-8 November 2009

1.7.5 e-Learning in the-Health Sector

Online Open Access Bibliography:

Two government agencies, the National Informatics Center (NIC) and the Indian Council of Medical Research (ICMR) have established the Indian Medical Literature Analysis and Retrieval System (MEDLARS) Center to cater to the information needs of the medical community of India. This ICMR-NIC Center for Biomedical Information has developed various web-based modules such as a union catalog of the journal holdings of medical libraries of India (<http://uncat.nic.in>), a bibliographic database of Indian biomedical journals (<http://indmed.nic.in>) and full texts of Indian biomedical journals (<http://medind.nic.in>).

Collaborative Knowledge Sharing through Telemedicine Network:

In the interest of professional knowledge sharing, premier academic medical institutions including AIIMS, PGIMER, SGPGIMS, Christian Medical College, at Vellore, and AIMS are actively involved in sharing their academic activities over the telemedicine network.

1.7.6 Education & Training in e Health towards Capacity building:

The Apollo Telemedicine Network Foundation

The Apollo Telemedicine Network Foundation, in collaboration with Anna University in Chennai, was the first to start a 15-day certification course in Telehealth Technology, which is a blend of technical, medical and managerial skills. The first course commenced in October 2003. As part of its efforts to popularize telemedicine, an interactive section on telemedicine has been made available in the division of emerging technologies at the renowned National Science Centre in New Delhi. Thousands of public individuals now have an opportunity to see telemedicine and learn about it.

SGPGIMS

SGPGIMS, in collaboration with the Uttar Pradesh State government and Department of Information Technology (DIT), Government of India, has taken the initiative to set up a School of Telemedicine and Biomedical Informatics in its campus. Curriculum based diploma courses was started in 2009. First batch of the diploma course has finished and second batch is enrolled in this session year. It will house different

laboratories in the field of e-Health such as telemedicine, hospital information systems, biomedical informatics, medical multimedia and image management, medical knowledge management, artificial intelligence, virtual reality, and robotics. The objectives of the school are to create various resource facilities, run structured training programs, conduct research and development, and provide consultancy to government and private health care organizations in collaboration with technological and medical universities in the country and abroad. Five trainees from the Maldives (sponsored by the WHO), 30 Indian trainees sponsored by the government of Madhya Pradesh, and 13 Indian trainees sponsored by the government of Uttar Pradesh learned telemedicine technology and its application in October 2007 and February 2008. Two trainees from the DPR Korea (sponsored by the WHO), 38 Indian trainees sponsored by different organization in 2009 and 69 in 2010. The school is being identified as a “National Telemedicine Resource Center” by DIT.

Tele-training Center at National Institute of Health & Family Welfare, New Delhi

The Ministry of Health & Family Welfare in the Government of India is setting up a teletraining center at the National Institute of Health & Family Welfare in New Delhi to create a facility that will offer tele-training of public health professionals across the country through various e-learning modules. This will enable professionals to switch to more efficient electronic modes from the currently practiced on-site training modules. This initiative would boost capacity building in public health as has been envisaged under the National Rural Health Mission⁴.

The National Board of Examinations (an autonomous body under the aegis of Ministry of Health, Govt. of India) offers a satellite-based postgraduate e-lecture program in all medical specialties. It is now mandatory for every institution recognized by the board to make available the necessary infrastructure for receiving these programs.³³

e-Continuing Medical Education (e-CME)

MoH&FW is planning to network all the government medical colleges with high bandwidth fiber to facilitate an e-CME program.

e-Governance in the Health Sector under the State-wide e-Governance Network

DIT has launched the National e-Governance Action Plan (NeGP) to support the growth of e-governance within the country. The National Informatics Center (NIC) is the DIT arm that provides a range of services to all the government departments at the center, the states and the districts. A separate “e-Governance Standards Division” has been created by NIC to steer the process of evolving the standards.

Common Service Center (100,000 nodes), DIT Project

DIT has formulated a proposal to establish 100,000 common service centers (CSCs) in rural areas, which will serve not only as the front end for most government services, but also as a means to connect the citizens of rural India to the web. CSCs would extend the reach of electronic services, both government and private, to the village level. Various government departments have been advised to design and evolve their mission-mode projects, laying adequate emphasis on services and service levels with respect to their interface with citizens and businesses. Telemedicine has been identified as one of the service modules. It is envisaged that initially, 20,000 CSCs would have tele-health outlet service managed by a village-level entrepreneur.

Village Resource Centre (VRC)

The VRC concept has been evolved by ISRO to provide a variety of services such as tele-education, telemedicine, online-decision support, interactive farmers' advisory services, tele-fishery, e-governance services, weather services and water management. By providing tele-education services, the VRCs act as learning centers focused on the virtual community. At the same time, VRCs will provide connectivity to specialty hospitals, thus bringing the services of expert doctors closer to villages. Nearly 500 such VRCs have been established in the country.

1.7.7 Policy Initiatives

Ministry of Communication & IT

a. Standardization of Telemedicine Platform and Services

To standardize services of different telemedicine centers, a document called “**Recommended Guidelines & Standards for Practice of Telemedicine in India**” has been prepared by DIT. It is aimed at enhancing interoperability among the various telemedicine systems being set up in the country. These standards will assist the DIT and state governments and health care providers in the planning and implementation of operational telemedicine networks. To establish a telemedicine center, standards should be set for telemedicine systems, software, connectivity, data exchange, security and privacy. Guidelines should also be established regarding telemedicine interaction.

b. Defining the IT Infrastructure of Health

DIT also took initiative, in a project mode, for defining “**The framework for Information Technology Infrastructure for Health (ITIHI)**” to efficiently address the information needs of different stakeholders in the health care sector.

Initiatives of Ministry of Health & Family Welfare (MoH & FW)

National Task Force on Telemedicine:

1. To work on inter-operability, standards for data transmission, software, hardware, training etc.
2. To define a national telemedicine grid and consider its standards and operational aspects.
3. To identify all players and projects currently involved in telemedicine in India and evaluate their performance, capacity and replicability.
4. To prepare pilot projects for connection of super specialty hospitals/ medical colleges with district hospitals and/or Community Health Centers /Primary Health Centers especially keeping in mind to provide access to remote areas.
5. To prepare national cancer telemedicine network.
6. To examine possibilities of utilization of standalone centers of department of communication in rural areas.
7. To define standards and structures of electronic medical records and patient data base which could be accessed on a national telemedicine grid?
8. To enable telemedicine centers in teaching institutions to impart training to all government medical/dental/nursing colleges in three years time.
9. To prepare curriculum and projects for CMEs through telemedicine.
10. To draft a national policy on “telemedicine and telemedical education” and to prepare a central scheme for the 11th Five Year Plan.

Medical Informatics Education for Graduate Medical Students

The Medical Council of India is considering the introduction of medical informatics in the course curriculum of graduate medical students.

1.7.8 National e-Health Projects under Planning and Implementation

Ministry of Health & Family Welfare Projects

a. National OncoNET Project:

Under the National Cancer Control Program, 27 Regional Cancer Centers will be linked with 100 peripheral centers for primary prevention, early detection, treatment and rehabilitation of cancer patients.

b. National Medical College Network:

The National Task Force on Telemedicine, set up by the Union Ministry of Health and Family Welfare, plans to establish a national grid on telemedicine for networking medical colleges. A few tertiary-care academic medical institutes from different regions of the country will be identified as medical knowledge resource centers (in a regional hub), each of them connected to medical colleges (nodes) in that region. One of these regional hubs will be identified as the central hub, which will have overall responsibility for coordinating the national network in addition to providing infrastructure for a central content development center.

c. National Digital Medical Library Consortium:

The National Medical Library's Electronic Resources in Medicine (ERMED) Consortium is an initiative taken by the Director General of Health Services (DGHS) to develop nationwide electronic information resources in the field of medicine. A total 39 centrally-funded government institutions (including 10 under DGHS, 28 laboratories under the Indian Council of Medical Research, and the AIIMS libraries) have been selected at the initial stage as core members. The MoH&FW aims to provide funds required for the purchase of electronic journals under this consortium project.

Ministry of External Affairs Project:

a. SAARC telemedicine network²⁰

The South Asian Association of Regional Cooperation (SAARC), created as an expression of the region's collective decision to evolve a regional cooperative framework, received a major impetus during the 14th SAARC Summit held in New Delhi in April 2007. The pilot project connects one or two hospitals in each of the SAARC countries with three to four super-specialty hospitals in India. The super specialty hospitals in India include the SGPGIMS, Lucknow and PGIMER, Chandigarh which are connected with JDWNR Hospital, Thimphu, Bhutan; Indira Gandhi Child Hospital, Kabul, Afghanistan; and Patan Hospital, Kathmandu, Nepal. This is being developed as an exemplary model for implementing projects at the regional level. It has immense potential to expand the scope of regional cooperation to other ICT enabled areas such as education, business process outsourcing and mass communication.

b. Pan-African e network project:

The Ministry of External Affairs for the Government of India is implementing this project through Telecommunications Consultants India Ltd. (TCIL) to establish a VSAT-based telemedicine and tele-education infrastructure for African countries in 53 nations of the African Union. This will be accomplished via a satellite and fiber-optic network that would provide effective tele-education, telemedicine, Internet, videoconferencing and VoIP services and also support e-governance, e-commerce, infotainment, resource mapping and meteorological services. Ten super-specialty hospitals in India have been identified to provide tele-health services to 53 remote African hospitals. In August 2010, the second phase of the Pan-African e-Network project had been launched³¹.

e-Health Industry

Technologically, India is now self-sufficient in meeting the needs of hardware, software, connectivity and services. The prominent industries providing hardware and software supports are C-DAC; The Apollo Telemedicine Network Foundation in Hyderabad; The Online Telemedicine Research Institute in Ahmedabad; Televital India in Bangalore; Vepro India in Chennai; Prognosys Medical Systems Pvt. Ltd. in Bangalore; Medisoft Telemedicine Pvt. Ltd in Ahmedabad; Idiagnosis Technologies in Ahmedabad; and Karishma Software Ltd. in New Delhi. Many sturdy, standard HIMS solutions have been developed by the major IT companies such as C-DAC, Wipro GE Healthcare, Tata Consultancy Services (TCS), Amrita HIS Solution, Sobha Renaissance, and Siemens Information Systems Ltd (SISL).

1.7.9 Research and Development

DIT Initiative:

DIT, along with its societies such as CDAC and Media Lab Asia and in collaboration with many premier medical and technical institutions such as SGPGIMS, AIIMS, PGIMER and IITs, is involved in research, design, development and deployment of advanced telemedicine products and solutions. They also specialize in embedded and VLSI technology and biomedical, electronics, telemedicine and entrepreneurship development. C-DAC's Sushrut, a hospital information system (HIS) has been designed, developed and deployed at SGPGIMS¹. It has also developed the institution-based application oriented telemedicine software systems Mercury[®] and Sanjeevani[®] and validated them at three premier medical institutions: SGPGIMS in Lucknow; AIIMS in New Delhi and PGIMER in Chandigarh. This it has accomplished using ISDN and satellite connectivity. It is also developed web version of Sanjeevani (e-Sanjeevani)²².

SGPGIMS Initiative:

In collaboration with its technical partner, SGPGIMS developed and validated several application modules in telemedicine in addition to developing the prototypes Tele-ambulance for emergency health care, Mobile Tele-hospital for rural health care, and the portable suitcase telemedicine module for disaster situations.

Research publications:

India has contributed several research publications in peer reviewed scientific journals and book chapters in related field. A compendium of these publications can be found at: <http://www.telemedindia.org>.

References

- [1] <http://www.sgpgi.ac.in> Last accessed: 5 Feb 2011
- [2] <http://www.mit.gov>. in Last accessed: 5 Feb 2011
- [3] <http://www.isro.org> Last accessed: 5 Feb 2011
- [4] <http://www.mohfw.nic.in/> Last accessed: 5 Feb 2011
- [5] <http://www.ehealthonline.org> Last accessed: 5 Feb 2011
- [6] http://www.csi-sigegov.org/egovernance_pdf/15_121-127.pdf Last accessed: 5 Feb 2011
- [7] <http://www.sgpgi-telemedicine.org> Last accessed: 5 Feb 2011
- [8] <http://www.aiims.edu> Last accessed: 5 Feb 2011
- [9] <http://www.pgimer.nic.in> Last accessed: 5 Feb 2011
- [10] <http://www.tmc.gov.in> Last accessed: 5 Feb 2011
- [11] <http://www.telemedicineindia.com/> Last accessed: 5 Feb 2011
- [12] <http://www.fortishealthcare.com> Last accessed: 5 Feb 2011
- [13] <http://www.rtiics.org/telemedicine.htm> Last accessed: 5 Feb 2011
- [14] <http://www.fortishealthcare.com> Last accessed: 5 Feb 2011
- [15] <http://www.narayanahospitals.com> Last accessed: 5 Feb 2011
- [16] <http://www.sgrh.com> Last accessed: 5 Feb 2011
- [17] <http://www.sankaranethralaya.org> Last accessed: 5 Feb 2011
- [18] <http://www.cdac.in/html/press/2q10/spot707.aspx> Last accessed: 5 Feb 2011
- [19] <http://www.indmed.nic.in> Last accessed: 5 Feb 2011

- [20] <http://www.mea.gov.in/> Last accessed: 5 Feb 2011
- [21] <http://tcil-india.com/new/html/PAN%20Africa.html> Last accessed: 5 Feb 2011
- [22] <http://www.cdac.in> Last accessed: 5 Feb 2011
- [23] <http://www.telemedindia.org> Last accessed: 5 Feb 2011
- [24] <http://himachal.us/2009/02/28/telemedicine-project-proving-helpful-in-rural-himachal/11457/news/disha> Last accessed: 5 Feb 2011
- [25] <http://isc2010.in:8080/isc/isro.jsp> Last accessed: 5 Feb 2011
- [26] <http://daily.bhaskar.com/article/intel-launches-telemedicine-programme-in-karnataka-1640973.html> Last accessed: 5 Feb 2011
- [27] <http://www.panafricanenetwork.com/> Last accessed: 5 Feb 2011
- [28] <http://www.frost.com/prod/servlet/market-insight-top.pag?docid=57274416> Last accessed: 5 Feb 2011
- [29] <http://medinfo.cdac.in/resources/events/mig-symp-08/pdf/presentation/%20Ramakrishnan.pdf> Last accessed: 5 Feb 2011
- [30] http://www.siliconindia.com/shownews/HealthHiway_raises_4_Million_from_Greylock_Partners-nid-60976.html
- [31] <http://www.nrct.in> Last accessed: 5 Feb 2011
- [32] <http://www.ottet.in> Last accessed: 5 Feb 2011
- [33] <http://www.natboard.edu.in/>


1.8 Indonesia

1.8.1 *Case 1: Development of A Low-Cost Automatic Field-of-View Scanning Microscope for Early Tuberculosis Detection Systems*

⁸We developed a TB automatic detection system using commodity components. The system consists of an electro-mechanical digital microscope to record the FoV images of sputum samples, image processing software to detect and to count the number of the bacteria in the FoV, and a decision system to determine whether the patient is diagnosed as a positive TB or not.


⁸ Contribution: Andriyan Bayu Suksmono and Tati LR Mengko, School of Electrical Engineering and Informatics, Institut Teknologi Bandung, Indonesia. See document [RGQ14.3.2-INF-0007](#)

Figure 1: The modified optical microscope that is capable of performing automatic FoV scanning.



The electromechanical digital microscope is actually a modified one from an ordinary low-cost optical microscope. We add a two-degree-of-freedom scanner made of two stepper-motors and a digital camera fixed in front of the microscope's ocular. Figure 1 shows the modified-microscope, placement of the stepper motors, and the driver card with a simple microcontroller.

Figure 2: Two FoVs images of a sputum sample showing TB bacteria and its background



The image processing software and the decision system is now under-development. **Figure 2** shows two different FoV of the sputum microscopic images. The staining of the samples shows contrast of the TB bacteria with its background. The image processing software should be capable of separating the bacteria from the background. Then, the segmentation and counting process can be conducted.

Conclusions and further directions

We have described a low-cost automatic FoV scanning Microscope for early TB detection systems. Some parts of the system, i.e., the FoV automatic digital microscope, have been constructed. Our next steps are to complete the prototype with processing software, performing laboratory- and field- tests, and benchmarking with manual sputum analysis.


References

- [1] The Global Plan to Stop TB, 2011-2015: Transforming the Fight towards Elimination of Tuberculosis, World Health Organization, 2010
- [2] R. Lumb and I. Bastian, "Laboratory Diagnosis of Tuberculosis by Sputum Microscopy," The Handbook, Institute of Medical and Veterinary Science, Frome Road, Adelaide South Australia, 2005

1.8.2 Case 2: Picture Archiving and Communication System (PACS) and Teleradiology Development and Implementation

⁹Medical image becomes one of the most valuable assets in medical history and in supporting diagnosis process. Archiving and transferring medical image over telecommunication network is challenging, because of its size. It needs huge storage capacity to archive medical image in a health institution such as hospital. Our research since 2001 came out with effective compression method to compress the medical image in 16:1 ratio, yet maintaining the quality of image reconstruction over certain region of interest.

Figure 3: (Left) Application to manage medical image (right) Desktop Viewer



⁹ Contribution: Utoro Sastrokusumo, Andriyan Bayu Suksmono, Antonius Darma Setiawan Bandung Institute of Technology, Indonesia. See document [RGQ14.3.2-C-0007](#)

Figure 4: (Left) PACS viewer on Tablet PC (Right) PACS Viewer using large LCD touch screen




Our developed compression method was iterated for several years to meet the requirement from radiologist expert. We named our compression method as Scalable Fuzzy Vector Quantization (SFVQ). In the year of 2011, biomedical engineering of Institute Technology of Bandung cooperated with private company which works on health care area to develop commercial PACS. At the end of that year the beta version of commercial PACS product was launched. The product was implemented at two hospitals, Agam General Hospital in West Sumatera and Cililin General Hospital in West Java. The product was designed in a very simple user interface, yet powerful enough. However, there are many rooms for improvement.

The PACS product consists of three major components. The first one is the application to manage all medical images inside PACS. The second one is the application server to manage the interaction between client and storage server or persistence server. The last one is image viewer. We developed three kinds of viewer, which are desktop, large LCD touch screen, and tablet PC.

We also develop on the PACS enhancement based on requirement and actual need. There is a need to have teleradiology sessions between small hospitals which lack of radiologists and large computers where there are experts on medical images. Based on this need we expand the capability of our previous product into teleradiology supported PACS.

Figure 5: Teleradiology capability added into PACS



1.9 Kyrgyz Republic - E-Health Introduction in the Kyrgyz Republic - Experience and Further Steps

1.9.1 Introduction

¹⁰Since its independence in 1991, Kyrgyzstan has seen periods of democratic progress and of authoritarian backlash. With the fleeing of two presidents (in 2005 and 2010) after popular uprisings against authoritarianism, corruption and human rights violations; coupled with regional disparities and the repercussions of the inter-ethnic violence of June 2010, the country is going through a difficult process of transformation. In June 2010 several serious inter-ethnic confrontations took place in the south of the country. About 420 people died and 2,000 were injured, while over 2,000 houses and 300 businesses were destroyed. As result of June 2010 referendum a new constitution has been adopted. The new Constitution defines the Kyrgyz Republic as a parliamentary republic (during the previous 18 years, the country was a presidential republic) thus making it the only country with a parliamentary system in Central Asia. Parliamentary elections held in October 2010 were contested by 29 parties, with five winning places in Parliament and three forming a new coalition Government. Presidential elections held in October 2011 resulted in peaceful transfer of power. However, peace and social cohesion cannot be taken for granted, as the root causes of conflict, including inter-ethnic mistrust and regional tensions, eroded credibility of state institutions, social exclusion and uneven access to economic opportunities remain to be addressed. Kyrgyzstan in the past has seen concentration of powers around the presidency, with state institutions not perceived to be efficient, transparent or accountable. There is still work to be done to support the Government to strengthen the rule of law, address justice issues, reduce the prevalence of human rights violations, improve redress mechanisms and increase the independence and capacity of the judiciary, media (both public service and independent), the civil service and local government. Civil society's impact on decision-making still remains limited although its role has recently increased.

Kyrgyzstan has a GDP per capita of US\$2200 (2010) and is classified as one of two low-income countries in the Europe and CIS region. The economy grew 3.9% per annum in 2000–2005 and 3.7% in 2005–2010. In 2011 the economy grew 5.7%. Poverty fell from over 62% in 2000 to 32% in 2009, but after the 2010 events it rose back to 33.7% that year, with an increasing proportion of the poor being female. Foreign debt is \$2.803 billion as 2011, about 47% of GDP, while the budget deficit for 2012 is planned to

¹⁰ Contribution: Chynara Suiumbaeva, ICTD component coordinator, Democratic Governance Programme, UNDP Kyrgyzstan. See document [SG02-C-0202](#)

be about 5.7% of GDP. There is a large informal sector, particularly in services and agriculture. Meanwhile, 26% of households have at least one member working abroad. Remittances had risen to US\$1.7 billion by 2011, slightly over 30% of GDP.

With a human development index ranking of 126 out of 187, the Kyrgyz Republic is in the lower half of the medium human development countries. It raises seventeen places in the inequality-adjusted human development index. The country is 66 of 146 countries in UNDP's gender inequality index. The country's 2010 MDG report indicates that the country is unlikely to meet the MDGs for child and maternal mortality, tuberculosis, sanitation, and gender equality, although it is on track on extreme poverty reduction, access to basic secondary education, and access to improved water sources.

Life expectancy is 73.5 years for women compared to 65.3 years for men, and female literacy is high 97.7% (in the 15-24 age group). But despite progressive legislation on gender issues, women remain vulnerable to rising unemployment, a weak social protection system, and increased influence of patriarchal traditions in social relationships. Gender inequality, social and financial discrimination, and the additional unpaid work carried out by women mean that nearly 70% of the poor are now female. The continuing high prevalence of bride kidnapping in rural Kyrgyzstan remains a serious concern, and nearly 83% of women suffer domestic violence. In the government formed after the October 2010 elections, there were no female cabinet ministers until a lone woman minister for social protection was appointed on 7 April 2011. In those 2010 elections, representation of women in parliament fell from 30% to 20.8%, while in local councils it is now only 12%.

About 32% of Kyrgyzstan's population is between 15 and 25 years of age. Young people do not have full access to education, employment, health care, family decision making, and entrepreneurship. With inadequate educational training and poor economic prospects, many young people turn to crime and drugs. Young women, especially in rural areas, are particularly vulnerable to gender-based violence.

The country has prepared a medium-term Country Development Strategy (2012–2014) in the context of a macroeconomic outlook that looks challenging, but with potential for directing the economy on sustainable development. The Strategy focuses on creating conditions for attracting foreign investment, reform of state regulation aimed at eliminating bureaucratic barriers and expanding economic freedom of business entities, as well as on launch and implementation of 40 national projects in the medium-term. All these fundamental factors will be crucial for long-term sustainable human development and achievement of the MDGs.

1.9.2 Situation Analysis in the Healthcare System of the Kyrgyz Republic

Heart diseases are one of the leading causes of death and a major cause of disability. The importance of cardiology service is emphasized by the fact that cardio-vascular problems account for 50,3% in 2011 (48.3% in 2010) of all death cases in the Kyrgyz Republic.

The second alarming issue is the level of maternal and child mortality.

Child (infant) mortality is the crucial characteristic of national health. The child mortality rate is 20,7 per 1,000 born alive in 2011 (22,8 in 2010) and the structure looks as follows: the main share belongs to perinatal period conditions (65,2% in 2011, 63,1% in 2010, 60.0 % in 2007 and 60.9% in 2006), respiratory apparatus' diseases - pneumonia (12,3% in 2011, 14,9% in 2010, 16.7% in 2007, 17.5% in 2006), inborn anomalies (12,3% in 2011, 12,6% in 2010, 11.3% in 2007 and 11.2% in 2006) and infectious and parasitic diseases (5,3% in 2011, 4,5% in 2010, 6.8% in 2007 and 5.7% in 2006).

The major causes of such deaths are wrong diagnostics and incorrect prescriptions. The registration of child deaths at home shows that children die during the first five years of life because the parents are unable to properly evaluate the health status and do not know how to help. During the recent years the ratio of child's hospitalization caused by pneumonia has been high and made 36% for children up to five years, being one of the main death causes for children under 14.

In the last few years the maternity mortality rate has increased and in 2011 it made 49,3 per 100 000 live births (50,6 in 2010, 62,5 in 2007, 53,0 in 2006 and 60,0 in 2005). The leading place in maternal mortality increase was taken by the Talas region -87,0 per 100 000 live births in 2010 (61,3 in 2009 and 38.5% in

2006), the Naryn region – 83,5 per 100 000 live births in 2010 (135,6 in 2009), the Issyk-Kul region – 70,4 per 100 000 live births in 2010 (72,0 in 2009), Osh region – 59,8 per 100 000 live births in 2010 (117,4 in 2009). Rural areas take the first place in terms of death cases among women (86.8%). The major cases of such deaths are wrong diagnostics. The maternity mortality structure shows that 75.0% of deaths happen during pregnancy and childbirth. The first place of the mortality rate is taken by haemorrhages – 52.2% (in 2007 – 34.4%), the second by hypertension disorders - 22.4% (in 2007 – 34.3%), septic complications account for 10.4% (7.8% in 2007).

Although the prevalence of HIV is still low, the country has registered sharp increases in the number of persons living with HIV, and suffers one of the fastest rates of increase of reported HIV infection in the world. As of end 2011, there were 3111 registered HIV cases in the country, although WHO estimates suggest the true figure may be two or three times higher. Children now make up 8% of HIV cases in the country, following an outbreak in hospitals in the south of the country in 2007 and mother to child transmission. Because of women’s vulnerability to HIV, sexual violence, inequality in decision making on contraception and sexual life, and poor sex education, the number of females registered as living with HIV increased by 75 times between 2001 and 2011, compared to 17 times for males. Despite progressive legislation, implementation mechanisms are weak and people living with HIV face continuing stigmatization. At over 12 cases per 100,000 people, tuberculosis prevalence is also high and rated as an epidemic. Much of the tuberculosis is multi-drug resistant, and the disease is particularly prevalent in the penal system because of overcrowding, poor ventilation, malnourishment and inefficient treatment. Meanwhile, an increasing proportion of tuberculosis cases are being registered among women and children. The prevalence of malaria, although still low, is increasing, particularly in southern parts of the country.

1.9.3 Objectives and Strategies

During the implementation of the National programmes on the healthcare reforms in the Kyrgyz Republic: “Manas” (1996–2005) and “ManasTaalmi” (2006-2011) the legislative base for the new health care system in the Kyrgyz Republic were established. The following new laws were adopted by Kyrgyz Parliament: on “ The unify payer in the healthcare finance system” (2003), “ About healthcare organizations in the Kyrgyz Republic” (2004), “Health protection of the citizens of the Kyrgyz Republic” (2005), “ Public health care in the Kyrgyz Republic” (2009), amendments to the laws on “About the main principles of the budgetary law in the Kyrgyz Republic” (2000), “ Local self governance and local governance administration in the Kyrgyz Republic”(2000), “Medical insurance of the citizens of the Kyrgyz Republic” (2003).

Every year, starting from 2001 the Government of the Kyrgyz Republic approves the Governmental Programme on State social guarantee provisioning free, preferential and paid terms of the healthcare services depending on the citizen’s social status and medical insurance conditions. From 2006 the health care reforms performs under the Sector Wide Approach (SWAP).

The current National Programme of the health care reform “Den Sooluk” for 2012–2016 is a logical continuation of the previous national programmes focused on the 4 programme’s directions:

- Cardio-vascular diseases;
- Maternal and child health care;
- Tuberculoses;
- HIV/AID.

The special focus in this programme was taken on the deployment of the ICTs in healthcare system from the view of standardization of the medical information systems and development of the unified telecommunication infrastructure. The implementation of the e-health services recognized as one of the main priority and includes the creation of the national e-health network for e-learning and tele-consultations.

Kyrgyzstan, as a country with difficult mountainous terrain needs the e-Health services because people in remote and rural areas have inadequate access to medical aid and health care. They have to travel for many hours to reach the nearest hospital or clinic. But to be effective, e-Health requires appropriate regulatory, legal and policy frameworks in both the telecommunications and the health sectors. Some of the critical factors for success are proper project management and a coordinated approach following the clear vision, the building up and maintenance of adequate technological infrastructure, the commitment of trained end-users and ICT literate citizens, and the political will to achieve challenging but realistic e-health goals.

Currently, Kyrgyzstan does not have a specific national strategy on e-health, which would require the initiative of the Ministry of Health together with other relevant Government agencies and CSOs. With the support of UNDP in Kyrgyzstan, the project on e-health in one of the remote areas (Batken) was implemented. UNDP is further looking at nation-wide project which would provide policy support and technical assistance to The Ministry of Health of the Kyrgyz Republic, envisaging the following components:

Component 1: Draft National e-Health (including m-Health) Strategy & Action Plan developed and submitted for approval to the Kyrgyz Government.

Country's e-Health strategy will be based on national health priorities, the available and potential resources, and the current e-health environment. The enabling environment for e-Health is fundamental to scaling up and sustaining ICT adoption in the health sector. It includes aspects such as governance, policy, legislation, standards and human resources. Within the Kyrgyz Republic's national context, where the first pilot e-health project was implemented in 2009-2010 (joint initiative of UNDP, MTC and MH). This project featured a small initiative, within limited time-line, where advantages of using ICTs were demonstrated, including innovative ICT applications (with elements of m-health). The project was not sustainable due to the lack of ownership, commitment and e-health skills. In addition, it had a narrow focus on certain aspects of e-health, while the changes and overall approach in the health care system were required. A national plan for a country in this context will be focused on making the case for e-health, creating awareness and establishing a foundation for investment, workforce education and adoption of e-health in priority systems and services. Without a parallel focus on creating the enabling environment, innovations in ICT will stay isolated and have only a limited impact on health.

Mobile communications have arguably had a bigger impact on humankind in a shorter period of time than any other invention in human history. Mobiles are also contributing to social, economic and political transformation. According to new WB Report (2012) to human and economic development opportunities, around three-quarters of the world's inhabitants now have access to a mobile phone and the mobile communications. The number of mobile subscriptions in use worldwide has grown from 1 billion in 2000 to over 6 billion in 2012, of which nearly 5 billion in developing countries. In developing countries citizens are increasingly using mobile phones to create new livelihoods and enhance their lifestyles, while governments are using them to improve service delivery and citizen feedback mechanisms. Mobile communications can help provide health care services more quickly and cheaper in many cases, mainly by focusing on primary, preventive and self-empowered approaches to health care. M-Health encompasses any use of mobile technology to address care challenges such as access, quality, affordability, matching of resources and behavioral norms through the exchange of information. It is a dynamic field for innovative new services that move health care away from pure public service delivery toward seeing the patient as a consumer. The recent studies estimated that m-health reduces data collection costs by approximately 24 percent, costs of elderly care by 25 percent and maternal and perinatal mortality by 30 percent (Telenor Group 2012). The same study finds that m-health can improve compliance with tuberculosis treatment by 30-70 percent. Taking into account above, finally, M-health should be integrated with larger e-Health Strategy and Action plan.

Component 2: National Process for e-Health Standardization initiated, key technical standards developed/adopted and submitted for approval to the Kyrgyz Government.

Considering the rapid introduction of e-health worldwide and potential growth in Kyrgyz Republic it is necessary to initiate the development of generally acceptable the national standards and guidelines to

facilitate growth of e-health application in Kyrgyzstan. Enormous international efforts are being put in this direction to regulate/guide the growth of healthcare IT ecosystem. These efforts are the result of compelling need for the standardization of processes in which healthcare information is represented and transmitted from system to system. For any developing country to embark on proposing standards for e-health and Hospital Management Information Systems (HMIS) it is imperative to study the existing international standards. Many Standard Development Organizations (SDOs) and Special Interest Groups (Sigs) are active in standardization process for addressing the issues of sharing of health data, data structure, access management, standardizing clinical and business process in healthcare and security and privacy. Some of the key relevant standards such as ISO/TS 18308, CEN/TC 251 EN 13606, DICOM, HL7, CCR-ASTM, CEN/TC 251 EN 13940, ICD-10-PCS, SNOMED-CT, CPT, UNLS, ITU-T H.32x. For any developing country embarking on introducing standardization will benefit by going through the exercise of reviewing these available standards to see their suitability for adoption.

Component 3: National e-Health network (with national e-Health center/node) and mechanisms for rapid deployment of ICT-enabled public e-health services created and some public e-health services (on cardiovascular, maternal and prenatal healthcare) provided to the citizens of Naryn and Osh provinces of the Kyrgyz Republic.

Under this new project it is planned to create national e-health center (s)/node(s) equipped by different modern digital medical and telecommunication equipment, real-time management of medical records, broadband connection and adapted e-health software systems in national e-health center. These secondary and primary health centers in Naryn and Osh provinces of the Kyrgyz Republic to enable continuous medical education and tele-consultation will be also established. Webcasting of the interactive courses by leading medical professionals to university students and young professionals in remote areas will be provided as well. Tele-consultations using an integrated system capable of managing patients, storing and forwarding medical records and images and providing second opinion to remote patients will be held. The system will comply with international standards adopted and approved by Kyrgyz Government. Some e-health services in cardiovascular, maternal and prenatal areas will be operational for Naryn and Osh province's patients.

1.9.4 Activities Implemented

UNDP Kyrgyzstan jointly with the Ministry of Health and Ministry of Transport and Communications of KR has successfully piloted in 2009-2010 the first e-health project in the Kyrgyz Republic in the remotest region of the country - Batken province, which lacked medical personnel, health services and special medical equipment. Two leading national medical institutions participated in this first e-health project. Medical receiving stations installed in these institutions and remote equipment for transferring the medical data were provided to the regional hospital. 24/7/365 help was arranged at the national centers with high professional medical staff in order to provide ON-OFF medical support with diagnostics and prescriptions. Different types of telecommunication and special medical equipment installed to ensure high quality communication of all necessary medical information to the both ends. Local population had access to health services at their place of residence.

The main objective of the project was to create and implement the first interactive E-Health services in the Kyrgyz Republic in order to decrease the mortality rate, especially on cardiovascular and maternity & child healthcare and to promote effective use of ICT as a powerful instrument for governance, economic and social development, citizen's access to public information and government services. E-Health services are considered as a component of the E-Government implementation in the social sector, which is an effective tool for improvement of health care service delivery through use of modern ICT technologies, especially in remote rural areas with focus on women and children and contributes to MDG 4 and 5 achievements.

1.9.5 Changes and Results Achieved

The project produced the following outputs:

- Access to public medical services was improved for populations in remote rural areas.

- Distance medical services for remotest region (tele-cardiology as well as maternity and child health care) were established.
- ICT possibilities in the healthcare area on provision of different medical services were demonstrated.
- Qualification of local medical personnel was improved through professional and IT-trainings.
- The project's idea and results were presented on round table with participating of the Vice-prime Minister of the Kyrgyz Republic and all interested stakeholders- Government entities, NGO's, mass media, universities and others. Very positive feedback received from all parties. Based on a result of this pilot project, the Ministry of Health of KR developed and submitted the document requesting budget from Government of sharing the best practice in order to implement the project's idea in all other regions of KR.
- The project was also presented at the SWAP meeting – regular biannual meetings of international donors, investing in healthcare sector of KR. It was the request from the Ministry of Health of KR (from stats-secretary of the ministry) to mobilize additional resources for extension of the project to other regions of KR.
- The information about project was placed in DG TTF 2009 Annual report as best practice example (Democratic Governance Thematic Trust fund Stories from the field).

1.9.6 Lessons Learned

- The project's idea and suggested technological solutions are practical and can be easily replicated in other regions of the country and even more – in other countries with similar geographic and socio-economic conditions.
- State ownership: there was a high degree of commitment of key stakeholders during the project implementation. The Ministry of Health, despite the frequent changes of the departmental heads, remained interested in the project and expressed the intention to sustain project results. Middle managers were included as facilitators in the technical working group, have consistently advocated to the senior management the expansion of the interactive electronic medical services through the inclusion of this thematic area in the SWAP strategic objectives.
- Not all modern digital medical diagnostic equipment could transfer its data outside of the device using Bluetooth or USB ports and allow to connect to third party (not own) software.
- Lack of practical experience and knowledge on e-health not only in Kyrgyzstan and the Central Asia region.
- The lower level of preparedness and competences of the local medical personnel to use the computer and modern medical diagnostic equipment.
- Latent resistance (or skepticism) from doctors (rural and central) to accept new way of providing medical services.
- Lack of involvement of NGOs in the project activities. The project document envisaged NGO stakeholders in the steering committee, which however were not able to provide necessary contribution.
- Prior to the project commencement, there was no proper stakeholder and institutional analysis made. This impacted project implementation results.
- Strategies for engagement and cooperation of donors in this area need to be developed and the Government should play a central role in coordination and facilitation of this process.

1.10 Laos: E-Health Activities by Fujitsu, JTEC and Laos Government

1.10.1 Project Information and Background

¹¹In Lao P.D.R., the Ministry of Health, headed by the Minister, has the strong intention to utilize ICT in the health and medical fields, and the “ICT Master Plan (ver.1) for MOH” was established in October 2008.

The e-Government Network, led by the National Authority for Science and Technology, which is to be commonly utilized by all the government ministries and agencies, is put into operation mainly in Vientiane capital and under expansion to provincial capitals.

For the Ministry of Health, it is vital to introduce e-health applications in an effective and efficient manner to realize the aforementioned ICT Master Plan by utilizing the ICT infrastructure in e-Government Network.

Thus, in order to effectively promote the ICT application in the health and medical fields, the collaborative research team of Japan and Lao P.D.R. has conducted the study on the scheme and methodology of “How to develop, maintain, and utilize the comprehensible e-health contents” under the support of APT

(EBC-J2) scheme – 2008.

1.10.2 Summary and Purpose of this System

The results of the collaborative research are fruitful and there are high interests and demands for the realization. Therefore, as the practical and sustainable way forward, the pilot project under the support of APT (EBC-J3) scheme – 2009 has been implemented with the purposes of:

1. Establishment of ICT Access Points for proper information provision to the public (especially health and medical information) by expanding the existing e-Government Network.
2. Deployment of the ICT facilities available for (but not limited to):
 - Remote consultation between Central Hospital and Provincial Hospital.
 - e-Education for doctors, nurses, and other medical staff.
3. It is highly expected the pilot project would be:
 - the best practices of ICT based improvement for health and medical field;
 - the best practice of effective utilization of e-Government network;
 - paving the way for the Network expansion into rural areas.

• Network overview

As shown in Figure 6Error! Reference source not found., the dot line area shows the part installed in the pilot project. Main part is the IP Microwave Radio System to provide connection for Luangphabang Provincial Hospital in order to connect to the e-Government Network led by the National Authority for Science and Technology. The two hospitals in the map placed at the bottom right of Figure 6 are connected through the e-Government Network.


• System overview

Figure 7 shows the system overview of the pilot project. In Mittaphab Hospital, Main Server for Web Video Conference System and File Server, and 2 client PCs are installed. Back-up Server for secured

¹¹ Contribution: Go Maeno, FUJITSU LIMITED, Japan. See document [RGQ14.3.2-INF-0019](#)

system operation is located in Ministry of Health headquarters. In Luangphabang Provincial Hospital, 2 client PCs and 1 PC for Open ICT Access Point are installed.

Figure 6: Network overview of the pilot project



For Remote Consultation between doctors, the Web Video Conference System is used for the more understandable communication. Also, document files such as Consultation Reports can be shared through the File Server.

For e-Education, the contents stored in the File Server can be accessed remotely. In addition, the recording function of the Web Video Conference System is quite useful. For example, seminars can be recorded in synchronization with the slide show and explanation for them.


Public who visit the hospital can access health information easily from the ICT Access Point located at the lobby in Luangphabang Provincial Hospital. In addition, automated data synchronization is activated between Main and Back-up Servers. In case of server trouble, system availability can be kept by switching the connection to the Back-up Server.

1.10.3 Major Implemented Items

Major implemented items under the pilot project:

- IP Microwave Radio System has been installed to expand the e-Government Network to the Provincial Hospital.
- Central Database has been assembled for compiling medical contents database, including back-up system.
- Web Video Conference System has been installed.
- Open ICT Access Point to the public has been established in the Provincial Hospital.

Figure 7: System overview of APT (EBC-J3) project



With the system installed, the ICT environment for project sites was improved.

1.10.4 Effectiveness

As a result, we have ready conditions for more understandable communication for Remote Consultation, compensation for the insufficiency of practical training, and provision of proper information to the public with full system installation and continuous utilization. Our aim “improvement of health and medical environment with ICT for rural areas” has just been achieved as the pilot case in Lao P.D.R.

1.10.5 Conclusion

Starting from the establishment of the ICT Master Plan for Ministry of Health, our 3-year continuous activities on the pilot project have come to a conclusion. However, the conclusion of the pilot project is not the goal, and we have the strong intention to step forward to the practical deployment of ICT in health. The system installed reflects the real need to fill the gaps between demands and the actual situation. Thus, the success of the pilot project would be paving the way for the expansion to other provinces and the establishment of nationwide networks of e-health.

As the next step, we will make a comprehensive review on the concluded activities to ensure Roadmap & Action Plan for Practical Implementation, Practical solutions for the identified issues, [Namely, more practical work than theoretical]; Skilled personnel for sustainable enhancement.

These are indispensable for the practical deployment of ICT in health. Therefore, we are applying for the APT (EBC-J2) 2010 program and will keep our close relationship with the current project member organizations. Also, we have set our sights on best practice sharing with other sectors in Lao P.D.R. and with other countries.

Our further target is to formulate the practical project for ICT enhancement in not only Lao P.D.R. but also other developing countries.

1.11 Lebanon: E-Health in Lebanon – Where Do We Stand?

1.11.1 Introduction

¹²This document is based on a recent report that was the outcome of a project funded by the World Health Organization (WHO) in Lebanon for developing a national e-health plan. The purpose of the project was to illustrate the current e-health status in Lebanon. The areas assessed were the existing and planned e-health applications and services, the available/potential information communication technology (ICT) infrastructure for e-health, the human resource capacity, standards and interoperability, e-health strategy and investment, e-health legislation, policy and compliance, and Governance. The assessment is used to establish near term opportunities for e-health projects, and to explore possible actions to be undertaken in developing a comprehensive national e-health implementation strategy for Lebanon in the near future.

1.11.2 Country Overview

In Lebanon the economic, social and political forces have been exponentially influencing the healthcare sector for a number of years, hindering the implementation of any new health model or strategy. So far in Lebanon e-health is suffering from a low profile even though e-health has increasingly large impact on healthcare. There is a lag in uptake of e-health because the field needs more professionally trained staff on board. The social environment is having an undeniable influence on consumers; there is still a portion of the Lebanese community who are not yet accustomed to the use of Internet-mediated electronic means for the provision and management of health services. Moreover, the preference of face to face meetings for assessment, treatment and consultation may negatively influence the development and implementation of e-health technologies and applications.

Promoting the use of information technologies in healthcare is one of the defined priorities in e-health implementation. Article 5 of the Telecommunications Law 431/2002 specifies that among the duties of the Telecommunications Regulatory Authority (TRA) is “to assist educational and health care institutions in the implementation of their programs by the use of Telecommunications Services, and to facilitate the access of disabled persons to Telecommunications Services.”

As for the use of standards, there are no e-health standards/policies/standardization being implemented at health institutions that make the physicians comply with e-health practices. The lack of standards influences the deployment of e-health practices on a large scale and creates gaps that hinder the benefits from using ICT, mainly its potential in improving care and sustaining cost. In addition, the lack of metrics for measuring successful deployment of e-health are also hindering improvement.

The Ministry of Public Health (MOPH) in Lebanon is concerned with the public health issue more than the e-health per se. According to the General Director, since there are no geographical barriers or lack of specialized doctors in the country, telemedicine is not a target at this point so far. The priority for the MOPH is to have better managed care, better epidemiological reporting, e-billing, and e-pharmacy.

Currently there is no national policy in the country that commits healthcare institutions or clinics to implement Electronic Health Records (HER). Furthermore, the existing e-health applications in health institutions lack the interoperability with the MOPH’s health information systems. In this regard the institutions are not having the full benefits behind the deployment of e-health applications. As for monitoring activities, innovative systems and services for monitoring the health status of people at risk or those suffering from any chronic illness including those associated with ageing, wearable, portable or implantable systems are used. These systems can offer the means to follow patients’ health outside the health institutions. However, very few institutions are able to manage diseases and develop early diagnosis of symptoms from a distance. As for ICT infrastructure, the deployment of a proper ICT infrastructure that demonstrates the benefits of e-health services on a larger scale in the country does not

¹² Soha Saifeddine, Telecommunications Regulatory Authority, Lebanon. See document [SG02-C-0210](#)

exist so far. So far the ICT infrastructure has been implemented within some health institutions at various levels to communicate data across the same institution and never across other institutions. In addition, the required ICT infrastructure to create a database for patients' records in health institutions is not up to the level for e-health practice and therefore needs further development.

1.11.3 Activities Implemented

The key trends and developments in the e-health domain in Lebanon, aiming at improving the quality of healthcare, can be classified into the following categories:

- **Physiological monitoring activities**

Physiological monitoring activities are the most used e-health applications in Lebanon. Medical institutions use various systems for monitoring activities such as screens connected to cameras and other monitoring apparatus for inpatients only.

The Ministry of Public Health has implemented the monitoring systems for medications and vaccines distribution and storage. The system allows identification of the medication or vaccine expiry date five days in advance. Also the system will notify about temperature change in the storage media via alert systems connected to the mobile device of the manger. That system was implemented in 2006 in collaboration with the WHO.

The availability of body area networks (BAN) and e-health applications will allow the practice of vital sign tele-monitoring of chronically ill outpatients. Such type of monitoring is not available in Lebanon, very few hospitals provide only cardiac tele-monitoring with the use of holter.

- **Diagnostic evaluations**

The use of diagnostic evaluation tools is limited to the laboratories and radiology departments such as (MRI, PET scan, CT-scan etc...).

An example of a successful development is the Lebanese Ministry of Public Health (MOPH) Mobile Applications.

1.11.4 Lebanese Ministry of Public Health (MOPH) Mobile Applications

The mission of the Lebanese Ministry of Public Health is to improve the health status of the population by ensuring an equitable accessibility to high quality health services through a fairly financed universal coverage.

MOPH' main goal is to protect the population' health through the legislation and development of health promotion and preventive programs, to contribute to the social safety net, eradicate and control the communicable and non-communicable diseases prevalent in Lebanon.

In order to reach these mission and goals, the MOPH launched a unique, one of a kind Mobile app and the first in the Lebanese public sector; aiming to facilitate the cooperation with other ministries, private sectors and the civil Society.

The main objectives of the App are:

1. To develop the health sector and to improve the quality of health care delivery through the use of information and communication technology.
2. To increase transparency through the dissemination of health-related information.
3. To facilitate access to services delivered by using the best and fastest possible electronic means.
4. To increase the accountability through the adoption of a mechanism for complaints.
5. To ensure equity in services' availability and utilization.

Main Functionalities:

Users have direct access to the Drugs Public Price List; they can check their availability, price and legalization in the Lebanese pharmacies. They may as well locate the nearest public hospitals, private hospitals and medical centers, check their full address & call directly from the app.

Users may as well benefit from health info and learn about healthy life-styles and food habits. People and communities can now seek greater and effective participation in the planning, implementation and evaluation of primary health care and public health programs; and report fraudulent actions directly to the Ministry of health through the app. All app users will receive alerts on news, drugs recalls, laws etc. from the ministry.

Main Features:

- Drugs list (check price, dosage, form, legalization ...).
- Rules and Guidelines concerning MOPH disbursed expensive drugs and chronic diseases drugs.
- Public/Private Hospitals and Primary Health Care Centers Directory.
- Ministry of Health services and campaigns.
- Report fraudulent actions directly to the Ministry of Health.
- Healthy tips on lifestyles and habits.
- Push notification.
- Media Gallery (Ministry Activities & events).

About MOPH: Latest News, MOPH Portal, Locate us, MOPH Directory, call center (1214)... MOPH is available for free to download in the [iTunes Store](#) and [Android Google Play App Store](#).

Figure 8: MOPH is available for free to download in the iTunes Store and Android Google Play App Store



Clinical decision support system

Clinical computerized decision support systems (CDSSs) which are meant to help address the problems of variable quality and safety in health care, are available in some institutions but mainly limited to laboratory findings and very few to medication administration. The available systems allow comparison between normal and abnormal laboratory findings only upon highlighting the abnormal level in order to grab the attention of healthcare providers.

Storage and dissemination of healthcare data

The first step towards e-health is to create the backbone- the electronic health record (EHR). The EHR will ultimately link all patient information from across the health care system, hospitals, private clinics, pharmacies, and elsewhere healthcare is being provided to individuals.

In some health institutions in Lebanon, patients' health records are being scanned and then stored in digital form as image files. Then patients' records are stored under their ID numbers per hospital visit and listed by date.

Image compression for efficient storage and retrieval: Picture Archiving and Communication Systems (PACS)

The use of Picture Archiving and Communication Systems (PACS) can improve diagnostic radiology. PACS's main purpose is to replace hard film copies with digital images that can be used and seen by several different medical professionals simultaneously. The use of PACS is being practiced at a number of health institutions in Lebanon.

Research:

- Research on e-health practice:

Research on e-health practice can contribute to the overall understanding of the e-health domain and its impact on quality care. Very few health institutions in Lebanon are currently practicing research on e-health.

- Clinical research:

The practice of clinical research can contribute to the overall understanding of the health system in the country and how it is changing. In order to carry out this work, a large amount of aggregate clinical data on the health system is needed. The competencies available to supply this data include data aggregation, data communication and statistical analysis.

In Lebanon, a small number of health institutions practice clinical research in their institutions. As a matter of fact, research needs improvement as the access to clinical data is restricted to administrators and very few clinicians. Furthermore, Health data are being stored as image files which limits data processing and impedes search by computer engines, and therefore creates a barrier to clinical research.

Computerized provider order entry and e-Prescription

Very few health institutions in Lebanon are using Computerized Provider Order Entry (CPOE), a computer system that allows for the direct entry of medical orders by healthcare providers. The CPOE system enables physicians/healthcare providers to check medication and health procedure orders for incorrect drugs, doses, and routes of administration, as well as for any allergies and drug interactions. If the computer system detects any of these problems, an alert is generated to make the provider aware of the issue. The primary goal of CPOE is to reduce medication errors, and enhance communication among healthcare providers to increase patient safety.

As for e-prescription, it is not a trend so far in Lebanon. Most of the health institutions do not have the CPOE or the electronic prescriptions launched yet. Very few institutions practice electronic prescriptions for restricted antibiotics only. Therefore, all health institutions are still using the traditional paper medical chart. For some institutions that are having difficulties with regards to archiving space, they resolved this problem by scanning the patients' charts and storing them as digital images.

Voice recognition for dictation

Voice recognition for dictation is not available at any health institution in Lebanon. What is being practiced in few hospitals is that the doctor records his/her medical report on a tape recorder and then the report is typed by a clerk and filled electronically.

Use of Streaming media in health care institutions

The continuing education of healthcare providers is required for better practice, whereas education of healthcare consumers is necessary for health promotion and better management of patient's own health. Very few health institutions in Lebanon use streaming media such as video sessions, power point

presentations, e-pamphlets for educational purposes to both healthcare providers and consumers. Some institutions have made the educational material accessible from their websites to promote access. The use of streaming media has eased the dissemination of the educational material; also it helped in managing the continuing education (CE) credits for healthcare providers.

Ministry of Public Health's (MOPH) initiatives to promote and support e-health practices

- **TWFS (Transactions and Workflow System):**

The objective of this system is to automate the workflow, track and monitor the transactions and documents involved in the procedures of the Ministry of Public Health's administrative units.

The system is expected to provide user-friendly, secure and reliable methods of performing and tracking all the processes and procedures along with the associated forms utilizing a flexible, quick and easy to use tracking, monitoring and reporting mechanisms that will empower the MOPH administration in performing its duties and functions with minimal effort, high efficiency and productivity. It will also relieve citizens from the burden of administrative procedures and provide them with a better and faster service.

The system allows visitors to the MOPH's website to benefit from the below services:

Administrative Services:

- Search for a specific service through the organizational structure of the ministry.
- Have access to all details related to the service required: the unit responsible of this service, the head of unit, the required documents, the conditions, the fees, the duration of the procedure, working days ...
- Download a pdf application form or fill an interactive pdf application.
- Submit on-line transactions with attached documents.
- Login to the website using a Document ID and a Password in order to track and retrieve all the information related to the status of the transaction, and send any comments about this transaction to the related department

Drugs:

- Download the complete list of drugs with their public prices based on foreign currency rates and according to Resolution 51/1 issued in 2006.
- Search for drugs using different criteria: Drug's name/Laboratory/Agent/Country of origin.
- Search for drugs that have been recalled from the Lebanese market.
- View the list of registered drugs according to INN classification (First draft): Ongoing project.
- Check the Lebanese National Drug Index which is a simple verified listing and classification of available products in the Lebanese market.
- View all the information related to the Drugs technical committee including meeting schedules & agendas, the list of applications submitted for Drugs Registration, the Resolutions taken by the committee regarding the registration of medicines @MOPH...
- An instant notification e-mail is always sent to concerned parties when publishing any new information related to Drugs.

Doctors Fees:

Physicians who are treating patients on the expenses of MOPH can login to the website using their credentials to access all details related to their payments from MOPH using an advanced tool for searching and reporting .

- **Decentralization Systems: District Health Information System:**

This is a tool to monitor diseases and their spread over different areas allowing the ministry's officials to plan for intervention and activities in an appropriate and timely manner.

- **Visa System: This system started on May 19, 2003 at the MOPH's visa center. It:**

- Allows 25 regional visa centers to connect remotely to the MOPH's database using web technology and to MOPH's users through LAN technology.
- Creates a unified patient medical file, independent of the treatment place and visa issuing center.
- Allows the MOPH to view the history of every patient's file.
- Automatically rejects patients who benefit from other public funds (Army, ISF, NSSF, CSC).
- Creates a unified applicant's file to control the frequency of the requests submitted per applicant.
- Retrieves accurate statistics to help managers to take appropriate decisions.

- **Billing System:**

- Allows contracted hospitals to connect remotely to the MOPH's database using web technology.
- Bills are entered by each hospital.
- Provides information about bed occupancy status by hospital: the allowed number of beds/day v/s the occupied number of beds.
- Used as a tool for quality control.
- Provides admission diagnosis v/s discharge diagnosis, diagnosis v/s procedures etc... .

- **Interconnecting System:**

This system allows the MOPH and other public funds, namely the Army, the Internal Security Forces (ISF), the National Social Security Fund(NSSF) and the Civil Servants Cooperative (CSC), to share information about eligibility in order to avoid eligibility overlapping and double coverage. The main functionalities of the system are:

- Building a database (@MOPH) for beneficiaries in different public funds (Army, ISF, NSSF & CSC) containing demographic & eligibility information.
- Providing electronic linking of the beneficiaries databases in different public funds to the MOPH Interconnecting database.
- Performing a daily update of the Interconnecting database by establishing an automatic connection with public funds and downloading files containing updated beneficiaries information.
- Giving the public funds remote access to the centralized MOPH database for searching purposes.
- Is integrated with the Visa/Billing systems.

- **Human Resources for Health – HRH:**

The HRH system manages personal and professional data for human resources working in the health sector in Lebanon. Through this system, the MOPH now owns a database including personal and professional data for all health professionals in Lebanon except for specialized physicians and Dentists.

1.11.5 Challenges, Main Barriers and Difficulties for the Development of E-health in Lebanon

- Governmental Barriers:
 - Lack of national plan for the e-health practice in Lebanon.
 - Absence of e-health policy and standards.
 - The health sector is influenced by many underlying factors in the country, such as political instability, privatization control, and political power.
- Institutional Barriers:
 - The high cost of technology that most of the institutions cannot afford in the lack of funding resources (such as the absence of external financial support), in addition to budgetary constraints.
 - Reluctance to change from the traditional health practice to e-health practice.
 - Lack of qualified e-health professionals and training in the use of new technologies.
 - Lack of collaboration between the private and governmental healthcare organizations/institutions.
 - Lack of leadership and expertise for e-health practice (policy makers, managers).
 - Lack of interoperability in e-health practice.
 - Lack of collaboration among public and private institutions in the health sector.
 - Lack of awareness about e-health benefits in healthcare practice.
 - The need to update the administrative and organizational structures of existing health institutions.
 - Lack of health information websites.
- Socio-cultural Barriers:
 - Patients' preference of the face to face meeting and interaction with the healthcare provider.
 - Lack of patients' awareness about the benefits of e-health practice.
 - Lack of computer literacy among some patients mainly older patients.
 - Poor internet or lack of internet access especially in villages and remote areas.
 - Fear of e-health failure in a politically unstable country.
 - Electronic signature is not legalized yet by the government.
 - Complexity of the Social Security System dealing with public health insurance.

1.11.6 Lessons Learned, Next Steps and Recommendations

Efficiency in healthcare provision, provision of quality care, reaching the underserved population, and minimizing medical errors are the main driving forces to the implementation of e-health in the country. E-health practice will improve patient safety, reduce healthcare cost, allow better healthcare

management, allow better disease management, and solve the problem of shortages of healthcare providers in Lebanon.

The priorities to for successful e-health implementation are:

- National/Government level:

Compose a National e-health policies and strategies Committee in Lebanon. This committee will be in charge of:

- Establishing a 5-year e-health strategy plan to advance the use of information technology all over the health sector.
 - Dealing with the local e-health strategic planning including infrastructure, funding, policy and governance of e-health practice, besides collaborating with International e-health foundations.
 - Developing e-health competency framework to guide and help ensuring sufficient skills for various healthcare professionals, who should be also adequately prepared to train other healthcare providers.
 - Establishing a national forum that:
 - Promotes the use of telecommunications and related technology in the delivery of health care and health education in the country.
 - Facilitates and assists various healthcare organizations in developing secure and private electronic health records for the Lebanese citizens and makes health information available electronically whenever and wherever it is needed.
 - Serves as a forum for advocacy, communication and sharing of resources among communities of interest.
 - Raising awareness among the various stakeholders about the opportunities in the e-health sector in Lebanon.
 - Assisting healthcare facilities in securing the needed funds for e-health implementation from national and international resources.
 - Considering innovative financing and compensation schemes for e-health services.
 - Including e-health concepts in medical and nursing curricula.
 - Legalizing electronic signature and making it lawful by the Lebanese government in order to encourage healthcare institutions and insurance companies to promote e-health practices and data protection and liability through the development of guidelines and codes of conduct for e-health services.
 - Putting more emphasis on international cooperation in order to promote benchmarking and evaluation projects that can provide evidence to support the deployment of e-health practices.
- Ministry of Public Health Level:
 - Initiating the Electronic Health Record (EHR) system and facilitate the communication of health data between the private and public health sectors.
 - Encourage national research in e-health practices.
 - Collaborate with healthcare industry organizations such as the Health Information Management Systems Society (HIMSS).
 - Collaborate with professional communities such as the American Health Information Management Association (AHIMA).

- Establish standard national educational programs towards preparing qualified healthcare providers who are proficient in e-health practices.
- Establish standards for e-health practices while benchmarking with international standards.
- Establish a Pharmacies Network for E-prescription.
- Encourage collaboration between private and public/government healthcare organizations.
- Healthcare Facilities Level:
 - Follow the national standards, which should be developed by the MOPH.
 - Maintain confidentiality and security of electronic health data.
 - Facilitate proper access to patient records for authorized personnel.
 - Allow online access to lab and diagnostic results (X-rays, CT scans and MRIs) for patients and healthcare providers as needed.
 - Utilize the Pharmacies Network for better medication prescriptions.
 - Establish interoperability of e-health applications in health institutions with the MOPH's health information systems.

1.12 Mali: La cybersanté au Mali – des projets pilotes à une institutionnalisation réussie: leçons apprises et perspectives de passage à échelle

1.12.1 Introduction

¹³ Chaque année plus de dix millions d'enfants de moins de 5 ans meurent de maladies prévisibles telles que la pneumonie, la diarrhée et le paludisme. Un grand nombre de ces décès est dû à des causes indirectes entre autres les guerres et le VIH/SIDA. La malnutrition, le faible niveau d'hygiène, le manque d'eau potable et des soins sont incriminés dans près de la moitié des cas. Environ cinq cent mille femmes meurent pendant la grossesse, la plupart pendant l'accouchement ou dans la première semaine du postpartum.

Le Mali est l'un des pays ayant les taux mortalité infantile et maternel les plus élevés dans le monde soit respectivement 196 pour mille et 464 pour cent mille. Huit femmes meurent chaque jour des complications de la grossesse. Près d'une femme sur deux n'ont pas bénéficié de soins prénataux. Plus de 59 pour cent accouchent à la maison sans l'assistance d'accoucheuses qualifiées. Environ un enfant sur cinq meurt avant la célébration de son cinquième anniversaire. Les causes de décès des moins de cinq ans sont principalement les conditions néonatales (26%), la pneumonie (24%), la diarrhée (18%) et le paludisme (17%). Un enfant sur deux meurt de sous-alimentation et beaucoup sont malnutris.

L'accès aux soins essentiels n'est pas équitable au Mali et le taux de couverture sanitaire reste faible. Près de 8 décès sur dix des moins de cinq ans surviennent à domicile.

Selon les principales conclusions issues du Rapport de Suivi de la mise en œuvre des OMD au Mali 2010, il est invraisemblable que pour le pays d'atteindre les objectifs 4 et 5 du millénaire en 2015.

Pour combler son retard dans la mise en œuvre des OMD, le Gouvernement du Mali a élaboré le programme de l'Initiative d'accélération des OMD dans les 166 communes les plus vulnérables. Parmi les stratégies adoptées figure celle l'intégration des services essentiels pour la mère, les nouveau-nés et les moins de cinq ans au sein même de la communauté spécifiquement dans les zones éloignées et

¹³ Contribution: Ousmane Ly, Agence Nationale de Télésanté et d'Informatique Médicale (ANTIM), Mali. See document [SG02-C-0186](#)

défavorisées proposée par l'UNICEF. Il s'agit d'une stratégie qui intègre à la fois les soins à domicile, le porte à porte, l'approche communautaire et les structures sanitaires.

Le défi est aujourd'hui est d'améliorer la réactivité du système de santé malien afin qu'il puisse assurer une équité et une accessibilité à tous aux services et soins de qualité spécifiquement aux femmes enceintes et aux enfants de moins de 5 ans.

Pour faire face à de défi, malgré la précarité des moyens, avec le plus souvent l'inaccessibilité géographique, l'insuffisance des infrastructures (routes, électricité), et la lenteur de la collecte de données (due au facteur temps, l'utilisation du papier, la lenteur de la remontée de l'information, etc.) il est important, voir indispensable de mettre en place une stratégie qui soutient un mécanisme permettant en temps réel:

- de suivre et d'évaluer les actions,
- d'apporter l'expertise pour la fourniture des services et soins de qualité,
- et d'assurer le renforcement des capacités des Ressources Humaines (RH) à distance.

L'une des solutions à portée des mains est l'utilisation des TIC appliquées à la santé: la Cybersanté.

Dans le but de promouvoir une utilisation judicieuse et efficace des TIC dans le système de santé, l'Agence nationale de télésanté et d'informatique médicale (ANTIM) a été créée en 2008 sous la tutelle du Ministère de la santé par les autorités maliennes.

1.12.2 Aperçus du Pays

Le Mali est un pays continental situé au cœur de l'Afrique de l'Ouest. Il a une superficie de 1.241.238 km². Il est subdivisé en 8 régions administratives (Kayes, Koulikoro, Sikasso, Ségou, Mopti, Tombouctou, Gao, Kidal) et le District Central de Bamako qui a rang de région. Bamako est la capitale et compte environ 1.100.000 habitants.

Les régions sont subdivisées en cercles qui se répartissent en arrondissements. Dans le cadre de la décentralisation, au niveau local, le Mali compte 703 communes dont 684 communes rurales et 19 communes urbaines y compris les 6 communes du District de Bamako.

En 2010, la population est estimée à 14 500 000 habitants avec un taux d'accroissement intercensitaire de 2,2%. La majorité de la population du pays réside en milieu rural (73,2%). La situation sanitaire de la population du Mali, reflet du niveau actuel de développement socio économique, connaît aussi des améliorations significatives. Les dépenses totales de santé sont passées de 109 milliards en 1999 à 165 milliards en 2004 (CNS 1999-2004). Ces dépenses de santé proviennent essentiellement du financement direct des ménages (57%), des fonds publics (18%) et des fonds extérieurs (13%). Pour la période 1999-2004, les niveaux de morbidité et de mortalité du Mali restent parmi les plus élevés au monde et cela s'explique surtout par:

- une insuffisance des ressources financières allouées au secteur au regard des besoins de la politique sectorielle et du Programme quinquennal de Développement Sanitaire et Social (PRODESS);
- un environnement naturel insalubre et propice à la transmission des maladies infectieuses et parasitaires du fait d'une hygiène individuelle défectueuse et des comportements très souvent inadéquats face à l'environnement;
- une insuffisance de l'accès des populations à l'eau potable;
- des habitudes alimentaires sur le plan nutritionnel qui ont pour conséquence des apports nutritionnels non équilibrés et déficients aussi bien en quantité qu'en qualité (fer, iode, vitamine A), ce qui provoque des maladies et des carences;
- la persistance de certaines coutumes et traditions souvent néfastes pour la santé;
- un faible niveau d'alphabétisation, d'instruction et d'information de la population;

- une insuffisance en nombre et en qualité du personnel sanitaire et social.

Le Mali est classé selon l’OMS parmi les pays présentant une pénurie aiguë de personnel de santé, cette faible démographie se traduit par:

- 1 médecin pour 14.612 habitants (norme OMS 1 médecin pour 10.000);
- 1 infirmier d’État pour 18.145 habitants (norme OMS 1 pour 5.000);
- 1 infirmier pour 13.989 (normes OMS = 5.000);
- 1 sage femme pour 21.440 femmes en âge de procréer (norme OMS 1 pour 5.000).

Plus de la moitié du personnel socio-sanitaire du pays travaillent à Bamako: 57% des médecins, 41% des infirmiers et 64% des sages-femmes.

1.12.3 Objectifs et Stratégies

Mettre à la disposition du Ministère de la Santé, de ses services déconcentrés et décentralisés, et de tous les acteurs du système de santé l’ensemble des informations et données nécessaires pour la conduite de leurs activités en tant réel. Avec les axes stratégiques suivants:

- Renforcement des structures technologiques supportant les services de Cybersanté;
- Télémédecine et Téléexpertise: expertise et fourniture des services et soins de qualité;
- Renforcement de capacité: formations initiale et continue, la gestion des connaissances, partage des bonnes pratiques;
- Statistiques sanitaires: flux et analyse de l’information sanitaire pour la prise de décision (situation sur le terrain, recherche, prévention, promotion, données sanitaires, données relatives aux infrastructures, aux équipements, aux ressources humaines, aux produits pharmaceutiques, aux vaccins, aux réactifs et autres consommables, données économiques et financières).

1.12.4 Activités Implementées

Les activités implémentées par l’ANTIM sont de trois catégories:

- les activités de cybersanté pour soutenir l’administration de santé, à travers des solutions spécifiques s’adaptant aux réalités locales;
- les activités de cybersanté pour soutenir les pratiques cliniques et les soins aux patients, à travers des outils adaptés aux pratiques cliniques locales et la délivrance de soins adaptés;
- les activités de cybersanté pour soutenir les activités de formation initiales et continues des professionnels de santé, avec des plateformes faciles à prendre en main et adapté aux conditions de faibles bandes passantes.

1.12.5 Technologies et Solutions Deployées

L’agence a déployé des solutions intégrées de cybersanté et d’autres sont en phase de test pour diffusion ultérieure.

Solutions pour l’administration de santé: faire de l’administration numérique une réalité quotidienne au sein du ministère de la santé au Mali avec:

- LE SITE WEB: il a été développé avec le CMS Joomla et intègre l’ensemble des textes législatifs du ministère de la santé et les textes généraux du gouvernement du Mali, est le lien électronique entre le ministère et les usagers. Il a permis à l’agence de gagner le prix du jury aux TIGA Awards 2009 de la commission économique des nations unies pour l’Afrique.

- IRED MAIL: Système sécurisé de gestion intégré de la messagerie électronique avec fonction d'annuaire informatique pour les professionnels de santé permettant aux utilisateurs des services web du ministère de la santé de s'identifier une seule fois.
- LA VISIOCONFERENCE AVEC UN PONT RMX 1000, DES STATIONS POLYCOM VSX 8000 ET SOLUTION LOGICIELLE POLYCOM PVX: Ce qui permet au ministère de la santé de tenir plusieurs réunions virtuelle par visioconférence depuis Février 2008. En 2009, le passage à échèle a été effectif avec les multiples participations du ministre aux rencontres internationales et audiences interministérielles.
- Solutions cliniques (télémédecine et informatique médicale): soutenir la santé des usagers par une utilisation judicieuse du numérique.
- REEVASAN: Réseau Electronique d'Evacuation Sanitaire qui est une plateforme en ligne basée sur le moteur de IPATH (Internet Pathology) pour la gestion des évacuations sanitaires en ligne du ministère de la santé. Cet outil a aussi été utilisé pour préparer plusieurs mission humanitaires qui sont venu faire des interventions gratuites au Mali.
- IKON: qui est une plateforme de téléradiologie, permettant aux radiologues spécialistes de Bamako de donner leur second avis sur des clichés pris dans les hôpitaux régionaux (Kayes, Sikasso, Ségou, Mopti, Tombouctou et Gao).
- PESINET: est la première plate-forme mSanté supporté par l'ANTIM. Il consiste à l'utilisation du téléphone mobile pour le suivi des enfants de 0 à 5 ans. A chaque visite des enfants, les agents de pesée saisissent les poids et les données annexes concernant la santé de l'enfant (vomissements, diarrhées,...) sur un téléphone portable. Ces données sont enregistrées sur la mémoire du portable, puis transmises, via le réseau GPRS, sur une base de données.
- FRONTLINESMS: est un logiciel installé sur un téléphone mobile qui permet l'envoi et la reception de message SMS. En utilisant ce logiciel, un ordinateur branché à un téléphone portable devient un centre de communication à faible coût. C'est la plateforme qui a été utilisé dans le projet de remonter de l'information sur les décès maternels et infantiles et les stocks de produits de santé de la reproduction avec le soutien du fond des nations unies pour les activités de population (FNUAP).
- GRH PROS SANTE 21 (GRH PS21): est un logiciel de gestion des ressources humaines en ligne customisé par l'ANTIM pour les pays francophones sur la base de la plateforme iHRIS de capacity project (USAID).
- MEDIBOARD: est un système web libre de gestion d'établissement de santé. Il se définit plus précisément comme un SIH (Système d'Information Hospitalier) c'est-à-dire un PGI (Progiciel de Gestion Intégré) adapté aux établissements de santé de toute taille, du simple cabinet de praticien au centre médical multi-sites.
- OPENCLINIC: Le système d'information médicale et hospitalière OpenClinic est une solution dédiée pour structures sanitaires hospitalières et de premier niveau. Il intègre, outre la gestion classique d'une structure sanitaire, des outils de reporting d'activité conçus spécialement pour l'approche district et répond donc à une double préoccupation: avoir de l'information sur les pathologies et les activités, ce qui permettra de mettre en œuvre plus facilement un système de gestion basée sur la performance, mais sera également précieux dans le cadre de la mise en œuvre future d'un système d'assurance maladie (ou des systèmes d'exemption de paiement).
- Solutions pour la formation: faire de la formation à distance une alternative attrayante pour les professionnels de la santé au Mali.
- DUDAL: est un outil de téléenseignement à faible bande passante. Développée par le réseau RAFT à partir du système e-cours de l'Université de Genève, elle est basée sur des technologies totalement logiciels libres. N'importe quel PC java compatible peut recevoir les cours. Chaque jeudi les professionnels de santé des structures sanitaires suivent des cours diffusés sur cette plateforme dans le cadre de la formation médicale continue et du renforcement de capacité.

- ELLUMINATE/BLACKBOARD™: La plateforme Elluminate est un outil de téléenseignement à faible bande passante développé par la société Elluminate INC du Canada. Elle est basée sur la technologie Java comme Moodle et est multi-environnement. Cette plateforme est utilisée au niveau de l'agence de télésanté pour soutenir le programme de formation initiale en maintenance biomédicale, en collaboration avec l'Institut National de Formation en Science de la Santé et le collège communautaire de Barstow au Canada.

1.12.6 Changements et résultats obtenus

Le premier résultat obtenu pour le Mali est l'institutionnalisation de la cybersanté. Depuis la création de l'agence les questions de cybersanté ont été prises en compte dans les formulations des politiques sanitaires et de leurs stratégies de mise en œuvre. Ainsi dans le document du programme decenal de développement socio-sanitaire prolongé 2011, le système entend très explicitement profiter des avantages qu'offrent les technologies de l'information et de la communication.

Par ailleurs les outils web mis en place permettent de rendre plus facilement accessible les informations sur le système ce qui a eu un fort impact sur la prise de décision à temps.

Il faut noter que grâce aux différents projets pilotes d'utilisations de la téléphonie mobile pour améliorer l'accès des mères et des enfants aux services de santé de qualité, l'ANTIM a été lauréat en 2011 des prix TIGA 2011 catégorie e-santé de la commission économique des Nations Unies pour l'Afrique.

1.12.7 Défis et facteurs de réussite

Malgré les résultats obtenus, il reste de nombreux défis à relever qui sont essentiellement de trois ordres:

- Les problèmes liés à l'interopérabilité des outils et solutions déployés, surtout quand il n'y a pas suffisamment de coordination entre les initiatives des différents acteurs,
- Les problèmes de connectivité, faiblesse des bandes passantes et coûts élevés de l'accès à Internet,
- Les problèmes de changement de comportement, l'innovation fait souvent peur et son adoption fait face à des résistances,
- Enfin les problèmes de financement structuré des activités de cybersanté surtout à partir des budgets alloués à la santé.

Toutefois les facteurs de réussite sont l'existence de champions locaux qui poussent les projets de cybersanté, la disponibilité de ressources humaines qualifiées dans le domaine de la cybersanté, la volonté politique des autorités sanitaires d'adopter la cybersanté comme moyen de renforcer le système de santé.

1.12.8 Leçons apprises et prochaines étapes

Les projets pilotes et initiatives de la société civile sont nécessaires pour démarrer des activités de cybersanté. L'institutionnalisation est l'étape primordiale pour préparer le passage à l'échelle. Le passage à l'échelle a besoin de ressources financières conséquentes pour que l'utilisation de la cybersanté face la différence pour améliorer les systèmes de santé.

Enfin la perspective la plus importante pour le Mali est la suivante:

- Utiliser la cybersanté pour renforcer et améliorer le système d'information sanitaire.
- La détection des cas de maladies, le lancement des interventions pour prévenir la transmission ou réduire la morbidité et la mortalité, l'identification de nouveaux problèmes de santé (des maladies émergentes et/ou négligées), la mesure des tendances sanitaires et la recherche, nécessitent des données en général produites par la surveillance épidémiologique et le recueil périodique des données des systèmes de santé. Cette surveillance épidémiologique et ce recueil périodique des données des systèmes de santé constituent un mécanisme systématique de collecte, d'analyse, d'interprétation et de dissémination des informations sanitaires.

Pour le renforcement des systèmes d'informations sanitaires deux impératifs sont à respecter:

- Il convient de renforcer les systèmes d'information et de statistiques sanitaires dans leur ensemble plutôt que de s'intéresser à une maladie spécifique.
- Il faut tout particulièrement renforcer le rôle directeur des pays dans la production et l'utilisation de l'information sanitaire.
- Il s'agit de produire des informations pertinentes dont les parties prenantes du système de santé peuvent se servir pour prendre des décisions transparentes qui reposent sur des bases factuelles concernant les interventions sanitaires.

La cybersanté peut aider les pays à accroître considérablement leurs moyens de stockage de données et à réduire les délais précédemment nécessaires pour leur traitement. Les technologies de l'information et de la communication peuvent donc améliorer de manière spectaculaire la disponibilité, la qualité, la diffusion et l'utilisation des données liées à la santé. Si les TIC permettent d'accroître le nombre de données recueillies et d'en améliorer la qualité, elles permettent aussi de réduire les délais et d'améliorer l'analyse et l'utilisation de l'information. Une infrastructure de communication est donc nécessaire pour exploiter pleinement les informations qui sont disponibles.

Au niveau central et local, les responsables de la santé doivent donc avoir accès à une infrastructure de l'information offrant notamment des ordinateurs, le courrier électronique et un accès Internet. Bien que l'accès à Internet soit de plus en plus important, les systèmes téléphoniques de base (fixes ou mobiles) restent toujours extrêmement utiles.

Un renforcement cohérent des capacités portant sur les moyens électroniques et les ressources humaines dans l'ensemble du système de santé constitue une approche efficace.

Le minimum requis est une base de données sur les établissements de santé et les services essentiels fournis. Il faut ensuite cartographier les établissements, les ressources humaines, les budgets et les dépenses, les produits de base et les services essentiels aux niveaux national et du district. Un équipement GPS (Global Positioning System) et un système d'information géographique (SIG) sont en général utilisés pour déterminer la position géographique des sites de prestation de services et les frontières administratives, et pour les localiser sur une carte informatisée. En effet, la cartographie des ressources disponibles, des interventions spécifiques ainsi que des pathologies peut fournir des données importantes du point de vue de l'équité, et encourager les efforts visant à ce que les interventions nécessaires soient menées dans les zones périphériques et ne restent pas concentrées dans les centres urbains.

Lorsque des infrastructures de communication électronique sont disponibles, les données peuvent être saisies au niveau décentralisé pour pouvoir être immédiatement notifiées à tous les niveaux.

Enfin, le but du stockage, de l'assurance qualité, et du traitement et de la compilation des données est de présenter des informations utiles de manière crédible, cohérente et pertinente. Les données doivent être intuitives et évidentes pour les acteurs du système d'information sanitaire. Pour que l'information soit intelligible, il faut qu'elle soit lisible. Les contenus du système de gestion des données doivent être clairement libellés. Les acteurs de ce système souhaiteraient également pouvoir séparer et combiner les données du système de différentes façons. Les outils qu'ils utilisent pour accéder au système doivent être simples et faciles à utiliser, et doivent permettre de répondre aux demandes qui ont été formulées dans des délais très courts.

Une information n'a de valeur que lorsqu'elle est intégrée à d'autres informations et qu'elle est évaluée à la lumière des problèmes auxquels le système de santé est confronté. A ce stade, une information devient une base factuelle qui peut être utilisée par les décideurs. Ces bases factuelles, une fois regroupées, sont encore plus utiles lorsqu'elles sont mises en forme aux fins de présentation, de communication et de diffusion aux décideurs, de manière à changer leur perception des questions et des besoins de santé. On entre alors dans le processus de transformation des bases factuelles en connaissances qui, une fois appliqué, peut se traduire par des décisions ayant un impact direct sur la santé et sur l'équité en santé. Le

système d'information sanitaire permet ensuite de mesurer cet impact réel sur la santé, ainsi que l'évolution des indicateurs de santé.

La prise de décision est itérative et fondée sur des données factuelles, tout en s'appuyant sur un système d'information sanitaire complet à l'échelle d'un pays.

Un système d'information sanitaire n'a pas seulement pour but de produire des données de qualité, dans l'espoir qu'elles soient ensuite utilisées; il doit aussi les convertir en données crédibles et convaincantes qui éclairent les décideurs au niveau local. Des données de qualité stockées dans des systèmes d'archivage bien structurés n'ont guère d'intérêt si les utilisateurs ne peuvent y accéder pour produire des informations utiles à la prise de décision.

Beaucoup d'innovations se sont récemment produites dans le domaine des TIC et ont permis de présenter des informations et des bases factuelles complexes dans des formats qui attirent l'attention des décideurs et de communiquer efficacement les messages contenus dans l'information. Certaines méthodes s'appuient sur un accès via Internet ou un ordinateur à des données provenant de systèmes d'archivage ou d'observatoires présentées sous une forme interactive. De nouveaux outils d'analyse informatisés permettent d'établir des rapports normalisés riches en présentations graphiques (et même cartographiques) de l'information. Les formulaires de notification, les descriptifs et les résumés normalisés sont également très efficaces. Ces formats doivent orienter les décideurs en leur fournissant des interprétations fondées sur les conséquences probables des décisions et des scénarios de rechange qu'ils envisagent. L'information peut également être diffusée par l'intermédiaire d'ateliers, de revues médicales, de réunions entre homologues et des médias.

La mise en place d'une architecture de l'information en tant que ressource commune au niveau national et du district est une étape indispensable pour améliorer les pratiques en matière d'information et pour pouvoir effectuer les analyses de qualité nécessaires. C'est à partir de ce niveau d'analyse que les résultats sont utilisés pour l'élaboration des politiques et la planification stratégique. Ces analyses, interprétations et activités de sensibilisation ne sont pas spontanées. Elles requièrent en effet la mise en forme, la communication et la diffusion selon une présentation et dans un langage accessibles aux décideurs de haut niveau. Un aspect qui est souvent négligé dans la plupart des systèmes d'information sanitaire.

L'une des fonctions les plus importantes du système d'information sanitaire est de relier la production à l'utilisation des données. Ceux qui sont chargés de collecter les données doivent aussi tirer parti de leur utilisation. Les utilisateurs comprennent les prestataires de soins, les responsables de la gestion et de la planification des programmes. De manière plus générale, les utilisateurs comprennent ceux qui financent les programmes de soins dans les pays (ministères de la santé et des finances) et à l'extérieur (donateurs, banques de développement et organismes d'appui technique). Les utilisateurs des données sanitaires ne se limitent pas aux professionnels des soins de santé, aux gestionnaires et aux statisticiens. La prise de décision concernant les priorités de santé d'un pays implique nécessairement les populations, la société civile et les décideurs.

1.13 Niger: E-health Status and Prospects in Niger

1.13.1 Current Status

¹⁴The implementation of e-health in a country often calls for the establishment of either an e-health policy or an ICT development policy with an e-health component. In Niger, there is something of a blank

¹⁴ Contribution: Yaya Arouna, Telecom Engineer, Multisectoral Regulatory Authority (ARM), Niger. See document [SG02-C-017](#)

slate, insofar as, apart from the NICI plan¹⁵, there is nothing to suggest that there are any policies, standards or legal or institutional arrangements in this area.

There are however some activities that may be considered as falling within the domain of e-health, namely communications using VSAT to connect regional structures to the districts under a project known as RAFT (Telemedicine Network in French-speaking Africa).

The activities focus primarily on remote radiology between national, regional and district hospitals, remote consultation and remote expertise using the RAFT Ipath tool, as well as distance learning with weekly RAFT e-courses every Thursday at 0900 hours UTC.¹⁶

There has also been some institutionalization of e-health with the establishment of an E-health Development Support Unit under the responsibility of the office of the Minister for Public Health.

Even though these are only very basic steps, it is encouraging to note for the future that Niger is getting involved in a regional movement towards establishing a genuine e-health framework in order to address and overcome some of the inherent problems within the health system, with the aim of achieving the MDGs. What does this movement entail?

1.13.2 E-health prospects

Rather than confining themselves to a national perspective, the member countries of the Economic Community of West African States (ECOWAS), including Niger, have shown a clear desire to move forward together as a region.

With this in mind, they have envisaged an e-health strategic plan for this regional African block. The plan sets out the vision and strategic orientations, along with implementation projects. It is these aspects which we will try to develop for the future of e-health in Niger.

1.13.3 Vision

The ECOWAS countries are committed to implementing e-health through an agreed vision: “E-health: reducing distances and improving access for rural populations in particular to quality health services in an integrated space”. A strategic plan¹⁷ with orientations has been established for the period 2011–2013.

1.13.4 Strategic orientations

Several strategic directions have been defined to ensure the success of the plan, whose primary aim is to significantly improve the quality of the management of health and treatment systems for the populations of the region, by developing and supporting integrated health policies and reform initiatives.

These strategic directions are as follows:

- Strengthening countries’ systems using e-health as a means of improving coordination, harmonizing human resources policies and management in the health domain within the regional Community space.
- Use e-health to strengthen and improve the health information system.
- Integrate e-health in the overall service portfolio of health structures within the Community space.
- Ensure the availability of a reliable and sustainable subregional infrastructure capable of supporting e-health applications.

¹⁵ Plan for the implementation of a governmental intranet. <http://www.pnud.ne/RaportplanNICI.pdf>.

¹⁶ Strategic plan for the development of e-health in ECOWAS – 2011 to 2013.

¹⁷ http://www.sante.gov.ml/docs/PSDC_OOAS_1er_fevrier2011.pdf.

- Use e-health as a means of initial and continuous training, knowledge management, promotion and dissemination of good practices within the Community space.
- Use e-health to support research activities.
- Use e-health to promote traditional medicine.
- Ensure that e-health is accepted and adopted by all stakeholders, through successful change management.

It is these defined directions that must guide projects to be implemented. We shall confine ourselves here to highlighting a few projects which appear to be the most important.

1.13.5 E-health Implementation projects

The projects identified include:


- **Project for the elaboration of a national e-health plan**

Under this project, each member state, including Niger, is to draw up a national e-health plan (NEHP).

- **Project for a national health data repository (NHDR)**

Countries' health systems are confronted by serious problems of management, storage and archiving of data collected by the various health information subsystems. This observation is corroborated by recurrent delays in the publication and dissemination of collections of health information statistics.


Figure 9: Project for a national health data repository (NHDR)



The NHDR is a comprehensive and definitive solution to the problems of management, dissemination, use, storage and archiving of health information.

NHDR is a reliable medium supporting various applications: telemedicine, medical information (Clinical Information System, Medicine Information System, Radiology and Laboratory Information System, etc.), administrative management, health information system and planning.

Figure 10: Project for a mobile health fleet



The objective of this project, in the mind of its developers, would be to allow real-time and secure transmission of health information using mobile telephony and to automate the process of analysing, processing and disseminating health information.

To this end, technological solutions are considered, as described in brief below.

The idea is to network mobile telephone terminals supporting the transmission of data and sms. The fleet also supports voice. An infrastructure diagram for such a mobile fleet is shown below.

Terminals are loaded with forms to be completed with data in the field, which once captured will be transmitted via GSM terminals or smartphones to specially-equipped servers in the NHDR.

The data transmitted are automatically processed and can be exploited by any authorized health professional. In addition to data transmission for the health information system, health professionals with terminals in the fleet can communicate with each other by voice and sms. The terminals in the fleet can only communicate with each other.

Figure 11: Terminals in the fleet



- Physical infrastructure

The physical infrastructure consists of mobile terminals and the infrastructure of the suitably equipped NHDR. The mobile terminals are GSM phones, smartphones and netbooks.

- Software solution

FrontlineSMS is a freeware allowing the sending and reception of sms messages. Using this software, a computer connected to a mobile phone (see Figure 11) becomes a low-cost communication centre. Only the operator's sms price is charged.

Figure 12: Computer converted into an sms communication centre



Use of the Patient View module creates a new user interface in FrontlineSMS. It allows all relevant data concerning a patient to be displayed. Health workers will also be in a position to sort, update and add new entries concerning the patient via the central computer and the mobile phone. This yields a mini computerized medical file, as shown in Figure 12.

In addition to these projects, it should be mentioned that, in cooperation with India, a project for a pan-African e-network with an e-health component is under way, which provides for the installation of a VSAT in the national hospital (NH) at Lambordé (university hospital centre).

1.13.6 Conclusion

It clearly emerges that, in terms of e-health, Niger is really only at the planning stage. Today, based on the current development of the telecommunication/ICT infrastructure, Niger intends to speed up these projects. To this end, it will be requesting ITU/BDT support through the relevant programmes, in particular Programme 5, whose purpose is to help least developed countries (LDCs) members of ITU with targeted assistance for their economic and social development.

1.14 Pakistan: e-Health in Pakistan

1.14.1 Telehealth initiatives in Pakistan

- ¹⁸Telemedicine/e-health Training Centre was established at Holy Family Hospital, Rawalpindi to train medical staff of the region in telemedicine applications. This was a joint collaboration between ministries of science and technology of Pakistan and USA. The project was a six months' pilot in which a model training centre was established in Holy Family Hospital and connected to a remote telemedicine centre in a rural area. This has acted as a training ground for telemedicine training of doctors and nurses. In the initial phase 45 doctors and nurses from Rawalpindi region were trained in telemedicine applications.

¹⁸ Asif Zafar Malik, Professor of Surgery, Holy Family Hospital, Rawalpindi, Pakistan. See document [RGQ14.3.2-INF-0003](#)

- Ministry of Information Technology: Health Net Project - Ministry of Information Technology launched its Health Net Project in November 2007 and this initiative is in the implementation phase. This project is being funded by Federal Ministry of Information Technology for three years with a commitment from Provincial Governments of Punjab and Sind to continue and bear the cost of recurring expenditure. MoIT-Health NET is a telemedicine project meant to assist the government in transforming delivery of healthcare services and making them available at the doorsteps of the common man, through the use of Information and Communication Technology.
- The project demonstrated the use of technology as a solution for overcoming the lack of quality healthcare infrastructure in rural/remote areas of Pakistan. The objective is being achieved through setting up telemedicine hubs in tertiary care centres connected via PAKSAT-1 to 4 telemedicine centres in rural hospitals, by utilizing and complementing available national resources and infrastructure. A total of fifteen satellite based telemedicine centres have been established all over the Pakistan. Tertiary care centre at Holy Family Hospital, Rawalpindi and Mayo Hospital, Lahore in Punjab Province and one hub centre JPMC, Karachi in Sind Province have been identified as hubs for providing telemedicine consultations to their remote catchment areas. Each of these hubs has been linked with four remote sites through satellite connectivity. All these centres are equipped with telemedicine peripherals to facilitate the teleconsultations in radiology, Surgery, Medicine, Cardiology, Otolaryngology, Dermatology, psychiatry and orthopaedics. Regular consultations are being provided to remote patients through this network. The Government of Pakistan has taken a bold initiative to utilize ICT for transforming delivery of public services by making such services more effective, inclusive, efficient and available at the door steps of common men. Setting up rural telemedicine centres has enabled rural population to seek consultation, advice and treatment from specialist doctors in urban centre hospitals, without having to travel hundreds of kilometres and spending their meagre financial resources on related transportation and accommodation costs. The project also provides training in advanced treatments and diagnostics to doctors working in rural/remote hospitals, through interaction with specialist doctors in urban hospitals. In the last three years thousands of patients in these remote districts have benefited from the Telemedicine rural support program.

1.14.2 e-Health initiatives: The Aga Khan University Karachi (AKU)

- Telehealth/telemedicine: Tele-radiology Project between AKU and French Medical Institute for Children (FMIC) Kabul, Telehealth Project in Northern Areas of Pakistan (Districts Gilgit, Gizar and Hunza) extending up to the Pakistan China Border.
- Health Informatics: Developed 47 integrated clinical information systems, PACS are implemented according to global standard. AKU is also conducting a Cost Benefit Analysis of available Hospital Information management system. The University is working with Ministry of Health (HMIS-cell) in designing and implementing Real time Bio Surveillance system for the country.
- E-Learning
- Geographic Information Systems (GIS) GIS: Environmental Health, GPS use in Tobacco Control study to collect point data

1.14.3 Ministry of Science and Technology: Multitasking of Telemedicine/E-Health Training Centre

- Joint collaboration between USA and Pakistan in field of science and technology opened a new era of telemedicine training. This has led to the establishment of Telemedicine/E-health training Centre at HFH to train doctors and nurses in the field of telemedicine.
- Telemedicine/E-Health training centre is a designated facility for e-health training and is jointly working with Virginia Commonwealth University, USA. Four remote hospitals are attached to the centre through satellite connectivity. These hospitals are DHQ hospitals in Attock, Khushab, Gujrat and THQ hospital, Pindi Gheb. This centre has trained more than 100 doctors and nurses in

Telemedicine applications so far. In the initial phase medical staff from Rawalpindi/Islamabad region was trained and now in the second phase 60 more people have been trained. These trainees were from various institutions all over Pakistan and after completing their training are actively using telemedicine to strengthen healthcare delivery in their own institutions.

- Telemedicine/E-Health Training centre also established tele-rehabilitation centre in Muzaffarabad, Kashmir for paraplegics of recent earthquake. During the earthquake of 2005, 194 paraplegics (because of spinal cord injuries) were brought to Rawalpindi Medical College and allied hospitals. These patients received their initial treatment at these hospitals and were discharged after that. The hub of this Tele-rehabilitation network is at Holy Family Hospital. The remote centre is in Muzaffarabad hospital. Telemedicine/E-health training centre will train patients and their attendants in utilization of Tele-rehabilitation services. Development of pressure ulcers, which are a known complication of paraplegics, will be monitored. Physiotherapy measures will be taught to patients and progress will be evaluated. Moreover satisfaction of patients and their attendants regarding the use of this technology will be evaluated.
- US State Department's Pakistan Telemedicine Project – is providing expanded medical care – pre-operative planning and follow-up; cardiac assessment; ophthalmology, dermatology, radiology, infectious disease, and perinatal evaluations; and medical triage for traumas and acute illnesses. Another important aspect of the project is building capacity for healthcare services via virtual clinical grand rounds for medical education. The partnership includes Wateen Telecom, Motorola Inc., Medweb Inc., USAID, the U.S. Department of Defense Telemedicine and Advanced Technology Research Center, the Pakistani Government, and Telemedicine & E-Health Training Center, Holy Family Hospital in Rawalpindi and District Headquarters Hospital in Attock.
- Emergency Telemedicine Response in Pakistan.

1.14.4 Role of International Telecommunication Union

- The 2005 Earthquake of Pakistan left widespread destruction, killing at least 80,000 people, severely injuring another 70,000 and leaving 2.8 million people without shelter. Telemedicine center developed mobile telemedicine units with collaboration of International telecommunication union (ITU) and INTEL. International Telecommunication Union provided on loan 15 Inmar-Sat Satellite modems to be deployed in areas where there was no communication available. Telemedicine centers were established in NWFP and AJK, most affected areas of Pakistan. These centers were established in existing relief hospitals. The Medical staff got consultation about the earthquake victims from consultants at the hub.
- On 10th December 2007, the International Telecommunication Union (ITU), and the Telemedicine & e-Health Training Center, Holy Family Hospital of Rawalpindi in Pakistan signed a Memorandum of Understanding (MoU) for Cooperation in Disaster Preparedness and Response through Telemedicine and e-Health. The Parties have already successfully collaborated in the area of telemedicine and emergency telecommunications following the massive earthquake that struck the Pakistan-India border area in October 2005, during which a total of 25 medical doctors were trained in the use of 55 satellite terminals in delivering telemedicine services and applications. The Parties intend to implement joint projects/activities, share information on e-Health, and cooperate on enhancing access to information related to emergency telecommunications and telemedicine for disaster preparedness and disaster relief.
- Emergency Response Telemedicine Vehicle: 2009 – Holy family hospital (HFH) was one of the hospitals actively involved to provide health care to Internally Displaced Persons (IDPs) of Swat and Mardan districts. Apart from mobilizing teams to provide on-site medical care, telemedicine was added to strengthen these services. Initially, teams comprising of doctors of all major specialties like Surgery, Medicine, Ob/Gyne, ENT/EYE and Paramedics were in Mardan. It was then possible to cover all other specialties and at the same time have opinions from senior medical staff based at Holy Family Hospital. This was possible by Mobile Telemedicine vehicle made operational under supervision of Telemedicine/E-Health Training Center at Holy Family Hospital. Teams from HFH

including doctors and paramedics were sent to refugee camps to address their medical problems. Specialist support to these teams was provided through Teleconsultations utilizing a Mobile Telemedicine vehicle. This was indigenous customization of an ordinary vehicle. The capsule of the vehicle was designed and developed locally. The satellite dish for communication was mounted on the top. The vehicle was further equipped with Video Conferencing equipment and telemedicine tools like general examination camera, Otolaryngoscope, ECG, related medical and IT equipment. Satellite connectivity was provided by Pak Datacom. The medical staff at refugee camps, after initial evaluation of the patients, used to discuss it with specialists at HFH for further evaluation and management.

1.14.5 Floods in Pakistan in 2010

- Multitasking of Existing Rural Telemedicine network
 - Rajanpur and D.G. Khan are in the middle of the worst affected areas of lower Punjab. Hospitals in these cities are part of the Telemedicine network of rural support program Pakistan. Fortunately these facilities were not damaged during the floods. Telemedicine and e-Health training centre streamlined the Emergency Telemedicine response in the wake of floods utilizing the existing satellite network provided by the Ministry of Information and Technology. Mayo Hospital Lahore and Holy Family Hospital Hubs have been running virtual clinics and providing teleconsultations to patients in attending remote sites.
 - The methodology is simple, utilizing video link. Specialists from Departments of Medicine, Paediatrics, Dermatology and other specialities are available daily according to schedule provided to remote sites. The IT resource person and paramedics at the remote sites are facilitating these consultations while staff at the local hospital is busy providing care at camp sites. Since the start of these services more than 3593 patients have received treatment. Predominant amongst these are skin conditions and waterborne diseases like Gastroenteritis as predicted and expected. This data is extremely useful for Health departments to plan relief operations by mobile health teams.
- Mobile Telemedicine centres in Gilget, Baltistan, Rural Sindh and Punjab:
 - International Telecommunication Union was once again in the forefront to assist Pakistan during the floods. It airlifted equipment for Telecommunication like data terminals, Inmarsat satellite modems and Satellite phones. Federal Ministry of Information Technology coordinated these efforts by releasing the equipment, and getting relevant licences from PTA for using this equipment. Telemedicine and e-Health training centre was entrusted the task of training and coordinating these efforts in setting up mobile telemedicine centers. On-site training was arranged for staff of AKU, HDF, SEECs (NUST) and Attock district staff. These centres are operating all over the country, and ITU has very kindly extended the connectivity period for a further three months.
- International e-Health Conferences in Pakistan:
 - First International e-Health Conference – The e-Health Association of Pakistan organized its first International e-Health Conference at the Aga Khan University, Karachi on 23-24 January 2010. The conference was telecasted live at the National University of Science and Technology, Islamabad. The conference attracted stakeholders from the Ministries of Health and Information Technology, National and International development organizations, health care institutions, academic institutions in health, engineering and telecommunication, and students from a variety of disciplines. Several keynote addresses, scientific sessions, workshops and panel discussions were arranged to provide opportunity to the experts, researchers, and participants to share their views.
 - Second International e-Health Conference – The e-Health Association of Pakistan organized its Second International e-Health Conference at the International Islamic University, Islamabad, Pakistan on 22-23 January 2011. The conference was telecasted live at the Aga

Khan University, Karachi. This Conference was a unique feature in Pakistan, allowing healthcare providers, allied health professionals, IT experts, telecommunication companies, managers, and educational institutions in health, biomedical and IT fields to reflect on ways to collaborate for improving health of the population.

- e-HAP Workshops – Considering the growing demand of e-Health, a two-day Knowledge Sharing Workshop “e-Health Knowledge Sharing workshop”, was organized by e-Health Association of Pakistan (e-HAP) in collaboration with LIRNEasia, Sri Lanka on 29-30 September 2010 at Islamabad Club, Islamabad, Pakistan. The purpose of the workshop was to share and compare the findings of e-Health initiatives in Pakistan and other South East Asian countries. The workshop was attended by representatives from the Ministries of Health and IT, public and private healthcare institutions, NGOs and academic institutions.

1.14.6 Research and Development in e-Health Pakistan

- NUST University Islamabad: Healthcare Applications Interoperability through Implementation of HL7 Web Service Basic Profile.
- FAST University Islamabad: Next Generation Intelligent Networks Research Centre Remote Patient Monitoring System with Focus on Antenatal Care.
- LUMS, LAHORE: A Low Cost Ultrasound Training Simulator: Investigating Wavelet based Video Coding and Video Conference Applications.
- Aga Khan University: PANACEa project (PAN Asian Collaborative for Evidence-based e-Health Adoption and Application):
 - Research in e-Health in 12 Asian countries. Use of Mobile Phone in Bridging the Gap for Referral of Pregnant Women.
 - Mainstreaming e-Health initiatives in primary care: an evidence-based approach Online TB Diagnostic Committees for Clinically Suspect Sputum Negative Patients in the TB-DOTS Program.
- Regional and International Cooperation: Telemedicine/E-health.

Pakistan is playing a key role in establishing collaborations internationally and in the SAARC region, to promote e-health by partnering with International organizations like: APT, SAARC, WHO, ATA and Rockefeller Foundation.

1.15 Tanzania: Status of e-Health in the United Republic of Tanzania

1.15.1 National Optical Fiber Backbone: For Telemedicine Services

¹⁹The e-governance initiative of the Government of Tanzania is to establish the National Fibre Optic Backbone to provide essential connectivity for e-services. The network now covers all regional centres and will be extended to all districts beginning the second half of year 2012. We are planning to take advantage of this e-governance initiative to establish the connectivity needed for telemedicine.

In June 2011, the India-Tanzania Centre of Excellency in ICT provided, among other things, telemedicine related facilities (bed + mattress; ECG Machine; DVD Player; X-ray Scanner; Microscope with Digital Camera; TV Screen; Conferencing camera and telemedicine software) which have been installed in 10 hospitals.

¹⁹ Contribution: Deogratius A. Moyo, Tanzania Communications Regulatory Authority (TCRA), Tanzania (United Republic of). See document [SG02-C-0228](#)

In mid 2011, the Hon. Prof. Makame Mbarawa, Minister of Communication, Science and Technology called a stakeholders meeting to discuss on how to harmonize the telemedicine initiatives in Tanzania. During that meeting, the National e-Health Committee was formed including members from different organs as outlined below. It was further agreed that, to start with as pilot project, two rural hospitals and three referral hospitals will be connected this year. Currently, all necessary preparations for establishing this pilot project are in place. The project is planned to offer the following categories of services:

- Consultations with Specialists: patient/doctor consultation through mobile phones or internet;
- Videoconferencing: Clinical Case presentations, Clinical Pathological Conferences, Tumor Boards, State of the Art Presentations by specialists;
- Continuing Medical Education: Clinical Materials prepared by Specialists, Service Policies & Procedures for quality improvement, and Pre-service training of various health professionals.

1.15.2 Challenges

The connectivity and operation of this project, however, faces some challenges as follows:

- High cost in connectivity from the National Telecommunications company.
- Lack of fund for training of doctors and nurses.
- Lack of sustainability assurance.
- No framework for telemedicine and related policies, regulations and procedures.
- Telephone Communications among Health Workers

Communication among health workers is essential for consultations, referrals and facilitating the telemedicine services. In 2011, the National Referral Hospital in Dar es Salaam (Muhimbili) initiated a plan to establish a closed user group among health facilities, staff and doctors within hospital through mobile network services from national telecom company (Tanzania Telecommunications Company Limited-TTCL). In this initiative, all doctors, wards, laboratories and radiology sections were included in a closed user group with freely unlimited calls among them. Extension of the closed user group countrywide is constrained by limited coverage of TTCL mobile services.

While TTCL is exploring the possibility of integrating their landline services for countrywide coverage, the Ministry of Health and Social Welfare (MOHSW) has agreed to join efforts with Switchboard Company of the USA and one of the largest mobile company in Tanzania (Vodacom Tanzania Limited) to establish a mobile closed user group to include all key health workers in all Vodacom covered areas in Tanzania. There will be no direct financial implications to MOHSW and all voice calls and text messages within the group will be free. An MOU is being finalised and network establishment is planned to start this year.

1.15.3 Recommendations

Following the challenges faced by the Government of Tanzania in implementing e-health services, we appeal to ITU and other players for support in knowledge sharing, fund, and training.

1.16 Turkey

1.16.1 Case 1: TEPE – Turk Telekom Technological Cooperation: Integrated Healthcare Management Information System

²⁰Integrated Healthcare Management Information System (IHMS) is realized by TEPE Technologies and Turk Telekom Cooperation. IHMS is an integrated software system that permits to manage and store all data of “A Class” Healthcare Providers. In this cooperation, the software system is provided by the TEPE Technologies and Turk Telekom provides 2 Mbit internet connection and personal data security.

IHMS can be a good example of the cooperation between telecommunication companies and software information companies in the health sector.

Introduction


Integrated Healthcare Management Information System (IHMS) is designed by TEPE Technological Services. IHMS is an integrated software system that permits to manage and store all data of “A Class” Healthcare Providers. The main purpose of IHMS is to serve the right information at the right time to the right person continuously and directly, all the system components are designed and implemented for asynchronous (Store-forward) operation as well as synchronous for the highest resilience.

Since Integrated Healthcare Management Information System (IHMS) is a holistic system primarily developed for forthcoming healthcare providers. IHMS is a total system comprehending:

- End-to-end collaboration of primary, secondary and academic healthcare units upon standardized clinical and administrative Hospital Information System (HIS) workflows and business processes.
- Utilization of centralized framework using common Master Plan Index and Electronic Health Records databases.
- Empowerment of medical diagnosis and treatment systems with state-of-art Medical Ontologies, Classification and Coding Corpus.
- Co-execution with a centralized and Coding Corpus.
- Elevated point-of-interest decision support and in-depth OLAP analyses designed for different command levels.
- Centralized system administration and control functions warranting rapid, remote and scalable installation.

²⁰ Contribution: Arikan Dalkilic, Turk Telekom Group, Turkey. See document [SG02-INF-0058](#)

Figure 13: Integrated Healthcare Management Information System (IHMIS)



IHMIS infrastructure designed upon core technological components listed below:

- **Medical Data Dictionary:** Enterprise Medical Data Dictionary, a specific database, has an information model that will be the guide for forming an electronic patient record. Medical Data Dictionary will be an information system that will consist of a controlled medical vocabulary including third party coding systems such as ICD-10, CPT and SNOMED, a semantic tool that makes possible to establish semantic relations between medical concepts and a database.
- **Clinical Data Repository:** In order to create life-time electronic patient record, Enterprise Clinical Data Repository(CDR) will be developed which will support problem-oriented medical record structure and will become a central database that the physicians could reach at the point care, analyze data, input data. CDR will be developed as complying with ASTM and HL7 standards.
- **Master Patient Index System:** Enterprise Master Patient Index (MPR) will be developed in order to describe patient patients' (?) apply to one of the institution' rapidly and correctly. Enterprise MPR will integrate about patients' demographic and their applications will be obtained centrally and summarized.
- **Clinical Workstation Application Software:** An easy to learn and user friendly interface will be developed that allows users to reach previous records (if any) of inpatients and outpatients. The user interface having open system characteristics will be developed via utilizing CCOW (Clinical Context Object Workgroup) standards and components as DCOM, COM+, etc., XML technologies.
- **Enterprise Registration System(ERS):** will provide unique solution for executing all record processes of all related departments according to the Enterprise workflow, ERS will be developed as complying with ASTM and HL7 RADT(registration, administration, discharge, transfer) standards and Enterprise MPR will be a part of ERS applications. ERS will also include an appointment system that allows programming institutions, medical sources and patients' time.
- **Case-Mix Classification Systems:** Standard data sets will be created for inpatient and outpatient in order to be able to evaluate healthcare quality and costs and deliver internationally comparable information.
- **Data Entry Tools:** One of the main principles in creating electronic patient record is to guarantee entering structured and coded data of the electronic patient records. By using enterprise medical data dictionary; will be developed natural language processing tools for structured and coded data entry from free medical texts in electronic environment and dynamic data entry tools for directly structured and coded data entry.
- **Enterprise Object Oriented Workflow Platform:** will be developed in order to make it possible to set relations possible to set relations between Enterprise EPRS and enterprise resources such as

healthcare personnel, medical units and medical equipment, work according to the enterprise workflow and exchange data institution's other information systems. Enterprise Object Oriented Workflow Platform; will include a flexible and adaptable modelling tool that will make possible to model enterprise sources and workflows and a messaging interface with HL7 standard to provide data exchange between other health information systems such as hospital information system(HIS) of Enterprise EPRS in institution, laboratory information system(RIS), radiology information system(LIS).

Successful Case Analysis: Turkish Armed Forces and IHMIS


Turkish Armed Forces (TAF) has used the Integrated Healthcare Management Information System (IHMIS) for more than 10 years. TAF IHMIS covers whole country, 3 academic level and 44 secondary level hospitals, and served over 2,5 million people. TAF IHMIS is the second largest national healthcare system of Turkey, after Ministry of Health hospitals.

TAF IHMIS holds and executes total capabilities of a healthcare system including essential medical processes, military healthcare logistics and public reimbursement regime. TAF IHMIS is a globally unique project not only due to its extended capabilities but also its technological pillars. TAF IHMIS, is almost one of the successful projects throughout the world employing longitudinal electronic health records (EHR). TAF IHMIS ensures lifetime health records of personnel accessible under patient privacy and safety legislation. TAF IHMIS executes an end-to-end healthcare logistics workflow which is traceable from procurement till terminal point-of-use. In financial terms TAF IHMIS manages a healthcare service approximately two billion dollars per year. TAF IHMIS project is accepted as a backbone system for TAF military requirements, namely progressing towards mission area mobility and interoperability.

TEPE Technological Services, as a total solution provider supports its clientele with an implementation methodology. An illustrated development and deployment methodology of TEPE is given below.

The methodology encompasses hand-to-hand execution of project engineering and product line engineering. Since IHMIS is an enterprise management platform is stretch, primary step of the implementation starts with domain analysis. Domain analysis step ensures proper and in-depth analysis of client requirements. The analysis also covers workflow and user interface requirements. The logical design of the tailored solution accordance with the client requirements are supported by domain expertise and whole perspective of business requirements. The outcome of domain analysis is converted into initial system implementation. The implementation steps were shown in Figure 14.

Figure 14 Deployment methodology of TEPE



The initial implementation is the transition phase before full scale implementation and covers all preliminary setup of databases, preset user interfaces and roles/privileges that is adapted to user environment. Over the initial implementation, the software bundle customized with respect to client workflows, additional development were accomplished and finally the final system design is made to ready for integration tests. Integration tests were conducted with simulated yet full scale data sets plus, integration of medical devices and other third party solutions. After the successful integration tests, the system deployed to client production environment and data migration tasks finished. With the ultimate performance tuning, the system is accounted as available to go-live phase.

About Tepe Technologies:

TEPE is an innovator and leading company that produces and invests real national technologies, has a place in international information technology market, produces and shares information and sets standards, is perceived as a brand, is being consulted and its solutions are taken as a reference in the field of health informatics and workflow systems.

TEPE Technological Services designs and delivers applications on internationally acknowledged health informatics standards since 1993. Company:

- Produces information technology solution to provide the information management requirements of institutions in all levels and make them work in more efficient, qualified and productive manner.
- Develops information systems that deliver the right information to the right person at the right time and in the right level.
- Delivers information systems that determine working manner of the customers and cause measurability of works, in the field of production, development, implementation and integration of information technologies.

1.16.2 Case 2: The Application of Central Hospital Appointment System (CHAS)

Generally, the main problems of developing countries, like Turkey, are the financial problem and lack of the specialist doctors. Moreover developing countries face with the challenge of using existence resource in effectively.

The project which was designed by the cooperation of the Turkish Ministry of Health and Turk Telekom can be good example for developing countries common problems. We believe that the project Central Hospital Appointment System (CHAS) must be assessed in the ITU's platform.

What is the CHAS?

CHAS is a kind of service that helps citizen for make an appointment for the health centres according to needs of the citizens.

Firstly, citizens must call the number 182 in order to benefit from this system. The alive operator will answer the call. The main purpose of the call centre is to direct the citizen to the most suitable health centre. Of course, citizen can declare his/her demand about the name of hospital and the name of the doctor. Call Centres try to help the citizen to realize his request. However, if citizen's request is not suitable in the selected time slot, call centre can direct the citizens another health centre. Moreover, Operator must interest the problem of the citizen intimately. If first aid information is needed, Operator can help; also during emergency situation Operator can inform emergency teams like ambulance etc.

The citizens also benefit from the number 182 by expressing their concerns and their complaints about the health services. Operators interest and note the complaints, and they send their notes to the relevant division of the Health Ministry.

Basically, how does it work?

- 1) In order to benefit from the services, the citizen must call the number 182. The citizen can use either fixed or mobile phones.
- 2) The alive operator will answer the call. The citizen must share his/her identity number by operator for acceptance of request.
- 3) Citizen declares to operator to which hospital he wants to go and which doctor he wants to contact.
- 4) Operator checks the agenda of the relevant hospital and relevant doctor.
- 5) Operator informs the citizen about the available time slot.
- 6) If the appointment date is not suitable for citizen, Operator can suggest alternative time slot.
- 7) After the agreement, the talk is finished.
- 8) Citizen must be in hospital 30 minutes before the appointment time and Citizen must make registration at the hospital.
- 9) Citizen can cancel the appointment time with by 182 thereafter.

CHAS system has 4 main processes:


- Main Process 1: Processing the appointment request
 - After calling number 182, the citizen must give his/her identity number.
 - After the endorsement of the identity number of citizen, the appointment is approved by the Operator.
 - If Citizens doesn't know his/her identity number, Citizen must share his/her identity information with operators.
- Main Process 2: Cancellation of Appointment (by Citizen)
 - If the citizen wants to cancel the appointment, she/he must declare his/her identity number or information by calling the number 182 again.
- Main Process 3: Cancellation of Appointment (by Doctor)
 - If the Doctor has some urgent work to do, appointment can be cancelled.

- Patients are called by the operators
- New Appointment time is offered.
- Main Process 4: The Pursuit Of Appointment
 - Operator also controls all appointments day by day.
 - After the appointment time, Operators call the citizens who benefit from CHAS
 - The purpose of this call is to learn the view of the citizen about CHAS services, if there are important complaints; the complaints are recorded than the results sent to Center of the Minister of Health.
 - Moreover, Surveys are applied by the operators.

General Survey Question:

- Did you examine in the appointment time?
- Did your doctor examine you in the appointment time?
- If another doctor examined you, how they explained this situation?
- In general, how many points you give CHAS? (1=minimum, 5=maximum)

Figure 15: Example of CHAS survey



Few Solution of Question

The organization chart of Hospitals for CHAS

The main responsibility of Hospital is to organize the CHAS system properly. Each Hospital employees must work for the success of the CHAS.

The assistant head of hospital is the main responsible for the project. She/he must prepare the working agendas of each doctor in the hospitals. The agendas must be approved by head of hospital.

Responsible of Working Agenda controls the fulfillment of the all working agendas.

Responsible of CHRS Software deals with technical aspect of project.

Reception Employee must welcome the citizen and they must answer all questions of the citizens.

The Duty of Doctors

- Hospitals must prepare each doctor's working agenda for every month,
- Doctor must accept and sign the conditions of working agenda for every month,
- Doctor must obey the conditions of the working agenda properly.

- Doctor may not be in holiday during process.
- Doctor can cancel the appointment only if acceptable urgent conditions are occurred.
- Working agendas of Doctors is controlled by the assistant Head of Hospital.
- The purposes of CHAS Projects are the following:
 - To increase the efficiency and the quality of health services which are given by Turkish Health Ministry.
 - To increase the public satisfaction about health services.
 - To compose the limited resources allocation (the usage of the man power and equipment).
 - To decrease the crowd density in the hospitals.
- CHAS will also help for equal services rights of the people. With this system, people will access to the equal health services.
- The health workers will work more efficiently.

Figure 16: Example of CHAS or doctors

Doctor who obeys the appointment time

(MAY 2010)

Doctor	Number	Percentage
obeys appointment time	3852	96%
doesn't obey appointment time	161	4%
Total	4013	100%

The Cause of Doctors who are not on time the appointment time

Doctor was	Number	Percentage
On Vacation	48	31%
In Surgical Operation	25	16%
In Different Department	13	8%
In Lunch	5	3%
Unknown	65	42%

How many points you can give for CHAS?

Point	No of People	%
5	3206	80%
4	544	12%
3	178	6%
2	48	1%
1	37	1%
Total	4013	100%

Did you experience a problem with call center?

Answer	Number	Percentage
No	3963	99%
Yes	50	1%

Some years later, the data which will be obtained by CHAS sources can be used for reshaping the Health Policy of Country.

Propagation of CHAS project

A CHAS service firstly was started in Erzurum and Kayseri cities in February 2010. These cities are among medium sized cities of Turkey. After that, the services were propagated 10 other cities of country on summer 2010. Those cities are chosen from different geographical part of the Turkey.

The Support of Turk Telekom

In 19 August 2009, Turk Telekom and Minister of Health signed the cooperation agreement. According to the agreement, Turk Telekom accepted very critical commitment.

For realizing this project, Turk Telekom finances all technological and human resources infrastructure. Turk Telekom employed 150 operators in Call Centre which is situated in Erzurum.

Moreover, Turk Telekom increased the capacity and the scope of the existence telecommunication infrastructure of Turkish Ministry of Health. Almost all Turkish Hospitals have broad band Internet connection.

Today, Turk Telekom implements CHAS project in the 10 different cities of Turkey. However, the duration of the agreement which signed between Turk Telekom and Ministry of Health will finish at the end of the 2010.

Ministry of Health wants to propagate the scope the CHAS services to 81 cities of Turkey. Therefore, Ministry will invite tenders for the render of CHAS services in all 81 cities of Turkey. Turk Telekom is also candidate for the new period.

Conclusion

CHAS is very important part for the transformation process of the Health Sector of Turkey. If Turkey increases the scope of the CHAS to the all cities of Country properly, total efficiency of health sector will be higher and the crowd in the hospitals will be decreased and the hospitals will be better places for working comfortably.

1.16.3 Case 3: Acibadem Mobile Emergency Health Bundle Services

Introduction

²¹In order to develop the national e-Health policy, the creation of a national strategy is critical. Governments must work to implement the e-Health policy. During the creating of a national e-Health policy, the support of the private companies is needed. Especially, according to World Trade Organization (WTO) Agreements, many countries privatized their incumbent companies and they created the competitive market in the telecommunication sector. Moreover, in health sector, many private hospitals worked with public hospitals. The governments must support the cooperation between telecommunication companies and hospitals in terms of regulation. The incentive of the government leads to very efficient cooperation between the health and the telecommunication sectors. The e-Health Master Plans must contain the financial and regulative incentives for sectoral cooperation.

In this document, the cooperation between Turk Telekom (incumbent private telecommunication operator) and Acibadem Hospital (Private Hospital Groups) is shared.

Stakeholders

Turk Telekom is the leading communications and technology company in Turkey with a \$14.5B market cap. Also:

- Strong consumer base: 16.3 M fixed voice, 6.5 M broadband, 11.5 M mobile subscribers.
- Extensive service and distribution networks: access to 2.5 K corporate, 179 K SME, 1.5 M SOHO accounts with 1K+ dealers.
- Diversified portfolio of businesses; owns verticals such as education & online games.

²¹ See document [SG02-INF-0056](#)

- Operates digital platforms: IPTV, WebTV and mobilTV.
- Ability to attract high caliber technical human capital in Turkey (in recent year, out of 100K applicants, recruited 5K+ mainly technical people).
- Strong ties with regional telecommunications operators: access to a large population base.
- Strong financials & willingness to invest for high growth areas.

Acibadem Healthcare Group has been providing its services through its 24 branches spread all over the country with it's over 7.000 employees, 1.350 of whom are physicians since 1991.

On the other hand, Acibadem Mobile Healthcare Services Inc. was established in July 2008, as a partnership between Acibadem Hospitals Inc. (80%) and Acibadem Polyclinics Inc. (20%).

Company's Goal

Acibadem Mobile Healthcare Services aims to provide mobile healthcare services at the highest quality level possible, in line with the mission, vision and quality policies of Acibadem Healthcare Group, which was selected as the "Most Valuable Brand" of Turkish healthcare sector in 2007.

Medical Team

With its over 300 employees, over 100 of whom are physicians as of the end of year 2008, Acibadem Mobile Healthcare Services provides mobile healthcare services to individuals and entities with its leading edge mobile medicine technology.

Definition of Services

The service is called Turk Telekom Acibadem Mobile Health Services (TAMHS). The TAMHS was created by the cooperation between Acibadem Hospital and Turk Telekom. The TAMHS which is the bundled service includes different services: Emergency Health Insurance, Medical Coaching, Emergency Healthcare Services (Land and Air Ambulances), Home Care Services, Resident Infirmary Solutions, Mobile Healthcare Screening, Organizations (Providing mobile healthcare services for various events), Telemedicine (Remote access online healthcare service), Affinity (Group) Programs.

The bundled services are provided by the Acibadem Hospital Staff for 16 million Turk Telekom Customers. The customers who benefits from the bundled health services, pay their fee with Turk Telekom invoices.

Purpose

Turk Telekom offers this beneficial bundled health services with very suitable conditions to the millions of people. Because of the -economies of scope advantages, these important services can be provided very cheap conditions for each customers of Turk Telekom.

Besides, the number of fixed subscriber decreases day by day in all worlds of fixed markets. The health services can be very good opportunities for increased loyalty of the customers.

The Main Characteristics of the Services

For 1 year, Turk Telekom customers can benefit from TAMHS in 7 days 24 hours.

With AHMS;

- Customer can be informed about pharmacy on duty.
- Health consultation services.
- For subscriber and his family (max. 3 people), a free fully equipped ambulance service.
- For subscriber and his family (max. 3 people), a free 1 year health insurance.


The subscriber and his family's health reports and talks are stored with property rules. Those data can be used again in further health problems. The health insurance is valid in all private hospitals in Turkey. Insurance includes all charges related with treatment, room and intensive care. The charges couldn't be exceeding approximately 4000 U.S. dollars. If the subscriber has insurance, it is not a barrier for benefit from AMHS.

Target Audience – All Turk Telekom subscribers and their family (max. 3 people, until 65 years of age)

Application Requirements

- All Turk Telekom PSTN subscribers can benefit from the health services
- Subscribers must be already Turk Telekom user for at least 2 months (60 days).
- Subscribers, who benefit from these services, can also benefit from other Turk Telekom services.
- Customer must accept to be subscriber of Turk Telekom for the following 12 months.

Figure 17: Turk Telekom Acibadem Mobile Emergency Health Bundled Services (AMES)



Turk Telekom Acibadem Mobile Emergency Health Bundled Services

AMES includes 4 different parts.

Medical Coaching

For 1 year, Turk Telekom customers can benefit from TAMHS in 7 days 24 hours.

Medical Consultation.

Customer can be informed about pharmacy on duty and other important information for free.

You and Your Family

In emergency situations, subscribers and their family can benefit from a free fully equipped ambulance service and a free 1 year health insurance.

The subscriber and his family can benefit from all advantages in all parts of country.

Health and Past

The subscriber and his family's health reports and talks are stored with property rules. Those data can be used and shared in further health problems.

How Customer Can Apply To The Services?

- Call Center

The Customer can apply to the campaign by using Turk Telekom Call Center.

- Turk Telekom Office

The Customer can apply the campaign by signing application forms in Turk Telekom offices.

Conclusion

Technological improvements contribute to the development for the new medical solution. Besides, Information and Communication Technologies are very important for spreading health services efficiently in the country. Especially, mobile broadband technologies serve new opportunities for the health sector.

Governments must support all e-Health investment in their countries. Governments must create economic incentives to create suitable environment between Health and Telecommunication sector.

The cooperation between Turk Telekom and Acibadem Hospital can be a good example for the competition environment. This cooperation serves very suitable bundled health services to the customers. The bundled service includes health insurance, first aid, family health opportunities in the same time.

The convergence between health and telecommunication sector can produce very successful solutions. International Telecommunication Union (ITU) must work for creating the right incentives between these two different sectors.

1.17 Uganda: Uganda's Approach to Implementing Broadband Connectivity in Underserved Areas

1.17.1 Introduction

²²Uganda Communications Commission (UCC) established the Rural Communications Development Fund (RCDF) to stimulate provision of telecommunications services in the rural and underserved areas. The RCDF is therefore acts as a mechanism for leveraging investments in communications infrastructure and services in rural underserved areas of the country. This was recognition of the fact that although the sector had been liberalized and opened to competition some parts of the country which were non-commercially viable would not attract private capital for investment in infrastructure and services.

The RCDF main objectives include to provide access to basic communication services within a reasonable distance; ensure effective investment in rural communications development and to promote ICT usage in Uganda.

1.17.2 Uganda's Universal Access Policy Framework

Uganda's Universal Access Policy (2010) is developed within the premise of the global development agenda, the Millennium Development Goals (MDGs), to which Uganda is one of the signatories; and its country-specific National Development Plan (2010) that was originally linked to the national vision called Vision 2025. The policy is also developed building on the previous universal access policy (2001) and within the framework of Uganda's ICT policy and telecommunications policy.

Objective

One of the main reasons why the Internet has not spread to the rural areas are the cost of access, insufficient bandwidth and power issues and more important for the rural communities, illiteracy and the absence of relevant local content in vernacular. The new policy therefore has the main objective of ensuring provision of broadband connectivity and supporting the development of local content. However, the main impediment for the ICT sector in Uganda today is the lack of broadband infrastructure network

²² Contribution: Moses Okello, Uganda Communications Commission (UCC), Uganda. See document [SG01-INF-0017](#)

meant to accelerate access and use of the Internet in particular and ICTs in general. This is especially because of the heavy capital requirements that cannot be left to the private sector alone and thus requiring special intervention from government.

Broadband Policy Implementation

Uganda government has embarked on supporting the interconnection of all higher local governments' capitals and major towns with a national data backbone infrastructure so as to enable provision of wide array cost effective ICT services to the users. This expected to facilitate the establishment of institutional data access points with initial focus on vocational, tertiary and secondary educational institutions, and government health units for levels IV and III.

Broadband connectivity will be provided for selected sub-counties to connect to the high speed National Backbone Infrastructure. The connection is considered as a 'last mile' solution for the sub-counties. To this end, a detailed study to determine the most cost effective technological solutions (wireless, cable) that could be implemented for each location is underway. Additionally, the study will help in identifying the districts that will not be covered by the national backbone infrastructure. The backhaul links will then be deployed to link such sub-counties to the identified districts.

The initial proposal is to outsource the design and implementation of the proposed access network to competent telecommunications service providers. The project once implemented is intended at lowering the price of bandwidth paid by the consumers while providing high quality and a wide variety of broadband services. The project will also entail providing computers and capacity building or training programmes to the end users such as schools, health centres and local governments.

1.17.3 Expected Benefits

- E-government: The project will help in collecting information from lower local governments upwards to the central government. The information will be part and parcel of the national demographics and other socio-economic related statistics.
- E-education: The project will facilitate e-learning and already this is gaining popularity in the country. For example major local universities are having satellite campuses in upcountry locations in which long distance and online education are now being offered.
- E-health: The project will facilitate data and voice flow from the rural communities to the health centre onwards to the district hospitals and regional referral hospitals and finally to the national referral hospital. The reverse flow will happen. Additional traffic is expected between the Ministry of Health head office and the district offices and also between the ministry and the health centres.

1.17.4 Conclusions

Internet penetration, access and usage in Uganda is still very low and is estimated at (5%) users of the total population. This is also largely confined to urban commercial centres owing to commercial considerations by the private service providers. Although Uganda's previous policy had supported the installation of Internet points of presence in all the underserved districts, the internet bandwidth speeds and quality of service issues (outages) has been of major concern by the end users.

Therefore the new policy objective is expected improve broadband uptake in selected underserved areas. This is envisaged offer lessons and experiences for developing a national broadband policy and subsequent rollout strategies for the country. Therefore ITU-D Study Group meetings offers Uganda an opportunity to gain experiences on how other countries are addressing this developmental concern.

1.18 Uzbekistan: Health Management Information System in Uzbekistan

²³Currently in Uzbekistan a wide range of socially significant reforms are carried out. There are the administrative reform, education and health care reforms, etc. Much attention is also paid to the development of information technologies – informatization of state agencies and set up the ground for future e-Government in the near future.

To speed up the introduction, use and further development of computer information systems, the program of computerization and ICT development in 2002 – 2010 has been adopted by the Government of Uzbekistan. The program was designed to create conditions that will allow Uzbekistan to achieve a higher level of ICT penetration in all spheres of life, including public administration and social activities.

1.18.1 HMIS in Uzbekistan


Integrated Health Management Information System means a multi-tiered system consisting of software and hardware in departments and divisions of the Ministry of Health, medical institutions, laboratories, sanitary-epidemiological surveillance departments, research institutes and universities as well as in departments/units of medical statistics. The development of the Health Management Information System should be based on the use of Internet technologies and integration of all available information resources into a single corporate network of the Ministry of Health.

The Ministry of Health approved the concept of HMIS (Decree №99, March 31, 2009) after detailed considerations and evaluations. It was selected a star type architecture of HMIS with the Data Center located in Tashkent based on open integration-communication platform. The structure of HMIS is presented in Figure 18. The decision to select the centralized architecture was well justified at this moment because the environment is not well prepared for computerization and it is needed some control. The Healthcare Integrated Platform is the common telecommunication and information infrastructure and it is a backbone of HMIS. It will be built component-wise, mutually connecting all entities into powerful common infrastructure. Of course, each entity has its own Local Area Network (LAN). This approach also allows adding or subtracting any component as appropriate and needed. It is important to stress that one of the main advantage of such architecture is scalability.

The all organizations belong to the Ministry of Health will transmit their information according to the agreed protocol directly to the Data Processing Center which is the repository of all information of the Ministry. The Data Center will be connected with all information systems and databases such as “Management and planning of human resources of health care system”, “Monitoring of infectious diseases”, “Basic register of blood donors and persons not permitted to donate”, “E-passport of health facilities”, etc.

²³ Contribution: Mirodil Baymukhamedov, Ministry of Health, Uzbekistan. See document [SG02-INF-0039](#)

Figure 18: Architecture of HMIS in Uzbekistan



Openness and standard pursuance of selected HMIS architecture enables interconnection of any other kind of register or database that healthcare service process requires. Furthermore, central system management reduces administrative costs.

The Data Center will get raw data without any intermediate levels and process it into required format, presentation or report. Data Processing Center (DPC) of Ministry of Health, which will be the heart of the HMIS should also include a Service Center and Call Handling, which is a standard feature of any data center. The access to the information will be restricted and regulated.

The advantages of this architecture are the following:

- Direct transmission of primary information in the database eliminates the possibility of modifying the original raw data.
- Instant display information in real time by any criteria.
- A single data repository eliminates duplication.
- Paperless process will bring some saving.
- Only the owner of raw data has a right to make correction of his presentation.
- Manager will get a chance to view the situation at any time.
- Quick search of any information related any region & Sampling only interest criteria.
- Universal access via the Internet (Intranet) in the presence of access rights.
- Complete elimination of middlemen, who collect and aggregate data.
- High level of security.
- Opportunity to get quickly any analytical or statistical reports.

1.18.2 Activities Undertaken by the Ministry of Health

In line with the approved HMIS concept and according to available resources, the Ministry of Health is providing the number of servers and computers to organizations in order to connect them to corporative information network.

The Ministry of Health decided to establish a database and distribution of computer equipment based on the concept adopted, with phasing for connection of each organization to the corporate network of the Ministry. The introduction of some e-Health services is considering as well.

The main objective of e-Health services is to provide expert medical help to the people situated in rural and remote areas where highly qualified and experienced doctors are not available. Improvements in all aspects of information and telecommunication technologies are enabling health and healthcare organizations to share information electronically across previously impossible distances and borders, and bring clinical practice and administrations alike to the healthcare staff in any location. New technologies are emerging and rapidly maturing. In some cases even faster than users can absorb and integrate them.

The introduction of the telecardiology monitoring service (and other e-Health services) will give the opportunity to provide quick and highly needed service at a distance for many patients suffering from cardio-vascular and other chronic diseases.

1.19 Zambia: Project MWANA

²⁴Project Mwana is one of e-Government service that Ministry of Health has implemented with the help of the cooperating partners to improve early infant diagnostics services, post-natal follow up and care using mobile phones.

1.19.1 Country Overview

Zambia has shown growth in attracting investment in the Information and Communication Technologies (ICT), Sector. The sector has recorded over 42 percent penetration rate growth compared to 0.02 percent recorded 14 years ago. The ICT sector have continued to pour in since the country launched the policy in 2007 adding that the policy has created an environment for the growth of the sector. Mobile manufacturing company and various internet and mobile service providers are some of the investments that the country has attracted. The unfortunate scenario is that most of development are concentrated along the line of rail, leaving large areas in the rural and remote place unserved or underserved.

In Zambia, large numbers of infants are infected with HIV either at delivery or when breastfeeding. If no interventions provided, most of these children who contract HIV from their mothers die before the age of two years. These deaths contribute to the high levels of national under-five mortality rate. The government made it mandatory to test every infant born and begin treatment within the first twelve weeks of life.

The challenge faced by the Ministry of Health in particular area was how to transmit infant diagnostics services results from the three (03) test centres (Laboratories) in the country to the respective remote places within the shortest possible time. The turn-around time under the courier systems available would take an average duration of forty-two (42) days to complete the process, a period too long for a mother wait without breastfeeding. This challenge led to the birth of Project Mwana in 2009.

²⁴ Contribution: Beaton Sibulowa, Ministry of Transport, Works, Supply and Communication, Zambia. See document [SG02-C-0215](#)

Objectives and Strategies:

- To strengthen early infant diagnosis with an aim both to increase the number of mothers receiving results and to reach mothers in a faster, more efficient manner using the SMS application (m-Health).
- To improve the rate of postnatal follow-up, increasing the number of birth registrations for clinic and community births, while also raising the number of clinic visits for mothers through community-health worker tracing using the “RemindMi” application.
- To enhance service delivery of government to its citizens.
- To reduce bureaucracy, turn-around time in providing government services.

Activities Implemented:

- Procurement of ICT Infrastructure (Servers and Connectivity) for the project.
- Development of Project Mwana using RapidSMS, a free and open-source framework for building mobile application for dynamic data collection, logistics coordination and communication, leveraging the basic short message service mobile technology.
- Piloted in the project 6 provinces across Zambia, servicing 31 clinics and the pilot evaluation showed that it had substantial positive health impacts.
- Scaling the project nationally between 2011–2015.

Technologies and Solutions Deployed:

- SMS technology – powerful innovation that in Zambia has reduced delays in receiving early infant diagnosis (EID) DBS HIV test results, improved communication among health care providers and community volunteers, and more important, encouraged patients to return to the clinic for their test results with greater confidence.
- RapidSMS Technology – addresses Early Infant Diagnosis (EID) of HIV. SMS messages are used to send the HIV results from the labs where they are processed to clinic workers in facilities where the samples are collected. The results arrive on phones in smaller clinics and SMS printers in larger facilities. The system also tracks samples and provides real-time monitoring for the province and district officials.
- RemindMI RemindMi addresses Patient Tracing for post-natal care. SMS messages are sent to Community Based Agents who seek out caregivers and infants and ask them to return to the clinic for 6 day, 6 week and 6-month post-natal check-ups or special circumstances, such as results arriving at the facility.

Changes and Outcomes Achieved

Project Mwana RapidSMS pilot reduced delays in transmitting results from the HIV test laboratories to the rural health facilities via SMS message from the average of 42 days to an average of 4 days. To date, the project has been piloted in 31 predominantly rural districts of Zambia and has produced desired results, which has prompted the government to schedule a national scale up program.

1.19.2 Challenges and Success Factors

Challenges:

- Ownership of the project prior to initiation, and coordination among the partners.
- Sustainability of the project after scale up and when cooperating partners hands over the project totally to government.

- Lack of investment in research and development in ICT.
- Digital gap between the Urban and the rural areas.
- Socio-economic disparities.

Success Factors:

- Leadership taken by government on the project & Government beginning to fund the large component of the project

1.19.3 Lessons Learned and Next Steps

- Government leadership
 - When undertaking a project in the government, Users should be involved from the beginning project. This step helps in understanding user requirements and processes involved to complete tasks.
 - There is need to integrate the project into long-term planning.
 - Integrate data into district reporting.
- Locally sourcing – Employ a permanent local software development team; Have a permanent project manager who can coordinate partners; Create government-led working groups.
- Cost control
 - Negotiate with telecom companies for scale, not pilots.
 - Utilize the phones people have rather than purchasing and supporting a national phone system.
 - Create district-level training teams.
- Co-creation
 - Make decisions based on identified needs of the end users.
 - Create the tools with the people who are going to use them.
 - Test early and often; don't worry about failing and stay adaptable.
 - Use open source tools that can be customized to local needs.

1.19.4 Next Steps

A national scale-up plan has been developed, commencing with a preparation phase and then shifting to an iterative phase where clinics are trained and added to the system and the problems and successes of the additions are evaluated. The aim is to achieve national scale by 2015, with health facilities offering early infant diagnosis services. The preparation phase will focus on solidifying the technical, physical, monitoring and human infrastructure to allow the system to handle the stresses of scale. Throughout the scale-up process, the project will be closely monitored to ensure the systems are having a positive effect on the targeted health challenges.

Annex II: Lessons Learned from e-Health Implementation: Knowledge

The following examples of strategies and implementation of e-Health services and devices were cordially provided by members of ITU-D Study Group 2 Question 14-3/2.

2.1 Czech Republic: 1. Interoperability in Integrated Biomedical Systems

¹Our work on biomedical research projects has led us to the conclusion that successful integration of partial solutions is strongly dependent on the issue of interoperability of medical devices and information systems. It comprises problems of standardization of data acquisition, communication, processing, and storage; and connected problem: correct data mapping between different ICT applications. The key issue is the ability to understand the semantic content of the exchanged information.

With development of more advanced sensors, body area networks and ICT the focus will be on the integration in larger systems collecting and processing large volumes of data, evaluating more complex situations and scenarios, precise identification of potentially dangerous situations and finding solutions (e.g. alarms in case of health or life threatening events, access blocking in case of security attack). Key issue is in information reporting and visualization (as widely used in Business reporting). Although many issues have been successfully solved and introduced either in applied research or in development of prototypes or final products there are still many problems on the waiting list. There is a possibility to use an integration platform; however the systems should be able to communicate directly using world-wide recognized standards without third party.

2.1.1 Technological Trends

If we want to develop flexible e-Health, assistive technology (AT) or ambient assisted living (AAL) systems we have to define standard interface that allows “plug-and-play” type of connection. Especially AT and AAL systems are composed of different hardware and software modules that must communicate. The basic condition is that the receiver understands correctly the content of the message. Thus it is not sufficient to be able to receive the message, i.e. to understand the syntax of the message, but it is necessary to understand the semantics. This requirement implies development of data model that maps semantic content from the data received from the devices into an information system that is usually used for collecting and evaluating data from monitored persons. Also there must be guaranteed latency of the information transition and a possibility to verify the source of the message (for example by PKI infrastructure) and to clearly determine the time order of messages. We propose a system architecture allowing above mentioned interoperability. Interoperability may significantly influence effectiveness both of design and development of an integrated system and of its routine operation.

Integrating information deriving from different sources and implementing it with knowledge discovery techniques allows medical and social actions to be appropriately performed with reliable information, in order to improve quality of life of patients and care-givers.

Currently the mobile technologies, sensors and other devices enable collecting vast amount of data of individuals. This multi-parametric data may include physiological measurements, genetic data, medical images, laboratory examinations, and other measurements related to a person's activity, lifestyle and surrounding environment. There will be increased demand on processing and interpreting such data for accurate alerting and signalling of risks and for supporting healthcare professionals in their decision making, informing family members, and the person himself/herself.


¹ L. Lhotska (1, 2), M. Bursa (2), and M. Huptych (2) ¹ Czech Society for Biomedical Engineering and Medical Informatics & ² Czech Technical University in Prague, Department of Cybernetics, Czech republic. See document [RGQ14.3.2-C-0014](#)

Recent development in ICT [1] [2] shows that it is almost impossible to design and implement a complex system as fixed to certain hardware, operating system, and infrastructure. A possible solution is to create a tiered integration platform. However it is usually ineffective and expensive (to create and maintain). Thus it is necessary to develop such architectures that will be easily extensible and modifiable. For easy extensibility the basic requirement is to understand data exchanged between individual parts of the system.

2.1.2 Proposed Architecture

Based on the facts mentioned above we have tried to define requirements and subsequently system architecture that would satisfy these requirements. The proposed architecture [3] covers the whole chain from data acquisition/measurement over data collection, identification, transformation up to evaluation and storage in an EHR system (see Figure 19). From the description it follows that there must be interfaces between individual modules. To allow the “plug-and-play” approach the interfaces must be.

Figure 19: Proposed architecture of the chain from medical devices to EHR and HIS



Based on well-defined standards, we have in mind especially following categories: ISO units for measurement of physical quantities, ISO IEEE standards in communication, standard file formats in software area, HL7 standards on the side of information systems and guarantee data accessibility even after long time when there would be data for long-term clinical studies. Another inseparable part of the architecture is constituted by data models. The models will ensure correct exchange of data between devices and information systems. This part represents a great challenge and at the same time the greatest space for future solutions because the correct mapping of acquired data onto a data model that describes electronic health/patient record is not satisfactorily solved yet. A crucial part is to select proper backend solution (such as information systems, databases, platform, etc.). The architecture must also keep pace with the versioning of the information models. Each batch of data must reference the version of information model that was active at the moment the data was acquired and the model must be available together with the archived data.

The proposed architecture is not necessarily centralized. It can be composed of highly distributed units utilizing, for example, multi-agent platforms as software infrastructure [4]. For example, it can be used for more efficient data handling. For data storage there can be smaller local storages and a central data storage used for different types of data. Also replicated and/or distributed storage can be used. Since there can be collected health state data and daily activities patterns the large volumes of data can be stored locally and based on the data analysis during system development the professionals (e.g. medical doctors) can define, which type of data should be sent to a central data storage maintaining electronic health care records.

2.1.3 Current State in Czech Republic

Legislation

The state of interoperability in biomedical systems is strongly influenced by legislation. Currently the law on sensitive information has been introduced with no regard to current e-Health and EHR development in EU and from many aspects it blocks the e-solutions even in government projects. Regarding the Health Records, there is regulation that covers health documentation in paper form only. No legislation exists regarding the EHR. There has been a pilot EHR project (called IZIP), however the funding has been suspended and the project represents only a health-book merely. The IZIP project did not use any interoperable standard and the application data interface is not available, so no third party can take advantage of it. Moreover, no developers of hospital information systems (HIS) are forced to use any interoperable standards.

Communication

Although the meetings regarding e-Health are taking place, usually no consensus is reached as there is a lack of communication and the conversation usually gets stuck at unimportant details. The government representatives do not act as active intermediates between IT and medical experts. Also there is not sufficient participation from the standardizing organizations. The e-Health is not presented to the medical experts and public in understandable form. They see more an bureaucratic burden than any advantage. From our experience in working with medical doctors, there is usually no use of explaining highly-sophisticated technical issues. It is better to present a GUI of an application, schematic diagrams and demos.

Financial Issues

There exist many opinions against interoperability implementation. At the first place there is usually the financial aspect: IT developers, government, health-insurance companies, medical facilities and even patients are asking the crucial question regarding financing. The need of functional e-Health solution is often overlooked without understanding the negative consequences. As mentioned above, there it lacks a constructive debate and communication in the direction to patients and the society that would unify the heterogeneous groups.

2.1.4 Conclusions

With respect to future development and possibility to sense and store far more larger volumes of heterogeneous physiological parameters the issue of interoperability becomes more and more important. Interoperability may significantly influence effectiveness both of design and development of an integrated system and of its routine operation. It will become more and more important with the development of telemedicine, home care and possibility of remote monitoring of patient state. As the technology is developing very quickly we have to assume that new types of sensors and devices will appear. The newly designed and developed systems must be necessarily created as open modular systems allowing direct connection of the new sensors and devices without any need of modification of the communication and data input. Possibly new data processing module will be added. However if we only replace an old type of sensor by a new one delivering the same data (concerning semantic content) in higher quality there should not be any need for changing the software part.

Presented issues show that successful applications need coherent approach of experts from many different disciplines, i.e. information technology, electronics, communication technology, medicine. Standardization can make the way from an idea to an application much easier and faster. Thus acceleration of standardization process represents a key issue. It is important that involved companies, researchers, and standardization bodies agree and cooperate towards the ultimate goal – defined standards. There has not been space to mention the expressive power of ontologies, their flexibility, extensibility, and their potential in various applications in biomedicine. We should be aware of their potential for future applications. It is expected that new tools will be developed that allow more efficient work with ontologies, including development of virtual ontology libraries, or ontology visualizations. We

should also mention the inevitable spread of no SQL databases. These might find their use in the EHR solutions due to their inherent properties.

For the Czech Republic, there is no informative material that would present medical experts the advantage of the electronic solution and persuade them that the change can be carried out with minor invasion. The question is whether the impulse should come from government, medical experts or even patients. There is missing a communication based on the view from the position of the patient that might influence medical doctors, medical doctors would apply to medical insurance companies, medical insurance companies to the government, etc. Currently there is no solution for m-Health, so there is perfect opportunity to start from scratch with correctly defined interoperable structure using widely acknowledged standards.

Electronic signature is widely used and understood. However the medical records should also have a guaranteed timestamp that reflects the order of data-change. The permissions and authorizations for manipulation of medical data together with defined responsibility need to be defined.

Acknowledgment

This research has been partially financed by the research program "Information Society" under grant No. 1ET201210527 "Knowledge-based support of diagnostics and prediction in cardiology" and by the research program MSM 6840770012 of the CTU in Prague, Czech Republic.

References

- [1] D. Bernstein, E. Ludvigson, K. Sankar, S. Diamond, and M. Morrow. Blueprint for the Intercloud – Protocols and Formats for Cloud Computing Interoperability. IEEE Computer Society. Pp. 328–336, 2009.
- [2] J. Kaplan, et all. Roadmap for Open ICT Ecosystems. Berkman Center for Internet & Society at Harvard Law School. 2005
- [3] L. Lhotska, O. Stepankova, M. Pechoucek, B. Simak, and J. Chod. ICT and e-Health Projects. In Telecom World (ITU WT), 2011 Technical Symposium at ITU. Piscataway: IEEE, pp. 57-62, 2011
- [4] L. Lhotska, and O. Stepankova. Agent architecture for smart adaptive systems. Transactions of the Institute of Measurement and Control. Vol. 26, pp. 245–260, 2004

2.2 Japan: Case 1: Best practice of SaaS type medical network solution in Japan


2.2.1 Background

- ²There are increasing needs and financial concerns for healthcare services for the aging societies in Japan. ICT is one of the important tools to solve these issues. Fujitsu Limited introduced the SaaS type regional medical network solutions as a platform to share the medical information for the collaboration among healthcare related parties.
- In the developing countries, there are shortages of doctors and facilities for medical services, and the gaps between rural and urban areas. Telemedicine is one of the ICT applications expected to work effectively to improve the situation.
- We introduce the SaaS type medical network solutions in Japan for the study of its effectiveness in the different countries.

² Shigehiko Yasumura, Fujitsu Limited, Japan. See document [SG02-C-0184](#)

2.2.2 Overview of SaaS Type Medical Network Solution

Figure 20: SaaS type medical network solution



- As the medical record or other patient information are valuable personal information, it is necessary to keep such information secured from the threats, such as leakage and manipulation, vicious stoppage of services.
- The system (Figure 20), keeps the patient information stored at the original medical institutions where the patient information was recorded. When a doctor of other medical clinic would like to see the information remotely, he or she should access Data Center as an intermediate connection center. The Data Center will only provide gateway function without storages, and you will be released from the security risk for keeping the precious information outside of hospital.
- Off course, the Data Center is protected with strong facility management and security counter measures so that the medical institutions can use its services safely.

2.2.3 Key Benefits of Services

Applicable usage for developing countries

- In developing countries, the shortages of medical doctors and medical facilities and equipment for inspections or treatments are critical issues, especially in remote areas.
- Therefore, it is useful to realize the seamless medical cooperation among the doctors and medical institutions in rural and urban areas. Together with the telemedicine, this kind of service will help the patients to access the advanced medical service at major cities and the results can be shared with the local doctors.

Advanced features

- This system will enable relevant medical institutions to access the patient information, such as medical record, inspection report, MRI and other images, etc. according to the predetermined

condition of disclosure. Using this service as the common data base for hospitals, clinics, pharmacies, etc., we can provide the cost effective value-added advanced services to patients.


- For example, “Forwarding Cooperation” (name of service) is the introduction of patient from a clinic to Central hospital for advanced medical treatment and “Backward Cooperation” is the introduction of patients from Central hospital to clinics or Care centers so that the patient in the recovery process can use suitable rehabilitation facilities or would be introduced to home doctors for daily cares.
- For the advanced inspections such as MRI, the appointment with the special doctors of MRI can be made with the relevant information through the system. The MRI images can be reviewed at clinics remotely on the same day of such inspection.

Figure 21 shows the possible information sharing and medical support features.

2.2.4 Conclusion and further action items

With the use of SaaS type medical network solutions, we can realize medical care network connecting the servers and equipment at various medical institutions and share the information stored in the servers at each location. This will enable the effective use of advanced medical equipment and connection between rural and urban areas.

Figure 21: Key functions



- To make the best use of the service, it is important to improve the availability, convenience and cost effectiveness so that the service will be used more frequently. By adopting the industrial standards, such as SS-MIX (*1) standardized storage and DICOM (*2) and others, we can cooperate with various vendors to increase the availability and cost effectiveness.
- After the Great East Japan Earthquakes, from a view point of BCP (*3), there is an increasing need to keep the data such as medical record in the secondary safety places. We should study further the solution for disaster management such as data back-up services.

Notes:

- *1) SS-MIX: Standardized Structured Medical record Information eXchange. SS-MIX promotes the electronic processing and standardization of recorded medical information related to all the medical institutions.

- *2) DICOM: Digital Imaging and COmmunication in Medicine. A standard developed by ACR and NEMA to define the format for medical images, such as CT, MRI and CR, and the protocol of communication between medical imaging equipment.

ACR: American College of Radiology

NEMA: National Electrical Manufacturers Association

- *3) BCP: Business Continuity Plan. It is a plan to minimize the damages on the business assets and to keep the core business continuing or the prepared plan for early recovery from the damages in case enterprises face the emergency situations, such as occurrence of natural disasters.

2.3 Japan Case 2: Development of the Electronic Doctor's Bag

2.3.1 Introduction

³Japan, regarded as a super-aging society, must consider how to suppress the coming inflation of nationwide medical cost in the very near future. Moreover, a declining population in rural areas is accelerating the disparity of health care services.

To tackle these problems, the Japanese government is promoting the policy to encourage home medical care. The home care support clinic system, which intends to spread clinics operating house visit services on 24-hour schedules, was established in 2006. However, in the case of a small clinic, a physician may be forced to work in a sleepless and hard working environment. And transportation times to patients' homes reduce the efficiency of medical care.

On the other hand, information and communication technology (ICT) is a possible strong means to solve these social problems. Our research group established a consortium, "The Consortium for Medical Information Communications System in the Mobile Environment", on March 4, 2009. The consortium consists of a university and seven companies, and its main purpose is to provide the ubiquitous communications system for home-visit medical service, mass examination, emergency care and disaster medical care. In collaboration with the Sendai Area Knowledge Cluster Initiative supported by the Ministry of Education, Science, Culture and Sports, the consortium has newly developed a prototype of the ubiquitous communications system named "Electronic Doctor's Bag", which can easily send biological information with high-definition image of a patient in mobile environment. The main purpose of this system is that a nurse with the Electronic Doctor's Bag visits a patient's home instead of a doctor, but an equivalent face-to-face communication can be realized between the doctor in his clinic and the patient at his home, respectively.

The first prototype, which is called "P1" here, had been developed and evaluated by a few doctors and nurses. Their opinions were used to improve the system. In January 2010, the second prototype "P2" was developed and tested. In this report, the validity of the Electronic Doctor's Bag, including both prototypes, is reported.

2.3.2 The first prototype of the Electronic Doctor's Bag (P1)

System configuration

The features of the proposed system are as follows:

- Secure telecommunication is established between a patient and a doctor using personal authentication and encryption technologies.

³ Isao Nakajima, Department of Emergency and Critical Care Medicine, School of Medicine, Tokai University, Japan. See document [RGQ14.3.2-INF-0012](#)

- In addition to submitting biological information such as electrocardiographic (ECG) and blood pressure, pseudo face-to-face clinical examination can be achieved by sending high-definition images of a patient.
- The system is available in the mobile environment. So it is possible to examine in a patient's house without the Internet setup or in a moving vehicle such as an ambulance.
- The system can flexibly meet the diverse health care needs of various conditions and diseases in combination with portable measurement devices.
- The system can control biological data or medical records as digital data because it is based on a personal computer. Thus, it will be able to be used in conjunction with electronic medical charts and online medical bill processing systems in the future.

Here is shown the use of P1. First, personal verification of a patient is done with a non-contact type IC-card "Felica" to avoid mixing-up patients. Secondly, high resolution video picture of the patient is taken to verify his state such as complexion, skin trauma, motion of joints and gait. The video is highly compressed and coded for preserving individual security and is sent to a medical doctor staying in his clinical office via the mobile network and the Internet in a real time fashion.

The proposed system targets the diagnosis of general chronic diseases such as circulatory disease, diabetes and respiratory organ disease. Therefore, in the system, not only the patient's video image but also various kinds of biological data can be measured with portable measurement devices such as the 12-lead ECG monitor, a blood-pressure meter, a blood sugar level meter and an ultrasonic diagnostic system. Most of these devices are connected directly to a main body of the Bag via general interface such as USB. The biological data is also sent to the doctor's computer after compression and encryption as well as the video image.

Experiments using P1

Experiments using P1 were performed at two clinics and one regional center hospital with three medical doctors and two nurses to test the validity of P1 under the assumption that a nurse visits a simulated patient's home for a medical care.

As a result of the experiment, it could be verified that video images transmitted by P1 were useful for checking the patient's state from the view point of the medical doctor. And the function of almost automatic transmission of biological data: ECG and blood pressure was highly evaluated by the nurses. However, they assessed that the setting procedure of the video camera and the connectivity of the main body of the Bag with the peripheral devices and the electrical power unit should be improved to be much simpler. In particular, it was found that setting and operation of the video camera may prevent the nurse from taking care of the patient and performing other usual medical tasks.

Improvements of the Electronic Doctor's Bag

In consideration with the evaluation results of P1, the Electronic Doctor's Bag has been reviewed. The device that the nurse carries has been improved mainly in its portability (Figure 22) and the unit that the doctor uses has been simplified because of the introduction of a central streaming server.

Improvements in the new system (P2) are as follows:

a) Personal authentication

A vein authentication tool is adopted in P2 instead of the IC-card which was adopted in P1. Such a biometric tool reduces risks of the loss of the card and mixing-up among patients.

b) Interface for transmitting the ECG data

ECG data is submitted to the main body of the Bag via Wireless LAN to enhance the operability. A mobile router for the Wireless LAN is incorporated in the Bag.

c) Video camera

A digital video camera used in P1 had high performance such as the function to avoid blurring of images due to hand movement but it was heavy and not easy to operate. In P2, a light weight and inexpensive web camera is adopted to improve the operability.

d) Ultrasonographic monitor

Some medical doctors who evaluated P1 pointed out that the portable ultrasonographic unit used in P1 did not have enough image resolution to check cardiovascular states of the patient. In response, a new portable ultrasonographic unit with high resolution is adopted in P2.

Figure 22: The second prototype (P2) of the Electronic Doctor's Bag



e) Central streaming server

In P1, the dedicated server "Digital Gate" which controlled communication between the Bag and the doctor's PC had to be located in each clinic. On the other hand, in P2, this server has been replaced with a central streaming server located in a server center. This change enables plural doctors to receive the data of the same patient simultaneously anywhere and all over the world by accessing the central server via the Internet. Furthermore, this enables the doctors to refer and share the patients' previous data.

f) Split-screen display

The video image from the ultrasonographic unit and that from the video camera are submitted to the central server and these two images can be displayed on one screen of the doctor's PC. This function enables the doctor to check the position and the posture of an ultrasonic probe operated by the nurse while watching the echographic image.

In addition to the doctors who had evaluated P1, we asked another two doctors, who were working mainly in home visit medical services, to evaluate P2. As a result, most of the doctors gave a good evaluation on the basic function of the system, but required further improvements in the portability and operability to put it into practical use. And there was a problem that the proposed system was strongly affected by the quality of mobile communication network. This means that the streaming video of the patient can be broken up at worst when the Bag is connected to a busy network. For this reason, P2 should be used in consideration of a place and hours that affect the communication speed. In the future, the Bag should incorporate a technique of switching the mobile network to connect automatically and dynamically based on communication volume. And it is necessary to develop a database for patients to use, a system for cooperation among medical doctors and a link to the database of electronic medical charts.

On the other hand, the proposed system may be applied to some healthcare services other than home-visit medical service, i.e., healthcare rooms in schools or companies, mass examination, emergency care in ambulance cars and so on. In particular, if emergency medical technicians on ambulance cars can submit high-definition video images of patients' body or their echographic images to doctors in a hospital, these data will be a very useful for procedures or treatments in the hospital.

2.4 Japan: Case 3: Mobile Support Tool for Doctors

2.4.1 Introduction

⁴EMR systems are becoming popular in medicine (A.L.Rector. 1996, Anderson JD. 1999, David W. Bates et al. 2003, Samuel J. Wang et al. 2003, Jim Johnson. 2010). This is because such systems enable doctors to manage mass medical data easily. As represented by POMR (Weed LL. 1968), medical record systems have been expected to support doctors' planning. However, most of these EMR systems are only capable of performing electronic data storage of legacy medical records. To help doctors analyze medical data that are generated over time, the system has to have the ability to present medical data that occur over various time spans. Because medical data often occur over various time spans, doctors have to study it over various time spans when performing a medical analysis. With current systems, doctors can look at medical data for only a few days at most. Accordingly, they cannot analyze medical data effectively. In addition, there is another problem that doctors do not have much time to use the EMR at their desks. As a result of these problems, doctors require a system that can support their cognition and medical analysis regardless of where they are. In view of these problems, we developed a brand new EMR system that supports doctors' understanding and medical analysis. This system has the features listed below:

- It has the ability to present medical data that occurs chronologically over various time spans.
- Its client application works on mobile devices such as a mobile phone or a tablet PC.
- In spite of the narrow bandwidth of wireless mobile networks, the system responds quickly.

In this paper, we introduce the conventional EMR systems in section 2 and explain their problems. In section 3, to solve these problems, we introduce the Mobile Timeline EMR System and its technological features.

2.4.2 Conventional EMR Systems

In this section, we introduce the conventional EMR systems. Typically, a conventional EMR system has a user interface similar to legacy medical records written on paper. Also, it displays the patients' SOAP information and the patient's information for one day. With these systems, by treating medical data as electronic data, doctors can search and manage their patients' medical data easily. This ability of mass data management is a significant advantage compared with legacy medical records. However, there are various kinds of medical data that are generated over various time spans. Thus, with these systems, which can make medical data available for only a few days, doctors cannot always look at it and infer the relationships that may exist among the various data. In other words, though doctors can look at and understand the state of patients who come for consultations two or three times with these systems, doctors are unable to examine and understand the state of patients who may have been suffering from certain conditions for years, such as asthmatics, diabetics or patients suffering from hypertension. Accordingly, these systems are unable to attain the purpose of supporting doctors' analysis and understanding.

2.4.3 Mobile Timeline EMR System

As described above, in order to meet the need to support doctors' understanding and medical analysis, the system must have a function to present medical data that are generated over various time spans and allow doctors to look at medical data from any perspective. In order to solve this problem, we have introduced a timeline interface. The timeline interface has a multistage time scale including years, months and days. With a timeline interface, the system can present chronological data over various time spans.

⁴ Keisuke Ogawa, KDDI R&D Laboratories Inc., Tokai University, Graduate School of Medicine, Japan. See document [RGQ14.3.2-INF-0013](#)

In addition, in order to meet the demands for mobility and portability, we use a mobile device as a client of this system. By adopting a mobile device, the system gains a significant advantage in that doctors can analyze data anywhere. However, mobile devices have the problems listed below:

- Difficulty with input and reading using a small display.
- Low data transmission rate through a mobile wireless network.

To solve problem (1), we adopted an advanced word completion function using an optimized lexicon for each field of medicine.

For problem (2), we implemented the Adaptive Event Merge algorithm that reduces data transmission.

By means of the above, we can create a tool that is capable of supporting doctors' understanding and analysis wherever they are.

2.4.4 Timeline Interface

The timeline interface is the most important part of this system. With timeline interface, doctors can change the time scale to various time units. For example, doctors can change the unit time scale from hour to day or to month. By changing to a smaller time unit, doctors can observe medical data over a short time span in detail. Conversely, by changing to a longer time unit, doctors can look at medical data over a long time span. The length of the time unit can also be changed by pinch-in/pinch-out. The reasons why we use this interface are presented below:

There are various kinds of medical data. They occur over various time spans and they are interrelated in various ways.

If the different data are interrelated, the appropriate time scale for observation can be chosen. By selecting the appropriate time scale, the system can elucidate the relationships among the data.

For example, take the case where relationships can be discerned when data are observed over a long time span, where this would not be case if observation were to occur over a short time span. Conversely, there are other cases where relationships are not apparent when data are observed over an excessively long time span. Accordingly, the system must have a function that allows users to select the appropriate time scale.

With this timeline interface, doctors can change the time scale at will. Therefore, the various relationships between various data can be observed. In other words, doctors can examine medical data from various points of view.

In this manner, this system can serve not only as a tool for managing medical data, but can also support understanding and medical analysis.

Word completion using lexicon for medical data

The input method is not only an important factor that decides the usability of the system on mobile devices, but also a difficult problem. This is because mobile devices only have poor input accessories such as small touch panels and keyboards. In particular, in EMR systems, doctors have to input special characters for medical treatment using these poor input devices to write down the SOAP information or to search patients. To solve this problem, the word completion method using a lexicon of medical words is well known and effective (Laird S. Cermak et al 1992, C. G. Chute et al 1999, Hiroyuki Komatsu et al 2001). However, the words used in medicine differ significantly among the different fields. In other words, using the same lexicon for all the different areas of medicine would be limiting and inadequate. For example, the phrase 'nephrotic syndrome' is often used by paediatricians, but is rarely used by ophthalmologists. Accordingly, we have optimized the lexicon for each field of medicine. Simply put, we changed the bias of the TRIE (Donald R. Morrison 1968) structure of the lexicon for each field. Then for each field, by summarizing and analyzing the most common inputs from doctors in a particular field, the system succeeded in improving the accuracy of word completion.

Adaptive event merge algorithm

The response speed of the system is a very important factor for deciding the system's usability. The advantage of the timeline interface is, as we described above, the ability to visualize the relationships among medical data by varying the time scales. If doctors want to look at data over a long period, they can expand the time scale as they wish. However, the system has to display a lot of data objects at once. On the other hand, in this system, since its client is a mobile device, the client only has narrow wireless communication bandwidth. In order to improve the response speed in this system, we implemented an Adaptive Event Merge algorithm. This algorithm is a function that merges neighbouring data objects adaptively.

When doctors expand the time scale, if the time gap of the neighbouring data objects is smaller than the threshold, the system merges the objects into one object. In this manner, the system can reduce the amount of data transmitted and improve the response speed and usability.

2.4.5 Conclusion

In this paper, we introduced an EMR system based on a new concept. This system has a significant advantage in that it is able to support doctors' understanding and medical analysis wherever they are. The system has the three features described below. With the timeline interface, doctors can look at and analyze medical data using various time scales. This is a significant help for doctors' understanding and analysis. Since its client is a mobile device, the system can support doctors wherever they are. In spite of using a mobile device as a client, the system can respond very quickly. In addition to the features described above, as the system is easy to use, there is a possibility that the doctors can use it as an educational tool.

References

- [1] A.L.Rector., 1996. Computer-based Patient Records, Yearbook of Medical Informatics, Section 2, 195-198.
- [2] Anderson J.D., 1999. Increasing the acceptance of clinical information systems. MD Computing 16(1)62-5.
- [3] David W. Bates, Mark Ebell, Edward Gotlieb, John Zapp, and H.C. Mullins., 2003. A Proposal for Electronic Medical Records in U.S. Primary Care, J Am Med Inform Assoc.
- [4] Samuel J. Wang, Blackford Middleton, Lisa A. Prosser, Christiana G. Bardon, Cynthia D. Spurr, Patricia J. Carchidi, Anne F. Kittlera, Robert C. Goldszer, David G. Fairchild, Andrew J. Sussman, Gilad J. Kuperman, David W. Bates, 2003. A cost-benefit analysis of electronic medical records in primary care. The American Journal of Medicine.
- [5] Jim Johnson, 2010. Making a Successful Transition to Electronic Medical Records. Healthcare Technology Online.
- [6] Weed LL., 1968. Medical records that guide and teach. New England Journal of Medicine 278:593-600.
- [7] Laird S. Cermak, Mieke Verfaellie, Marie Sweeney and Larry L. Jacoby, 1992. Fluency versus conscious recollection in the word completion performance of amnesic patients, Brain and Cognition Volume 20, Issue 2, Pages 367-377.
- [8] C. G. Chute, P. L. Elkin, D. D. Sherertz, and M. S. Tuttle, 1999. Desiderata for a clinical terminology server, Proc AMIA Symp.
- [9] Hiroyuki Komatsu, Akira Takabayashi, Toshiyuki Masui, 2001. Predictive Text Input with Japanese Dynamic Abbreviation Expansion Method "Nanashiki", WISS.
- [10] Donald R. Morrison, 1968. PATRICIA--Practical Algorithm to Retrieve Information Coded in Alphanumeric, jacm

2.5 Japan: Case 4 – The Network of Perinatal Telemedicine

2.5.1 Introduction

⁵Our company has developed and sells mainly electronic medical records for perinatal care and other health care systems since 2002. Company name of MITLA is derived from the Medical information technology laboratory. The history of research in the field of medical information is new in Japan. The history of the medical technology system in Kagawa prefecture has developed according to the Japanese governments agenda. I can tell that we have traced the history in the world of medical IT. We will focus on following four main topics, as a case of the perinatal telemedicine between Tono city and the centre hospital.

Here perinatal refers to the period before and after childbirth. According to ICD-10, the perinatal period which is defined as less than seven days after birth from 22 weeks gestation.

2.5.2 Background and Issues


The medical IT system being triggered by Kagawa prefecture is the project of the perinatal electronic medical records network in 1998. Recently Kagawa prefecture is known to K-mix that is the remote diagnostic imaging system. Various medical IT systems were created around the electronic medical records. MITLA has developed a perinatal electronic medical record named Hello Baby Program. The other hand, the number of obstetricians and gynecologists has decreased from 1984 to 2006. This has caused many problems to some regions of Japan. The most common is the Tono city. There are no obstetricians in Tono city, Iwate Prefecture. Pregnant women need a prenatal check-up once a month or more. For this to occur there was a medical centre built called Net Yurikago in 2007 (4 year ago). Here pregnant women can have regular checkups from midwives. If the patients have any worries or concerns she can talk to a doctor via the internet.

2.5.3 Telemedicine System Configuration

There are 2 servers used at the data centre. There is a pc and cell phone at the hospital and mid wives centre. At the maternity centre there also is a mobile CTG also used. MILTA monitors the system daily so that no problems occur. You can see here a picture of the mobile CTG Monitor (Figure 23 a). As you can see it's small and very light. I like you'd be surprised how easy it is to use. The data taken using the CGT which was sent to the doctor's cell phone and computer. The above graph shows the baby's heart rate and the graph below shows the mother's contractions in the display. For the while the doctor can access the patient's monitored data through the Hello Baby program (Figure 23 b). The midwife in the maternity centre meet pregnant woman and input checkup data to the Hello Baby program. Doctors can monitor the patient's data during the whole perinatal period (10 months).

⁵ Yhuko Ogata, MITLA Co., Japan. See document [RGQ14.3.2-INF-0014](#)

Figure 23: a) Mobile CTG monitor and b) Typical display of Hello Baby program



How to Operate the Telemedicine System

The patient uses the CTG system at home, which gathers the baby's heart rate and mothers contractions then this data is sent to the midwives, which is then sent to the hospital where the doctors can see the gathered data. This is very convenient because the midwife and doctor can both share the data. The doctor can see all the data at a touch of a button. This also caught the eye of doctors in America and there was an article written in the New York Times.

Figure 24: The network of perinatal telemedicine



Application and Development

Babies who use this system will have their lives monitored to the end of life. In addition, Tono city staff members believe it is important to measure and confirm health data for all its citizens. This is an example of a child's case. The mother inputs the child's data once a week until the child graduates high. This slide shows the establishment of the telemedicine information network system. Before the patients had to travel far from rural towns to see a doctor but now they can now use telemedicine to communicate with from home.

Acknowledgement

We would express our thanks to Professor Hara Kazuhiro from Kagawa University, Ogasawara Toshihiro, Hospital Director of Ohfunato Prefectural Hospital in Iwate Prefecture and Tono city staff.

2.6 Japan: Case 5 – The Novel Mobile Telemedicine System for Real-time Transmission of 12-lead ECG Data and Live Video from Moving Ambulance to Hospital

2.6.1 Introduction

⁶In Japan, a telemedicine system utilizing a car phone was first made available in ambulances in the 1990s. The original analog car phone was later replaced with a digital mobile phone, enabling the transmission of 1- or 3-lead electrocardiogram (ECG) and heart rate (HR) data from the ambulance to the hospital. Consequently, a large number of ambulances in Japan were equipped with this telemedicine system.

However, despite the ready availability of the system, a large number of the devices were not used widely or effectively. One of the reasons for this was the presence of motion artifacts and other noise in the ECG data.

This mobile telemedicine system did, however, seem particularly applicable to emergency and disaster situations, where medical doctors wanted to use ambulances and temporary shelters as consultation rooms for the urgent diagnosis of heart disease. In the event of a disaster especially, it is necessary to diagnose victims in such settings over a period of several months since many victims fall ill due to stress.

Even though a large quantity of data was transmissible by the information communication technology (ICT) system developed, it was difficult for doctors in the hospital setting, separated from the patients, to reduce the frequency of misdiagnosis. In emergency and disaster medicine, misunderstanding the medical data provided can often make the situation graver.

The question then arose: Why could medical doctors not reduce the frequency of misdiagnosis? This was entirely due to the fact that the doctor and patient were in entirely different settings. The doctor expects to use stable data obtained in a static consultation room for diagnosis, but receives unstable data with motion artifacts and other noise under dynamic conditions in the ambulance or temporary shelter. Thus, it became necessary to find an effective solution that integrates the two different settings of the static hospital and the dynamic ambulance.

To this end, we realized the multi-functional electrocardiograph “Radarcirc”, which transmits the patient’s live image and vital signs, such as 12-lead ECG, the analyzed ECG data, blood pressure and oxygen saturation (SpO2) data, to the hospital in real-time [1]. The name “Radarcirc” is derived from the fact that the device can detect circulatory disease exactly as radar detects an airplane. The system enables the medical doctors in the hospital to remotely control the camera in the ambulance. The most important function of Radarcirc is that it makes the measurement and analysis of 12-lead ECG possible even in the case of severe motion artifacts and during cardiopulmonary resuscitation (CPR) [2].

In this study, the anti-artifact ability of Radarcirc was examined and the significance of Radarcirc for integrating the different medical settings is discussed.

2.6.2 Materials and Methods

12-Lead ECG, SpO2 and blood pressure were measured by the Radarcirc (Dainippon Sumitomo Pharma Co., Ltd.) and these data were transmitted by a mobile telemedicine system (Dainippon Sumitomo Pharma Co., Ltd. and NTT Comware Corp.) using a FOMA telephone (NTT DoCoMo, Inc.) (Figure 25).

The function of Radarcirc is based on adaptable filtering and weighted-mean technologies (Figure 26).

The artefact-resistant function of Radarcirc was examined using data simulation. The simulated sine waves were added to the lead-II waveform from the ECG checker (Nihon Kohden Corp.). The sine wave frequency was changed from 0 to 0.3 Hz and the sine wave voltage from 0 to 3.2 mV. Figure 27 shows an example ECG with 0.3 Hz noise and a 3.2 mv sine wave.

⁶ Masayuki Hashimoto, KDDI R&D Laboratories Inc., Japan. See document [RGQ14.3.2-INF-0016](#)

Moreover, a comparison was made of the automatic recognition by Radarcirc and manual recognition by 5 medical doctors of the points Pa, Pb, Pe, Qb, Stj, Ta, and Te for 30 beats in the following 20 files stored in the ECG database, QTDB: sel 100, 103, 4046, 16265, 16272, 16273, 16420, 16483, 16539, 16773, 16786, 16795, 17453, 230, 231, 32, 41, 803, 808 and 811. The representative values for the automated and manual recognition were calculated for each file by averaging the data for the 30 beats. The absolute values of the difference between the automated recognized point and the manually recognized point were analyzed statistically. Significant differences were evaluated using Dunnett's multiple-comparison test, with significance set at $P < 0.01$ or $P < 0.05$.

2.6.3 Results

The adaptive filtering and weighted-mean technology realized robust low-cut filtering without waveform distortion (Figs. 2 and 3). When the frequency change from 0 to 0.3 Hz and the voltage change from 0 to 1.5mV were added, the waveform distortion was less than 1% in every case (data not shown).

In the comparison of automated recognition with manual recognition by the 5 medical doctors, there were no significant differences between the two representative values for automation and manual recognition (Table 1).

2.6.4 Discussion

The electrocardiograph and the electrocardiograph monitor are different devices. The electrocardiograph with its weak filters and low resistance to noise is used for the exact diagnosis of heart disease because there is no distortion of the ECG. The electrocardiograph monitor with its strong filters and high resistance to noise produces a distorted ECG and thus is used only for the monitoring of the patient's condition. Radarcirc technology realizes both functions – the electrocardiograph and the electrocardiograph monitor–simultaneously, enabling Radarcirc to analyze ECG during CPR [2]. This function is based on the adaptive filtering and weighted-mean technology.

The Radarcirc technology incorporated in the new device we examined here was born from FLUCLET technology [3]-[4], which was developed as an analysis system of heart rate and blood pressure fluctuations in animal and clinical experiments [3]-[6] through independent pharmacological research at Dainippon Sumitomo Pharma Co., Ltd. Thus, Radarcirc makes it possible to monitor and analyze every beat of the patient's heart even in the event of sudden external shocks and vibrations or in the presence of motion artifacts.

As mentioned above, communication between multiple persons in different circumstances in different settings can often result in misunderstandings, especially in emergencies involving doctors in the hospital (static setting) and emergency medical technicians in the ambulance or temporary shelter (dynamic setting). We aimed to solve the problems resulting from this separation by considering two important points. First, it is necessary for the medical doctor in the hospital to ascertain the patient's status in the dynamic setting freely. Second, it is necessary to convert the dynamic 1- or 3-lead ECG data with motion artifacts or other noise into static and detailed 12-lead ECG data without noise and distortion so it can be effectively used by the doctor.

Figure 25: Real-time mobile telemedicine system




The breakthrough allowing us to address both these issues came in the form of progressing information technologies (IT) to advanced ICT. Advanced ICT meets the demands of practitioners to support communication and integrate information between different settings with practical meaning. In Japan, awareness of these issues was sparked by Kitaro Nishida in philosophical fields and are discussed and applied by Hiroshi Shimizu in scientific fields [7]. The integration of the different circumstances and settings is expressed in Japanese as the integration of “Ba”, a technical term that is now in frequent use worldwide.

The use of high-speed data communication alone is not sufficient to realize the integration of different “Ba” (i.e., the different circumstances and settings). Advanced ICT, however, seeks to employ an intelligence to integrate them. The integration of the different “Ba” by the combined technology of Radarcirc and the mobile telemedicine system provides a good example for the development of other advanced ICT systems in the future.


12-Lead ECG, SPO₂, and blood pressure data are transmitted in real time by a FOMA mobile phone to the hospital servers via the internet.

Figure 26: Adaptive filter and weighted mean



An adaptive filter is used for each heartbeat. Each filtered ECG signal is connected smoothly at the point by the weighted mean method. For the final ECG signal, the ECG wave with a broken line is distorted compared to the other ECG waves.

Figure 27: Effects of adaptive filter and weighted mean for artificial noise



Upper panel shows ECG with artificial sine noise. The amplitude and frequency of the noise is 1.5 mV and 0.3 Hz, respectively. Bottom panel shows ECG after filtering by Radarcirc.

Table 1: Difference between automated and manual recognition for points in ECG database files

Recognized point of ECG	Pb	Pa	Pe	Qb	Stj	Ta	TE
Mean	2.2	1.8	4.7	2.5	0.2	1.3	0.9
S.E.	1.5	0.9	1.7	1.1	1.0	1.2	2.1
Statistical difference	N.S.	N.S.	N.S.	N.S.	N.S.	N.S.	N.S.

At each recognized point, the absolute values of the difference between the automated recognized point and the manually recognized point were analyzed statistically (n=20).

References

- [1] Y. Otsuka, H. Yokoyama, and H. Nonogi, "Novel mobile telemedicine system for real-time transmission of out-of-hospital ECG data for ST-elevation myocardial infarction," *Catheterization and Cardiovascular Interventions* vol. 74(6), 2010, pp. 867–872.
- [2] G. Shimpuku, N. Morimura, T. Sakamoto, T. Isshiki, S. Nagata, and T. Goto, "Diagnostic performance of a new multifunctional electrocardiograph (RadarcircTM) during uninterrupted chest compressions in cardiac arrest patients," *Circulation Journal*, to be published.
- [3] R. Nagai, and S. Nagata, "New algorithms for real-time, 24 hr continuous and noise-adjusted power spectral analysis of heart rate and blood pressure fluctuations in conscious rats," *Jpn. J. Pharmacol.* Vol. 72, 1996, pp. 335–364.
- [4] R. Nagai, S. Nagata, F. Fukuya, J. Higaki, H. Rakugi, and T. Ogihara, "Changes in autonomic activity and baroreflex sensitivity with the hypertension process and age in rats," *Clinical and Experimental Pharmacol. and Physiol.*, vol. 30, 2003, pp. 419-425.
- [5] M. Suzuki, S. Hori, I. Nakamura, S. Nagata, Y. Tomita, and N. Aikawa, "Role of vagal control in vasovagal syncope," *Pace*, vol. 26, 2003, pp. 571–578.
- [6] Y. Makiguchi, S. Nagata, T. Kojima, M. Ichimura, Y. Konno, H. Murata, and H. Ueda, "Cardiac arrest during gamete release in chum salmon regulated by the parasympathetic nerve system," *PLoS ONE*, vol. 4(6), June 2009, e5993.
- [7] H. Shimizu, "'Ba-Principle': new logic for the real-time emergence of information," *Holonics*, vol. 5(1), Aug.1995, pp. 67–79.

2.7 Japan: Case 6 – Telemetry for Wild Birds and Future Technical Expectations to Prevent Avian Influenza

2.7.1 History

⁷The ITU-D Study Group 2 Question 14 Rapporteur's Meeting for Telemedicine, hosted by the Ministry of Internal Affairs and Communications of Japan, was held at the Kokusai Bunka Kaikan in Tokyo on July 3–4, 2008. This meeting featured active discussions on the Statement of Appeal on an Integrated Information and Communications Network for Avian Influenza (commonly known as the Statement of Appeal on Avian Influenza), which was finally adopted after incorporating a wide range of suggestions and after repeated revisions and input, at the ITU-D Study Group 2 meeting in September of 2008.

The following actions relate to the application of telecommunication technologies to prevent and contain avian influenza, and for adoption and implementation of these actions under the Statement of Appeal on Avian Influenza.

⁷ Masayuki Hashimoto, KDDI R&D Laboratories Inc., Japan. See document [RGQ14.3.2-INF-0015](#)

Summary of the Statement of Appeal on Avian Influenza (ITU-D Study Group 2 Question 14 Rapporteur's Meeting, Tokyo, July 2008).

2.7.2 Principle of Information Disclosure

Any governments and individuals involved must disclose information on avian influenza infection immediately upon its discovery.

2.7.3 Tracking Technologies

We ask ITU and associated governments and corporations to seek to develop technologies to track bird migrations, including nano telemetric devices, short- and long-distance RFID, data collection satellite systems, and so forth.

- Securing Radio Frequencies

The following tasks will be assigned during the implementation of tracking technologies:

- ITU-R: Priority utilization of frequency bands.
- ITU-T: Standardization of technologies.
- ITU-D: Provision of know-how free of charge to developing countries.

2.7.4 Integrated Information Network

ITU will work with WHO to create the Information and Communications Network for Avian Influenza, disseminating, to various nations, telecommunication technologies to prevent and contain outbreaks.

2.7.5 International Organizations

The relevant international organizations should work together with ITU to integrate various advanced ICT networks to prevent avian influenza outbreaks and to call on individual governments for participation in the network.

2.7.6 Establishment of Human Resource Training Programs

International organizations and governmental aid agencies are encouraged to provide educational materials, knowledge, and invitational programs to train specialists in related fields (telemedicine, especially for avian influenza tracking, information networks, etc.) in developing countries.

2.7.7 About Avian Influenza

Outbreaks of avian influenza caused by widespread transmission between birds, animals, and humans are believed to have inflicted a grave human toll from time to time, starting in ancient times.

The genes of the avian influenza virus are known to mutate rapidly, creating an obstacle to preventive strategies by hindering prompt identification of the respective antibodies for the antigen and vaccine preparation. Some researchers predict avian influenza may result in death rates of 50% in developing countries and 10% even in developed countries – alarmingly high compared to SARS, which recorded a death rate of 4%. The influenza viruses that cause epidemics today were once highly fatal to humans; however, their pathogenicity has decreased over time. Generally, mutations occurring in viruses found in carrier birds (geese, duck, sea swallows, etc.) during bird-to-bird transmission increase pathogenicity, producing new strains of avian influenza. The body temperature of the birds involved is considered to be one of the parameters affecting the process. The consensus view among experts is that it is simply a matter of time until bird-to-human transmission occurs from migratory birds carrying high-pathogenicity viruses. In nature, deaths among wild birds go unnoticed by human observation, and a major cause of such deaths may be the influenza virus.

Despite the importance of epidemiological monitoring in these biomes, no system has been established for real-time monitoring of avian influenza on a global scale. Such efforts would most likely fall under the

jurisdiction of WHO, but since they would require the development of new technologies and since the regulation of frequencies and standardization of technologies is primarily the duty of the ITU, cooperation between the two organizations is crucial.

2.7.8 Present Satellite Technology

ARGOS system (DCS)

Theme: The maximum weight of instruments that can be carried by wild birds is 4% of their body weight. This places significant constraints on antenna size and transmitter power source. The basic technologies used in the first-generation ARGOS system date from the 1960s and were designed for data collection from ocean buoys. Despite efforts to improve transmission rates to broadband levels for 3rd-generation transponders, the G/T (gain/temperature, -18dB/K) of receiving antennas remains inadequate. The ARGOS terminal's lifetime will be only a few months due to battery consumption. Therefore, the ARGOS terminal on the back carry harness shall be glued on the feathers. The heavy weight of the payload can cause birds to crash.

2.7.9 Expected Technology

- Long distance RFID (built-in battery type)

The operational life of a built-in battery type RFID is directly proportional to the size of the battery (including solar cells). The device will be larger and heavier than a battery less counterpart. Long-distance RFID systems on 2.4GHz find their ideal application with medium to large migratory birds that do not collect near specific feeding areas. The only method currently available for collecting ID data is to deploy an observer equipped with a ground unit. In theory, it should be possible to perform unmanned observations by installing a unit that scans the sky, like a radar unit, at lighthouses and breakwaters along migratory routes. However, such systems remain in the planning stages, and numerous technical issues remain to be resolved.

These systems operate on frequencies within the ISM (industrial, scientific, and medical) bands. One possible choice given the propagation distance required (300–500 m) is the microwave range. The high efficiency required for the power source could be achieved via an electric double-layer capacitor (EDLC), which physically adsorbs ions within the battery electrolyte to the surface of the activated carbon electrodes in the charge cycle, then desorbs them in the discharge cycle. Unlike other capacitors, the EDLC electrical accumulation device is not based on chemical reactions. Given the extreme light weight of EDLCs, combined use with micro solar cell units may lead to long-distance RFIDs with semi-permanent operating lives. In any event, actual implementation of long-distance RFID must await further progress in R&D in the related technologies.

- LEO with advanced DCS

We would like to propose the next generation digital transponder that is an advanced DCS with multibeam on S-band to perform the on-board processing (DCS and navigation system with Doppler shift). In the case of 38dBi antenna of the spacecraft, the ground terminal with 10dBm RF-output and -10dBi antenna can transmit up to 400 bps with BPSK. This terminal attached to the leg of a bird will be suitable for a dove or a gull in size. Comparison of the ARGOS system and proposed system, 2000 times of processing speeds are necessary at the baseband level of space craft.

However, advances in the processing speed of FPGA (Field Programmable Gate Array) that can be mounted should make the required processing possible. The near-future theme for study is the development of a mounted device that can calculate the Doppler shift by the least-squares method by base-band processing per beam area. Should unused payload space remain in low-orbiting satellites scheduled for launch, we encourage space development agencies to consider including advanced DCS (next-generation digital transponders).

- Geographical Information System (GIS)

It should be possible to visually grasp the approach of suspected carriers by compiling a species-by-species distribution map of migratory birds. For example, in the month of March, few migratory birds fly along the parallel from the Korean peninsula across the Sea of Japan, but two groups of yellowlegs that consistently migrate from Vietnam to Siberia have been confirmed: 1) a group passing through the Korean peninsula; 2) a group passing through the Japanese archipelago. If the DNA types of the virus collected from the dead bodies of affected wild birds (Whooper swan) in Korea and Japan are found to be identical, the avifauna would suggest the possibility that yellowlegs are carriers. Based on independent component analysis, n number of data sources can be estimated from n number of independent observation sites based on higher-order statistics. Comprised of the geographical distribution of migratory birds, virus identification and virus geographical distribution, and the geographical distribution of patients, the GIS should serve as an effective support system for epidemiological risk forecasting. We should be able to achieve the highest cost-benefit performance in preventive effects for the available medical budget by concentrating efforts on distributing antiseptics, vaccines, and medication to regions where suspect migratory birds are known to have arrived.

2.8 Japan: Case 7 – ViewSend Internet Communication Technology

2.8.1 Introduction

⁸ViewSend Co., Ltd. was founded in October 2000 as a software development and systems integration company. ViewSend's objective was to develop videoconferencing software that would exceed the highest industry standards and to integrate that software into a more affordable, user-friendly, PC-based multimedia videoconferencing system. In June of 2004, ViewSend purchased all assets of KLT Telecom, Inc. a well-known American company committed itself to telemedicine, tele-radiology, and videoconferencing challenges. ViewSend Server/RAD, ViewSend Online and ViewSend ReportSystem, the main products of ViewSend, were widely applied to the medicine area. The customers of ViewSend were in the United States, Japan, China and Indonesia.

ViewSend RAD provides a real-time 3-in-1 telemed solution for telemedicine, tele-radiology, and videoconferencing. This product is designed to be a real-time software solution – collaboration, consultation, or training.

ViewSend Online is a web-based videoconferencing system developed by ViewSend in 2007. It is an Internet service and provides telemedicine, tele-radiology, videoconferencing and document sharing.


ViewSend Report System, a sub-system of ViewSend RAD, is non-real time software for tele-radiology. The report management and report format customization is available and enhanced in this software.

VIEWSEND Internet Communication Technology

- ViewSend RAD

⁸ Kenei Shie, Guoliang Wang, Yang Yang, ViewSend ICT Co., Ltd., Tokyo Japan. See document [RGQ14.3.2-INF-0017](#)

Figure 28: ViewSend RAD




ViewSend RAD understands that the radiology workflow must be optimized for reading studies. There is no time to waste on DICOM querying, retrieving, historical information gathering. ViewSend RAD automatically pre-retrieves, organizes, and presents the data you will most often need.

Tele-radiology

ViewSend RAD is designed to be a fast, cost-effective way to retrieve your medical images/data and transmit them to remote locations. Whether the source image originates from a DICOM 3.0 modality, DICOM server, film, or medical device ViewSend RAD can prepare the series within a study and then transmit to the remote destination (Figure 28):

Telemedicine

Figure 29: ViewSend telemedicine



ViewSend RAD helps doctors increase the delivery quality of their care. Medical scoping devices can be connected to ViewSend systems through industry standard S-video or composite inputs. Digital images or video clips can be captured and transmitted in real-time to the specialist. Live video feeds can be used to enhance remote training, teaching, or telesurgery (Figure 29).

- Videoconferencing

Figure 30: ViewSend videoconferencing




Rounding out the unique 3-in-1 solution, ViewSend leads the industry by providing business quality videoconferencing. Whether over ISDN (H.320) or IP (H.323), ViewSend provides a full featured video capable software solution for point to point or multipoint conferencing. Consults, second opinions, live video feeds, CME, training, teaching or telesurgery are all enhanced by integrated videoconferencing (Figure 30).

- ViewSend Online

Dicom image data are uploaded to ViewSend Online Server by ViewSend RAD to share with all users in the same group. The users login to the ViewSend Online Server by username and password to access these images. By the web service, the users can access the server by all terminal devices which support the web browser. This makes home healthcare possible (Figure 31).

Figure 31: ViewSend Online




- ViewSend Report System

ViewSend Report System is a sub-system to enhance tele-radiology by the customization of report management and report format (Figure 32).

The requirement of report management differs between hospitals. The management project, work list and report format of ViewSend Report System can be modified by the XML files for the users. The medical

image data and medical records can be transmitted to the Service Provider, and the report with key image can be reply to the Service Recipient as shown in Figure 32.

Figure 32: ViewSend Report System



- Application examples

Tone Numata telemedicine network (TN-2).

There is a good example of viewsend internet communication technology at Tone Numata. In the case of emergency, video conference consultation is used and it is habitually used for medical image sharing.

2.9 Japan: Case 8 – Remote and Mobile Healthcare ICT Trials in Japan

2.9.1 Introduction

⁹In most countries, the number of elderly people is increasing recent years. Especially, Japan has faced super-ageing society. An aging society needs much higher medical cost, and it has been increasing year by year. At the same time, the number of patients suffering from life style-related diseases such as diabetes is also increasing, which is another factor to increase medical expenditure.

It is very important and is a common global challenge to support elderly people's healthcare from the view point of the Quality of Life. To solve those issues, Japanese government announced a policy to use ICT effectively, and has been putting the model projects into practice and collecting evidences in order to promote remote health care services.

In this contribution, three trial services related to remote and mobile healthcare by using ICT are introduced as examples examined in Japanese model projects. Then, this contribution proposes potential

⁹ Ms Mayumi Yamauchi, Ministry of Internal Affairs and Communications, Japan and Mr Hideo Imanaka, NTT, Japan. See document [2/207](#)

standardization items regarding remote and mobile healthcare ICT by taking account lessons from Japanese healthcare ICT trials led by Ministry of Internal Affairs and Communications (MIC), Japan.

2.9.2 Country Overview

According to recent research results, the number of senior citizens in Japan, aged over 65 years old, is 23.1%, and 20% of households are elderly people living alone in 2011. An aging society needs much higher medical cost, and in practice, the total health expenditure reached 460 billion US dollars in 2010, which has been increasing year by year. Accordingly, Japan becomes the first nation in the world facing with difficult challenges caused by super-aging society.

Such a situation happens not only in Japan, but also in other countries. In some researches, the elderly ratio of Asian countries such as South Korea and Singapore follows Japan 10 years behind. In other Asian countries, speed of super ageing is more rapid than Japan. For example, the elderly ratio will reach 20% in China and India soon. This brings tremendous number of aged people, around 5 billion, which is 4 times larger than the current total population in Japan.

2.9.3 Objectives and Strategies

Objectives: to reduce medical cost and to improve Quality of Life

Strategies: to exploit remote and mobile healthcare by using ICT

1 Activities Implemented

Three cases of remote healthcare ICT and mobile healthcare ICT are introduced as the trials in Japan.

- a) Remote healthcare for monitoring after discharging, an MIC model project.
 - Purpose: to provide healthcare service for Homecare Patients after discharging from hospital.
 - Service: A Homecare patient is monitored its vital data such as blood pressure, heart rate and pulse by a doctor who is in the hospital. Doctors and nurses visit patient on a regular basis, for example once or twice a week, to provide adequate medical treatment based on the knowledge as to how the patients have been between their visits.
- b) Remote healthcare promotion for elderly, an MIC model project.
 - Purpose: to promote healthcare for elderly people especially in rural area.
 - Service: It shares vital data of elderly people with doctors and public health nurses, and provide remote consultation over video phone. Doctors in the city and public health nurses and elderly people in the local area share healthcare related data. Elderly people visits a community center regularly to have their physical condition checked by public health nurses and to consult with doctors in the hospital. Public health nurses will assist elderly people to use devices and internet.
- c) Mobile healthcare for Post Disaster, in Fukushima after the great East-Japan earthquake.
 - Purpose: to provide medical services in shelters after disaster.
 - Service: After the disaster, evacuees who lost their houses and stayed in shelters for long time needed medical services, and many medical professionals came to the disaster struck area to response to evacuee's need. In order to allow for common use of medical records by these medical professionals, medical record sharing system was offered to Fukushima Prefectural University Hospital Medical team.

2 Technologies and Solutions Deployed

- a) Remote healthcare for monitoring after discharging, an MIC model project.
 - Remote data monitoring service using vital sensors:

- Remote consultations with doctors over video phone.
 - HPKI for user authentication.
 - Continua Health Alliance based video phone and vital sensors.
- b) Remote healthcare promotion for elderly, an MIC model project:
- HPKI for user authentication.
 - Continua Health Alliance based video phone and vital sensors.
- c) Mobile healthcare for Post Disaster, in Fukushima after the great East-Japan earthquake:
- On Demand VPN service for secure network over the Internet.
 - HL7 based healthcare data.

3 Changes and Outcomes Achieved

- a) Remote healthcare for monitoring after discharging, an MIC model project:
- It reduces patients' physical burden to visit hospital regularly.
 - It is possible to receive patient's data and to diagnose immediately, that would enable doctors to detect diseases earlier.
 - Patient and their family feel safe since they can consult with medical professionals whenever they want.
- b) Remote healthcare promotion for elderly, an MIC model project:
- The number of people who has disease from 6 to 1. That means 83% of improvement was achieved by this service.
 - Some local governments continue to use this service after the model project has finished.
- c) Mobile healthcare for Post Disaster, in Fukushima after the great East-Japan earthquake:
- What they need most was checking the patient's past medical records on site.
 - Patients' medical record should be protected as much as possible even at the emergency.

4 Challenges and Success Factors

Challenges: Changing the way of doctors work.

Success Factors: Collaboration with medical doctors and their understanding to use of ICT.

5 Lessons Learned and Next Steps

Remote Healthcare and Remote Health promotion are relatively easy to start-up in technical sense. People are able to send their vital data and receive advice from doctors at any time and any place. They are also able to be consulted by doctors when they need. Doctors can check patients' condition with their own eyes through TV phone. If all devices are based on global standards, healthcare ICT will be easy to start-up and will be cost effective. Remote healthcare ICT and mobile healthcare ICT are really effective to provide better healthcare service outside hospitals.

The next step of healthcare ICT is to discuss standardization of security and interoperability with healthcare devices. The trials mentioned in this contribution adopted "on demand VPN" service for ensuring security and privacy, and specification of "Continua Health Alliance" for communicating vital data between health devices and servers in telecommunication networks. In conclusion, it is needed to discuss the standardization in ITU considering of unique colors and real-time capability in medical services continuously.

2.10 Report of ITU Workshop on e-Health Services in Low-resource Settings in Japan

2.10.1 Introduction

¹⁰In developed countries including Japan, the aging society problem is causing a chronic shortage of doctors. Meanwhile, developing countries also have a chronic shortage of doctors but for a different reason, namely the limited availability of medical services.

Tele-medicine and e-Health are being studied as one solution for these problems, and ITU-T SG16 and ITU-D SG2 study standardizations on e-Health technologies and deploy it widely in developing countries. In November 2012, the ITU and WHO launched a partnership called the m-Health initiative, which aims to use mobile phones to deliver e-Health services to combat non-infectious illnesses. Since April 2012, the ITU-T focus group on machine-to-machine (M2M) service layer called FG-M2M has been studying the standardization of e-Health as an M2M application.

With the aim of ensuring that e-Health standardization proceeds smoothly in the future, the ITU-D and ITU-T held a joint e-Health workshop to provide a place for dialogue and the exchange of information between each of their members. In this way, it was expected to clarify the special requirements of developing countries, and to specify the items for future standardization towards the implementation of e-Health using advanced technology.

This contribution covers brief results of the workshop, and proposes future activities for progressing towards the standardization work and deployment in developing countries on e-Health services.

Photo 1: Opening speech from Vice- Minister of Japan



2.10.2 Overview of the Workshop

Opening speeches were made by Mr Eiichi Tanaka, vice-Minister for Policy Coordination in Ministry of Internal Affairs and Communications, MIC, Japan (Photo 1), and by Mr Sameer Sharma of the ITU Asia-Pacific regional office on behalf of the ITU Secretary-General. These were followed by keynote speeches from Mr Tetsushi Sakamoto, the State Secretary for MIC, Japan, on the subject of Japan's e-Health policies, and Prof. Kiyoshi Kurokawa of the National Graduate Institute for Policy Studies, who gave a presentation under the title of "Global Agenda in Post Fukushima" in which he raised issues that should be addressed not just by Japan but by the whole world in the wake of the Great East Japan Earthquake. Mr Mark Landry of Pacific regional office of World Health Organization, WHO, gave a speech on behalf of WHO in which he

¹⁰ See document [RGQ14.3.2-C-0024](#)

described some examples of e-Health policies across Asia, and the current status of cooperation with WHO (Photo 2).

Photo 2: Workshop



2.10.3 Requirements for Low-resource Settings

On the theme of implementing e-Health with low-resources, representatives from India, Sudan, Uganda, Algeria, the United Arab Emirates, Bangladesh, Vietnam and Myanmar gave presentations on the current situation of e-Health in each country, the issues that need to be addressed, and requirements in each case. The requirements of developing countries are characterized by delayed development of infrastructure, not only for medical care but also for insurance, sanitation and health management, and a shortage of healthcare workers coupled to a poor educational environment. Instead of the advanced e-Health systems that are being considered in developed countries, these presentations introduced solutions such as Web-based sharing and education of medical information, using video conferencing to facilitate collaboration between medical workers including doctors, and using mobile phones for medical consultation (m-Health), whereby e-Health is expected to provide a broad range of benefits.

Photo 3: Demonstrations on m-Health



2.10.4 Items for Standardization

Representatives from Japan, South Korea, Singapore, and the United States introduced some advanced examples of e-Health initiatives, and discussed the challenges of implementing e-Health. NTT Data gave a presentation introducing cases of Personal Health Record, called PHR, management and monitoring as

examples of m-Health services in Japan, and stressed the importance of security and privacy protection. The representative from Singapore introduced a Smart TV health management system based on ITU standards, and showed that interactive e-Health using TV sets and remote control devices may be suitable for an aging society since these devices can be easily used even by elderly people. Also, the US representative introduced the importance of considering e-Health for people with disabilities; NICT introduced the possibility of a body area network (BAN) that people can wear in order to connect to healthcare equipment; and Fujitsu introduced the possibility of a heart simulator that aims to improve healthcare technology. These presentations highlighted the need for standardization of the data structures and protocols required for the transmission of PHR and other data, of the application interfaces and transmission methods used between medical/healthcare devices and telecommunication networks, wireless devices and fixed devices, and of security, which is essential when exchanging PHR data.

2.10.5 e-Health in the Event of Disaster

Experiences from the Great East Japan Earthquake with regard to the use of e-Health in disaster situations were introduced. A&D made a presentation about a monitoring system for information such as blood pressure for health management of people affected by disasters, which was actually put to use after the Great East Japan Earthquake. Professor Isao Nakajima of Tokai University – the vice rapporteur of ITU-D Q14/2 and co-chairman of this workshop – described items that need to be studied in e-Health and radiation related disasters in relation to the nuclear power plant incident. These presentations demonstrated the usefulness of e-Health in the event of disaster, and made a case for the importance of preserving two-way communications.

2.10.6 Future Direction for ITU Work

Mr. Masahito Kawamori of NTT - the rapporteur of ITU-T Q28/16 and co-chairman of this workshop, drew up the following summary of the results of the workshop and the future direction of e-Health standardization at the ITU.

- To promote the spread of e-Health, it is important to provide education in order to eliminate misconceptions about the circumstances of developing countries.
- From the viewpoint of standardization, to establish cooperation between requirements, terminology definitions, data sets/applications, and related organizations.
- In particular, to make a terminology database, since the technical terminology relating to e-Health covers many fields including medicine, healthcare and ICT.
- For e-Health related regions, to study the application of this technology as related to the elderly, stranded people, and disabled people.
- In the future, to supply information to the ITU website including the content of speeches given at this workshop, and to hold an enlightenment event in cooperation with WHO.

2.10.7 Other Related Events

Alongside the workshop, there were also demonstrations from NTT Laboratories related to m-Health (photo 3). A simple health management system was introduced where healthcare equipment including blood pressure gauges and SMS text messaging is used to implement m-Health with low initial investment. In this exhibition, it was found that there are many different opinions regarding this technology.

2.10.8 Conclusion

Over 130 persons from 20 countries attended this workshop (photo 4), since e-Health has been globally recognized as important by developing and developed countries alike. It is expected that this field will continue to grow in the future. For its efficient global development, international standards, with appropriate consideration of the regional characteristics and environmental conditions of each country, are essential.

This contribution proposes to continue dialogue between ITU-T and ITU-D members by using workshop since this kind of workshop is expected to contribute to the expansion of developing countries, which is the scope of ITU-D, as well as the further development of ICT standardization, which is the scope of ITU-T. Furthermore, this contribution also proposes to collaborate with WHO for deployment m-Health solutions to developing countries, along with an MoU signed by ITU and WHO.

To access presentations delivered at the workshop, please visit: <http://www.itu.int/en/ITU-T/Workshops-and-Seminars/e-Health/201302/Pages/default.aspx>

Photo 4: Demonstrations



2.11 Korea (Rep. of): Case of SK Telecom – SNUH (Seoul National University Hospital) HealthConnect Services

2.11.1 Introduction

¹¹Since healthcare costs are rising dramatically due to the aging of population, it can possibly become a huge national burden without a proper preparation. The official launch of HealthConnect marks a good starting point that will lead to the development of a future convergence healthcare technology and innovative medical services. Looking ahead, SK Telecom (incumbent private telecommunication operator) and SNUH (Korea's first national hospital) will work together to research and develop future healthcare models so as to offer the most reliable medical services for the next-generation, increase healthcare consumer satisfaction, and strengthen Korea's national competitiveness in healthcare.

In this case study, information on the joint venture firm between SK Telecom and Seoul National University Hospital is shared.

2.11.2 Stakeholders

The name "HealthConnect" represents convergence between core capabilities of the two companies: SK Telecom's strength in ICT and network operation and SNUH's expertise in medical technology. SK Telecom and SNUH signed a strategic partnership agreement in April 2011 to share their capabilities in healthcare ICT business, to identify specific areas of cooperation, and to develop innovative joint business models by

¹¹ Contribution: Lim Hyung-Do, SK Telecom, Korea (Rep. of). See document [2/175](#)

devise measures. After signing the joint venture agreement in October 2011, SK Telecom and SNUH have completed creating the organizational structure such as business, technology, strategy, and new business development of the joint venture firm and recruited necessary employees in just three months. The joint venture is established with a capital of KRW 20 billion or USD 17.6 million. SK Telecom holds 49.5 percent of the stake in the joint venture, while SNUH holds the remaining 50.5 percent.

2.11.3 Main Characteristics of the Services

HealthConnect moves toward the direction of ‘disease prevention and health management’ and will lead changes through ICT-based innovations. HealthConnect business is defined as three main services: Development of a self-health management service, development of smart hospital solutions to enhance doctor & patient productivity and satisfaction, and establishment of an integrated R&D system for the advancement of the Korean healthcare industry.

First, the development of a self-health management service that links prevention, diagnosis, treatment and management will lead to the provision of truly personalized healthcare service based on one’s medical information;

- Seamless Management using Medical Check-up
 - Personalized program based on medical check-up data.
 - Program result analysis.
- ICT based Personalized Service
 - Activity tracker measuring daily activity.
 - Aerobic/muscle motion data gathering at in-company fitness club.
 - Diet calorie measurement at cafeteria.
- Health-tainment
 - Ranking/Incentive to motivate participation.
 - SNS to encourage family/colleague activity.

HealthConnect plans to develop a health management service model centered on wellness in 2012, followed by a pilot service conducted jointly between SK Telecom and SNUH within the same year.

- Pilot Test Summary
 - Participants: SKT Employees (30 members).
 - Selection Criteria: BMI.
 - Duration: Starting in May 2012 (3 months).
 - Measurement: Comparison of medical check-up data and Satisfaction Index before/after pilot test.

Second, HealthConnect aims to develop smart hospital solutions to level up hospital productivity and patient- friendly environment. For instance, plans are ahead for HealthConnect to create a patient-oriented environment by building smart ICT system within hospitals in 2012.

- Smart Reception & Clinic Information
 - Automatic registration of medical treatment for out-patients.
 - Providing medical exam/treatment information based on the clinical pathway and medical contents.
- Smart Payment
 - Payment of small medical bills through NFC enabled smart phones, payment apps and iosk program.

- Smart Indoor Navigation
 - Guide routes to personal destination inside hospital using smart phones and Kiosks.

Besides development of the health management services, SK Telecom and SNUH co-developed Mobile EMR (Electronic Medical Record) and medical self-diagnosis applications in 2011 to accelerate the realization and export of 'Smart Hospital.'

Moreover, the M-prescription application was launched by SK Telecom for mobile healthcare services. M-prescription is expected to significantly enhance patients' convenience by allowing them to store and manage prescriptions on their smart phones and access detailed information on the prescribed medicine including effects, side-effects, dosage and frequency of administration. M-prescription will also help hospitals and pharmacies provide better services and care for patients. Main features of M-prescription include:

- Prescription History.
- Real-time Access to Medication Information & Medication Guide.
- Medication Reminder.
- Search Nearby Hospital/Clinics & Navigation Service.
- General Information on Medicine.

By offering mobile healthcare services that systematically manage an individual's daily amount of physical activity and biometric information, HealthConnect plans to open an era in which individuals are able to manage their own health via mobile phones.

2.11.4 Conclusion

HealthConnect holds a significant meaning in terms of the public healthcare, as it includes services for the medically deprived people and areas. By offering ICT-based healthcare services, HealthConnect will allow people to prevent diseases and manage their health, which will contribute to the overall reduction in social cost and the betterment of national welfare. Furthermore, a portion of its profits will be donated or invested to enhance public healthcare in Korea.

As the pace of adoption of IT in the medical industry has been slower than that of other industries, the combination of SK Telecom's world's top level ICT and SNUH's medical technology and knowhow will develop the next generation healthcare model that connects prevention, diagnosis, treatment and management; promote the export of ICT-based medical services or so-called 'digital hospital'; and enhance Korea's national competitiveness in medical technology and services.

2.12 Singapore: Singapore's e-Healthcare Programmes

2.12.1 Introduction

¹²Singapore experienced rapid population growth in recent years, with the population exceeding five million. This had put a strain on its infrastructure and services. At the same time, Singapore is also facing the prospect of an ageing population where one in five will be over 65 years old by 2030. The national healthcare expenditure is expected to increase and a different pattern of healthcare is necessary; one which features an integrated healthcare delivery system with "right-sited" care, better allocation of resources and more cost-effective treatment and care.

¹² Contribution: Government ICT Strategy and Performance Management (ISPM), Infocomm Development Authority of Singapore (IDA), Singapore. See document [RGQ14.3.2-C-0018](#)

2.12.2 Country Overview

Public healthcare in Singapore is governed by the Ministry of Health (MOH). Institutions that deliver subsidised healthcare are publicly funded through subventions and include 7 acute general hospitals and 6 national specialty centres for cancer, cardiac, eye, skin, neuroscience and dental care. In addition, there are 18 polyclinics located throughout the island that provide subsidised outpatient medical care, health screening and pharmacy services. In the next 4 years, there will be 2 new public hospitals providing additional 1000 beds.

The Intermediate and Long Term Care is provided by residential and communities which are mostly outside the public healthcare system though some facilities receive government subsidies.

In 2000, WHO ranked Singapore's healthcare system ranked first in Asia and sixth in the world. IMD (2007) ranked Singapore's health infrastructure third out of 55 countries. These accolades were achieved on a prudent national healthcare expenditure that is within 4% of Singapore's GDP (a low figure among developed countries)

2.12.3 Objectives and Strategies

There had been a shift in focus from episodic care to developing holistic care to patient. The vision is to have "Hospital without walls" where the healthcare team will comprise GPs, nurses, physiotherapists beside the hospital staff. The team will deliver patient centric care through greater collaboration and partnership. Patients can be decanted more effectively in the healthcare system through the "team based care" so that acute hospitals can cater to severe cases and refer patients in recovery to step down care. This will address the capacity issues of acute hospitals especially in the context of an ageing population.

The National Health Informatics Strategy was conceptualized in 2008 with the goal of achieving greater coordination of healthcare across different providers for patients, higher adoption of Electronic Medical Record systems (EMR) amongst healthcare providers and integrating these EMRs to achieve a vision of "one patient, one medical record" in Singapore. A key part of this strategy is to develop a shared Electronic Health Record which makes available summaries of clinically relevant patient information to healthcare providers to improve the overall quality of care rendered to patients when they seek healthcare services at different points of care throughout their lives. National Electronic Health Record (NEHR) Phase 1 was implemented by 2011 as one of the key guideposts for Singapore's longer term "One Patient – One Medical Record" vision. More capabilities to support clinician collaboration across care setting, harness the power of data via analytics as well as expansion of NEHR adoption across the entire healthcare continuum will be the focus from 2012 to 2016.

In addition, the iN2015 Masterplan by the Infocomm Development Authority (IDA) set out a 10-year plan to utilize infocomm technologies to establish a well connected society. For the healthcare sector, personalized healthcare delivery was a future envisioned to be enabled by infocomm to achieve high quality clinical care, service excellence, cost-effectiveness and strong clinical research.

2.12.4 Activities Implemented

MOH did a review of healthcare landscape and had implemented a concept known as Regional Health System (RHS). There are six RHS formed to serve the different geographic locations in Singapore. The RHS realised the vision of "Hospital without Walls" by providing integrated care to patients. The RHS will involve an acute hospital as anchor to work closely with key healthcare providers in the region i.e. General Practitioners and step down care providers such as community hospitals, nursing homes and hospices. Together, the institutions were to take a patient-centric approach, as opposed to the traditional institution-centric approach. To support the RHS concept, there will be a need to improve the healthcare ICT capability especially in the area of connectivity between institutions. NEHR will be used as a common reference to Patient Record.

2.12.5 Technologies and Solutions Deployed

National Electronic Health Record (NEHR)

To improve healthcare quality for all residents, increase patient safety, lower healthcare costs and develop more effective health policies, Singapore's Ministry of Health (MOH) created the National Electronic Health Record (NEHR) vision – "One Singaporean, One Health Record".

The NEHR extracts and consolidates in one record all clinically relevant information from the patient's encounters across the healthcare system throughout his/her life. It allows for data sharing, making it accessible to authorised healthcare providers, across the continuum of care throughout the country.

With the NEHR, healthcare teams would be better equipped to provide more effective care as the system will enable more timely access to health records including diagnoses, prescriptions and allergies. This will help reduce medication errors and adverse drug events. There will also be cost savings as healthcare staff will be able to obtain a more complete and accurate picture of the patient's health history and therefore avoid ordering duplicate or unnecessary tests.

Integrated Clinical Management System (CMS)

Launched in 2006, the Integrated Clinic Management Systems (CMS) program aims to encourage GP clinics to adopt and leverage on infocomm technologies to facilitate operations and clinical improvements in their patient care. The integrated CMS facilitates scalability of the GP infrastructure by enabling consistent and standards based interface with different healthcare provider systems. Secured and seamless information flow will allow GPs to plan the patient's treatment in an integrated and coordinated manner with other hospitals and step-down care providers. Through this program, GPs will have the capability to easily plug into the national healthcare network and achieve MOH's "One Singaporean, One Electronic Medical Record" vision.

GP-IT Enablement Programme

Building on the momentum of the CMS Program which has resulted in most GPs having some form of IT system in place, the GP-IT Enablement Program was conceptualized in 2010 as the next phase of GP IT adoption. It aims to support more sophisticated IT usage for GPs through introduction of an IT-enabled clinical foundation that contains linkages to the National Electronic Health Record (NEHR) and care services such as laboratory and diagnostic radiology results. GPs currently participating in the CMS Program will be transitioned to the IT-enabled clinical foundation when the system is implemented.

Intermediate and Long-Term Care (ILTC) IT Enablement Programme

The ILTC sector comprises residential and community-based services and is currently managed mostly (approximately 70%) by voluntary welfare organisations (VWOs), where resources are usually stretched, clinical documentation capability or management is limited, IT usage is minimal and IT expertise a scarce occurrence. To address these issues, the ILTC Programme consists of an IT strategic framework that aims to establish the core foundation for the use of technology across ILTC settings, for operational efficiency, and subsequent electronic exchange of information between care settings within the ILTC sector and nationally to the National Electronic Health Record (NEHR). In addition, an ILTC IT Adoption Model will be developed to categorise the IT adoption of different care facilities, to allow policy planning to better develop specific programmes to meet the needs of care facilities with similar maturity levels, and to increase industry interest in the ILTC sector to explore more innovative & sustainable solutions and develop more targeted products and services for the care providers and care givers.

Telehealth Programme

With the increasing challenges of the healthcare sector, Singapore needs to explore more innovative ways to deliver healthcare services, and Telehealth is one such area. Telehealth is an area where ICT can improve the delivery of healthcare services and where the ability of patients to be more proactive in their health management can be enhanced, thereby increasing care accessibility, enhancing care quality and

delivery, and bring more affordable care through greater operation efficiency. It aims to empower patients to better self-manage their health while collaborating with healthcare providers to ensure care continual.

The Telehealth Programme has been formulated to identify and develop remote healthcare services via ICT including mobile technologies in an affordable and sustainable manner for both patients and healthcare providers. Through this programme, it aims to increase greater Telehealth adoption through more coordinated efforts and optimized investment across the entire healthcare ecosystem.

The programme will drive the development of a Telehealth framework which will establish a tripartite relationship between the patients (with their care givers), healthcare providers, and technology as the necessary bridging platform, with an overarching governance to provide implementation guidance and oversight. It includes development of needs assessment and implementation guidelines, thus aligning and synergizing the various initiatives across the healthcare sector including institutions, government agencies and industry.

2.12.6 Changes and Outcomes Achieved

National Electronic Health Record (NEHR)

Phase 1 of NEHR completed in Jul 2012 with common patient records available to all public acute care hospitals, specialist clinics, polyclinics, selected GP clinics, five community hospitals, two nursing homes, one hospice and supporting organizations like Agency for Integrated Care (AIC), Health Promotion Board (HPB) and Singapore Armed Forces medical corps. Phase 2 of the NEHR will provide additional features and functionalities to support patient care and data analyses.

GP-IT Enablement Programme

CLEO (Clinic Electronic Medical Record and Operations), a national system developed for the primary care will comprise of an EMR and an integrated CMS (clinic management system). Phased rollout is expected to begin from 2013.

IDA had awarded a grant to Quest Laboratories to develop a system that delivers secured, electronic lab results online and to NEHR (via the General Practitioner Clinic Electronic Health Record and Operations or CLEO) that comply to the Singapore HL7 standards for messaging and LOINC international standards for diagnostic results. The system will transform a traditional, paper-based process of GP practice to one that is IT-enabled, offering timely and comprehensive electronic documentation of a patient's health condition when integrated with NEHR. It will also leapfrog Singapore's status as one of the few countries in the world with such high level of IT sophistication in pathology services. The system will be completed by March 2013.

Telehealth Programme

MOH Holdings (MOHH) had established a programme office (Consumer Health Office) to oversee the programme. As part of the programme, Integrated Health Information Systems (IHIS), a subsidiary under MOHH, had also established a Telehealth Technology Office (TTO). The TTO will build (when necessary), implement, operate and support Telehealth solutions. By aligning and consolidating potential Telehealth initiatives across the clusters and community, TTO will assist institutions to achieve economies of scale through consolidated procurement, therefore optimising the limited manpower and financial resources.

MOHH has recently completed a local landscape study of Telehealth implementations by the different healthcare institutions. The study seeks to understand the major pain points and barriers to adoption of Telehealth. The results of the study will help to guide the programme office in developing the framework for assessing and regulating Telehealth.

IDA had launched the Telehealth Call For Collaboration (CFC) earlier in March 2012 to invite the industry to develop new models of distance care for the elderly - at home, within the community or at institutions such as nursing homes - assisted by ICT. Launched in collaboration with the Ministry of Health, it is hoped

that the CFC will encourage healthcare providers to review existing care models and care processes, to ensure sustainability through appropriate change management, manpower training and benefits measurement and demonstrate viable business models for longer terms deployment of Telehealth services. It is predicted that Telehealth will be a key enabler behind strategies that are being adopted to enable “ageing-in-place” as Singapore prepares itself for a rapidly ageing population. Results of the CFC will be announced in early 2013.

2.12.7 Challenges and Success Factors

National Electronic Health Record (NEHR)

As there are six clusters and over 30 institutions in Singapore, it is a challenge to take in the data, process and display accurate and meaningful data. The implementation of the NEHR system has provided an even stronger spotlight on issues such as standards and data quality, as previously unknown inconsistencies and data defects from a variety of catchments flow into a unified record. The data includes information which is non-clinical such as information used to identify people, organizations, locations and departments etc. A national strategy was developed to govern the creation, implementation and management of standards in health information exchange.

The journey and results of any delivery are predictable if the challenges ahead were identified and dealt with. When deploying the NEHR to new institutions, the project team was able to re-use product, process and people, supported by tried and trusted methods.

Telehealth Programme

There were a number of telehealth projects led by the various health institutions. These initiatives include; National Healthcare Group (NHG) Diagnostic’s remote radiology reading service, and Khoo Teck Puat Hospital (KTPH) nursing home-geriatrician video-consultation initiative. These projects demonstrate that effective and clinically-led sustainable Telehealth is possible in Singapore. There was however challenges that will need to be tackled such as lack of sustainable business models, clinician support being hampered by liability. Other concerns such as lack of IT infrastructure, patient billing, provider reimbursement issues, security and privacy concerns, and lack of standards will need to be addressed as well.

The challenges will be systematically addressed by the MOHH Consumer Health Office. For example, to address the business model and sustainability issues, the project assessment criteria will include the presence of a viable and validated business model.

Unlike other countries where telecommunication infrastructure is a key barrier, Singapore is well equipped for adoption of Telehealth given our high mobile penetration, excellent network connectivity and high speed broadband, and increasingly empowered population. Coupled with clinical leadership and commitment, Singapore can push towards greater Telehealth adoption across the care continuum and position as a Telehealth thought-leader within Asia Pacific.

2.12.8 Lessons Learned and Next Steps

NEHR

The full implementation of NEHR is an iterative one and will take years to complete, allowing each deployment cycle to refine and improve on the previous one.

Singapore’s adoption of the NEHR will change the healthcare landscape in the country for the better. The NEHR is a journey to transform the mindset of healthcare providers and patients, so as to bring about better quality care. Once the NEHR is fully implemented, the possibilities of future development in areas of prevention and treatment are vast. In addition to contributing to high quality care and service excellence, the NEHR will bring us closer to achieving our vision of “One Singaporean, One Health Record”.

NEHR Beyond Acute Hospitals

IT implementation and adoption strategies for the intermediate and long term care (ILTC) and primary care sectors are being developed. While the IT adoption rate is still low at the primary care level, IT enablement among GP practices and Community Hospitals will progress with linkages to the NEHR.

The use of IT will enable patients' critical medical information flow from the acute hospitals to the primary and intermediate long term care sectors. There will be support for Community Hospitals (rehabilitation hospitals) to modernise patient administrative, pharmacy and clinical systems. Upgrading, enhancing and improving of systems in nursing homes, day rehabilitation centres and home nursing providers are also underway.

In the long run, healthcare providers will be able to better develop, integrate and coordinate shared care plans to provide better quality care. The end goal is for patients to enjoy a hassle-free healthcare delivery service, with fewer repeat tests and reduced medication errors when they move from one care setting to another, with the NEHR linking up providers in the community who currently do not have electronic access to patients' medical records.

For patients, it means better prescribing practices, reduced waiting times and better management of the quality and cost of healthcare by ensuring the most appropriate care setting for their conditions.

Telehealth Programme

Over the past few years, there have been multiple efforts in Telehealth exploration by various healthcare institutions and government agencies; with varying results. These range from government-funding programmes such as IDA Yr 2006 CFC to ground-up institutional initiatives such as video conferencing partnerships. However, these efforts are largely sporadic and relatively unsustainable. One key factor was an overall lack of coordination in pushing forward the adoption and innovative use of Telehealth in Singapore. As such, it is hoped that the establishment of a Telehealth framework will help coordinate the various Telehealth efforts and guide its implementation.

The Telehealth Framework aims to identify services that will deliver remote healthcare services via ICT including mobile technologies in an affordable and sustainable manner for both patients and healthcare providers. Through this framework, it will set the directions for Singapore Telehealth adoption across the entire healthcare ecosystem and identify low-hanging or high-potential areas to which more coordinated efforts and investment can be delivered.

This will also establish a consistent assessment framework for Telehealth efforts, thus aligning and synergizing the various initiatives across the healthcare sector including institutions, government agencies and industry. As part of the framework, a set of implementation principles will be developed to help guide the implementations and facilitate subsequent best practices sharing.

2.13 China: Perspective for e-Health Using Satellites

1 Concept of e-Health Using Satellites

¹³ E-health is medical activity by cooperation of medical institutes in different areas, which is realized by computer technology and telecommunication technology. Typical solution of e-health is by satellite communications system, ISDN or telephone facilities. In an e-health system using satellite, the communication links are realized by satellites, in despite of the disadvantage of e-health using terrestrial facilities. Typically, an e-health system using satellite is comprised of a telecommunication satellite, main teleport, a quantity of terminals, related software and protocols.

¹³ See document [2/332](#)

2 Advantages of e-health using satellites

- Larger service area: Satellite communications system could provide large coverage that even rural and wild areas can be included, so the problem of sharing and equity of health resources in developing and developed areas are easier to resolve.
- Wide bandwidth: Until now, the bandwidth of one channel of broad band telecommunication satellite could reach as much as 200 MHz, it is a big advantage comparing to the bandwidth of terrestrial communication systems, especially in developing countries.
- Flexibility and extensibility: No matter it is in deserts, oceans, mountains, or hills, an e-health system is possible to be operated if it's in the service area of a satellite.
- Hard to break down: Terrestrial communication systems are always destroyed when disasters such as earthquake or tsunami happens. At this time, e-health systems based on satellites is the only communication way for rescue and rebuilding in disaster area.
- Cheaper, shorter construction period: Compared to other communication system, the prices of system infrastructure and user terminal are cheaper, the constructing is easier and its period is shorter.

3 Application Scenarios of e-Health using Satellites

3.1 Point-to-Point Health Service

In a point-to-point health service, experts could use health data collecting and diagnosing devices, such as digital imaging instrument, ultrasonic detection automatic recording instrument, to collect high resolution CT scanning figures, X-ray images. In the diagnosing process, real-time telecommunication is feasible. Despite of remote diagnosing, doctors could use remote control system to operate mechanic arms to conduct a surgery, in which the communication link is built by satellites.

Once consultation is needed, video conference may be supported by the point-to-point health system. Using satellites communication links, any terminal could be used as the main terminal and the other terminals are used as sub-terminals. Any links between different terminals are in two-direction pattern. Real-time connection is realized between them and in this way medical institutes in different sites could deal with business simultaneously.

3.2 Education for e-Health

In disaster or epidemic areas, an e-health system by satellites could improve the medical level much rapidly. For example, one expert provides lectures at the main terminal and other people could receive information and reply by their local terminals. By this way, some emergent knowledge about first aid and epidemic prevention is transmitted and broadcasted.

3.3 Data and Information Sharing for e-Health

In every dispersive area, hospitals can found local information centre and expert database, collect local health requirements and upload them to expert service centre of e-health system. The expert service centre of e-health system could provide proposals and methods according to the requirements and realize the sharing of software and data through health information broadcasting by satellites.

3.4 Proposal

Huge investment is needed for any space telecommunication system, and permanent maintenance is also necessary. For a developing country with limited financial ability, it's a good way to build up its e-health system using satellite according to the specified situation in this country.

In primary phase, it's better to build up an e-health system by renting transponders of civil or other countries' satellite. When the requirements are mature and the fund is sufficient, one country can build up a new satellite system aimed at public service, in which e-health is one of the main purposes.

The scale of satellite multimedia service is increasing all over the world, so are the user's requirements. Under this situation, broad band satellites technology is becoming one of the trends of satellite telecommunication in the future. By the way, it's necessary to consider the compatibility between current satellite facilities and the future satellite system, such as the broad band satellite system.

It is suggested to conduct the satellite hardware construction, the telecommunication system research, and business mode exploring synchronously.

2.14 India: Setting up of Rural Tele-medicine Network in Developing Countries

¹⁴ The contribution is a case on implementation of Tele-Medicine project through Pan – African E-Network Project by M/s Telecom Consultants of India Limited, a Government of India Enterprise. The project has been very successful and won several awards for innovation. This model could be used as an example for providing Health services through ICTs in the developing countries.

1 Introduction/Background: TCIL Experience of Design, Development and Operations of Tele-medicine Networks

TCIL has implemented and operating Tele-education and Tele-medicine network projects of pan African e-Network Project, wherein 5 reputed Indian universities and 12 Indian super specialty hospitals are connected to 48 of the 54 member countries of African union for providing Tele-education and Tele-medicine. TCIL is implementing agency on turnkey basis covering design, development, supply, installation, commissioning and operations of the network.

The network is operating for more than 5 years and African countries have benefitted from the medical expertise and know how in India via this network. The CME sessions conducted from India on daily basis have helped the medical professionals in education and sharing of experiences. TCIL is implementing agency on turnkey basis covering design, development, supply, installation, commissioning and operations of the network including providing education and medical services through the Indian universities and hospitals. TCIL has also implemented SAARC telemedicine network spread across for the SAARC nations.

Pan African e-Network Project has been awarded of “Best Development Initiative in Africa – 2009” and “Hermes International Award for Innovation”.

2 TCIL Proposal

The aim of this service is to provide health checkups and diagnosis for non-emergency medical conditions and thus eliminating the need to travel to cities for treatment of minor ailments. This service would enable the rural population to demand medical services at their door steps. A medical call center would be established which can be contacted over a toll free number. This service would bridge the gap between the rural population and specialty medical care and thus benefitting both.


These services would be provided either through paramedics or general practitioners. Medical Diagnostic kit can help in providing the Frontline Health worker to perform diagnostics tests and then employ decision support system to offer care to all primary care patients. In the case of emergency or situations where further consults are required, the medical officer can use the Satellite or Broadband connectivity to offer telemedicine facility.

Paramedics are one of the first points of contact for many populations. Empowering them with Medical Diagnostic Kit, the on-the-spot recommendation system and guidance by physicians through the phone/videoconferencing will allow them to monitor patient health and also identify high risk cases which

¹⁴ See document [2/INF/87](#)

need immediate care by physicians. In this way, such a system could help better care delivery and a more efficient system for rural population.

Figure 33: Rural tele-medicine network



Workflow of the rural tele-health services

- 1 Services shall operate through the call center for providing the medical assistance to the patients in the rural areas.
- 2 Call Center would be equipped to receive the help calls by following means:
 - a. Helpline telephone numbers;
 - b. Web-based access.
- 3 Residents can register their requests for medical services by approaching the call center by available communication means.
- 4 The call center shall alert the paramedic near to the location of the caller or service seeker and forward him the request details for attending the patient.
- 5 Paramedic is equipped with sufficient diagnostic equipment to examine the patient.
- 6 Paramedic on examining of the patient shall report the details through internet and seek an appointment with a doctor from Primary Health Centers (PHCs).
- 7 PHCs doctor list and contact details would be available in the data base and paramedic can contact the doctor of the particular PHC for getting medical support.
- 8 The entire diagnosis and medical history shall be available to the doctor by accessing the central server.
- 9 Doctor shall provide the necessary prescription online into the system which shall also be available to paramedic for handing over the same to the patient.
- 10 The medicine shall be arranged by the patient separately from PHCs or chemists.
- 11 The Call Center and Data Center would be located at a mutually agreed upon location.

3 Proposed Technical Solution

Components of the rural tele-medicine solutions and their roles for delivery of rural tele-medicine services:

- a) Role and responsibilities of 24X7 Toll free helpline/call center
 - i. The patients from rural areas can call the helpline for immediate medical assistance for an emergency or to request for a health checkup. Depending on the call it may be forwarded directly to a physician for immediate advice.
 - ii. Initially a call center with a staff of 5 agents and 2 doctors may be setup for the pilot project. The call center's call handling capacity would be increased as per the increase in the call traffic.
 - iii. The call center would inform the callers about the schedule for paramedic staff visiting their area and also accept request for health checkup.
 - b) Role and responsibilities of paramedic staff
 - i. Paramedics would be hired to travel to various regions of the targeted area to provide health check up and medical assistance. Paramedics would be equipped with a medical diagnostic kit and medical vehicle to carry the patient to a Specialty Hospitals if required.
 - ii. As per the requests for health check up received, a paramedic staff would visit the concerned patient.
 - iii. The paramedic visiting a patient would prepare and upload the EMR online on the central server.
 - iv. The paramedic would also transfer the medical reports generated over the medical kit to the centralized server.
 - v. The paramedic can also communicate with a specialist using the medical kit's Video Conferencing facility.
 - vi. Paramedic staff would be provided with a mobile phone with GPS facility.
 - c) Role and responsibilities of primary healthcare centres
 - i. Primary health centers may play a key role in this network. They may also initiate a call to the call center for tele-consultation with a specialist as needed. They may also act as the health checkup center when the paramedic with medical diagnostic kit arrives in that area.
 - ii. Primary Health Centres may also appoint doctors to take calls from Paramedic Staff and to assist them remotely.
 - d) Role and responsibilities of doctors in the virtual pool
 - i. A pool of doctors from various Primary Health Centres would be enabled to connect in the network over internet.
 - ii. These doctors would help the paramedic personnel in the rural area visiting the patient and give a prescription.
 - iii. The doctors would be able to see the Patient record online from login into the Central Server.
 - e) Medical kit
- The medical kit is a revolutionary device that enables remote diagnostics and care employing state of the art mobile system. It would allow any Android Phone or Tablet to perform following diagnostics tests:
- i. Blood Pressure.
 - ii. Blood Sugar.
 - iii. Heart Rate and Heart Rate Variability.

- iv. ECG.
- v. Urine Protein.
- vi. Urine Sugar.
- vii. Blood Hemoglobin.
- viii. Body Temperature.

4 Stakeholders

- ITU.
- Participating interested countries.
- TCIL as implementing agency for the project.
- Participating Hospitals for delivery of Tele-medicine sessions and CME programs.
- Beneficiaries patients.

5 Approach for Project Implementation

Approach and methodology:

After intent of countries to implement Rural Tele-medicine network, TCIL shall carry out detailed meetings into the country for implementation of the Rural Tele-medicine solutions whereby it will do the following:

- TCIL shall identify in association with stake holders the Medical treatments at site to be covered, identification and finalization of Super Specialty Hospitals, Primary Health Centres etc. for delivery of Tele-medicine services.
- TCIL shall carry out a sample survey of few locations.
- TCIL shall design the network for setting up the required infrastructure.
- TCIL shall finalise Bill of Materials (BoM), Bill of Quantities (BoQ), availability/ coverage of public network etc.
- TCIL shall develop the framework of implementations of Tele-medicine as per the countries requirements.
- TCIL shall train the countries' manpower for operations & management of the network.
- A project monitoring team will monitor the different activities of the project.

Responsibility of countries:

- Network for Tele-medicine such a leased lines, internet, MPLS shall be provided by the interested country.
- Space, power/electricity shall be provided by respective countries.
- Site preparation shall be provided by the respective country.
- Man power for operation and maintenance shall be provided by the respective countries.
- Any other local assistance regarding clearance, Visa, survey etc.
- Exemptions such as taxes, custom duties will be provided by the country.
- Day to day Consumables at respective sites will be provided the respective country.

About TCIL

TCIL, **Telecommunications Consultants India Limited**, a prime engineering and consultancy company, is a wholly owned Government of India Public Sector Enterprise under the administrative control of the

Department of Telecommunications (DOT), Ministry of Communications and Information Technology, Government of India. TCIL was set up in 1978 for providing Indian telecom expertise in all fields of telecom, Civil and IT to developing countries around the world. Company's core competence is in the fields of Switching, Transmission Systems, Cellular services, Rural Telecommunication, Optical fibre based backbone transmission systems, IT & Networking Solutions, Application Software, e-Governance, 3G Network, WIMAX Technology and also Civil construction projects. <http://www.tcil-india.com/new/>

For more details on Pan African E Network Project: <http://www.panafricanenetwork.com/>

Contact Details: Mr E.M. Venkatesh, General Manager (TS), Telecommunications Consultants India Limited, Tel.: +91 11 2620 2590, E-mail: em.venkatesh@tcil-india.com

Annex III: Compendium of e-Health Projects for RMNCH Implemented in CoIA Countries

	e-Health project	Description	ICT application	Country
1	e-Districts Project for services of births and deaths registration in district of Kapurthala, India	Integrated electronic service supported by automation workflow, backend computerization, and data digitalization. The objective is to ensure that the defined process of service delivery of birth/death certificates is adequately and timely followed. http://pbhealth.gov.in/e-district.crs.pdf	Civil Registration Health Management Information System (HMIS)	India
2	MAMA	Mobile-based information to new and expectant mothers. http://www.babycenter.com/mama	SMS-based Public Health Information and Education	Bangladesh South Africa India
3	MOVE IT	Mobile-based registering of pregnancies, recording of births, deaths and cause-of-death, using text messaging system. http://www.who.int/healthmetrics/news/MOVE_IT_Africa_Board_Paper_21.2.1_2.pdf	Civil Registration	Ghana
4	Project Mwana	Mobile application based on RapidSMS, used by community health workers (CHWs) to register new births and monitor community health events related to malaria, diarrhoea, and immunizations in children under five years old and expectant mothers. http://projectmwana.posterous.com/	Civil Registration	Malawi
5	Universal Birth Registration	Mobile birth registration system focused on informing and educating the public about the birth registration processes. http://plan-international.org/birthregistration	Civil Registration	Liberia
6	Aceh Besar midwives	Mobile phones to improve the quality of health services and reinforce positive health behaviour change, such as child spacing. http://www.mobileactive.org/files/file_uploads/final-paper_chib.pdf	SMS health education	Indonesia
7	AMUA	SMS is used to send monthly service reports for 12 services in a single text, using a numeric code. Data can be viewed on a Web-based real time reporting system , and exported as PDF or CSV files. http://mariestopes.org/ShowContent.aspx?id=430	Health Management Information System (HMIS)	India

	e-Health project	Description	ICT application	Country
8	ChildCount+	Mobile application based on RapidSMS to monitor children under five years old. http://www.childcount.org/	m-Health for data collection Community-based healthcare delivery	Kenya
9	CycleTel: Family Planning via Mobile Phones	Standard Days Method (SDM) displayed directly to a user's cell phone . SDM is a fertility awareness-based method that requires the user to avoid unprotected sex during days 8-19 of her menstrual cycle. http://www.coregroup.org/storage/CycleTel_mHealth_WG_Jan2011-1.pdf	SMS-based Public Health Information and Education	India
10	e-IMCI	Electronic job aid on PDA to improve adherence to the Integrated Management of childhood Illness (IMCI) protocols. http://www.d-tree.org/our-projects/imci-tanzania/	Point-of-care support and diagnosis	Tanzania
11	mCare	Mobile phone and database technologies used to improve registration and monitoring of pregnancies, as well as neonatal and post-partum care. http://www.mobileaware.com/solutions/mobile-self-service/	m-Health for Data collection Community-based healthcare	Bangladesh
12	M-CHANJO	Mobile health application that seeks to reduce the rate of child mortality. The system works by sending automated reminders via SMS to parents to keep them informed on any future immunization dates and appointments for their children. http://mchanjo.org/	Child Death Surveillance SMS health education and reminder	Kenya
13	Medic mobile (Frontline SMS)	Mobile-based technology to bridge between patients and physician, mainly for family planning and maternal and child care services. http://medic.frontlinesms.com/	Patient monitoring	Bangladesh
14	mUbuguzima	Cell phones are used to enable community health workers (CHWs) to provide real-time data concerning community health indicators. http://mubuzima.gov.rw	Data collection	Rwanda
15	SMS alerts for Infant vaccinations	e-Vaccination Alert System connected to 'Hospital Kiosks' where parents register the birth of their child. Alerts on vaccination dates and details on their importance will be automatically sent to the mobile phone numbers of parents. http://www.healthunbound.org/content/sms-alerts-infant-vaccinations	SMS health education Point-of-care support	India

	e-Health project	Description	ICT application	Country
16	AMANECE	Mobile phones are used to detect warning signs and typical symptoms of high-risk pregnancies, to support primary health workers in providing monitoring and follow-up for high-risk pregnancy cases, and to ensure timely obstetric and newborn care interventions. http://www.salud.carlosslim.org/Solulnt/e/amanece/Paginas/AMANECE.aspx	Patient monitoring Point-of-care support and diagnosis	Mexico
17	ASARA-HMRI	Telemedicine pilot project aimed at reducing maternal mortality among remote tribal women. http://www.hmri.in/oursolutions-telemedicine.html	Remote monitoring Diagnosis and treatment support	Kenya
18	BabySMS	Free SMS -based pregnancy advice service to help raise awareness and encourage expectant mothers to attend clinic visits regularly. http://babysms.mobi/index.php	SMS health education SMS reminder	South Africa
19	Cellphone4HIV	SMS is used to expand the uptake of HIV testing and follow-up in PMTCT. http://www.cell-life.org/	Patient monitoring and support SMS health education	South Africa
20	Changamka Medical Smart Card	Smart Card provides sustainable financing for delivery, and post-natal services at participating facilities. http://changamka.co.ke/	Mobile financial services	Kenya
21	CommCare	CHWs use electronic forms to access real-time guidance through key counselling points, decision support, and simple referral algorithms. http://www.CommCareHQ.org	Health Management Information System (HMIS) Patient monitoring Point-of-care support and diagnosis	17 countries in Africa, Asia, and America
22	CliniPak	Automatic text message reminders for patients receiving ongoing treatment and for mothers requiring post-natal care for themselves and their infants. http://www.vecnacaes.org/technology/index.shtml	Point-of-care support and diagnosis Medication reminder	Kenya
23	E-HealthPoint	Tele-medical services providing referrals to district-based hospitals for situations like childbirth, acute trauma, heart attack, cancer, and accident related emergencies. http://www.ehealthpoint.com/	Patient monitoring Point-of-care support and diagnosis	India
24	FANC	Short Messaging Service (SMS) platform that allows for two-way exchange of key FANC messages between health personnel and pregnant women. http://www.fanc-africa.org/	SMS health education	Kenya
25	GlobalMama	Blog dedicated to maternal health. http://blogs.medscape.com/mhtfglobal	Health education	Global

	e-Health project	Description	ICT application	Country
		mama		
26	HealthLine	Toll-free number for health workers to learn about a variety of topics through audio transmission in native language. http://www.cs.cmu.edu/~healthline/	Health helplines	Pakistan
27	Health Systems 20/20	Mobile based financial services for interventions in financing, governance, operations, and capacity building to strengthen health systems. http://www.healthsystems2020.org/	Mobile financial services	Global
28	inSCALE	Mobile based system to improve support supervision, data submission with automated individual feedback and regular motivational messages on how to improve performance and appropriate treatment of children. http://www.malariaconsortium.org/inSCALE/pages/implementation-sites/uganda	Health education	Uganda Mozambique
29	Jaroka Tele-Health care Services for Lady Health Workers	Mobile platforms to extend (1) tele-healthcare based services including SMS, MMS, GPRS/Edge and VSAT , (2) medical advice to LHW in the field by connecting them to a network of specialists. http://tele-healthcare.org/implementation/jaroka-tele-healthcare-in-rural-mardan/	Telemedicine Point-of-care support and diagnosis e-Diagnosis	Pakistan
30	KimMNCHip	Mobile health initiative to offer pregnant women in Kenya more choice, control and care during their pregnancy, and improved medical care for women and their babies during and after delivery. http://www.ghf12.org/?p=2154	Patient monitoring Point-of-care support and diagnosis Maternal and Child Death Surveillance	Kenya
31	mdhil	Health information via SMS as well as original health videos viewable on mobile phones, including maternal health. http://www.mdhil.com/	SMS health education	India
32	MoTech	Mobile based health system improving management patient data, improving worker performance, and providing last-mile supply chain and patient adherence. http://www.grameenfoundation.org/what-we-do/technology/mobile-health	m-Health for CHW Training Data collection Diagnosis and treatment support	Ghana
33	Pesinet	Mobile phone -based system monitoring information on mother and child health. http://www.pesinet.org/	Maternal and Child death surveillance Monitoring and evaluation	Mali

	e-Health project	Description	ICT application	Country
34	RAFT	Tele-expertise, ultrasonography with remote supervision by specialists, particularly for supporting diagnosis for pregnant woman, and collaborative development of educational on-line material. http://raft.hcuge.ch/	Remote monitoring e-Diagnosis Patient monitoring and support Monitoring and evaluation Health Education Point-of-care support	Congo-Brazzaville + 17 countries in Africa
35	RapidSMS	SMS based system to track pregnancies and support maternal, neonatal and early child health. http://rapidsms.moh.gov.rw/	Monitoring and evaluation SMS reminder	Rwanda
36	RHEA	Health information system to improve maternal and child care in Rwanda at health centre level. http://rhea.jembi.org	Monitoring and evaluation	Rwanda
37	SHINE	Web and mobile-based system addressing the data management needs of doctors, nurses, midwives and allied health professionals. https://www.shine.ph/	Data collection Health Information System	Philippines
38	SMART	Small battery-operated printers program to receive and print early infant diagnosis test results to strengthen early infant diagnosis services by speeding up results delivery and treatment eligibility. http://www.sms2printer.co.uk/pages.php?pageref=clinton-foundation_3	Diagnosis for treatment support Monitoring and evaluation	Mozambique Papua New Guinea Cameroon Zimbabwe Tanzania Ethiopia Malawi Kenya Uganda
39	SMS Tech for Health txt4Enat	Mobile based system to inform women about pregnancy and collect information transmitted via the handsets to a central computer system . https://smsinaction.crowdmap.com/reports/view/162	Point-of-care support Monitoring and evaluation	Ethiopia
40	Text4baby	SMS based system providing new and expectant mothers with information. http://text4baby.org	SMS health education	Global
41	TulaSalud	Telemedicine and mobile phones for remote diagnostic and decision-making support from physicians in urban centre and receive calls from people in communities seeking for care. http://www.tulasalud.org	Telemedicine m-Health for CHW Training	Guatemala
42	UNICEF Reminder Mother System	Mobile phones to increase antenatal care and prevention of mother to child transmission by educating communities. http://www.texttochange.com	Health education SMS reminder	Uganda

	e-Health project	Description	ICT application	Country
43	Wawared	Mobile technology solutions to support maternal and child care by improving access to health services for low-income pregnant women. http://www.wawared.andeanquipu.org/	Diagnosis and point-of-care support Monitoring and evaluation	Peru
44	Wazazi Nipendeni	Free SMS service for expectant mothers and families that provides appointment reminders and tips on keeping mothers and newborns healthy. http://www.texttochange.org	SMS Health education SMS reminder	Tanzania
45	Wired Mothers	SMS reminders to pregnant women for care appointments. http://www.enrecahealth.dk/archive/ffuproposal09wiredmothers.doc/	SMS reminder m-Health for CHW Training	Tanzania

Annex IV: Composition of the Rapporteur Group for Question 14-3/2

Question	Title of the Question/Role	Name/Country/Organization	Focal Point
Question 14-3/2	Information and Telecommunications for e-Health		Mr H. Eskandar
	Rapporteur	Mr Leonid Androuchko (Dominic Foundation)	
	Vice-Rapporteur	Dr Malina Jordanova, MD, PhD, Space Research & Technology Institute, BAS, Bulgaria	
	Vice-Rapporteur	Ms Tania Logbo Allomo, Côte d'Ivoire	
	Vice-Rapporteur	Mr Abdoulaye. Kébé, Guinea	
	Vice-Rapporteur	Dr. Isao Nakajima, MD, PhD, Tokai University, School of Medicine, Japan	
	Vice-Rapporteur	Dr Mikhail Natenzon, TANA, Russian Federation	
	Vice-Rapporteur	Mr Arikan Dalkiliç, Türk Telekom Group, Turkey	
	Vice-Rapporteur	Mr Turhan Muluk, Intel Corporation, United States of America	

Annex V: Glossary

- EC** – European Commission
- EU** – European Union
- GDP** – Gross Domestic Product
- GNI** – Gross National Income
- ICT** – Information and Communication technology
- IMF** – International Monetary Fund
- IT** – Information Technology
- ITU** – International telecommunication Union
- ROI** – Return of Investment
- TSA** – Telecare Services Association
- UN** – United Nations
- UNDP** – United Nations Development Programme
- WHO** – World Health Organization

الاتحاد الدولي للاتصالات (ITU)
مكتب تنمية الاتصالات (BDT)
مكتب المدير

Place des Nations
CH-1211 Geneva 20
Email: mailto:bdttdirector@itu.int
Tel.: +41 22 730 5035/5435
Fax: +41 22 730 5484

دائرة دعم المشاريع وإدارة المعرفة
(PKM)

Email: bdtpkm@itu.int
Tel.: +41 22 730 5447
Fax: +41 22 730 5484

دائرة الابتكارات والشراكات (IP)

Email: bdtip@itu.int
Tel.: +41 22 730 5900
Fax: +41 22 730 5484

دائرة البنية التحتية والبيئة التكنولوجية
والتطبيقات الإلكترونية (IEE)

Email: bdtiee@itu.int
Tel.: +41 22 730 5421
Fax: +41 22 730 5484

نائب المدير ورئيس دائرة الإدارة
وتنسيق العمليات (DDR)

Email: bdtdeputydir@itu.int
Tel.: +41 22 730 5784
Fax: +41 22 730 5484

زيمبابوي

مكتب المنطقة للاتحاد

TelOne Centre for Learning
Corner Samora Machel and
Hampton Road
P.O. Box BE 792 Belvedere
Harare – Zimbabwe

E-mail: itu-harare@itu.int
Tel.: +263 4 77 59 41
Tel.: +263 4 77 59 39
Fax: +263 4 77 12 57

السنغال

مكتب المنطقة للاتحاد

19, Rue Parchappe x Amadou
Assane Ndoye
Immeuble Fayçal, 4e étage
B.P. 50202 Dakar RP
Dakar – Sénégal

E-mail: itu-dakar@itu.int
Tel.: +221 33 849 77 20
Fax: +221 33 822 80 13

الكاميرون

مكتب المنطقة للاتحاد

Immeuble CAMPOST, 3e étage
Boulevard du 20 mai
Boîte postale 11017
Yaoundé – Cameroun

E-mail: itu-yaounde@itu.int
Tel.: + 237 22 22 92 92
Tel.: + 237 22 22 92 91
Fax: + 237 22 22 92 97

إفريقيا
إثيوبيا

المكتب الإقليمي للاتحاد

P.O. Box 60 005
Gambia Rd., Leghar ETC Building
3rd floor
Addis Ababa – Ethiopia a

E-mail: itu-addis@itu.int
Tel.: +251 11 551 49 77
Tel.: +251 11 551 48 55
Tel.: +251 11 551 83 28
Fax: +251 11 551 72 99

هندوراس

مكتب المنطقة للاتحاد

Colonia Palmira, Avenida Brasil
Ed. COMTELCA/UIT 4 Piso
P.O. Box 976
Tegucigalpa – Honduras

E-mail: itutegucigalpa@itu.int
Tel.: +504 2 2 201 074
Fax: +504 2 2 201 075

شيلي

مكتب المنطقة للاتحاد

Merced 753, Piso 4
Casilla 50484, Plaza de Armas
Santiago de Chile – Chile

E-mail: itusantiago@itu.int
Tel.: +56 2 632 6134/6147
Fax: +56 2 632 6154

بربادوس

مكتب المنطقة للاتحاد

United Nations House
Marine Gardens
Hastings – Christ Church
P.O. Box 1047
Bridgetown – Barbados

E-mail: itubridgetown@itu.int
Tel.: +1 246 431 0343/4
Fax: +1 246 437 7403

الأمريكتان

البرازيل

المكتب الإقليمي للاتحاد

SAUS Quadra 06 Bloco "E"
11 andar – Ala Sul
Ed. Luis Eduardo Magalhães (AnaTel)
70070-940 – Brasilia, DF – Brasil

E-mail: itubrasilia@itu.int
Tel.: +55 61 2312 2730-1
Tel.: +55 61 2312 2733-5
Fax: +55 61 2312 2738

كومونولث الدول المستقلة

الاتحاد الروسي

مكتب المنطقة للاتحاد

4, Building 1
Sergiy Radonezhsky Str.
Moscow 105120
Russian Federation

Mailing address:
P.O. Box 25 – Moscow 105120
Russian Federation

E-mail: itumoskow@itu.int
Tel.: +7 495 926 60 70
Fax: +7 495 926 60 73

إندونيسيا

مكتب المنطقة للاتحاد

Sapta Pesona Building, 13th floor
Jl. Merdan Merdeka Barat No. 17
Jakarta 10001 – Indonesia

Mailing address:
c/o UNDP – P.O. Box 2338
Jakarta 10001 – Indonesia

E-mail: itujakarta@itu.int
Tel.: +62 21 381 35 72
Tel.: +62 21 380 23 22
Tel.: +62 21 380 23 24
Fax: +62 21 389 05 521

آسيا – المحيط الهادئ

تايلاند

المكتب الإقليمي للاتحاد

Thailand Post Training Center, 5th floor,
111 Chaengwattana Road, Laksi
Bangkok 10210 – Thailand

Mailing address
P.O. Box 178, Laksi Post Office
Laksi, Bangkok 10210 – Thailand

E-mail: itubangkok@itu.int
Tel.: +66 2 574 8565/9
Tel.: +66 2 574 9326/7
Fax: +66 2 574 9328

الدول العربية

مصر

المكتب الإقليمي للاتحاد

Smart Village, Building B 147, 3rd floor
Km 28 Cairo – Alexandria Desert Road
Giza Governorate
Cairo – Egypt

E-mail: itucairo@itu.int
Tel.: +20 2 35 37 17 77
Fax: +20 2 35 37 18 88

أوروبا

سويسرا

مكتب تنمية الاتصالات (BDT)

الاتحاد الدولي للاتصالات (ITU)

وحدة أوروبا (EUR)

Place des Nations
CH-1211 Geneva 20 – Switzerland
E-mail: eurregion@itu.int
Tel.: +41 22 730 5111



الاتحاد الدولي للاتصالات
مكتب تنمية الاتصالات

Place des Nations
CH-1211 Geneva 20

Switzerland

www.itu.int