## Available ITU-R Recommendations in English

ITU-R BO	Satellite delivery
----------	--------------------

Rec No.	Date	Title	observation	Status	MS Word	PDF
BO.566-3	06-1990	Terminology relating to the use of space communication techniques for broadcasting	Note - Suppressed on 18/07/00 (CACE/181)	Withdrawn	Yes	Yes
BO.600-1	07-1986	Standardized set of test conditions and measurement procedures for the subjective and objective determination of protection ratios for television in the terrestrial broadcasting and the broadcasting-satellite services		In force	Yes	Yes
BO.650-2	03-1992	Standards for conventional television systems for satellite broadcasting in the channels defined by Appendix 30 of the Radio Regulations		In force	Yes	Yes
BO.651	07-1986	Digital PCM coding for the emission of high- quality sound signals in satellite broadcasting (15 kHz nominal bandwidth)		In force	Yes	Yes
BO.652-1	03-1992	Reference patterns for Earth-station and satellite antennas for the broadcasting satellite service in the 12 GHz band and for the associated feeder links in the 14 GHz and 17 GHz bands		In force	Yes	Yes
BO.712-1	03-1992	High-quality sound/data standards for the broadcasting-satellite service in the 12 GHz band		In force	Yes	Yes
BO.786	03-1992	MUSE system for HDTV broadcasting-satellite services		In force	Yes	Yes

mercredi, 12. mars 2008 Page 1 of 161

ITU-R BO Satellite delivery

Rec No.	Date	Title	observation	Status	MS Word	PDF
BO.787	03-1992	MAC/packet based system for HDTV broadcasting- satellite services	Note – Suppressed on 14/02/2007 (CACE/412)	Withdrawn	Yes	Yes
BO.788-1	08-1994	Coding rate for virtually transparent studio quality HDTV emissions in the broadcasting-satellite service	Note – Suppressed on 14/02/2007 (CACE/412)	Withdrawn	Yes	Yes
BO.789-2	10-1995	Service for digital sound broadcasting to vehicular, portable and fixed receivers for broadcasting-satellite service (sound) in the frequency range 1 400-2 700 MHz		In force	Yes	Yes
BO.790	03-1992	Characteristics of receiving equipment and calculation of receiver figure-of-merit (G/T) for the broadcasting-satellite service		In force	Yes	Yes
BO.791	03-1992	Choice of polarization for the broadcasting-satellite service		In force	Yes	Yes
BO.792	03-1992	Interference protection ratios for the broadcasting- satellite service (television) in the 12 GHz band		In force	Yes	Yes
BO.793	03-1992	Partitioning of noise between feeder links for the broadcasting-satellite service (BSS) and BSS downlinks		In force	Yes	Yes
BO.794	03-1992	Techniques for minimizing the impact on the overall BSS system performance due to rain along the feeder-link path		In force	Yes	Yes
BO.795	03-1992	Techniques for alleviating mutual interference between feeder links to the BSS		In force	Yes	Yes

mercredi, 12. mars 2008 Page 2 of 161

ITU-R BO Satellite delivery

Rec No.	Date	Title	observation	Status	MS Word	PDF
BO.1130-4	04-2001	Systems for digital satellite broadcasting to vehicular, portable and fixed receivers in the bands allocated to BSS (sound) in the frequency range 1 400-2 700 MHz		In force	Yes	Yes
BO.1211	10-1995	Digital multi-programme emission systems for television, sound and data services for satellites operating in the 11/12 GHz frequency range	Note – Suppressed on 14/02/2007 (CACE/412)	Withdrawn	Yes	Yes
BO.1212	10-1995	Calculation of total interference between geostationary-satellite networks in the broadcasting-satellite service		In force	Yes	Yes
BO.1213-1	11-2005	Reference receiving Earth station antenna pattern for the broadcasting-satellite service in the 11.7-12.75 GHz band		In force	Yes	Yes
BO.1293-2	04-2002	Protection masks and associated calculation methods for interference into broadcast-satellite systems involving digital emissions		In force	Yes	Yes
BO.1294	10-1997	Common functional requirements for the reception of digital multiprogramme television emissions by satellites operating in the 11/12 GHz frequency range	Note - Withdrawn on 03/05/2001 (CACE/215) - This Recommendation has been replaced by Rec. ITU-R BO.1516	Withdrawn	Yes	Yes
BO.1295	10-1997	Reference transmit Earth station antenna off-axis e.i.r.p. patterns for planning purposes to be used in the revision of the Appendix 30A (Orb-88) Plans of the Radio Regulations at 14 GHz and 17 GHz in Regions 1 and 3		In force	Yes	Yes

mercredi, 12. mars 2008 Page 3 of 161

ITU-R BO Satellite delivery

Rec No.	Date	Title	observation	Status	MS Word	PDF
BO.1296	10-1997	Reference receive space station antenna patterns for planning purposes to be used for elliptical beams in the revision of the Appendix 30A (Orb-88) Plans of the Radio Regulations at 14 GHz and 17 GHz in Regions 1 and 3		In force	Yes	Yes
BO.1297	10-1997	Protection ratios to be used for planning purposes in the revision of the Appendices 30 (Orb-85) and 30A (Orb-88) Plans of the Radio Regulations in Regions 1 and 3		In force	Yes	Yes
BO.1373-2	2 07-2005	Use of broadcasting-satellite service assignments and of the associated feeder link assignments for fixed-satellite service transmissions in bands subject to Appendices 30 and 30A of the Radio Regulations		In force	Yes	Yes
BO.1383	12-1998	Introduction of the broadcasting-satellite service (sound) in the same frequency bands as used by mobile aeronautical telemetry systems in the frequency range 1-3 GHz		In force	Yes	Yes
BO.1408-1	04-2002	Transmission system for advanced multimedia services provided by integrated services digital broadcasting in a broadcasting-satellite channel		In force	Yes	Yes
BO.1443-2	2 05-2006	Reference BSS earth station antenna patterns for use in interference assessment involving non-GSO satellites in frequency bands covered by RR Appendix 30		In force	Yes	Yes
BO.1444	03-2000	Protection of the BSS in the 12 GHz band and associated feeder links in the 17 GHz band from interference caused by non-GSO FSS systems		In force	Yes	Yes

mercredi, 12. mars 2008 Page 4 of 161

ITU-R BO Satellite delivery

F	Rec No.	Date	Title	observation	Status	MS Word	PDF
F	BO.1445	03-2000	Improved patterns for fast roll-off satellite transmit antennas of the Regions 1 and 3 BSS plans of RR Appendix S30		In force	Yes	Yes
F	BO.1503-1	04-2005	Functional description to be used in developing software tools for determining conformity of non-geostationary-satellite orbit fixed-satellite system networks with limits contained in Article 22 of the Radio Regulations	-	In force	Yes	Yes
F	30.1504	07-2000	Effective utilization of spectrum assigned to the broadcasting-satellite service (sound)		In force	Yes	Yes
F	BO.1505	07-2000	Coordination procedure for assignments of space operation service in the guardbands of Appendices S30 and S30A Plans of the Radio Regulations		In force	Yes	Yes
F	30.1506	07-2000	A methodology to evaluate the impact of solar interference on GSO BSS link performance		In force	Yes	Yes
F	30.1516	04-2001	Digital multiprogramme television systems for use by satellites operating in the 11/12 GHz frequency range	Note - This Recommendation replaces Rec. ITU-R BO.1294	In force	Yes	Yes
F	30.1517	04-2001	Equivalent power flux-density limits, epfddown, to protect the broadcasting-satellite service in the 12 GHz band from interference caused by non-geostationary fixed-satellite service systems		In force	Yes	Yes

mercredi, 12. mars 2008 Page 5 of 161

ITU-R BO Satellite delivery

Rec No.	Date	Title	observation	Status	MS Word	PDF
BO.1597	10-2002	Methodology for the calculation of the worst-case interference levels between non-geostationary broadcasting-satellite service (sound) systems using highly-elliptical orbit and geostationary orbit satellite networks operating in the band 2 630-2 655 MHz		In force	Yes	Yes
BO.1658	12-2003	Continuous curves of epfddown versus the geostationary broadcasting-satellite service Earth station antenna diameter to indicate the protection afforded by systems complying with the limits of antennas with diameters other than those in Article 22 of the Radio Regulations		In force	Yes	Yes
BO.1659	12-2003	Mitigation techniques for rain attenuation for broadcasting-satellite service systems in frequency bands between 17.3 GHz and 42.5 GHz		In force	Yes	Yes
BO.1696	02-2005	Methodologies for determining the availability performance for digital multi-programme BSS systems, and their associated feeder links operating in the planned bands		In force	Yes	Yes
BO.1697	02-2005	Power flux-density values in the band 11.7-12.7 GHz and associated calculation methodology which may be used for bilateral coordination when the power flux-density values in Section 3 of Annex 1 to Appendix 30 or Annex 4 to Appendix 30 of the Radio Regulations are exceeded		In force	Yes	Yes
BO.1724-1	01-2007	Interactive satellite broadcasting systems (television, sound and data)		In force. Available only in MS Word	Yes	

mercredi, 12. mars 2008 Page 6 of 161

ITU-R BO Satellite delivery

Rec No.	Date	Title	observation	Status	MS Word	PDF
BO.1773	07-2006	Criterion to assess the impact of interference to the broadcasting-satellite service from emissions of devices without a corresponding frequency allocation in the Radio Regulations, that produce fundamental emissions in the frequency bands allocated to the broadcasting satellite service		In force	Yes	Yes
BO.1774-1	04-2007	Use of satellite and terrestrial broadcast infrastructures for public warning, disaster mitigation and relief	Note - Identical to Rec. ITU-R BT.1774-1	In force	Yes	Yes
BO.1776	07-2006	Reference power flux-density for the broadcasting-satellite service in the band 21.4-22.0 GHz in Regions 1 and 3		In force	Yes	Yes
BO.1784	01-2007	Digital satellite broadcasting system with flexible configuration (television, sound and data)		In force. Available only in MS Word	Yes	
BO.1785	04-2007	Intra-service sharing criteria for GSO BSS systems in the band 21.4-22.0 GHz in Regions 1 and 3		In force	Yes	Yes

Summary for series BO (48 detail records)

ITU-R BR Recording for production, archival and play-out; film for television

Rec No.	Date	Title	observation	Status	MS Word	PDF
BR.265-9	02-2004	Operating practices for the international exchange		In force	Yes	Yes
		of programmes on film for television use				

mercredi, 12. mars 2008 Page 7 of 161

ITU-R BR Recording for production, archival and play-out; film for television

Rec No.	Date	Title	observation	Status	MS Word	PDF
BR.407-4	06-1990	International exchange of sound programmes recorded in analogue form	Note - Withdrawn on 03/05/2001 (CACE/215) - This Recommendation has been replaced by Rec. ITU-R BR.408-7	Withdrawn	Yes	Yes
BR.408-7	04-2001	International exchange of sound programmes recorded in analogue form	Note - This Recommendation replaces Rec. ITU-R BR.407-4	In force	Yes	Yes
BR.469-7	06-2002	Analogue composite television tape recording	Approved in accordance with Resolution ITU-R 45	In force	Yes	Yes
BR.501-2	06-1990	Appraisal of programmes on colour film intended for television use	Note - Withdrawn on 24/10/97 (RA-97)	Withdrawn	Yes	Yes
BR.602-5	02-2004	Exchange of standard definition television recordings for programme content evaluation		In force	Yes	Yes
BR.648	07-1986	Digital recording of audio signals	Note - Withdrawn on 03/05/2001 (CACE/215) - This Recommendation has been replaced by Rec. ITU-R BR.777- 3	Withdrawn	Yes	Yes

mercredi, 12. mars 2008 Page 8 of 161

ITU-R BR Recording for production, archival and play-out; film for television

Rec No	. Date	Title	observation	Status	MS Word	PDF
BR.649	-1 03-1992	Measuring methods for analogue audio tape recordings		In force	Yes	Yes
BR.657	-2 03-1992	Digital television tape recording		In force	Yes	Yes
BR.713	-1 10-1997	Recording of high definition television (HDTV) images on film	Note - Withdrawn on 06/03/00 (CACE/176)	Withdrawn	Yes	Yes
BR.714	-2 12-2001	International exchange of programmes produced by means of high-definition television	Approved in accordance with Resolution ITU-R 45	In force	Yes	Yes
BR.715	-1 04-2001	International exchange of analogue electronic news gathering recordings		In force	Yes	Yes
BR.716	5-2 08-1994	Area of 35 mm motion picture film used in HDTV telecines	Note - Withdrawn on 24/10/97 (RA- 97) - This Recommendation has been replaced by Rec. ITU-R BR.1374	Withdrawn	Yes	Yes
BR.777	-3 04-2001	International exchange of two-channel digital audio recordings	Note - This Recommendation replaces Rec. ITU-R BR.648	In force	Yes	Yes
BR.778	-1 08-1994	Analogue component television tape recording. Standards for the international exchange of television programmes on magnetic tapes		In force	Yes	Yes

mercredi, 12. mars 2008 Page 9 of 161

ITU-R BR Recording for production, archival and play-out; film for television

Rec No.	Date	Title	observation	Status	MS Word	PDF
BR.779-2	2 01-2003	Operating practices for digital television recording		In force	Yes	Yes
BR.780-2	2 04-2005	Time and control code standards, for production applications in order to facilitate the international exchange of television programmes on magnetic tapes		In force	Yes	Yes
BR.781-1	08-1994	HDTV telecine colour balance for film programmes	Note - Withdrawn on 24/10/97 (RA-97)	Withdrawn	Yes	Yes
BR.782-1	08-1994	Area of 35 mm print film used for 4:3 conventional television systems	Note - Withdrawn on 24/10/97 (RA- 97) - This Recommendation has been replaced by Rec. ITU-R BR.1374	Withdrawn	Yes	Yes
BR.783-1	08-1994	Area of 35 mm release print film used for conventional 16:9 television systems	Note - Withdrawn on 24/10/97 (RA- 97) - This Recommendation has been replaced by Rec. ITU-R BR.1374	Withdrawn	Yes	Yes
BR.784	03-1992	Exchange of television programmes on 16-mm film with two synchronous sound tracks on a separate support	Note - Withdrawn on 24/10/97 (RA-97)	Withdrawn	Yes	Yes
BR.785-1	04-2001	The release of programmes in a multiple release media environment		In force	Yes	Yes

mercredi, 12. mars 2008 Page 10 of 161

ITU-R BR Recording for production, archival and play-out; film for television

Rec No.	Date	Title	observation	Status	MS Word	PDF
BR.1214	10-1995	Studio recording of sound-broadcasting programmes on magnetic tape for release on multi-programme digital channels	Note - Withdrawn on 03/05/2001 (CACE/215) - This Recommendation has been replaced by Rec. ITU-R BR.1216-1	Withdrawn	Yes	Yes
BR.1215	10-1995	Handling and storage of television and sound recordings on magnetic tape		In force	Yes	Yes
BR.1216-1	04-2001	Recording of television or sound programmes on magnetic tape in the case when several programmes are intended for broadcasting in the same digital multiplex	Note - This Recommendation replaces Rec. ITU-R BR.1214	In force	Yes	Yes
BR.1217	10-1995	Recording of pan-scan data of 16:9 recordings within the user bits of the longitudinal time code	Note - Withdrawn on 24/10/97 (RA-97)	Withdrawn	Yes	Yes
BR.1218-1	04-2001	Recording of ancillary data on digital recorders for consumer use		In force	Yes	Yes
BR.1219	10-1995	Handling and storage of cinematographic film recording		In force	Yes	Yes
BR.1220-1	04-2001	Requirements for the generation, recording and presentation of high definition television programmes intended for release in the "electronic cinema"		In force	Yes	Yes
BR.1287-1	04-2001	Broadcasting of programmes on film with multichannel sound		In force	Yes	Yes

mercredi, 12. mars 2008 Page 11 of 161

ITU-R BR Recording for production, archival and play-out; film for television

Rec No.	Date	Title	observation	Status	MS Word	PDF
BR.1288	10-1997	Scanned area of 16 mm and 35 mm release film used for 4:3 conventional television systems	Note - Withdrawn on 30/11/98 (CACE/136) - This Recommendation has been replaced by Rec. ITU-R BR.1374	Withdrawn	Yes	Yes
BR.1289	10-1997	Scanned area of 16 mm and 35 mm release film used for 16:9 conventional television systems	Note - Withdrawn on 30/11/98 (CACE/136) - This Recommendation has been replaced by Rec. ITU-R BR.1374	Withdrawn	Yes	Yes
BR.1290	10-1997	Use of television disk recording in broadcasters' operations		In force	Yes	Yes
BR.1291	10-1997	Scanned area of Super 16 mm film for production and post-production in 16:9 television systems	Note - Withdrawn on 30/11/98 (CACE/136) - This Recommendation has been replaced by Rec. ITU-R BR.1374	Withdrawn	Yes	Yes
BR.1292	10-1997	Engineering guidelines for video recording in standard definition television production and post-production chains		In force	Yes	Yes
BR.1351	02-1998	Requirements for the application of digital technology to audio archiving systems for radio broadcasting		In force	Yes	Yes

mercredi, 12. mars 2008 Page 12 of 161

ITU-R BR Recording for production, archival and play-out; film for television

Rec No.	Date	Title	observation	Status	MS Word	PDF
BR.1353	02-1998	Recording of data in the user bits of the longitudinal time code	Note - Withdrawn on 03/05/01 (CACE/215)	Withdrawn	Yes	Yes
BR.1354	02-1998	Transfer of film programmes to video tape for programme exchange and for preservation of endangered films	Note - Withdrawn on 06/03/00 (CACE/176)	Withdrawn	Yes	Yes
BR.1355-2	09-2004	Viewing conditions for the assessment of telecine transfers of film images on a television display		In force	Yes	Yes
BR.1356	02-1998	User requirements for application of compression in mainstream standard definition television production and archival		In force	Yes	Yes
BR.1357	02-1998	Use of wrappers and metadata in television production		In force	Yes	Yes
BR.1374-1	06-2001	Scanned area dimensions from 16 mm and 35 mm cinematographic film used in television	Approved in accordance with Resolution ITU-R 45	In force	Yes	Yes
BR.1375-3	01-2007	High-definition television (HDTV) digital recording formats		In force	Yes	Yes
BR.1376	11-1998	Compression families for use in recording and networked standard definition television production		In force	Yes	Yes
BR.1384-1	04-2005	Parameters for international exchange of multi- channel sound recordings with or without accompanying picture		In force	Yes	Yes

mercredi, 12. mars 2008 Page 13 of 161

ITU-R BR Recording for production, archival and play-out; film for television

Rec No.	Date	Title	observation	Status	MS Word	PDF
BR.1385	12-1998	Exchange of sound programmes on recordable compact discs (CD-R)		In force	Yes	Yes
BR.1422	12-1999	Operational practices for television use of film soundtracks encoded with noise reduction and matrix surround		In force	Yes	Yes
BR.1440	03-2000	16:9 video images transferred to 35 mm film for optical projection		In force	Yes	Yes
BR.1441	03-2000	Compromise scanned area dimensions for television from 35 mm wide-screen films		In force	Yes	Yes
BR.1442	03-2000	User's requirements for digital HDTV tape cassette recorders		In force	Yes	Yes
BR.1515	04-2001	International exchange of digital electronic news gathering recordings		In force	Yes	Yes
BR.1530	06-2001	Guide to Recommendations on the use of film in television	Approved in accordance with Resolution ITU-R 45	In force	Yes	Yes
BR.1531	06-2001	Exchange of sound programmes for broadcast use recorded as broadcast wave format files on compact and digital versatile recordable data disks	Approved in accordance with Resolution ITU-R 45	In force	Yes	Yes
BR.1574	06-2002	Archival of sound-program material in the form of files recorded on information technology media	Approved in accordance with Resolution ITU-R 45	In force	Yes	Yes

mercredi, 12. mars 2008 Page 14 of 161

ITU-R BR Recording for production, archival and play-out; film for television

Rec No.	Date	Title	observation	Status	MS Word	PDF
BR.1575	06-2002	Guide to the selection of digital video tape recording formats for studio production in the standard definition television (SDTV) environment based on production requirements	Approved in accordance with Resolution ITU-R 45	In force	Yes	Yes
BR.1684	09-2004	Recording of 5.1-channel audio programmes on video tape recorders		In force. Available only in MS Word	Yes	
BR.1694	09-2004	Videocassette recording formats for international exchange of large-screen digital imagery programmes intended for presentation in a theatrical environment		In force	Yes	Yes
BR.1695	09-2004	Recording formats for international exchange for the evaluation of high-definition television programmes		In force	Yes	Yes
BR.1725	04-2005	Handling, restoration and storage of programme material that broadcasters have archived in the form of cinematographic film		In force	Yes	Yes
BR.1733	08-2005	Broadcasters' use of digital television recording formats designed for semi-professional or consumer applications		In force	Yes	Yes

Summary for series BR (60 detail records)

ITU-R BS Broadcasting service (sound)

Rec No. Date	Title	observation	Status	MS Word	PDF
BS.48-2 07-1986	Choice of frequency for sound broadcasting in the Tropical Zone		In force	Yes	Yes

mercredi, 12. mars 2008 Page 15 of 161

ITU-R BS Broadcasting service (sound)

Rec No		Title	observation	Status	MS Word	PDF
BS.80-	3 06-1990	Transmitting antennas in HF broadcasting		In force	Yes	Yes
BS.139	-3 06-1990	Transmitting antennas for sound broadcasting in the Tropical Zone		In force	Yes	Yes
BS.215	-2 07-1982	Maximum transmitter powers for broadcasting in the Tropical Zone		In force	Yes	Yes
BS.216	-2 07-1982	Protection ratio for sound broadcasting in the Tropical Zone		In force	Yes	Yes
BS.411	-4 06-1990	Fading allowances in HF broadcasting		In force	Yes	Yes
BS.412	-9 12-1998	Planning standards for terrestrial FM sound broadcasting at VHF		In force	Yes	Yes
BS.415	-2 07-1986	Minimum performance specifications for low-cost sound-broadcasting receivers		In force	Yes	Yes
BS.450	-3 11-2001	Transmission standards for FM sound broadcasting at VHF		In force	Yes	Yes
BS.467	07-1970	Technical characteristics to be checked for frequency-modulation stereophonic broadcasting		In force	Yes	Yes
BS.468	-4 07-1986	Measurement of audio-frequency noise voltage level in sound broadcasting		In force	Yes	Yes

mercredi, 12. mars 2008 Page 16 of 161

ITU-R BS Broadcasting service (sound)

Rec No	o. Date	Title	observation	Status	MS Word	PDF
BS.498	-2 06-1990	Ionospheric cross-modulation in the LF and MF broadcasting bands		In force	Yes	Yes
BS.559	-2 06-1990	Objective measurement of radio-frequency protection ratios in LF, MF and HF broadcasting		In force	Yes	Yes
BS.560	)-4 10-1997	Radio-frequency protection ratios in LF, MF and HF broadcasting		In force	Yes	Yes
BS.561	-2 07-1986	Definitions of radiation in LF, MF and HF broadcasting bands		In force	Yes	Yes
BS.562	3 06-1990	Subjective assessment of sound quality	Note - Withdrawn on 6/10/04 (CACE/328) - This Recommendation has been replaced by Rec. ITU-R BS.1284	Withdrawn	Yes	Yes
BS.597	7-1 07-1986	Channel spacing for sound broadcasting in band 7 (HF)		In force	Yes	Yes
BS.598	-1 06-1990	Factors influencing the limits of amplitude- modulation sound-broadcasting coverage in band 6 (MF)		In force	Yes	Yes
BS.599	07-1982	Directivity of antennas for the reception of sound broadcasting in band 8 (VHF)		In force	Yes	Yes
BS.638	07-1986	Terms and definitions used in frequency planning for sound broadcasting		In force	Yes	Yes

mercredi, 12. mars 2008 Page 17 of 161

ITU-R BS Broadcasting service (sound)

		ing ser vice (source)				
Rec No.	Date	Title	observation	Status	MS Word	PDF
BS.639	07-1986	Necessary bandwidth of emission in LF, MF and HF broadcasting		In force	Yes	Yes
BS.640-3	3 10-1997	Single sideband (SSB) system for HF broadcasting		In force	Yes	Yes
BS.641	07-1986	Determination of radio-frequency protection ratios for frequency-modulated sound broadcasting		In force	Yes	Yes
BS.642-1	1 06-1990	Limiters for high-quality sound-programme signals		In force	Yes	Yes
BS.643-2	2 10-1995	System for automatic tuning and other applications in FM radio receivers for use with the pilot-tone system		In force	Yes	Yes
BS.644-1	1 06-1990	Audio quality parameters for the performance of a high-quality sound-programme transmission chain		In force	Yes	Yes
BS.645-2	2 03-1992	Test signals and metering to be used on international sound programme connections		In force	Yes	Yes
BS.646-	03-1992	Source encoding for digital sound signals in broadcasting studios		In force	Yes	Yes
BS.647-2	2 03-1992	A digital audio interface for broadcasting studios		In force	Yes	Yes
BS.702-	03-1992	Synchronization and multiple frequency use per programme in HF broadcasting		In force	Yes	Yes

mercredi, 12. mars 2008 Page 18 of 161

ITU-R BS Broadcasting service (sound)

Red	c No.	Date	Title	observation	Status	MS Word	PDF
BS.	.703	06-1990	Characteristics of AM sound broadcasting reference receivers for planning purposes		In force	Yes	Yes
BS.	.704	06-1990	Characteristics of FM sound broadcasting reference receivers for planning purposes		In force	Yes	Yes
BS.	.705-1	10-1995	HF transmitting and receiving antennas characteristics and diagrams		In force	Yes	Yes
BS.	.706-2	02-1998	Data system in monophonic AM sound broadcasting (AMDS)		In force	Yes	Yes
BS.	.707-5	08-2005	Transmission of multisound in terrestrial television systems PAL B, B1, D1, G, H and I, and SECAM D, K, K1 and L		In force	Yes	Yes
BS.	.708	06-1990	Determination of the electro-acoustical properties of studio monitor headphones		In force	Yes	Yes
BS.	.773	03-1992	Radio-frequency protection ratios required by FM sound broadcasting in the band between 87.5 MHz and 108 MHz against interference from D/SECAM television transmissions		In force	Yes	Yes
BS.	.774-2	10-1995	Service requirements for digital sound broadcasting to vehicular, portable and fixed receivers using terrestrial transmitters in the VHF/UHF bands		In force	Yes	Yes
BS.	.775-2	07-2006	Multichannel stereophonic sound system with and without accompanying picture		In force	Yes	Yes

mercredi, 12. mars 2008 Page 19 of 161

ITU-R BS Broadcasting service (sound)

ec No.	Date	Title	observation	Status	MS Word	PDF
S.776	03-1992	Format for user data channel of the digital audio interface	Note – Suppressed on 14/02/2007 (CACE/412)	Withdrawn	Yes	Yes
S.1114-6	01-2007	Systems for terrestrial digital sound broadcasting to vehicular, portable and fixed receivers in the frequency range 30-3 000 MHz		In force	Yes	Yes
S.1115-1	04-2005	Low bit-rate audio coding		In force	Yes	Yes
S.1116-1	10-1997	Methods for the subjective assessment of small impairments in audio systems including multichannel sound systems		In force	Yes	Yes
5.1194-2	12-1998	System for multiplexing frequency modulation (FM) sound broadcasts with a sub-carrier data channel having a relatively large transmission capacity for stationary and mobile reception		In force	Yes	Yes
S.1195	10-1995	Transmitting antenna characteristics at VHF and UHF		In force	Yes	Yes
S.1196-1	04-2001	Audio coding for digital terrestrial television broadcasting		In force	Yes	Yes
S.1283-1	12-2003	A guide to ITU-R Recommendations for subjective assessment of sound quality		In force	Yes	Yes
S.1284-1	12-2003	General methods for the subjective assessment of sound quality	Note - This Recommendation replaces Rec. ITU-R BS.562-3	In force	Yes	Yes
	3.776 3.1114-6 3.1115-1 3.1116-1 3.1194-2 3.1195 3.1196-1 3.1283-1	3.776 03-1992 3.1114-6 01-2007 3.1115-1 04-2005 3.1116-1 10-1997 3.1194-2 12-1998	Format for user data channel of the digital audio interface  Systems for terrestrial digital sound broadcasting to vehicular, portable and fixed receivers in the frequency range 30-3 000 MHz  Low bit-rate audio coding  Methods for the subjective assessment of small impairments in audio systems including multichannel sound systems  System for multiplexing frequency modulation (FM) sound broadcasts with a sub-carrier data channel having a relatively large transmission capacity for stationary and mobile reception  Transmitting antenna characteristics at VHF and UHF  Audio coding for digital terrestrial television broadcasting  A guide to ITU-R Recommendations for subjective assessment of sound quality  General methods for the subjective assessment of	Format for user data channel of the digital audio interface  O3-1992 Format for user data channel of the digital audio interface  O3-1992 Format for user data channel of the digital audio interface  O1-2007 Systems for terrestrial digital sound broadcasting to vehicular, portable and fixed receivers in the frequency range 30-3 000 MHz  C3.1115-1 04-2005 Low bit-rate audio coding  O4-2005 Low bit-rate audio coding  Methods for the subjective assessment of small impairments in audio systems including multichannel sound systems  System for multiplexing frequency modulation (FM) sound broadcasts with a sub-carrier data channel having a relatively large transmission capacity for stationary and mobile reception  C3.1195 10-1995 Transmitting antenna characteristics at VHF and UHF  C3.1196-1 04-2001 Audio coding for digital terrestrial television broadcasting  C3.1283-1 12-2003 A guide to ITU-R Recommendations for subjective assessment of sound quality  C3.1284-1 12-2003 General methods for the subjective assessment of sound quality  Note - This Recommendation replaces Rec. ITU-R	Format for user data channel of the digital audio interface  O3-1992 Format for user data channel of the digital audio interface  O3-1992 Format for user data channel of the digital audio on 14/02/2007 (CACE/412)  In force  O1-2007 Systems for terrestrial digital sound broadcasting to vehicular, portable and fixed receivers in the frequency range 30-3 000 MHz  In force  O1-115-1 04-2005 Low bit-rate audio coding  In force  O1-116-1 10-1997 Methods for the subjective assessment of small impairments in audio systems including multichannel sound systems  O1-1998 System for multiplexing frequency modulation (FM) sound broadcasts with a sub-carrier data channel having a relatively large transmission capacity for stationary and mobile reception  O1-1995 Transmitting antenna characteristics at VHF and UHF  O1-1995 Audio coding for digital terrestrial television broadcasting  O1-1996 Audio coding for digital terrestrial	Note - Suppressed on 14/02/2007 (CACE/412)   Note - Suppressed on 14/02/2007 (CACE/412)   In force   Yes

mercredi, 12. mars 2008 Page 20 of 161

ITU-R BS Broadcasting service (sound)

Rec No.	Date	Title	observation	Status	MS Word	PDF
BS.1285	10-1997	Pre-selection methods for the subjective assessment of small impairments in audio systems		In force	Yes	Yes
BS.1286	10-1997	Methods for the subjective assessment of audio systems with accompanying picture		In force	Yes	Yes
BS.1348-1	02-2001	Service requirements for digital sound broadcasting at frequencies below 30 MHz		In force	Yes	Yes
BS.1349	02-1998	Implementation of digital sound broadcasting to vehicular, portable and fixed receivers using terrestrial transmitters in the LF, MF and HF bands		In force	Yes	Yes
BS.1350-1	12-1998	Systems requirements for multiplexing (FM) sound broadcasting with a sub-carrier data channel having a relatively large transmission capacity for stationary and mobile reception		In force	Yes	Yes
BS.1386-1	04-2001	LF and MF transmitting antennas characteristics and diagrams		In force	Yes	Yes
BS.1387-1	11-2001	Method for objective measurements of perceived audio quality	A CD ROM associated with this Recommendation (which contains the WAV-files referenced in section 7.3) can be purchased separately from the ITU Sales department (Email: sales@itu.int).	In force	Yes	Yes

mercredi, 12. mars 2008 Page 21 of 161

ITU-R BS Broadcasting service (sound)

Rec	No.	Date	Title	observation	Status	MS Word	PDF
BS.	.1423	12-1999	Guidelines for producing multichannel soundtracks using surround matrix techniques		In force	Yes	Yes
BS.	.1514-1	10-2002	System for digital sound broadcasting in the broadcasting bands below 30 MHz		In force	Yes	Yes
BS.	.1534-1	01-2003	Method for the subjective assessment of intermediate quality levels of coding systems		In force	Yes	Yes
BS.	1547	11-2001	Terrestrial component of systems for hybrid satellite-terrestrial digital sound broadcasting to vehicular, portable and fixed receivers in the frequency range 1 400-2 700 MHz		In force	Yes	Yes
BS.	.1548-2	02-2006	User requirements for audio coding systems for digital broadcasting		In force	Yes	Yes
BS.	.1596	10-2002	Guide to ITU-R Recommendations for broadcast sound production		In force	Yes	Yes
BS.	.1615	06-2003	"Planning parameters" for digital sound broadcasting at frequencies below 30 MHz		In force	Yes	Yes
BS.	.1657	08-2003	Procedure for the performance test of automated audio identification systems	Approved in accordance with Resolution ITU-R 45	In force	Yes	Yes
BS.	.1660-3	07-2006	Technical basis for planning of terrestrial digital sound broadcasting in the VHF band		In force	Yes	Yes

mercredi, 12. mars 2008 Page 22 of 161

ITU-R BS Broadcasting service (sound)

Rec No	. Date	Title	observation	Status	MS Word	PDF
BS.166	1 12-2003	'Signal-on-the-air' specifications of the digital system described in Annex 1 to Recommendation ITU-R BS.1514 for digital sound broadcasting in the broadcasting bands below 30 MHz		In force	Yes	Yes
BS.167	9 03-2004	Subjective assessment of the quality of audio in large screen digital imagery applications intended for presentation in a theatrical environment		In force	Yes	Yes
BS.168	8 09-2004	Baseband sound system and audio source-coding at delivery interfaces of large-screen digital imagery applications		In force	Yes	Yes
BS.169	3 09-2004	Procedure for the performance test of automated query-by-humming systems		In force	Yes	Yes
BS.169	8 02-2005	Evaluating fields from terrestrial broadcasting transmitting systems operating in any frequency band for assessing exposure to non-ionizing radiation		In force	Yes	Yes
BS.172	6 04-2005	Signal level of digital audio accompanying television in international programme exchange		In force	Yes	Yes
BS.173	4 08-2005	Basic performance requirements for the sound components of large-screen digital imagery applications for presentation in a theatrical environment		In force	Yes	Yes
BS.173	8 09-2007	Identification and ordering of multiple audio channels carried on international contribution circuits		In force	Yes	Yes

mercredi, 12. mars 2008 Page 23 of 161

ITU-R BS Broadcasting service (sound)

Rec No.	Date	Title	observation	Status	MS Word	PDF
BS.1770-1	09-2007	Algorithms to measure audio programme loudness and true-peak audio level		In force	Yes	Yes
BS.1771	07-2006	Requirements for loudness and true-peak indicating meters		In force	Yes	Yes
BS.1786	04-2007	Criterion to assess the impact of interference to the terrestrial broadcasting service (BS)	Note - Identical to Rec. ITU-R BT.1786	In force	Yes	Yes

ITU-R BT Broadcasting service (television)

Rec No.	Date	Title	observation	Status	MS Word	PDF
BT.266-1	03-1992	Phase pre-correction of television transmitters		In force	Yes	Yes
BT.417-5	10-2002	Minimum field strengths for which protection may be sought in planning an analogue terrestrial television service		In force	Yes	Yes
BT.419-3	06-1990	Directivity and polarization discrimination of antennas in the reception of television broadcasting		In force	Yes	Yes
BT.470-7	02-2005	Conventional analogue television systems		In force	Yes	Yes
BT.471-1	07-1986	Nomenclature and description of colour bar signals		In force	Yes	Yes

mercredi, 12. mars 2008 Page 24 of 161

ITU-R BT Broadcasting service (television)

Rec No.	Date	Title	observation	Status	MS Word	PDF
BT.472-3	06-1990	Video-frequency characteristics of a television system to be used for the international exchange of programmes between countries that have adopted 625-line colour or monochrome systems		In force	Yes	Yes
BT.500-11	06-2002	Methodology for the subjective assessment of the quality of television pictures	Approved in accordance with Resolution ITU-R 45	In force	Yes	Yes
BT.565	07-1978	Protection ratios for 625-line television against radionavigation transmitters operating in the shared bands between 582 and 606 MHz		In force	Yes	Yes
BT.601-6	01-2007	Studio encoding parameters of digital television for standard 4:3 and wide screen 16:9 aspect ratios		In force	Yes	Yes
BT.653-3	02-1998	Teletext systems		In force	Yes	Yes
BT.654	07-1986	Subjective quality of television pictures in relation to the main impairments of the analogue composite television signal		In force	Yes	Yes
BT.655-7	02-2004	Radio-frequency protection ratios for AM vestigial sideband terrestrial television systems interfered with by unwanted analogue vision signals and their associated sound signals		In force	Yes	Yes
BT.709-5	04-2002	Parameter values for the HDTV standards for production and international programme exchange		In force	Yes	Yes
BT.710-4	11-1998	Subjective assessment methods for image quality in high-definition television		In force	Yes	Yes

mercredi, 12. mars 2008 Page 25 of 161

ITU-R BT Broadcasting service (television)

Rec No.	Date	Title	observation	Status	MS Word	PDF
BT.711-1	09-1992	Synchronizing reference signals for the component digital studio		In force	Yes	Yes
BT.796	03-1992	Parameters for enhanced compatible coding systems based on 625-line PAL and SECAM television systems		In force	Yes	Yes
BT.797-1	07-1994	Parameters for 4:3 enhanced television systems that are NTSC-compatible		In force	Yes	Yes
BT.798-1	07-1994	Digital television terrestrial broadcasting in the VHF/UHF bands		In force	Yes	Yes
BT.800-2	10-1995	User requirements for the transmission through contribution and primary distribution networks of digital television signals defined according to the 4:2:2 standard of Recommendation ITU-R BT.601 (Part A)		In force	Yes	Yes
BT.801-1	10-1995	Test signals for digitally encoded colour television signals conforming with Recommendations ITU-R BT.601 and ITU-R BT.656		In force	Yes	Yes
BT.802-1	07-1994	Test pictures and sequences for subjective assessments of digital codecs conveying signals produced according to Recommendation ITU-R BT.601		In force	Yes	Yes
BT.803	03-1992	The avoidance of interference generated by digital television studio equipment		In force	Yes	Yes

mercredi, 12. mars 2008 Page 26 of 161

ITU-R BT Broadcasting service (television)

Rec No.	Date	Title	observation	Status	MS Word	PDF
BT.804	03-1992	Characteristics of TV receivers essential for frequency planning with PAL/SECAM/NTSC television systems		In force	Yes	Yes
BT.805	03-1992	Assessment of impairment caused to television reception by a wind turbine		In force	Yes	Yes
BT.806	03-1992	Common channel raster for the distribution of D-MAC, D2-MAC and HD-MAC signals in collective antenna and cable distribution systems		In force	Yes	Yes
BT.807	03-1992	Reference model for data broadcasting		In force	Yes	Yes
BT.808	03-1992	The broadcasting of time and date information in coded form		In force	Yes	Yes
BT.809	03-1992	Programme delivery control (PDC) system for video recording		In force	Yes	Yes
BT.810	03-1992	Conditional-access broadcasting systems		In force	Yes	Yes
BT.811-1	07-1994	The subjective assessment of enhanced PAL and SECAM systems		In force	Yes	Yes
BT.812	03-1992	Subjective assessment of the quality of alphanumeric and graphic pictures in Teletext and similar services		In force	Yes	Yes
BT.813	03-1992	Methods for objective picture quality assessment in relation to impairments from digital coding of television signals		In force	Yes	Yes
mercredi, 12. mars 2008					Page 27	of 161

ITU-R BT Broadcasting service (television)

Rec No.	Date	Title	observation	Status	MS Word	PDF
BT.814-2	09-2007	Specifications and alignment procedures for setting of brightness and contrast of displays		In force	Yes	Yes
BT.815-1	07-1994	Specification of a signal for measurement of the contrast ratio of displays		In force	Yes	Yes
BT.1117-2	10-1997	Studio format parameters for enhanced 16:9 aspect ratio 625-line television systems (D- and D2-MAC, PALplus, enhanced SECAM)		In force	Yes	Yes
BT.1118-1	10-1997	Enhanced compatible widescreen television based on conventional television systems		In force	Yes	Yes
BT.1119-2	02-1998	Wide-screen signalling for broadcasting (Signalling for wide-screen and other enhanced television parameters)		In force	Yes	Yes
BT.1121-1	10-1995	User requirements for the transmission through contribution and primary distribution networks of digital HDTV signals		In force	Yes	Yes
BT.1122-1	10-1995	User requirements for emission and secondary distribution systems for SDTV, HDTV and hierarchical coding schemes		In force	Yes	Yes
BT.1123	07-1994	Planning methods for 625-line terrestrial television in VHF/UHF bands		In force	Yes	Yes
BT.1124-3	06-2001	Reference signals for ghost cancelling in analogue television systems	Approved in accordance with Resolution ITU-R 45	In force	Yes	Yes

mercredi, 12. mars 2008 Page 28 of 161

ITU-R BT Broadcasting service (television)

Rec No.	Date	Title	observation	Status	MS Word	PDF
BT.1125	07-1994	Basic objectives for the planning and implementation of digital terrestrial television broadcasting systems		In force	Yes	Yes
BT.1126	5 07-1994	Data transmission protocols and transmission control scheme for data broadcasting systems using a data channel in satellite television broadcasting		In force	Yes	Yes
BT.1127	07-1994	Relative quality requirements of television broadcast systems		In force	Yes	Yes
BT.1128	3-2 10-1997	Subjective assessment of conventional television systems		In force	Yes	Yes
BT.1129	02-1998	Subjective assessment of standard definition digital television (SDTV) systems		In force	Yes	Yes
BT.1197	7-1 02-1998	Enhanced wide-screen PAL TV transmission system (the PALplus system)		In force	Yes	Yes
BT.1198	3 10-1995	Stereoscopic television based on R-and L-eye two channel signals		In force	Yes	Yes
BT.1199	10-1995	Use of bit-rate reduction in the HDTV studio environment		In force	Yes	Yes
BT.1200	)-1 02-1998	Target standard for digital video systems for the studio and for international programme exchange	Note - Suppressed on 03/05/01 (CACE/215)	Withdrawn	Yes	Yes
BT.1201	-1 03-2004	Extremely high resolution imagery	•	In force	Yes	Yes

mercredi, 12. mars 2008 Page 29 of 161

ITU-R BT Broadcasting service (television)

Rec No.	Date	Title	observation	Status	MS Word	PDF
BT.1202	10-1995	Displays for future television systems		In force	Yes	Yes
BT.1203-1	01-2007	User requirements for generic video bit-rate reduction coding of digital TV signals for an end-to-end television system		In force	Yes	Yes
BT.1204	10-1995	Measuring methods for digital video equipment with analogue input/output		In force	Yes	Yes
BT.1205	10-1995	User requirements for the quality of baseband SDTV and HDTV signals when transmitted by digital Satellite News Gathering (SNG)		In force	Yes	Yes
BT.1206	10-1995	Spectrum shaping limits for digital terrestrial television broadcasting		In force	Yes	Yes
BT.1207-1	10-1997	Data access methods for digital terrestrial television broadcasting		In force	Yes	Yes
BT.1208-1	10-1997	Video coding for digital terrestrial television broadcasting		In force	Yes	Yes
BT.1209-1	10-1997	Service multiplex methods for digital terrestrial television broadcasting		In force	Yes	Yes
BT.1210-3	02-2004	Test materials to be used in subjective assessment		In force	Yes	Yes
BT.1298	10-1997	Enhanced wide-screen NTSC TV transmission system		In force	Yes	Yes

mercredi, 12. mars 2008 Page 30 of 161

ITU-R BT Broadcasting service (television)

Rec No.	Date	Title	observation	Status	MS Word	PDF
BT.1299	10-1997	The basic elements of a worldwide common family of systems for digital terrestrial television broadcasting		In force	Yes	Yes
BT.1300-3	08-2005	Service multiplex, transport, and identification methods for digital terrestrial television broadcasting		In force	Yes	Yes
BT.1301	10-1997	Data services in digital terrestrial television broadcasting		In force	Yes	Yes
BT.1302	10-1997	Interfaces for digital component video signals in 525-line and 625-line television systems operating at the 4:2:2 level of Recommendation ITU-R BT.601 (Part B)	Note - Withdrawn on 19/09/2007 (CACE/433)	Withdrawn	Yes	Yes
BT.1303	10-1997	Interfaces for digital component video signals in 525-line and 625-line television systems operating at the 4:4:4 level of Recommendation ITU-R BT.601 (Part B)	Note - Withdrawn on 19/09/2007 (CACE/433)	Withdrawn	Yes	Yes
BT.1304	10-1997	Checksum for error detection and status information in interfaces conforming with Recommendations ITU-R BT.656 and ITU-R BT.799		In force	Yes	Yes
BT.1305	10-1997	Digital audio and auxiliary data as ancillary data signals in interfaces conforming to Recommendations ITU-R BT.656 and ITU-R BT.799		In force	Yes	Yes
BT.1306-3	05-2006	Error correction, data framing, modulation and emission methods for digital terrestrial television broadcasting		In force	Yes	Yes

mercredi, 12. mars 2008 Page 31 of 161

ITU-R BT Broadcasting service (television)

Rec No.	Date	Title	observation	Status	MS Word	PDF
BT.1358-1	09-2007	Studio parameters of 625 and 525 line progressive television systems		In force	Yes	Yes
BT.1359-1	11-1998	Relative timing of sound and vision for broadcasting		In force	Yes	Yes
BT.1360	02-1998	Capture characteristics for high-definition images		In force	Yes	Yes
BT.1361	02-1998	Worldwide unified colorimetry and related characteristics of future television and imaging systems		In force	Yes	Yes
BT.1362	02-1998	Interfaces for digital component video signals in 525- and 625-line progressive scan television systems		In force	Yes	Yes
BT.1363-1	11-1998	Jitter specifications and methods for jitter measurements of bit-serial signals conforming to Recommendations ITU-R BT.656, ITU-R BT.799 and ITU-R BT.1120		In force	Yes	Yes
BT.1364-1	08-2005	Format of ancillary data signals carried in digital component studio interfaces		In force	Yes	Yes
BT.1365	02-1998	24-bit digital audio format as ancillary data signals in HDTV serial interfaces		In force	Yes	Yes
BT.1369	02-1998	Basic principles for a worldwide common family of systems for the provision of interactive television services		In force	Yes	Yes

mercredi, 12. mars 2008 Page 32 of 161

ITU-R BT Broadcasting service (television)

Rec No.	Date	Title	observation	Status	MS Word	PDF
BT.1377	11-1998	Labelling of video and audio apparatus throughput (processing) delay		In force	Yes	Yes
BT.1378	11-1998	Basic requirements for multimedia-hypermedia broadcasting		In force	Yes	Yes
BT.1379-2	09-2007	Safe areas of wide-screen 16:9 and standard 4:3 aspect ratio productions to achieve a common format during a transition period to wide screen 16:9 broadcasting		In force	Yes	Yes
BT.1380-1	07-2006	Standards for bit rate reduction coding systems for SDTV		In force	Yes	Yes
BT.1382	11-1998	Assessment of the picture quality of multi- programme services		In force	Yes	Yes
BT.1434	03-2000	Network independent protocols for interactive systems		In force	Yes	Yes
BT.1435	03-2000	Digital sound and television broadcasting interaction channel through the PSTN/ISDN		In force	Yes	Yes
BT.1436	03-2000	Transmission systems for interactive cable television services		In force	Yes	Yes
BT.1437	03-2000	User requirements for digital coding for multi- programme television transmission		In force	Yes	Yes
BT.1438	03-2000	Subjective assessment of stereoscopic television pictures		In force	Yes	Yes

mercredi, 12. mars 2008 Page 33 of 161

ITU-R BT Broadcasting service (television)

Rec No.	Date	Title	observation	Status	MS Word	PDF
BT.1439-1	02-2006	Measurement methods applicable in the analogue television studio and the overall analogue television system		In force	Yes	Yes
BT.1507	10-2000	Interaction channel using digital enhanced cordless telecommunications (DECT) system		In force	Yes	Yes
BT.1508	10-2000	Interaction channel using global system for mobile communications (GSM)		In force	Yes	Yes
BT.1532	06-2001	The MPEG-2 recoding data set for the preservation of picture quality in cascade of MPEG-2 codecs	Approved in accordance with Resolution ITU-R 45	In force	Yes	Yes
BT.1533	06-2001	Editing information for MPEG-2 video elementary streams for applications in television production	Approved in accordance with Resolution ITU-R 45	In force	Yes	Yes
BT.1543	08-2001	$1\ 280 \times 720,\ 16 \times 9$ progressively-captured image format for production and international programme exchange in the 60 Hz environment		In force	Yes	Yes
BT.1549	11-2001	Data link protocol for interaction channel		In force	Yes	Yes
BT.1550	12-2001	MPEG-2 recoding data set for the preservation of picture quality in cascade of MPEG-2 codecs compressed stream format	Approved in accordance with Resolution ITU-R 45	In force	Yes	Yes
BT.1551	12-2001	Transport of MPEG-2 recoding data set as ancillary data packets	Approved in accordance with Resolution ITU-R 45	In force	Yes	Yes

mercredi, 12. mars 2008 Page 34 of 161

ITU-R BT Broadcasting service (television)

Rec No	. Date	Title	observation	Status	MS Word	PDF
BT.156	2 04-2002	Consistency in the alignment of displays in production rooms and control rooms		In force	Yes	Yes
BT.156	3 04-2002	Data encoding protocol using key-length-value		In force	Yes	Yes
BT.156	4 04-2002	Interaction channel using local multipoint distribution systems		In force	Yes	Yes
BT.157	6 06-2002	Transport of alternate source formats through Recommendation ITU-R BT.1120	Approved in accordance with Resolution ITU-R 45	In force	Yes	Yes
BT.157	7 06-2002	Serial digital interface-based transport interface for compressed television signals in networked television production based on Recommendation ITU-R BT.1120	Approved in accordance with Resolution ITU-R 45	In force	Yes	Yes
BT.157	8 06-2002	Content package format, elements, and metadata definition for applications in television production utilizing interfaces based on Recommendation ITU-R BT.1381	Approved in accordance with Resolution ITU-R 45	In force	Yes	Yes
BT.161	4 01-2003	Video payload identification for digital television interfaces		In force	Yes	Yes
BT.161	6 05-2003	Data stream format for the exchange of DV-based audio, data and compressed video over interfaces complying with Recommendation ITU-R BT.1381		In force	Yes	Yes
BT.161	7 05-2003	Format for transmission of DV compressed video, audio and data over interfaces complying with Recommendation ITU-R BT.1381		In force	Yes	Yes
nercredi, 12. mars 20	008				Page 35	of 161

ITU-R BT Broadcasting service (television)

Rec No.	Date	Title	observation	Status	MS Word	PDF
BT.1618	05-2003	Data structure for DV-based audio, data and compressed video at data rates of 25 and 50 Mbit/s		In force	Yes	Yes
BT.1619	05-2003	Vertical ancillary data mapping for serial digital interface		In force	Yes	Yes
BT.1620	05-2003	Data structure for DV-based audio, data and compressed video at a data rate of 100 Mbit/s		In force	Yes	Yes
BT.1662	12-2003	General reference chain and management of post- processing headroom for programme essence in large screen digital imagery applications		In force	Yes	Yes
BT.1663	12-2003	Expert viewing methods to assess the quality of systems for the digital display of large screen digital imagery in theatres		In force	Yes	Yes
BT.1664	12-2003	Representation of various image aspect ratios into the image of large screen digital imagery applications that use a 16:9 raster		In force	Yes	Yes
BT.1665	12-2003	Considerations for colour encoding and spatial resolution for large screen digital imagery display		In force	Yes	Yes
BT.1666	12-2003	User requirements for large screen digital imagery applications intended for presentation in a theatrical environment		In force	Yes	Yes
BT.1667	12-2003	Terrestrial return channel for interactive broadcasting services operating in the VHF/UHF broadcast band based on Recommendation ITU-R BT.1306		In force. Available only in MS Word	Yes	

mercredi, 12. mars 2008 Page 36 of 161

ITU-R BT Broadcasting service (television)

Rec No	. Date	Title	observation	Status	MS Word	PDF
BT.167	4 02-2004	Metadata requirements for production and post- production in broadcasting		In force. Available only in MS Word	Yes	
BT.167	5 02-2004	System design and operational practices for minimizing disturbance from loop delay in broadcast systems		In force	Yes	Yes
BT.167	6 02-2004	Methodological framework for specifying accuracy and cross-calibration of video quality metrics		In force	Yes	Yes
BT.168	0 03-2004	Baseband imaging format for distribution of large screen digital imagery applications intended for presentation in a theatrical environment		In force	Yes	Yes
BT.168	3 06-2004	Objective perceptual video quality measurement techniques for standard definition digital broadcast television in the presence of a full reference		In force	Yes	Yes
BT.168	5 09-2004	Structure of inter-station control data conveyed by ancillary data packets		In force	Yes	Yes
BT.168	6 09-2004	Methods of measurement of image presentation parameters for large screen digital imagery programme presentation in a theatrical environment		In force	Yes	Yes
BT.168	7-1 02-2006	Video bit-rate reduction for real-time distribution of large-screen digital imagery applications for presentation in a theatrical environment		In force	Yes	Yes
BT.168	9 09-2004	Guidelines on the presentation in large-screen digital imagery environments of programmes that are provided in image formats conforming to Recommendation ITU-R BT.601		In force	Yes	Yes

mercredi, 12. mars 2008 Page 37 of 161

ITU-R BT Broadcasting service (television)

Rec No.	Date	Title	observation	Status	MS Word	PDF
BT.1690	09-2004	Assumed characteristics of venues intended for large-screen digital imagery programme presentation in a theatrical environment		In force	Yes	Yes
BT.1691	09-2004	Adaptive image quality control in television systems		In force	Yes	Yes
BT.1692	09-2004	Optimization of the quality of colour reproduction in television		In force	Yes	Yes
BT.1699	02-2005	Harmonization of declarative content format for interactive TV applications		In force. Available only in MS Word	Yes	
BT.1700	02-2005	Characteristics of composite video signals for conventional analogue television systems		In force. Available only in MS Word	Yes	
BT.1701-1	08-2005	Characteristics of radiated signals of conventional analogue television systems		In force	Yes	Ye
BT.1702	02-2005	Guidance for the reduction of photosensitive epileptic seizures caused by television		In force	Yes	Ye
BT.1720	07-2005	Quality of service ranking and measurement methods for digital video broadcasting services delivered over broadband Internet protocol networks		In force	Yes	Ye
BT.1721	07-2005	Objective measurement of perceptual image quality of large screen digital imagery applications for theatrical presentation		In force	Yes	Ye
BT.1727	04-2005	Terrestrial and satellite delivery of programme material to large screen digital imagery venues		In force	Yes	Ye

mercredi, 12. mars 2008 Page 38 of 161

ITU-R BT Broadcasting service (television)

Rec No.	Date	Title	observation	Status	MS Word	PDF
BT.1728	04-2005	Guidance on the use of flat panel displays in television production and postproduction		In force	Yes	Yes
BT.1729	04-2005	Common 16 x 9/4 x 3 aspect ratio digital television reference test pattern		In force	Yes	Yes
BT.1735	08-2005	Methods for objective quality coverage assessment of digital terrestrial television broadcasting signals of System B specified in Recommendation ITU-R BT.1306		In force	Yes	Yes
BT.1736	02-2006	Broadcasting of redistribution signalling for television		In force	Yes	Yes
BT.1737	02-2006	Use of the ITU-T Recommendation H.264 (MPEG-4/AVC) video source-coding method to transport high definition TV programme material		In force	Yes	Yes
BT.1769	07-2006	Parameter values for an expanded hierarchy of LSDI image formats for production and international programme exchange		In force	Yes	Yes
BT.1774	-1 04-2007	Use of satellite and terrestrial broadcast infrastructures for public warning, disaster mitigation and relief	Note - Identical to Rec. ITU-R BO.1774-1	In force	Yes	Yes
BT.1775	07-2006	File format with editing capability, for the exchange of metadata, audio, video, data essence and ancillary data for use in broadcasting		In force. Available only in MS Word	Yes	
BT.1786	04-2007	Criterion to assess the impact of interference to the terrestrial broadcasting service (BS)	Note - Identical to Rec. ITU-R BS.1786	In force	Yes	Yes

mercredi, 12. mars 2008 Page 39 of 161

ITU-R BT Broadcasting service (television)

Rec No.	Date	Title	observation	Status	MS Word	PDF
BT.1788	01-2007	Methodology for the subjective assessment of video quality in multimedia applications		In force	Yes	Yes
BT.1789	04-2007	A method to reconstruct received video using transmission error information for packet video transmission		In force	Yes	Yes
BT.1790	01-2007	Requirements for monitoring of broadcasting chains during operation		In force	Yes	Yes

Summary for series BT (146 detail records)

ITU-R F Fixed service

Rec	No. Date	Title		observation	Status	MS Word	PDF
F.10e	5-2 05-1	on HF radio cir	ersity for voice-frequency telegraphy rcuits		In force	Yes	Yes
F.162	2-3 03-1		onal transmitting antennas in the fixed ng in bands below about 30 MHz		In force	Yes	Yes
F.240	02-2	U	ference protection ratios for various ssion in the fixed service below about		In force	Yes	Yes
F.246	6-3 07-1	974 Frequency-shift	ft keying		In force	Yes	Yes
F.268	8-1 07-1	970 Interconnection systems for tele	n at audio frequencies of radio-relay ephony	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes

mercredi, 12. mars 2008 Page 40 of 161

ITU-R F Fixed service

Rec No.	Date	Title	observation	Status	MS Word	PDF
F.270-2	07-1978	Interconnection at video signal frequencies of radio- relay systems for television	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
F.275-3	07-1982	Pre-emphasis characteristic for frequency modulation radio-relay systems for telephony using frequency-division multiplex	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
F.276-2	07-1974	Frequency deviation and the sense of modulation for analogue radio-relay systems for television	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
F.283-5	06-1990	Radio-frequency channel arrangements for low and medium capacity analogue or digital fixed wireless systems operating in the 2 GHz band	Note - Suppressed on 10/10/07 (CACE/435)	Withdrawn	Yes	Yes
F.290-3	07-1978	Maintenance measurements on radio-relay systems for telephony using frequency-division multiplex	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
F.302-3	05-1997	Limitation of interference from trans-horizon radio- relay systems		In force	Yes	Yes
F.305	07-1959	Stand-by arrangements for radio-relay systems for television and telephony	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
F.306	07-1959	Procedure for the international connection of radio- relay systems with different characteristics	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
F.335-2	07-1970	Use of radio links in international telephone circuits	Note - Suppressed on 17/12/99 (CACE/146) Note - Supprimée le 17/12/99 (CACE/146)	Withdrawn	Yes	Yes

mercredi, 12. mars 2008 Page 41 of 161

ITU-R F Fixed service

Rec No.	Date	Title	observation	Status	MS Word	PDF
F.338-2	07-1970	Bandwidth required at the output of a telegraph or telephone receiver		In force	Yes	Yes
F.339-7	02-2006	Bandwidths, signal-to-noise ratios and fading allowances in complete systems		In force	Yes	Yes
F.342-2	07-1970	Automatic error-correcting system for telegraph signals transmitted over radio circuits	Note - Suppressed on 10/10/07 (CACE/435)	Withdrawn	Yes	Yes
F.345	07-1963	Telegraph distortion	Note - Suppressed on 10/10/07 (CACE/435)	Withdrawn	Yes	Yes
F.347	07-1963	Classification of multi-channel radiotelegraph systems for long-range circuits operating at frequencies below about 30 MHz and the designation of the channels in these systems	Note - Suppressed on 10/10/07 (CACE/435)	Withdrawn	Yes	Yes
F.348-4	06-1990	Arrangement of channels in multi-channel single- sideband and independent-sideband transmitters for long-range circuits operating at frequencies below about 30 MHz		In force	Yes	Yes
F.349-5	05-1999	Frequency stability required for systems operating in the HF fixed service to make the use of automatic frequency control superfluous		In force	Yes	Yes
F.380-4	07-1986	Interconnection at baseband frequencies of radio- relay systems for telephony using frequency- division multiplex	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes

mercredi, 12. mars 2008 Page 42 of 161

ITU-R F Fixed service

Date	Title	observation	Status	MS Word	PDF
07-1970	Conditions relating to line regulating and other pilots and to limits for the residues of signals outside the baseband in the interconnection of radio-relay and line systems for telephony	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
04-2006	Radio-frequency channel arrangements for fixed wireless systems operating in the 2 and 4 GHz bands		In force	Yes	Yes
09-2007	Radio-frequency channel arrangements for high-capacity fixed wireless systems operating in the lower 6 GHz (5 925 to 6 425 MHz) band		In force	Yes	Yes
09-2007	Radio-frequency channel arrangements for medium- and high-capacity digital fixed wireless systems operating in the upper 6 GHz (6 425-7 125 MHz) band		In force	Yes	Yes
09-2007	Radio-frequency channel arrangements for fixed wireless systems operating in the 7 GHz (7 110-7 900 MHz) band		In force	Yes	Yes
09-2007	Radio-frequency channel arrangements for fixed wireless systems operating in the 8 GHz (7 725 to 8 500 MHz) band		In force	Yes	Yes
02-2006	Radio-frequency channel arrangements for fixed wireless systems operating in the 11 GHz band		In force	Yes	Yes
07-1963	Radio-frequency channel arrangements for trans- horizon radio-relay systems	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
07-1974	Preferred characteristics of auxiliary radio-relay systems operating in the 2, 4, 6 or 11 GHz bands	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
	07-1970 04-2006 09-2007 09-2007 09-2007 02-2006 07-1963	O7-1970 Conditions relating to line regulating and other pilots and to limits for the residues of signals outside the baseband in the interconnection of radiorelay and line systems for telephony  O4-2006 Radio-frequency channel arrangements for fixed wireless systems operating in the 2 and 4 GHz bands  O9-2007 Radio-frequency channel arrangements for high-capacity fixed wireless systems operating in the lower 6 GHz (5 925 to 6 425 MHz) band  O9-2007 Radio-frequency channel arrangements for medium-and high-capacity digital fixed wireless systems operating in the upper 6 GHz (6 425-7 125 MHz) band  O9-2007 Radio-frequency channel arrangements for fixed wireless systems operating in the 7 GHz (7 110-7 900 MHz) band  O9-2007 Radio-frequency channel arrangements for fixed wireless systems operating in the 8 GHz (7 725 to 8 500 MHz) band  O2-2006 Radio-frequency channel arrangements for fixed wireless systems operating in the 11 GHz band  O7-1963 Radio-frequency channel arrangements for transhorizon radio-relay systems  O7-1974 Preferred characteristics of auxiliary radio-relay	07-1970 Conditions relating to line regulating and other pilots and to limits for the residues of signals outside the baseband in the interconnection of radiorelay and line systems for telephony  04-2006 Radio-frequency channel arrangements for fixed wireless systems operating in the 2 and 4 GHz bands  09-2007 Radio-frequency channel arrangements for high-capacity fixed wireless systems operating in the lower 6 GHz (5 925 to 6 425 MHz) band  09-2007 Radio-frequency channel arrangements for medium-and high-capacity digital fixed wireless systems operating in the upper 6 GHz (6 425-7 125 MHz) band  09-2007 Radio-frequency channel arrangements for fixed wireless systems operating in the 7 GHz (7 110-7 900 MHz) band  09-2007 Radio-frequency channel arrangements for fixed wireless systems operating in the 8 GHz (7 725 to 8 500 MHz) band  09-2006 Radio-frequency channel arrangements for fixed wireless systems operating in the 11 GHz band  07-1963 Radio-frequency channel arrangements for transhorizon radio-relay systems  Note - Suppressed on 06/06/03 (RA-03)	O7-1970   Conditions relating to line regulating and other pilots and to limits for the residues of signals outside the baseband in the interconnection of radiorelay and line systems for telephony	O7-1970   Conditions relating to line regulating and other pilots and to limits for the residues of signals outside the baseband in the interconnection of radiorelay and line systems for telephony

mercredi, 12. mars 2008 Page 43 of 161

ITU-R F Fixed service

Rec No.	Date	Title	observation	Status	MS Word	PDF
F.390-4	07-1982	Definitions of terms and references concerning hypothetical reference circuits and hypothetical reference digital paths for radio-relay systems	Note - Suppressed on 10/10/07 (CACE/435)	Withdrawn	Yes	Yes
F.391	07-1963	Hypothetical reference circuit for radio-relay systems for telephony using frequency-division multiplex with a capacity of 12 to 60 telephone channels	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
F.392	07-1963	Hypothetical reference circuit for radio-relay systems for telephony using frequency-division multiplex with a capacity of more than 60 telephone channels	Note - Suppressed on 10/10/07 (CACE/435)	Withdrawn	Yes	Yes
F.393-4	07-1982	Allowable noise power in the hypothetical reference circuit for radio-relay systems for telephony using frequency-division multiplex	Note - Suppressed on 10/10/07 (CACE/435)	Withdrawn	Yes	Yes
F.395-2	07-1978	Noise in the radio portion of circuits to be established over real radio-relay links for FDM telephony	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
F.396-1	07-1966	Hypothetical reference circuit for trans-horizon radio-relay systems for telephony using frequency-division multiplex	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
F.397-3	07-1978	Allowable noise power in the hypothetical reference circuit of trans-horizon radio-relay systems for telephony using frequency-division multiplex	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
F.398-3	07-1974	Measurements of noise in actual traffic over radio- relay systems for telephony using frequency- division multiplex	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes

mercredi, 12. mars 2008 Page 44 of 161

ITU-R F Fixed service

Rec No.	Date	Title	observation	Status	MS Word	PDF
F.399-3	07-1978	Measurement of noise using a continuous uniform spectrum signal on frequency-division multiplex telephony radio-relay systems	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
F.400-2	07-1970	Service channels to be provided for the operation and maintenance of radio-relay systems	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
F.401-2	07-1970	Frequencies and deviations of continuity pilots for frequency modulation radio-relay systems for television and telephony	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
F.402-2	07-1978	The preferred characteristics of a single sound channel simultaneously transmitted with a television signal on an analogue radio-relay system	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
F.403-3	07-1978	Intermediate-frequency characteristics for the interconnection of analogue radio-relay systems	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
F.404-2	07-1970	Frequency deviation for analogue radio-relay systems for telephony using frequency-division multiplex	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
F.405-1	07-1970	Pre-emphasis characteristics for frequency modulation radio-relay systems for television	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
F.436-5	05-1999	Arrangement of voice-frequency, frequency-shift telegraph channels over HF radio circuits		In force	Yes	Yes
F.444-3	07-1982	Preferred characteristics for multi-line switching arrangements of analogue radio-relay systems	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
F.454-1	07-1978	Pilot carrier level for HF single-sideband and independent-sideband reduced-carrier systems		In force	Yes	Yes
mercredi, 12. mars 200	8				Page 45	of 161

ITU-R F Fixed service

Rec	No.	Date	Title	observation	Status	MS Word	PDF
F.45.	55-2	03-1992	Improved transmission system for HF radiotelephone circuits	Note - Suppressed on 17/12/99 (CACE/146)	Withdrawn	Yes	Yes
F.46	53-1	07-1978	Limits for the residues of signals outside the baseband of radio-relay systems for television	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
F.48	30	07-1974	Semi-automatic operation on HF radiotelephone circuits. Devices for remote connection to an automatic exchange by radiotelephone circuits	Note - Withdrawn on 17/12/99 (CACE/146)	Withdrawn	Yes	Yes
F.49	07-7	09-2007	Radio-frequency channel arrangements for fixed wireless systems operating in the 13 GHz (12.75-13.25 GHz) frequency band		In force	Yes	Yes
F.51	8-1	09-1994	Single-channel simplex ARQ telegraph system	Note - Suppressed on 10/10/07 (CACE/435)	Withdrawn	Yes	Yes
F.51	9	07-1978	Single-channel duplex ARQ telegraph system	Note - Suppressed on 10/10/07 (CACE/435)	Withdrawn	Yes	Yes
F.52	20-2	03-1992	Use of high frequency ionospheric channel simulators	Note - Suppressed on 05/05/00 (RA- 2000)	Withdrawn	Yes	Yes
F.55.	55-1	05-1997	Permissible noise in the hypothetical reference circuit of radio-relay systems for television	Note - Suppressed on 10/10/07 (CACE/435)	Withdrawn	Yes	Yes

mercredi, 12. mars 2008 Page 46 of 161

ITU-R F Fixed service

	I IACU SCI	vice .				
Rec No.	Date	Title	observation	Status	MS Word	PDF
F.556-1	07-1986	Hypothetical reference digital path for radio-relay systems which may form part of an integrated services digital network with a capacity above the second hierarchical level		In force	Yes	Yes
F.557-4	09-1997	Availability objective for radio-relay systems over a hypothetical reference circuit and a hypothetical reference digital path		In force	Yes	Yes
F.592-4	09-2007	Vocabulary of terms for the fixed service		In force	Yes	Yes
F.593	07-1982	Noise in real circuits of multi-channel trans-horizon FM radio-relay systems of less than 2 500 km	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
F.594-4	09-1997	Error performance objectives of the hypothetical reference digital path for radio-relay systems providing connections at a bit rate below the primary rate and forming part or all of the high grade portion of an integrated services digital network		In force	Yes	Yes
F.595-9	02-2006	Radio-frequency channel arrangements for fixed wireless systems operating in the 18 GHz frequency band		In force	Yes	Yes
F.596-1	09-1994	Interconnection of digital radio-relay systems	Note - Suppressed on 10/10/07 (CACE/435)	Withdrawn	Yes	Yes
F.612	07-1986	Measurement of reciprocal mixing in HF communication receivers in the fixed service		In force	Yes	Yes

mercredi, 12. mars 2008 Page 47 of 161

ITU-R F Fixed service

Rec No.	Date	Title	observation	Status	MS Word	PDF
F.613	07-1986	The use of ionospheric channel sounding systems operating in the fixed service at frequencies below about 30 MHz		In force	Yes	Yes
F.634-4	09-1997	Error performance objectives for real digital radio- relay links forming part of the high-grade portion of international digital connections at a bit rate below the primary rate within an integrated services digital network		In force	Yes	Yes
F.635-6	05-2001	Radio-frequency channel arrangements based on a homogeneous pattern for radio-relay systems operating in the 4 GHz band		In force	Yes	Yes
F.636-3	09-1994	Radio-frequency channel arrangements for fixed wireless systems operating in the 15 GHz band (14.4-15.35 GHz) band		In force	Yes	Yes
F.637-3	02-1999	Radio-frequency channel arrangements for fixed wireless systems operating in the 23 GHz band		In force	Yes	Yes
F.695	06-1990	Availability objectives for real digital radio-relay links forming part of a high-grade circuit within an integrated services digital network		In force	Yes	Yes
F.696-2	09-1997	Error performance and availability objectives for hypothetical reference digital sections forming part or all of the medium-grade portion of an ISDN connection at a bit rate below the primary rate utilizing digital radio-relay systems		In force	Yes	Yes

mercredi, 12. mars 2008 Page 48 of 161

ITU-R F Fixed service

Rec No.	Date	Title	observation	Status	MS Word	PDF
F.697-2	09-1997	Error performance and availability objectives for the local-grade portion at each end of an ISDN connection at a bit rate below the primary rate utilizing digital radio-relay systems		In force	Yes	Yes
F.698-2	09-1994	Preferred frequency bands for trans-horizon radio- relay systems		In force	Yes	Yes
F.699-7	04-2006	Reference radiation patterns for fixed wireless system antennas for use in coordination studies and interference assessment in the frequency range from 100 MHz to about 70 GHz		In force	Yes	Yes
F.700-2	09-1994	Error performance and availability measurement algorithm for digital radio-relay links at the system bit-rate interface	Note - Suppressed on 10/10/07 (CACE/435)	Withdrawn	Yes	Yes
F.701-2	09-1997	Radio-frequency channel arrangements for digital point-to-multipoint radio systems operating in frequency bands in the range 1 350 to 2 690 MHz (1.5, 1.8, 2.0, 2.2, 2.4 and 2.6 GHz)		In force	Yes	Yes
F.745-1	02-2002	Certain ITU-R Recommendations for analogue radio-relay systems, including those which have been deleted	Note - Suppressed on 10/10/07 (CACE/435)	Withdrawn	Yes	Yes
F.746-9	09-2007	Radio-frequency arrangements for fixed service systems		In force	Yes	Yes
F.747	03-1992	Radio-frequency channel arrangements for fixed wireless systems operating in the 10 GHz band		In force	Yes	Yes

mercredi, 12. mars 2008 Page 49 of 161

ITU-R F Fixed service

	I IZCU SCI	med bet vice								
Rec No.	Date	Title	observation	Status	MS Word	PDF				
F.748-4	05-2001	Radio-frequency arrangements for systems of the fixed service operating in the 25, 26 and 28 GHz bands		In force	Yes	Yes				
F.749-2	05-2001	Radio-frequency channel arrangements for radio- relay systems in the 38 GHz band		In force	Yes	Yes				
F.750-4	05-2000	Architectures and functional aspects of radio-relay systems for synchronous digital hierarchy (SDH)-based network		In force	Yes	Yes				
F.751-2	09-1997	Transmission characteristics and performance requirements of radio-relay systems for SDH-based networks		In force	Yes	Yes				
F.752-2	02-2006	Diversity techniques for point-to-point fixed wireless systems		In force	Yes	Yes				
F.753	03-1992	Preferred methods and characteristics for the supervision and protection of digital radio-relay systems	Note - Suppressed on 10/10/07 (CACE/435)	Withdrawn	Yes	Yes				
F.754	03-1992	Radio-relay systems in bands 8 and 9 for the provision of telephone trunk connections in rural areas		Withdrawn	Yes	Yes				
F.755-2	05-1999	Point-to-multipoint systems in the fixed service		In force	Yes	Yes				
F.756	03-1992	TDMA point-to-multipoint systems used as radio concentrators	Note - Suppressed on 10/10/07 (CACE/435)	Withdrawn	Yes	Yes				

mercredi, 12. mars 2008 Page 50 of 161

ITU-R F Fixed service

Rec No.	Date	Title	observation	Status	MS Word	PDF
F.757-3	02-2003	Basic system requirements and performance objectives for fixed wireless access using mobile-derived technologies offering telephony and data communication services		In force	Yes	Yes
F.758-4	01-2005	Considerations in the development of criteria for sharing between the terrestrial fixed service and other services		In force	Yes	Yes
F.759	03-1992	The use of frequencies in the band 500 to 3 000 MHz for radio-relay systems		In force	Yes	Yes
F.760-1	09-1994	Protection of terrestrial line-of-sight radio-relay systems against interference from the broadcasting-satellite service in the bands near 20 GHz		In force	Yes	Yes
F.761	03-1992	Frequency sharing between the fixed service and passive sensors in the band 18.6 to 18.8 GHz	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
F.762-2	10-1995	Main characteristics of remote control and monitoring systems for HF receiving and transmitting stations	Note - Suppressed on 10/10/07 (CACE/435)	Withdrawn	Yes	Yes
F.763-5	01-2005	Data transmission over HF circuits using phase shift keying or quadrature amplitude modulation		In force	Yes	Yes
F.764-1	09-1994	Minimum requirements for HF radio systems using a packet transmission protocol		In force	Yes	Yes

mercredi, 12. mars 2008 Page 51 of 161

ITU-R F Fixed service

Date	Title	observation	Status	MS Word	PDF
09-1997	Error performance objectives for constant bit rate digital path at or above the primary rate carried by digital radio-relay systems which may form part of the international portion of a 27 500 km hypothethical reference path	Note - Suppressed on 25/05/02 (CACE/258) (This Recommendation has been replaced by Rec. ITU-R F.1397)	Withdrawn	Yes	Yes
04-2006	Effects of multipath propagation on the design and operation of line-of-sight digital fixed wireless systems		In force	Yes	Yes
09-2007	Maximum allowable error performance and availability degradations to digital fixed wireless systems arising from radio interference from emissions and radiations from other sources		In force	Yes	Yes
09-1994	A procedure for determining coordination area between radio-relay stations of the fixed service		In force	Yes	Yes
09-1994	Methods of calculating line-of-sight interference into radio-relay systems to account for terrain scattering		In force	Yes	Yes
05-2000	Interference mitigation options to enhance compatibility between radar systems and digital radio-relay systems		In force	Yes	Yes
10-1995	Radio-frequency channel arrangements for fixed wireless systems in the 1 900-2 300 MHz band		In force	Yes	Yes
09-2007	Radio-frequency channel arrangements for high- and medium-capacity digital fixed wireless systems in the upper 4 GHz (4 400-5 000 MHz) band		In force	Yes	Yes
	09-1997 04-2006 09-2007 09-1994 09-1994 05-2000 10-1995	O9-1997 Error performance objectives for constant bit rate digital path at or above the primary rate carried by digital radio-relay systems which may form part of the international portion of a 27 500 km hypothethical reference path  O4-2006 Effects of multipath propagation on the design and operation of line-of-sight digital fixed wireless systems  O9-2007 Maximum allowable error performance and availability degradations to digital fixed wireless systems arising from radio interference from emissions and radiations from other sources  O9-1994 A procedure for determining coordination area between radio-relay stations of the fixed service  O9-1994 Methods of calculating line-of-sight interference into radio-relay systems to account for terrain scattering  O5-2000 Interference mitigation options to enhance compatibility between radar systems and digital radio-relay systems  10-1995 Radio-frequency channel arrangements for fixed wireless systems in the 1 900-2 300 MHz band  O9-2007 Radio-frequency channel arrangements for high-and medium-capacity digital fixed wireless systems	D9-1997 Error performance objectives for constant bit rate digital path at or above the primary rate carried by digital radio-relay systems which may form part of the international portion of a 27 500 km hypothethical reference path  O4-2006 Effects of multipath propagation on the design and operation of line-of-sight digital fixed wireless systems  O9-2007 Maximum allowable error performance and availability degradations to digital fixed wireless systems arising from radio interference from emissions and radiations from other sources  O9-1994 A procedure for determining coordination area between radio-relay stations of the fixed service  O9-1994 Methods of calculating line-of-sight interference into radio-relay systems to account for terrain scattering  O5-2000 Interference mitigation options to enhance compatibility between radar systems and digital radio-relay systems  10-1995 Radio-frequency channel arrangements for fixed wireless systems in the 1 900-2 300 MHz band  O9-2007 Radio-frequency channel arrangements for high-and medium-capacity digital fixed wireless systems	O9-1997   Error performance objectives for constant bit rate digital path at or above the primary rate carried by digital radio-relay systems which may form part of the international portion of a 27 500 km hypothethical reference path   O7-2006   O7-2006   O7-2007   Effects of multipath propagation on the design and operation of line-of-sight digital fixed wireless systems   O9-2007   Maximum allowable error performance and availability degradations to digital fixed wireless systems arising from radio interference from emissions and radiations from other sources   O9-1994   A procedure for determining coordination area between radio-relay stations of the fixed service   O9-1994   Methods of calculating line-of-sight interference into radio-relay systems to account for terrain scattering   O5-2000   Interference mitigation options to enhance compatibility between radar systems and digital radio-relay systems in the 1 900-2 300 MHz band   In force	D9-1997   Error performance objectives for constant bit rate digital path at or above the primary rate carried by digital radio-relay systems which may form part of the international portion of a 27 500 km hypothethical reference path   Recommendation has been replaced by Rec. ITU-R F.1397

ITU-R F Fixed service

Rec No.	Date	Title	observation	Status	MS Word	PDF
F.1100	09-1994	Radio-frequency channel arrangements for radio- relay systems operating in the 55 GHz band	Note - Withdrawn on 05/05/00 (RA- 2000)	Withdrawn	Yes	Yes
F.1101	09-1994	Characteristics of digital fixed wireless systems below about 17 GHz		In force	Yes	Yes
F.1102-2	01-2005	Characteristics of fixed wireless systems operating in frequency bands above about 17 GHz		In force	Yes	Yes
F.1103-1	09-2007	Basic requirements and technologies for fixed wireless access systems operating in bands below 3 GHz for the provision of wireless subscriber connections in rural areas		In force	Yes	Yes
F.1104	09-1994	Requirements for point-to-multipoint radio systems used in the local grade portion of an ISDN connection	Note - Suppressed on 10/10/07 (CACE/435)	Withdrawn	Yes	Yes
F.1105-2	02-2006	Fixed wireless systems for disaster mitigation and relief operations		In force	Yes	Yes
F.1106	09-1994	Effects of propagation on the design and operation of trans-horizon radio-relay systems		In force	Yes	Yes
F.1107-1	05-2002	Probabilistic analysis for calculating interference into the fixed service from satellites occupying the geostationary orbit		In force	Yes	Yes
F.1108-4	01-2005	Determination of the criteria to protect fixed service receivers from the emissions of space stations operating in non-geostationary orbits in shared frequency bands		In force	Yes	Yes
nercredi, 12. mars 200	8				Page 53	of 16

ITU-R F Fixed service

Rec N	o. Date	Title	observation	Status	MS Word	PDF
F.1109	09-1994	ITU-Recommendations relating to systems in the fixed service operating at frequencies below about 30 MHz which are not reprinted	Note - Withdrawn on 17/12/99 (CACE/146)	Withdrawn	Yes	Yes
F.1110	0-3 02-2003	Adaptive radio systems for frequencies below about 30 MHz		In force	Yes	Yes
F.1111	-1 10-1995	Improved Lincompex system for HF radiotelephone circuits		In force	Yes	Yes
F.1112	2-1 10-1995	Digitized speech transmissions for systems operating below about 30 MHz		In force	Yes	Yes
F.1113	09-1994	Radio systems employing meteor-burst propagation		In force	Yes	Yes
F.1189	0-1 09-1997	Error performance objectives for constant bit rate digital paths at or above the primary rate carried by digital radio-relay systems which may form part or all of the national portion of a 27 500 km hypothetical reference path	Note - Suppressed on 25/05/02 (CACE/258) - This Recommendation has been replaced by Rec. ITU-R F.1491	Withdrawn	Yes	Yes
F.1190	10-1995	Protection criteria for digital radio-relay systems to ensure compatibility with radar systems in the radiodetermination service		In force	Yes	Yes
F.119	-2 05-2001	Bandwidths and unwanted emissions of digital fixed service systems		In force	Yes	Yes
F.1192	10-1995	Traffic capacity of automatically controlled radio systems and networks in the HF fixed service		In force	Yes	Yes

mercredi, 12. mars 2008 Page 54 of 161

ITU-R F Fixed service

Re	ec No.	Date	Title	observation	Status	MS Word	PDF
F.1	1241	05-1997	Performance degradation due to interference from other services sharing the same frequency bands on a primary basis with digital radio-relay systems operating at or above the primary rate and which may form part of the international portion of a 27 500 km hypothetical reference path	Note - Suppressed on 10/10/07 (CACE/435)	Withdrawn	Yes	Yes
F.1	1242	05-1997	Radio-frequency channel arrangements for digital radio systems operating in the range 1 350 MHz to 1 530 MHz		In force	Yes	Yes
F.1	1243	05-1997	Radio-frequency channel arrangements for digital radio systems operating in the range 2 290-2 670 MHz		In force	Yes	Yes
F.1	.1244	05-1997	Radio local area networks (RLANs)		In force	Yes	Yes
F.1	1245-1	05-2000	Mathematical model of average radiation patterns for line-of-sight point-to-point radio-relay system antennas for use in certain coordination studies and interference assessment in the frequency range from 1 GHz to about 70 GHz		In force	Yes	Yes
F.1	1246	05-1997	Reference bandwidth of receiving stations in the fixed service to be used in coordination of frequency assignments with transmitting space stations in the mobile-satellite service in the 1-3 GHz range		In force	Yes	Yes

mercredi, 12. mars 2008 Page 55 of 161

ITU-R F Fixed service

R	ec No.	Date	Title	observation	Status	MS Word	PDF
F.	.1247-1	05-2000	Technical and operational characteristics of systems in the fixed service to facilitate sharing with the space research, space operation and Earth exploration-satellite services operating in the bands 2 025-2 110 MHz and 2 200-2 290 MHz		In force	Yes	Yes
F.	.1248	05-1997	Limiting interference to satellites in the space science services from the emissions of trans-horizon radio-relay systems in the bands 2 025-2 110 MHz and 2 200-2 290 MHz		In force	Yes	Yes
F.	.1249-1	05-2000	Maximum equivalent isotropically radiated power of transmitting stations in the fixed service operating in the frequency band 25.25-27.5 GHz shared with the inter-satellite service		In force	Yes	Yes
F.	.1330-2	04-2006	Performance limits for bringing into service the parts of international plesiochronous digital hierarchy and synchronous digital hierarchy paths and sections implemented by digital fixed wireless systems		In force	Yes	Yes
F.	.1331	09-1997	Performance degradation due to interference from other services sharing the same frequency bands on a primary basis with analogue radio-relay systems for television	Note - Suppressed on 10/10/07 (CACE/435)	Withdrawn	Yes	Yes
F.	.1332-1	05-1999	Radio-frequency signal transport through optical fibres		In force	Yes	Yes
F.	.1333-1	05-1999	Estimation of the actual elevation angle from a station in the fixed service towards a space station taking into account atmospheric refraction		In force	Yes	Yes

mercredi, 12. mars 2008 Page 56 of 161

ITU-R F Fixed service

110-K 1	TIACU SCI	TACU SCI VICC							
Rec No.	Date	Title	observation	Status	MS Word	PDF			
F.1334	09-1997	Protection criteria for systems in the fixed service sharing the same frequency bands in the 1 to 3 GHz range with the land mobile service		In force	Yes	Yes			
F.1335	09-1997	Technical and operational considerations in the phased transitional approach for bands shared between the mobile-satellite service and the fixed service at 2 GHz		In force	Yes	Yes			
F.1336-2	01-2007	Reference radiation patterns of omnidirectional, sectoral and other antennas in point-to-multipoint systems for use in sharing studies in the frequency range from 1 GHz to about 70 GHz		In force	Yes	Yes			
F.1337	09-1997	Frequency management of adaptive HF radio systems and networks using FMCW oblique-incidence sounding		In force	Yes	Yes			
F.1338	10-1997	Threshold levels to determine the need to coordinate between particular systems in the broadcasting-satellite service (sound) in the geostationary-satellite orbit for space-to-Earth transmissions and the fixed service in the band 1 452-1 492 MHz		In force	Yes	Yes			
F.1397-2	05-2002	Error performance objectives for real digital radio links used in the international portion of a 27 500 km hypothetical reference path at or above the primary rate	Note - Suppressed on 29/01/05 (CACE/337) (This Recommendation replaced Rec. ITU-R F.1092-1)	Withdrawn	Yes	Yes			

mercredi, 12. mars 2008 Page 57 of 161

ITU-R F Fixed service

Rec No.	Date	Title	observation	Status	MS Word	PDF
F.1398	05-1999	Performance degradation due to interference from other services sharing the same frequency bands on a primary basis with digital radio-relay systems operating at or above the primary rate and which may form part of the national portion of a 27 500 km hypothetical reference path	Note - Suppressed on 10/10/07 (CACE/435)	Withdrawn	Yes	Yes
F.1399-1	05-2001	Vocabulary of terms for wireless access		In force	Yes	Yes
F.1400	05-1999	Performance and availability requirements and objectives for fixed wireless access to public switched telephone network		In force	Yes	Yes
F.1401-1	01-2004	Considerations for the identification of possible frequency bands for fixed wireless access and related sharing studies		In force	Yes	Yes
F.1402	05-1999	Frequency sharing criteria between a land mobile wireless access system and a fixed wireless access system using the same equipment type as the mobile wireless access system		In force	Yes	Yes
F.1403	05-1999	Power flux-density criteria in ITU-R Recommendations for protection of systems in the fixed service in frequency bands shared with space stations of various space services		In force	Yes	Yes
F.1404-1	05-2002	Minimum propagation attenuation due to atmospheric gases for use in frequency sharing studies between systems in the fixed service and systems in the broadcasting-satellite, mobile- satellite and space science services		In force	Yes	Yes

mercredi, 12. mars 2008 Page 58 of 161

ITU-R F Fixed service

Rec No.	Date	Title	observation	Status	MS Word	PDF
F.1405	05-1999	Guidance to facilitate coordination and use of frequency bands shared between the fixed service and mobile-satellite service in the frequency range 1-3 GHz		In force	Yes	Yes
F.1487	05-2000	Testing of HF modems with bandwidths of up to about 12 kHz using ionospheric channel simulators		In force	Yes	Yes
F.1488	05-2000	Frequency block arrangements for fixed wireless access systems in the range 3 400-3 800 MHz		In force	Yes	Yes
F.1489	05-2000	A methodology for assessing the level of operational compatibility between fixed wireless access and radiolocation systems when sharing the band 3.4-3.7 GHz		In force	Yes	Yes
F.1490-1	09-2007	Generic requirements for fixed wireless access systems		In force	Yes	Yes
F.1491-2	05-2002	Error performance objectives for real digital radio links used in the national portion of a 27 500 km hypothetical reference path at or above the primary rate	Note - Withdrawn on 29/01/05 (CACE/337) - This Recommendation has been replaced by Rec. ITU-R F.1668	Withdrawn	Yes	Yes
F.1492	05-2000	Availability objectives for real digital radio-relay links forming part of international portion constant bit rate digital path at or above the primary rate	Note - Suppressed on 24/01/05 (CACE/334) - This Recommendation has been replaced by Rec. ITU-R F.1703	Withdrawn	Yes	Yes

mercredi, 12. mars 2008 Page 59 of 161

ITU-R F Fixed service

	Rec No.	Date	Title	observation	Status	MS Word	PDF
	F.1493	05-2000	Availability objectives for real digital radio-relay links forming part of national portion constant bit rate digital path at or above the primary rate	Note - Suppressed on 24/01/05 (CACE/334) - This Recommendation has been replaced by Rec. ITU-R F.1703	Withdrawn	Yes	Yes
	F.1494	05-2000	Interference criteria to protect the fixed service from time varying aggregate interference from other services sharing the 10.7-12.75 GHz band on a coprimary basis		In force	Yes	Yes
	F.1495-1	09-2007	Interference criteria to protect the fixed service from time varying aggregate interference from other radiocommunication services sharing the 17.7-19.3 GHz band on a co-primary basis		In force	Yes	Yes
	F.1496-1	02-2002	Radio-frequency channel arrangements for fixed wireless systems operating in the band 51.4-52.6 GHz		In force	Yes	Yes
	F.1497-1	02-2002	Radio-frequency channel arrangements for fixed wireless systems operating in the band 55.78-59 GHz		In force	Yes	Yes
	F.1498-1	05-2002	Deployment characteristics of fixed service systems in the band 37-40 GHz for use in sharing studies		In force	Yes	Yes
	F.1499	05-2000	Radio transmission systems for fixed broadband wireless access based on cable modem standard		In force	Yes	Yes
	F.1500	05-2000	Preferred characteristics of systems in the fixed service using high altitude platforms operating in the bands 47.2-47.5 GHz and 47.9-48.2 GHz		In force	Yes	Yes
mercredi, 12	. mars 2008					Page 60	of 161

ITU-R F Fixed service

Rec No.	Date	Title	observation	Status	MS Word	PDF
F.1501	05-2000	Coordination distance for systems in the fixed service (FS) involving high-altitude platform stations (HAPSS) sharing the frequency bands 47.2-47.5 GHz and 47.9-48.2 GHz with other systems in the fixed service		In force	Yes	Yes
F.1502	05-2000	Protection of the fixed service in the frequency band 8 025-8 400 MHz sharing with geostationary-satellite systems of the Earth exploration-satellite service (space-to-Earth)		In force	Yes	Yes
F.1509	02-2001	Technical and operational requirements that facilitate sharing between point-to-multipoint systems in the fixed service and the inter-satellite service in the band 25.25-27.5 GHz		In force	Yes	Yes
F.1518	05-2001	Spectrum requirement methodology for fixed wireless access and mobile wireless access networks using the same type of equipment, when coexisting in the same frequency band		In force	Yes	Yes
F.1519	05-2001	Guidance on frequency arrangements based on frequency blocks for systems in the fixed service		In force	Yes	Yes
F.1520-2	02-2003	Radio-frequency arrangements for systems in the fixed service operating in the band 31.8-33.4 GHz		In force	Yes	Yes
F.1565	05-2002	Performance degradation due to interference from other services sharing the same frequency bands on a co-primary basis with real digital fixed wireless systems used in the international and national portions of a 27 500 km hypothetical reference path at or above the primary rate		In force	Yes	Yes
mercredi, 12. mars 200	)8				Page 61	of 161

ITU-R F Fixed service

Rec No.	Date	Title	observation	Status	MS Word	PDF
F.1566-1	01-2007	Performance limits for maintenance of digital fixed wireless systems operating in plesiochronous and synchronous digital hierarchy-based international paths and sections		In force	Yes	Yes
F.1567	05-2002	Radio-frequency channel arrangement for digital fixed wireless systems operating in the frequency band 406.1-450 MHz		In force	Yes	Yes
F.1568-1	01-2005	Radio-frequency block arrangements for fixed wireless access systems in the range 10.15-10.3/10.5-10.65 GHz		In force	Yes	Yes
F.1569	05-2002	Technical and operational characteristics for the fixed service using high altitude platform stations in the bands 27.5-28.35 GHz and 31-31.3 GHz		In force	Yes	Yes
F.1570-1	02-2003	Impact of uplink transmission in the fixed service using high altitude platform stations in the Earth exploration-satellite service (passive) in the 31.3-31.8 GHz band		In force	Yes	Yes
F.1571	05-2002	Mitigation techniques for use in reducing the potential for interference between airborne stations in the radionavigation service and stations in the fixed service in the band 31.8-33.4 GHz		In force	Yes	Yes
F.1605	02-2003	Error performance and availability estimation for synchronous digital hierarchy terrestrial fixed wireless systems		In force	Yes	Yes

mercredi, 12. mars 2008 Page 62 of 161

ITU-R F Fixed service

Rec No.	Date	Title	observation	Status	MS Word	PDF
F.1606	02-2003	Interference criteria to protect fixed wireless systems from time varying aggregate interference produced by non-geostationary satellites operating in other services sharing the 37-40 GHz and 40.5-42.5 GHz bands on a co-primary basis		In force	Yes	Yes
F.1607	02-2003	Interference mitigation techniques for use by high altitude platform stations in the 27.5-28.35 GHz and 31.0-31.3 GHz bands		In force	Yes	Yes
F.1608	02-2003	Frequency sharing between systems in the fixed service using high altitude platform stations and conventional systems in the fixed service in the bands 47.2-47.5 and 47.9-48.2 GHz		In force	Yes	Yes
F.1609-1	04-2006	Interference evaluation from fixed service systems using high altitude platform stations to conventional fixed service systems in the bands 27.5-28.35 GHz and 31-31.3 GHz		In force	Yes	Yes
F.1610	02-2003	Planning, design and implementation of HF fixed service radio systems		In force	Yes	Yes
F.1611	02-2003	Prediction methods for adaptive HF system planning and operation		In force	Yes	Yes
F.1612	02-2003	Interference evaluation of the fixed service using high altitude platform stations to protect the radio astronomy service from uplink transmission in high altitude platform station systems in the 31.3-31.8 GHz band		In force	Yes	Yes

mercredi, 12. mars 2008 Page 63 of 161

ITU-R F Fixed service

Rec No.	Date	Title	observation	Status	MS Word	PDF
F.1613	02-2003	Operational and deployment requirements for fixed wireless access systems in the fixed service in Region 3 to ensure the protection of systems in the Earth exploration-satellite service(active) and the space research service (active) in the band 5 250-5 350 MHz		In force	Yes	Yes
F.1668-1	01-2007	Error performance objectives for real digital fixed wireless links used in 27 500 km hypothetical reference paths and connections		In force	Yes	Yes
F.1669-1	09-2007	Interference criteria of fixed wireless systems operating in the 37-40 GHz and 40.5-42.5 GHz bands with respect to satellites in the geostationary orbit		In force	Yes	Yes
F.1670-1	02-2006	Protection of fixed wireless systems from terrestrial digital video and sound broadcasting systems in shared VHF and UHF bands		In force	Yes	Yes
F.1671	01-2004	Guidelines for a process to address the deployment of area-licensed fixed wireless systems operating in neighbouring countries		In force	Yes	Yes
F.1703	01-2005	Availability objectives for real digital fixed wireless links used in 27 500 km hypothetical reference paths and connections		In force	Yes	Yes
F.1704	01-2005	Characteristics of multipoint-to-multipoint fixed wireless systems with mesh network topology operating in frequency bands above about 17 GHz		In force	Yes	Yes
F.1705	01-2005	Analysis and optimization of the error performance of digital fixed wireless systems for the purpose of bringing into service and maintenance		In force	Yes	Yes
mercredi, 12. mars 200	8	bringing into service and maintenance			Page 64	0

ITU-R F Fixed service

Rec No.	Date	Title	observation	Status	MS Word	PDF
F.1706	01-2005	Protection criteria for point-to-point fixed wireless systems sharing the same frequency band with nomadic wireless access systems in the 4 to 6 GHz range		In force	Yes	Yes
F.1760	02-2006	Methodology for the calculation of aggregate equivalent isotropically radiated power (a.e.i.r.p.) distribution from point-to-multipoint high-density applications in the fixed service operating in bands above 30 GHz identified for such use		In force	Yes	Yes
F.1761	02-2006	Characteristics of HF fixed radiocommunication systems		In force	Yes	Yes
F.1762	02-2006	Characteristics of enhanced applications for high frequency (HF) radiocommunication systems		In force	Yes	Yes
F.1763	04-2006	Radio interface standards for broadband wireless access systems in the fixed service operating below 66 GHz		In force	Yes	Yes
F.1764	04-2006	Methodology to evaluate interference from fixed service systems using high altitude platform stations to fixed wireless systems in the bands above 3 GHz		In force	Yes	Yes
F.1765	04-2006	Methodology for determining the aggregate equivalent isotropically radiated power from point-to-point high-density applications in the fixed service operating in bands above 30 GHz		In force	Yes	Yes

mercredi, 12. mars 2008 Page 65 of 161

ITU-R F Fixed service

-	Rec No.	Date	Title	observation	Status	MS Word	PDF
]	F.1766	04-2006	Methodology to determine the probability of a radio astronomy observatory receiving interference based on calculated exclusion zones to protect against interference from point-to-multipoint high-density applications in the fixed service operating in bands around 43 GHz		In force	Yes	Yes
1	F.1777	01-2007	System characteristics of television outside broadcast, electronic news gathering and electronic field production in the fixed service for use in sharing studies		In force	Yes	Yes
1	F.1778	01-2007	Channel access requirements for HF adaptive systems in the fixed service		In force	Yes	Yes
1	F.1819	09-2007	Protection of the radio astronomy service in the 48.94-49.04 GHz band from unwanted emissions from HAPS in the 47.2-47.5 GHz and 47.9-48.2 GHz bandss		In force	Yes	Yes
]	F.1820	09-2007	Power flux-density at international borders for high altitude platform stations providing fixed wireless access services to protect the fixed service in neighbouring countries in the 47.2-47.5 GHz and 47.9-48.2 GHz bands		In force	Yes	Yes
]	F.1821	09-2007	Characteristics of advanced digital high frequency (HF) radiocommunication systems		In force	Yes	Yes

Summary for series F (206 detail records)

ITU-R M Mobile, radiodetermination, amateur and related satellite services

		,		,		
	Rec No.	Date	Title	observation	Status	MS Word PDF
morcroc	li 12 mare 2009	Q				Page 66 of 161

ITU-R M Mobile, radiodetermination, amateur and related satellite services

Rec No.	Date	Title	observation	Status	MS Word	PDF
M.218-2	06-1990	Prevention of interference to radio reception on board ships	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
M.219-1	07-1966	Alarm signal for use on the maritime radiotelephony distress frequency of 2 182 kHz	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
M.257-3	10-1995	Sequential Single Frequency selective-calling system for use in the maritime mobile service		In force	Yes	Yes
M.428-3	06-1990	Direction-finding and/or homing in the 2 MHz band on board ships	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
M.441-1	07-1982	Signal-to-interference ratios and minimum field strengths required in the aeronautical mobile (R) service above 30 MHz		In force	Yes	Yes
M.476-5	10-1995	Direct-printing telegraph equipment in the maritime mobile service		In force	Yes	Yes
M.478-5	10-1995	Technical characteristics of equipment and principles governing the allocation of frequency channels between 25 and 3 000 MHz for the FM land mobile service		In force	Yes	Yes
M.488-1	06-1990	Equivalent powers of double-sideband and single- sideband radiotelephone emissions in the maritime mobile service		In force	Yes	Yes
M.489-2	10-1995	Technical characteristics of VHF radiotelephone equipment operating in the maritime mobile service in channels spaced by 25 kHz		In force	Yes	Yes

mercredi, 12. mars 2008 Page 67 of 161

ITU-R M Mobile, radiodetermination, amateur and related satellite services

Rec No.	Date	Title	observation	Status	MS Word	PDF
M.490	07-1974	The introduction of direct-printing telegraph equipment in the maritime mobile service. Equivalence of terms	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
M.491-1	07-1986	Translation between an identity number and identities for direct-printing telegraphy in the maritime mobile service		In force	Yes	Yes
M.492-6	10-1995	Operational procedures for the use of direct-printing telegraph equipment in the maritime mobile service		In force	Yes	Yes
M.493-12	03-2007	Digital selective-calling system for use in the maritime mobile service		In force	Yes	Yes
M.494	07-1974	Technical characteristics of single-sideband equipment in the MF and HF land mobile radiotelephone service	Note - Suppressed on 20/10/95 (RA-95)	Withdrawn	Yes	Yes
M.496-3	03-1992	Limits of power flux-density of radionavigation transmitters to protect space station receivers in the fixed-satellite service in the 14 GHz band		In force	Yes	Yes
M.539-3	09-1994	Technical and operational characteristics of international radio-paging systems	Note - Suppressed on 19/10/07 (RA-07)	Withdrawn	Yes	Yes
M.540-2	06-1990	Operational and technical characteristics for an automated direct-printing telegraph system for promulgation of navigational and meteorological warnings and urgent information to ships		In force	Yes	Yes
M.541-9	05-2004	Operational procedures for the use of digital selective-calling equipment in the maritime mobile service		In force	Yes	Yes

mercredi, 12. mars 2008 Page 68 of 161

ITU-R M Mobile, radiodetermination, amateur and related satellite services

Re	ec No.	Date	Title	observation	Status	MS Word	PDF
M	<b>I</b> .542-1	07-1982	On-board communications by means of portable radiotelephone equipment	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
M	1.546-2	06-1990	Hypothetical telephone reference circuit in the aeronautical, land and maritime mobile-satellite services	Note - Withdrawn on 15/6/2005 (CACE/354)	Withdrawn	Yes	Yes
М	1.547	07-1978	Noise objectives in the hypothetical reference circuit for systems in the maritime mobile-satellite service		In force	Yes	Yes
M	1.548	07-1978	Overall transmission characteristics of telephone circuits in the maritime mobile-satellite service		In force	Yes	Yes
М	1.549-1	07-1982	Side tone reference equivalent of handset used on board a ship in the maritime mobile-satellite service and in automated VHF/UHF maritime mobile radiotelephone systems		In force	Yes	Yes
M	1.550-1	07-1986	Use of echo suppressors in the maritime mobile-satellite service		In force	Yes	Yes
M	1.552	07-1978	Quality objectives for 50-baud start-stop telegraph transmission in the maritime mobile-satellite service		In force	Yes	Yes
M	1.553	07-1978	Interface requirements for 50-baud start-stop telegraph transmission in the maritime mobile-satellite service		In force	Yes	Yes
M	1.584-2	11-1997	Codes and formats for radio paging		In force	Yes	Yes

mercredi, 12. mars 2008 Page 69 of 161

ITU-R M Mobile, radiodetermination, amateur and related satellite services

Rec No.	Date	Title	observation	Status	MS Word	PDF
M.585-4	03-2007	Assignment and use of maritime mobile service identities		In force	Yes	Yes
M.586-1	07-1986	Automated VHF/UHF maritime mobile telephone system		In force	Yes	Yes
M.587-1	07-1986	Coast station identities and initiation of location registration in an automated VHF/UHF maritime mobile telephone system		In force	Yes	Yes
M.588	07-1982	Characteristics of maritime radio beacons (Region 1)		In force	Yes	Yes
M.589-3	08-2001	Technical characteristics of methods of data transmission and interference protection for radionavigation services in the frequency bands between 70 and 130 kHz		In force	Yes	Yes
M.622	07-1986	Technical and operational characteristics of analogue cellular systems for public land mobile telephone use	Note - Suppressed on 19/10/07 (RA-07)	Withdrawn	Yes	Yes
M.623	07-1986	Data transmission bit rates and modulation techniques in the land mobile service	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
M.624	07-1986	Public land mobile communication systems location registration	Note - Suppressed on 19/10/07 (RA-07)	Withdrawn	Yes	Yes
M.625-3	10-1995	Direct-printing telegraph equipment employing automatic identification in the maritime mobile service		In force	Yes	Yes

mercredi, 12. mars 2008 Page 70 of 161

ITU-R M Mobile, radiodetermination, amateur and related satellite services

Rec No.	Date	Title	observation	Status	MS Word	PDF
M.626	07-1986	Evaluation of the quality of digital channels in the maritime mobile service		In force	Yes	Yes
M.627-1	10-1995	Technical characteristics for HF maritime radio equipment using narrow-band phase-shift keying (NBPSK) telegraphy		In force	Yes	Yes
M.628-4	03-2006	Technical characteristics for search and rescue radar transponders		In force	Yes	Yes
M.629	07-1986	Use of the radionavigation service of the frequency bands 2 900-3 100 MHz, 5 470-5 650 MHz, 9 200-9 300 MHz, 9 300-9 500 MHz and 9 500-9 800 MHz		In force	Yes	Yes
M.630	07-1986	Main characteristics of two frequency shipborne interrogator transponders (SIT)	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
M.631-1	03-1992	Use of hyperbolic maritime radionavigation systems in the band 283.5-315 kHz		In force	Yes	Yes
M.632-3	02-1997	Transmission characteristics of a satellite emergency position-indicating radio beacon (satellite EPIRB) system operating through geostationary satellites in the 1.6 GHz band		In force	Yes	Yes
M.633-3	05-2004	Transmission characteristics of a satellite emergency position-indicating radio beacon (satellite EPIRB) system operating through a satellite system in the 406 MHz band		In force	Yes	Yes
M.687-2	02-1997	International Mobile Telecommunications-2000 (IMT-2000)		In force	Yes	Yes

mercredi, 12. mars 2008 Page 71 of 161

ITU-R M Mobile, radiodetermination, amateur and related satellite services

Rec N	o. Date	Title	observation	Status	MS Word	PDF
M.688		Technical characteristics for a high frequency direct- printing telegraph system for promulgation of high seas and NAVTEX-type maritime safety information		In force	Yes	Yes
M.689	-2 09-1994	International maritime VHF radiotelephone system with automatic facilities based on DSC signalling format		In force	Yes	Yes
M.690	-1 10-1995	Technical characteristics of emergency position- indicating radio beacons (EPIRBs) operating on the carrier frequencies of 121.5 MHz and 243 MHz		In force	Yes	Yes
M.691	-1 03-1992	Technical characteristics and compatibility criteria of maritime radiolocation systems operating in the medium frequency band and using spread-spectrum techniques	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
M.692	06-1990	Narrow-band direct-printing telegraph equipment using a single-frequency channel	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
M.693	06-1990	Technical characteristics of VHF emergency position-indicating radio beacons using digital selective calling (DSC VHF EPIRB)		In force	Yes	Yes
M.694	-1 06-2005	Reference radiation pattern for ship earth station antennas		In force	Yes	Yes
M.816	-1 10-1997	Framework for services supported on International Mobile Telecommunications-2000 (IMT-2000)		In force	Yes	Yes
M.817	03-1992	International Mobile Telecommunications-2000 (IMT-2000). Network architectures		In force	Yes	Yes

mercredi, 12. mars 2008 Page 72 of 161

ITU-R M Mobile, radiodetermination, amateur and related satellite services

			<u> </u>				
Red	c No.	Date	Title	observation	Status	MS Word	PDF
M.8	818-2	06-2003	Satellite operation within International Mobile Telecommunications-2000 (IMT-2000)		In force	Yes	Yes
M.8	819-2	02-1997	International Mobile Telecommunications-2000 (IMT-2000) for developing countries		In force	Yes	Yes
M.8	820		Use of 9-digit identities for narrow-band direct- printing telegraphy in the maritime mobile service		In force	Yes	Yes
M.8	821-1	02-1997	Optional expansion of the digital selective-calling system for use in the maritime mobile service		In force	Yes	Yes
M.8	822-1	09-1994	Calling-channel loading for digital selective calling (DSC) for the maritime mobile service		In force	Yes	Yes
M.8	823-3		Technical characteristics of differential transmissions for global navigation satellite systems from maritime radio beacons in the frequency band 283.5-315 kHz in Region 1 and 285-325 kHz in Regions 2 and 3		In force	Yes	Yes
M.8	824-3	03-2007	Technical parameters of radar beacons (racons)		In force	Yes	Yes
M.8	825-3		Characteristics of a transponder system using digital selective calling techniques for use with vessel traffic services and ship-to-ship identification		In force	Yes	Yes
M.8	826	03-1992	Transmission of information for updating electronic chart display and information systems (ECDIS)		In force	Yes	Yes

mercredi, 12. mars 2008 Page 73 of 161

ITU-R M Mobile, radiodetermination, amateur and related satellite services

R	ec No.	Date	Title	observation	Status	MS Word	PDF
M	1.827	03-1992	Hypothetical reference digital path for systems in the mobile-satellite service using feeder links		In force	Yes	Yes
M	1.828-2	03-2006	Definition of availability for radiocommunication circuits in the mobile-satellite service		In force	Yes	Yes
M	1.829-1	09-1994	Frequency sharing in the 1 660-1 660.5 MHz band between the mobile-satellite service and the radioastronomy service	Note - Suppressed on 24/10/97 (RA-97)	Withdrawn	Yes	Yes
M	1.830-1	06-2005	Operational procedures for mobile-satellite networks or systems in the bands 1 530-1 544 MHz and 1 626.5-1 645.5 MHz which are used for distress and safety purposes as specified for the GMDSS		In force	Yes	Yes
M	1.831	03-1992	Frequency sharing between services in the band 4-30 MHz	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
M	1.1032	03-1994	Technical and operational characteristics of land mobile systems using multi-channel access techniques without a central controller		In force	Yes	Yes
M	1.1033-1	02-1997	Technical and operational characteristics of cordless telephones and cordless telecommunication systems		In force	Yes	Yes
M	1.1034-1	02-1997	Requirements for the radio interface(s) for International Mobile Telecommunications-2000 (IMT-2000)		In force	Yes	Yes
М	1.1035	03-1994	Framework for the radio interface(s) and radio subsystem functionality for International Mobile Telecommunications-2000 (IMT-2000)		In force	Yes	Yes
mercredi, 12. n	mars 2008					Page 74	of 161

ITU-R M Mobile, radiodetermination, amateur and related satellite services

Rec No.	Date	Title	observation	Status	MS Word	PDF
M.1036-3	3 07-2007	Frequency arrangements for implementation of the terrestrial component of International Mobile Telecommunications-2000 (IMT 2000) in the bands 806-960 MHz, 1 710-2 025 MHz, 2 110-2 200 MHz and 2 500-2 690 MHz		In force	Yes	Yes
M.1037	03-1994	Bit error performance objectives for aeronautical mobile-satellite (R) service (AMS(R)S) radio link		In force	Yes	Yes
M.1038	03-1994	Efficient use of the geostationary-satellite orbit and spectrum in the 1-3 GHz frequency range by mobile-satellite systems		In force	Yes	Yes
M.1039-3	3 03-2006	Co-frequency sharing between stations in the mobile service below 1 GHz and mobile earth stations of non-geostationary mobile-satellite systems (Earth-space) using frequency division multiple access (FDMA)		In force	Yes	Yes
M.1040	03-1994	Public mobile telecommunication service with aircraft using the bands 1 670-1 675 MHz and 1 800-1 805 MHz		In force	Yes	Yes
M.1041-2	2 06-2003	Future amateur radio systems		In force	Yes	Yes
M.1042-3	03-2007	Disaster communications in the amateur and amateur-satellite services		In force	Yes	Yes
M.1043-2	2 06-2003	Use of the amateur and amateur-satellite services in developing countries		In force	Yes	Yes

mercredi, 12. mars 2008 Page 75 of 161

ITU-R M Mobile, radiodetermination, amateur and related satellite services

Rec No.	Date	Title	observation	Status	MS Word	PDF
M.1044-	2 06-2003	Frequency sharing criteria in the amateur and amateur-satellite services		In force	Yes	Yes
M.1072	09-1994	Interference due to intermodulation products in the land mobile service between 25 and 3 000 MHz		In force	Yes	Yes
M.1073-	2 06-2005	Digital cellular land mobile telecommunication systems		In force	Yes	Yes
M.1074	09-1994	Integration of public mobile radiocommunication systems		In force	Yes	Yes
M.1075	09-1994	Leaky feeder systems in the land mobile services		In force	Yes	Yes
M.1076	09-1994	Wireless communication systems for persons with impaired hearing		In force	Yes	Yes
M.1077	09-1994	Multi-transmitter radio systems using quasi- synchronous (simulcast) transmission for analogue speech	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
M.1078	09-1994	Security principles for International Mobile Telecommunications-2000 (IMT-2000)		In force	Yes	Yes
M.1079-	2 06-2003	Performance and quality of service requirements for International Mobile Telecommunications-2000 (IMT-2000) access networks		In force	Yes	Yes
M.1080	09-1994	Digital selective calling system enhancement for multiple equipment installations		In force	Yes	Yes

mercredi, 12. mars 2008 Page 76 of 161

ITU-R M Mobile, radiodetermination, amateur and related satellite services

Date	Title	observation	Status	MS Word	PDF
09-1994	Automatic HF facsimile and data system for maritime mobile users		In force	Yes	Yes
10-1997	International maritime MF/HF radiotelephone system with automatic facilities based on DSC signalling format		In force	Yes	Yes
09-1994	Interworking of maritime radiotelephone systems	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
08-2001	Interim solutions for improved efficiency in the use of the band 156-174 MHz by stations in the maritime mobile service		In force	Yes	Yes
02-1997	Technical and operational characteristics of wind profiler radars for bands in the vicinity of 400 MHz	Note - Suppressed on 19/10/07 (RA-07)	Withdrawn	Yes	Yes
03-2006	Determination of the need for coordination between geostationary mobile satellite networks sharing the same frequency bands		In force	Yes	Yes
09-1994	Methods for evaluating sharing between systems in the land mobile service and spread-spectrum low- Earth orbit (LEO) systems in the mobile-satellite service (MSS) below 1 GHz	Note - Withdrawn on 15/6/05 (CACE/354)	Withdrawn	Yes	Yes
09-1994	Considerations for sharing with systems of other services operating in the bands allocated to the radionavigation satellite service		In force	Yes	Yes
07-2002	Technical considerations for the coordination of mobile-satellite systems relating to the aeronautical mobile satellite (R) service (AMS(R)S) in the bands 1 545 to 1 555 MHz and 1 646.5 to 1 656.5 MHz		In force	Yes	Yes
	09-1994 10-1997 09-1994 08-2001 02-1997 03-2006 09-1994	10-1997 International maritime MF/HF radiotelephone system with automatic facilities based on DSC signalling format  10-1994 Interworking of maritime radiotelephone systems  108-2001 Interim solutions for improved efficiency in the use of the band 156-174 MHz by stations in the maritime mobile service  102-1997 Technical and operational characteristics of wind profiler radars for bands in the vicinity of 400 MHz  103-2006 Determination of the need for coordination between geostationary mobile satellite networks sharing the same frequency bands  109-1994 Methods for evaluating sharing between systems in the land mobile service and spread-spectrum low-Earth orbit (LEO) systems in the mobile-satellite service (MSS) below 1 GHz  109-1994 Considerations for sharing with systems of other services operating in the bands allocated to the radionavigation satellite service  107-2002 Technical considerations for the coordination of mobile-satellite systems relating to the aeronautical mobile satellite (R) service (AMS(R)S) in the bands	10-1997 International maritime MF/HF radiotelephone system with automatic facilities based on DSC signalling format  10-1994 Interworking of maritime radiotelephone systems  109-1994 Interworking of maritime radiotelephone systems  108-2001 Interim solutions for improved efficiency in the use of the band 156-174 MHz by stations in the maritime mobile service  102-1997 Technical and operational characteristics of wind profiler radars for bands in the vicinity of 400 MHz  103-2006 Determination of the need for coordination between geostationary mobile satellite networks sharing the same frequency bands  109-1994 Methods for evaluating sharing between systems in the land mobile service and spread-spectrum low-Earth orbit (LEO) systems in the mobile-satellite service (MSS) below 1 GHz  109-1994 Considerations for sharing with systems of other services operating in the bands allocated to the radionavigation satellite service  107-2002 Technical considerations for the coordination of mobile-satellite systems relating to the aeronautical mobile satellite (R) service (AMS(R)S) in the bands	O9-1994   Automatic HF facsimile and data system for maritime mobile users	O9-1994   Automatic HF facsimile and data system for maritime mobile users

ITU-R M Mobile, radiodetermination, amateur and related satellite services

Rec	No.	Date	Title	observation	Status	MS Word	PDF
M.10	090	09-1994	Frequency plans for satellite transmission of single channel per carrier (SCPC) carriers using non-linear transponders in the mobile-satellite service		In force	Yes	Yes
M.10	091	09-1994	Reference off-axis radiation patterns for mobile eath station antennas operating in the land mobile-satellite service in the frequency range 1 to 3 GHz		In force	Yes	Yes
M.1	141-2	06-2005	Sharing in the 1-3 GHz frequency range between non-geostationary space stations operating in the mobile-satellite service and stations in the fixed service		In force	Yes	Yes
M.1	142-2	06-2005	Sharing in the 1-3 GHz frequency range between geostationary space stations operating in the mobile satellite service and stations in the fixed service		In force	Yes	Yes
M.1	143-3	06-2005	System specific methodology for coordination of non-geostationary space stations (space-to-Earth) operating in the mobile-satellite service with the fixed service		In force	Yes	Yes
M.1	167	10-1995	Framework for the satellite component of International Mobile Telecommunications-2000 (IMT-2000)		In force	Yes	Yes
M.1	168	10-1995	Framework of International Mobile Telecommunications-2000 (IMT-2000)		In force	Yes	Yes
M.1	169	10-1995	Hours of service of ship stations		In force	Yes	Yes
M.1	170	10-1995	Morse telegraphy procedures in the maritime mobile service		In force	Yes	Yes
mercredi, 12. mar	rs 2008					Page 78	of 161

ITU-R M Mobile, radiodetermination, amateur and related satellite services

Rec N	lo. Date	Title	observation	Status	MS Word	PDF
M.11	71 10-1995	Radiotelephony procedures in the maritime mobile service		In force	Yes	Yes
M.11	72 10-1995	Miscellaneous abbreviations and signals to be used for radiocommunications in the maritime mobile service		In force	Yes	Yes
M.11	73 10-1995	Technical characteristics of single-sideband transmitters used in the maritime mobile service for radiotelephony in the bands between 1 606.5 kHz (1 605 kHz Region 2) and 4 000 kHz and between 4 000 kHz and 27 500 kHz		In force	Yes	Yes
M.11	74-2 05-2004	Technical characteristics of equipment used for on- board vessel communications in the bands between 450 and 470 MHz		In force	Yes	Yes
M.11	75 10-1995	Automatic receiving equipment for radiotelegraph and radiotelephone alarm signals		In force	Yes	Yes
M.11	76 10-1995	Technical parameters of radar target enhancers		In force	Yes	Yes
M.11	77-3 06-2003	Techniques for measurement of unwanted emissions of radar systems		In force	Yes	Yes
M.11	78 10-1995	Use of the maritime radionavigation band 283.5-315 kHz (Region 1) and 285-325 kHz (Regions 2 and 3)		In force	Yes	Yes

mercredi, 12. mars 2008 Page 79 of 161

ITU-R M Mobile, radiodetermination, amateur and related satellite services

Rec No.	Date	Title	observation	Status	MS Word	PDF
M.1179	10-1995	Procedures for determining the interference coupling mechanisms and mitigation options for systems operating in bands adjacent to and in harmonic relationship with radar stations in the radiodetermination service		In force	Yes	Yes
M.1180	10-1995	Availability of communication circuits in the aeronautical mobile-satellite (R) services (AMS(R)S)		In force	Yes	Yes
M.1181	10-1995	Minimum performance objectives for narrow-band digital channels using geostationary satellites to serve transportable and vehicular mobile earth stations in the 1-3 GHz range, not forming part of the ISDN		In force	Yes	Yes
M.1182-1	06-2003	Integration of terrestrial and satellite mobile communication systems		In force	Yes	Yes
M.1183	10-1995	Permissible levels of interference in a digital channel of a geostationary network in mobile-satellite service in 1-3 GHz caused by other networks of this service and fixed-satellite service		In force	Yes	Yes
M.1184-2	06-2003	Technical characteristics of mobile satellite systems in the frequency bands below 3 GHz for use in developing criteria for sharing between the mobile-satellite service (MSS) and other services		In force	Yes	Yes
M.1185-1	10-1997	Method for determining coordination distance between ground based mobile earth stations and terrrestrial stations operating in the 148.0- 149.9 MHz band	Note - Suppressed on 15/6/05 (CACE/354)	Withdrawn	Yes	Yes

mercredi, 12. mars 2008 Page 80 of 161

ITU-R M Mobile, radiodetermination, amateur and related satellite services

Rec No.	Date	Title	observation	Status	MS Word	PDF
M.1186-1	03-2006	Technical considerations for the coordination between mobile-satellite service networks utilizing code division multiple access and other spread spectrum techniques in the 1-3 GHz band		In force	Yes	Yes
M.1187-1	03-2006	A method for the calculation of the potentially affected region for a mobile-satellite service network in the 1-3 GHz range using circular orbits		In force	Yes	Yes
M.1188-1	03-2006	Impact of propagation on the design of non-GSO mobile-satellite systems not employing satellite diversity which provide service to handheld equipment		In force	Yes	Yes
M.1221	02-1997	Technical and operational requirements for cellular multimode mobile radio stations	Note - Suppressed on 19/10/07 (RA-07)	Withdrawn	Yes	Yes
M.1222	02-1997	Transmission of data messages on shared private land mobile radio channels		In force	Yes	Yes
M.1223	02-1997	Evaluation of security mechanisms for IMT-2000		In force	Yes	Yes
M.1224	02-1997	Vocabulary of terms for International Mobile Telecommunications-2000 (IMT-2000)		In force	Yes	Yes
M.1225	02-1997	Guidelines for evaluation of radio transmission technologies for IMT-2000		In force	Yes	Yes
M.1226	02-1997	Technical and operational characteristics of wind profiler radars in bands in the vicinity of 50 MHz		In force	Yes	Yes

mercredi, 12. mars 2008 Page 81 of 161

ITU-R M Mobile, radiodetermination, amateur and related satellite services

Rec No.	Date	Title	observation	Status	MS Word	PDF
M.1227-2	08-2001	Technical and operational characteristics of wind profiler radars in bands in the vicinity of 1 000 MHz		In force	Yes	Yes
M.1228	02-1997	Methodology for determining performance objectives for narrow-band channels in mobile satellite systems using geostationary satellites not forming part of the ISDN		In force	Yes	Yes
M.1229	02-1997	Performance objectives for the digital aeronautical mobile-satellite service (AMSS) channels operating in the bands 1 525 to 1 559 MHz and 1 626.5 to 1 660.5 MHz not forming part of the ISDN		In force	Yes	Yes
M.1230	02-1997	Performance objectives for space-to-Earth links operating in the mobile-satellite service with non-geostationary satellites in the 137-138 MHz band		In force	Yes	Yes
M.1231	02-1997	Interference criteria for space-to-Earth links operating in the mobile-satellite service with non-geostationary satellites in the 137-138 MHz band		In force	Yes	Yes
M.1232	02-1997	Sharing criteria for space-to-Earth links operating in the mobile-satellite service with non-geostationary satellites in the 137-138 MHz band		In force	Yes	Yes
M.1233-1	03-2006	Technical considerations for sharing satellite network resources between the mobile-satellite service (MSS) (other than the aeronautical mobile- satellite (R) service (AMS(R)S)) and AMS(R)S		In force	Yes	Yes

mercredi, 12. mars 2008 Page 82 of 161

ITU-R M Mobile, radiodetermination, amateur and related satellite services

Status	MS Word	PDF
In force	Yes	Yes
In force	Yes	Yes
In force	Yes	Yes
essed Withdrawn (RA-07)	Yes	Yes
In force	Yes	Yes
In force	Yes	Yes
In force	Yes	Yes
essed Withdrawn (RA-07)	Yes	Yes
In force	Yes	Yes
	in force	Page 83

ITU-R M Mobile, radiodetermination, amateur and related satellite services

Rec No	. Date	Title	observation	Status	MS Word	PDF
M.1315	10-1997	Methodology for evaluating interference from narrow-band mobile-satellite networks to spread- spectrum direct-sequence mobile-satellite networks operating with space stations in low-Earth orbit at frequencies below 1 GHz		In force	Yes	Yes
M.1316	-1 06-2005	Principles and a methodology for frequency sharing in the 1 610.6-1 613.8 MHz and 1 660-1 660.5 MHz bands between the mobile-satellite service (Earth-to-space) and the radio astronomy service		In force	Yes	Yes
M.1317	10-1997	Considerations for sharing between systems of other services operating in bands allocated to the radionavigation-satellite and aeronautical radionavigation services and the global navigation satellite system (GLONASS-M)		In force	Yes	Yes
M.1318	-1 10-2007	Evaluation model for continuous interference from radio sources other than in the radionavigation-satellite service to the radionavigation-satellite service systems and networks operating in the 1 164-1 215 MHz, 1 215-1 300 MHz, 1 559-1 610 MHz and 5 010-5 030 MHz bands		In force	Yes	Yes
M.1319	-2 06-2003	The basis of a methodology to assess the impact of interference from a time division multiple access/frequency division multiple access (TDMA/FDMA) mobile-satellite service (MSS) satellite system operating in the 2 GHz range on the performance of line-of-sight fixed service receivers		In force	Yes	Yes

mercredi, 12. mars 2008 Page 84 of 161

ITU-R M Mobile, radiodetermination, amateur and related satellite services

Rec No.	Date	Title	observation	Status	MS Word	PDF
M.1343-1	06-2005	Essential technical requirements of mobile earth stations for global non-geostationary mobile-satellite service systems in the band 1-3 GHz		In force	Yes	Yes
M.1371-3	06-2007	Technical characteristics for an automatic identification system using time division multiple access in the VHF maritime mobile band		In force	Yes	Yes
M.1372-1	06-2003	Efficient use of the radio spectrum by radar stations in the radiodetermination service		In force	Yes	Yes
M.1388	01-1999	Threshold levels to determine the need to coordinate between space stations in the broadcasting-satellite service (sound) and particular systems in the land mobile service in the band 1 452-1 492 MHz		In force	Yes	Yes
M.1389	01-1999	Methods for achieving coordinated use of spectrum by multiple non-geostationary mobile-satellite service systems below 1 GHz and sharing with other services in existing mobile-satellite service allocations		In force	Yes	Yes
M.1390	01-1999	Methodology for the calculation of IMT-2000 terrestrial spectrum requirements		In force	Yes	Yes
M.1391-1	03-2006	Methodology for the calculation of IMT-2000 satellite spectrum requirements		In force	Yes	Yes
M.1450-2	06-2003	Characteristics of broadband radio local area networks		In force	Yes	Yes
M.1451	05-2000	Transport information and control systems: functionalities	Note - Suppressed on 19/10/07 (RA-07)	Withdrawn	Yes	Yes

ITU-R M Mobile, radiodetermination, amateur and related satellite services

Rec No.	Date	Title	observation	Status	MS Word	PDF
M.1452	05-2000	Transport information and control systems - Low power short-range vehicular radar equipment at 60 GHz and 76 GHz		In force	Yes	Yes
M.1453-2	2 06-2005	Intelligent transport systems - Dedicated short range communications at 5.8 GHz		In force	Yes	Yes
M.1454	05-2000	E.i.r.p. density limit and operational restrictions for RLANS or other wireless access transmitters in order to ensure the protection of feeder links of non-geostationary systems in the mobile-satellite service in the frequency band 5 150-5 250 MHz		In force	Yes	Yes
M.1455-2	2 06-2003	Key characteristics for the International Mobile Telecommunications-2000 (IMT-2000) radio interfaces	Note - Suppressed on 19/10/07 (RA-07)	Withdrawn	Yes	Yes
M.1456	05-2000	Minimum performance characteristics and operational conditions for high altitude platform stations providing IMT-2000 in the bands 1 885-1 980 MHz, 2 010-2 025 MHz and 2 110-2 170 MHz in Regions 1 and 3 and 1 885-1 980 MHz and 2 110-2 160 MHz in Region 2		In force	Yes	Yes
M.1457-6	5 12-2006	Detailed specifications of the radio interfaces of International Mobile Telecommunications-2000 (IMT-2000)		In force	Yes	Yes
M.1458	05-2000	Use of the frequency bands between 2.8-22 MHz by the aeronautical mobile (R) service for data transmission using class of emission J2D		In force	Yes	Yes

mercredi, 12. mars 2008 Page 86 of 161

ITU-R M Mobile, radiodetermination, amateur and related satellite services

Rec No.	Date	Title	observation	Status	MS Word	PDF
M.1459	05-2000	Protection criteria for telemetry systems in the aeronautical mobile service and mitigation techniques to facilitate sharing with geostationary broadcasting-satellite and mobile-satellite services in the frequency bands 1 452-1 525 MHz and 2 310-2 360 MHz		In force	Yes	Yes
M.1460-1	03-2006	Technical and operational characteristics and protection criteria of radiodetermination radars in the 2 900-3 100 MHz band		In force	Yes	Yes
M.1461-1	06-2003	Procedures for determining the potential for interference between radars operating in the radiodetermination service and systems in other services		In force	Yes	Yes
M.1462	05-2000	Characteristics of and protection criteria for radars operating in the radiolocation service in the frequency range 420-450 MHz		In force	Yes	Yes
M.1463-1	03-2007	Characteristics of and protection criteria for radars operating in the radiodetermination service in the frequency band 1 215-1 400 MHz		In force	Yes	Yes
M.1464-1	06-2003	Characteristics of radiolocation radars, and characteristics and protection criteria for sharing studies for aeronautical radionavigation and meteorological radars in the radiodetermination service operating in the frequency band 2 700-2 900 MHz		In force	Yes	Yes
M.1465-1	03-2007	Characteristics of and protection criteria for radars operating in the radiodetermination service in the frequency band 3 100-3 700 MHz		In force	Yes	Yes
mercredi, 12. mars 2008					Page 87	of 161

ITU-R M Mobile, radiodetermination, amateur and related satellite services

Rec N	o. Date	Title	observation	Status	MS Word	PDF
M.146	6 05-200	Characteristics of and protection criteria for radars operating in the radionavigation service in the frequency band 31.8-33.4 GHz		In force	Yes	Yes
M.146	7-1 03-200	Prediction of sea area A2 and NAVTEX ranges and protection of the A2 global maritime distress and safety system distress watch channel		In force	Yes	Yes
M.146	8 05-200	Technical characteristics and sharing scenarios of satellite systems offering multiple services	Note - Suppressed on 15/06/05 (CACE/354)	Withdrawn	Yes	Yes
M.146	9-1 06-200.	Methodology for evaluating potential for interference from time division multiple access/frequency division multiple access (TDMA/FDMA) mobile satellite service (MSS)(Earth-to-space) transmissions into line-of-sight fixed service receivers in the 2 GHz range		In force	Yes	Yes
M.147	0 05-200	Methodology of sharing between MSS systems (Earth-to-space) and existing RNSS systems (space-to-Earth) in frequency bands 149.9-150.05 MHz and 399.9-400.05 MHz		In force	Yes	Yes
M.147	1 05-200	Guidance to facilitate coordination and use of frequency bands shared between the mobile-satellite service and the fixed service in the frequency range 1-3 GHz		In force	Yes	Yes

mercredi, 12. mars 2008 Page 88 of 161

ITU-R M Mobile, radiodetermination, amateur and related satellite services

Rec No.	Date	Title	observation	Status	MS Word	PDF
M.1472	05-2000	Methodology to evaluate the impact of interference from time division multiple access/frequency division multiple access (TDMA/FDMA) mobile-satellite service (MSS) systems operating in the 2 GHz range on baseband performance in frequency division multiplexing-frequency modulation (FDM-FM) analogue line-of-sight (LOS) fixed service receivers		In force	Yes	Yes
M.1473	05-2000	Methodology to evaluate the impact of interference from time division multiple access/frequency division multiple access (TDMA/FDMA) mobile- satellite service (MSS) systems operating in the 2 GHz range on video baseband performance in TV- FM analogue line-of-sight fixed service receivers		In force	Yes	Yes
M.1474	05-2000	Methodology to evaluate the impact of interference from time division multiple access/frequency division multiple access (TDMA/FDMA) mobile-satellite service (mss) systems operating in the 2 GHz range on baseband performance in digital line-of-sight fixed service receivers based on statistics of radio-frequency interference		In force	Yes	Yes
M.1475	05-2000	Methodology for derivation of performance objectives of non-geostationary mobile-satellite service systems operating in the 1-3 GHz band not using satellite diversity		In force	Yes	Yes

mercredi, 12. mars 2008 Page 89 of 161

ITU-R M Mobile, radiodetermination, amateur and related satellite services

Rec No.	Date	Title	observation	Status	MS Word	PDF
M.1476	05-2000	Performance objectives for narrow-band digital channels using geostationary satellites to serve transportable and mobile Earth stations in the 1-3 GHz range forming part of the integrated services digital network		In force	Yes	Yes
M.1477	05-2000	Technical and performance characteristics of current and planned radionavigation-satellite service (space-to-Earth) and aeronautical radionavigation service receivers to be considered in interference studies in the band 1 559-1 610 MHz		In force	Yes	Yes
M.1478-1	05-2004	Protection criteria for Cospas-Sarsat search and rescue instruments in the band 406-406.1 MHz		In force	Yes	Yes
M.1479	05-2000	Technical characteristics and performance requirements of current and planned radionavigation-satellite service (space-to-space) receivers to be considered in interference studies in the frequency bands 1 215-1 260 MHz and 1 559-1 610 MHz		In force	Yes	Yes
M.1480	05-2000	Essential technical requirements of mobile Earth stations of geostationary mobile-satellite systems that are implementing the Global mobile personal communications by satellite (GMPCS) - Memorandum of understanding arrangements in parts of the frequency band 1-3 GHz		In force	Yes	Yes
M.1544	08-2001	Minimum qualifications of radio amateurs		In force	Yes	Yes

mercredi, 12. mars 2008 Page 90 of 161

ITU-R M Mobile, radiodetermination, amateur and related satellite services

Rec No.	Date	Title	observation	Status	MS Word	PDF
M.1545	08-2001	Measurement uncertainty as it applies to test limits for the terrestrial component of International Mobile Telecommunications-2000		In force	Yes	Yes
M.1579	07-2002	Global circulation of IMT-2000 terminals		In force	Yes	Yes
M.1580-2	10-2007	Generic unwanted emission characteristics of base stations using the terrestrial radio interfaces of IMT 2000		In force	Yes	Yes
M.1581-2	10-2007	Generic unwanted emission characteristics of mobile stations using the terrestrial radio interfaces of IMT-2000		In force	Yes	Yes
M.1582	07-2002	Method for determining coordination distances, in the 5 GHz band, between the international standard microwave landing system stations operating in the aeronautical radionavigation service and stations of the radionavigation-satellite service (Earth-to-space)		In force	Yes	Yes
M.1583-1	10-2007	Interference calculations between non-geostationary mobile-satellite service or radionavigation-satellite service systems and radio astronomy telescope sites		In force	Yes	Yes
M.1584	07-2002	Methodology for computation of separation distances between earth stations of the radionavigation-satellite service (Earth-to-space) and radars of the radiolocation service and the aeronautical radionavigation service in the frequency band 1 300-1 350 MHz		In force	Yes	Yes

mercredi, 12. mars 2008 Page 91 of 161

ITU-R M Mobile, radiodetermination, amateur and related satellite services

Rec N	No. Date	Title	observation	Status	MS Word	PDF
M.16.	34 06-20	O3 Interference protection of terrestrial mobile service systems using Monte Carlo simulation with application to frequency sharing		In force	Yes	Yes
M.16	35 06-20	O3 General methodology for assessing the potential for interference between IMT-2000 or systems beyond IMT-2000 and other services		In force	Yes	Yes
M.16	36 06-20	O3 Basic reference models and performance parameters of Internet Protocol packet network transmission in the mobile-satellite service	3	In force	Yes	Yes
M.16	37 06-20	O3 Global cross-border circulation of radiocommunication equipment in emergency and disaster relief situations		In force	Yes	Yes
M.16	38 06-20	O3 Characteristics of and protection criteria for sharing studies for radiolocation, aeronautical radionavigation and meteorological radars operating in the frequency bands between 5 250 and 5 850 MHz		In force	Yes	Yes
M.16.	39-1 06-20	Protection criterion for the aeronautical radionavigation service with respect to aggregate emissions from space stations in the radionavigation satellite service in the band 1 164-1 215 MHz	<b>!-</b>	In force	Yes	Yes
M.16	40 06-20	O3 Characteristics of, and protection criteria for sharing studies for radars operating in the radiodetermination service in the frequency band 33.4-36 GHz	<u> </u>	In force	Yes	Yes

mercredi, 12. mars 2008 Page 92 of 161

ITU-R M Mobile, radiodetermination, amateur and related satellite services

Rec No	o. Date	Title	observation	Status	MS Word	PDF
M.1641	1-1 03-2006	A methodology for co-channel interference evaluation to determine separation distance from a system using high-altitude platform stations to a cellular system to provide IMT-2000 service		In force	Yes	Yes
M.1642	2-2 10-2007	Methodology for assessing the maximum aggregate equivalent power flux-density at an aeronautical radionavigation service station from all radionavigation-satellite service systems operating in the 1 164-1 215 MHz band		In force	Yes	Yes
M.1643	3 06-2003	Technical and operational requirements for aircraft earth stations of aeronautical mobile-satellite service including those using fixed-satellite service network transponders in the band 14-14.5 GHz (Earth-to-space)		In force	Yes	Yes
M.1644	4 06-2003	Technical and operational characteristics, and criteria for protecting the mission of radars in the radiolocation and radionavigation service operating in the frequency band 13.75-14 GHz		In force	Yes	Yes
M.1645	5 06-2003	Framework and overall objectives of the future development of IMT-2000 and systems beyond IMT-2000		In force	Yes	Yes
M.1646	6 06-2003	Parameters to be used in co-frequency sharing and pfd threshold studies between terrestrial IMT-2000 and BSS (sound) in the 2 630-2 655 MHz band		In force	Yes	Yes
M.1651	06-2003	A method for assessing the required spectrum for broadband nomadic wireless access systems including radio local area networks using the 5 GHz band		In force	Yes	Yes
mercredi, 12. mars 2	800				Page 93	of 161

ITU-R M Mobile, radiodetermination, amateur and related satellite services

Rec No.	Date	Title	observation	Status	MS Word	PDF
M.1652	06-2003	Dynamic frequency selection (DFS) in wireless access systems including radio local area networks for the purpose of protecting the radiodetermination service in the 5 GHz band		In force	Yes	Yes
M.1653	06-2003	Operational and deployment requirements for wireless access systems including radio local area networks in the mobile service to facilitate sharing between these systems and systems in the Earth exploration-satellite service (active) and the space research service (active) in the band 5 470-5 570 MHz within the 5 460 5 725 MHz range		In force	Yes	Yes
M.1654	06-2003	A methodology to assess interference from broadcasting-satellite service (sound) into terrestrial IMT-2000 systems intending to use the band 2 630- 2 655 MHz		In force	Yes	Yes
M.1677	05-2004	International Morse code		In force	Yes	Yes
M.1678	05-2004	Adaptive antennas for mobile systems		In force	Yes	Yes
M.1730	06-2005	Characteristics of and protection criteria for the radiolocation service in the frequency band 15.7-17.3 GHz		In force	Yes	Yes
M.1731	06-2005	Protection criteria for Cospas-Sarsat local user terminals in the band 1 544-1 545 MHz		In force	Yes	Yes

mercredi, 12. mars 2008 Page 94 of 161

ITU-R M Mobile, radiodetermination, amateur and related satellite services

Rec No.	Date	Title	observation	Status	MS Word	PDF
M.1732	06-2005	Characteristics of systems operating in the amateur and amateur-satellite services for use in sharing studies		In force	Yes	Yes
M.1739	03-2006	Protection criteria for wireless access systems, including radio local area networks, operating in the mobile service in accordance with Resolution 229 (WRC-03) in the bands 5 150-5 250 MHz, 5 250-5 350 MHz and 5 470-5 725 MHz		In force	Yes	Yes
M.1740	03-2006	Guide to the application of ITU-R texts related to the amateur and amateur-satellite services		In force	Yes	Yes
M.1741	03-2006	Methodology for deriving performance objectives and its optimization for IP packet applications in the mobile-satellite service		In force	Yes	Yes
M.1746	03-2006	Harmonized frequency channel plans for the protection of property using data communication		In force	Yes	Yes
M.1747	03-2006	Protection of the Earth exploration-satellite service (passive) in the band 1 400-1 427 MHz from unwanted emissions of mobile satellite service feeder links that may operate in the bands 1 390-1 392 MHz (Earth-to-space) and 1 430-1 432 MHz (space-to-Earth)		In force	Yes	Yes
M.1748	03-2006	Protection of the radio astronomy service in the band 1 400-1 427 MHz from unwanted emissions of MSS feeder links that may operate in the bands 1 390-1 392 MHz (Earth-to-space) and 1 430-1 432 MHz (space-to-Earth)		In force	Yes	Yes

mercredi, 12. mars 2008 Page 95 of 161

ITU-R M Mobile, radiodetermination, amateur and related satellite services

Rec No.	Date	Title	observation	Status	MS Word	PDF
M.1767	03-2006	Protection of land mobile systems from terrestrial digital video and audio broadcasting systems in the VHF and UHF shared bands allocated on a primary basis		In force	Yes	Yes
M.1768	03-2006	Methodology for calculation of spectrum requirements for the future development of the terrestrial component of IMT-2000 and systems beyond IMT-2000		In force	Yes	Yes
M.1795	03-2007	Technical and operational characteristics of land mobile MF/HF systems		In force	Yes	Yes
M.1796	03-2007	Characteristics of and protection criteria for terrestrial radars operating in the radiodetermination service in the frequency band 8 500-10 500 MHz		In force	Yes	Yes
M.1797	03-2007	Vocabulary of terms for the land mobile service		In force	Yes	Yes
M.1798	03-2007	Characteristics of HF radio equipment for the exchange of digital data and electronic mail in the maritime mobile service		In force	Yes	Yes
M.1799	03-2007	Sharing between the mobile service and the mobile-satellite service in the band 1 668.4-1 675 MHz		In force	Yes	Yes
M.1800	03-2007	Protection of the fixed, mobile and radiolocation services from MSS feeder links that may operate in the bands 1 390-1 392 MHz (Earth-to-space) and 1 430-1 432 MHz (space-to-Earth)		In force	Yes	Yes

mercredi, 12. mars 2008 Page 96 of 161

ITU-R M Mobile, radiodetermination, amateur and related satellite services

Rec No.	Date	Title	observation	Status	MS Word	PDF
M.1801	03-2007	Radio interface standards for broadband wireless access systems, including mobile and nomadic applications, in the mobile service operating below 6 GHz		In force	Yes	Yes
M.1802	03-2007	Characteristics and protection criteria for radars operating in the radiolocation service in the frequency band 30-300 MHz		In force	Yes	Yes
M.1808	06-2007	Technical and operational characteristics of conventional and trunked land mobile systems operating in the mobile service allocations below 869 MHz to be used in sharing studies		In force	Yes	Yes
M. 8/18′	7 10-2007	Draft new Recommendation ITU R M.[IMT.SERV] - Framework for services supported by IMT		Pre-published	Yes	Yes
M.1823	10-2007	Technical and operational characteristics of digital cellular land mobile systems for use in sharing studies		In force	Yes	Yes
M.1824	10-2007	System characteristics of television outside broadcast, electronic news gathering and electronic field production in the mobile service for use in sharing studies		In force	Yes	Yes
M.1825	10-2007	Guidance on technical parameters and methodologies for sharing studies related to systems in the land mobile service		In force	Yes	Yes
M.1826	10-2007	Harmonized frequency channel plan for broadband public protection and disaster relief operations at 4 940-4 990 MHz in Regions 2 and 3		In force	Yes	Yes

mercredi, 12. mars 2008 Page 97 of 161

ITU-R M Mobile, radiodetermination, amateur and related satellite services

Rec No.	Date	Title	observation	Status	MS Word	PDF
M.1827	10-2007	Technical and operational requirements for stations of the aeronautical mobile (R) service (AM(R)S) limited to surface application at airports and for stations of the aeronautical mobile service (AMS) limited to aeronautical security (AS) applications in the band 5 091-5 150 MHz		In force	Yes	Yes
M.1828	10-2007	Technical and operational requirements for aircraft stations of aeronautical mobile service limited to transmissions of telemetry for flight testing in the bands around 5 GHz		In force	Yes	Yes
M.1829	10-2007	Method for determining the necessary geographical separation distances, in the 5 GHz band, between the international standard microwave landing system (MLS) stations operating in the aeronautical radionavigation service and transmitters operating in the aeronautical mobile service (AMS) to support telemetry		In force	Yes	Yes
M.1830	10-2007	Technical characteristics and protection criteria of aeronautical radionavigation service systems in the 645-862 MHz frequency band		In force	Yes	Yes
M.1831	10-2007	A coordination methodology for RNSS inter-system interference estimation		In force	Yes	Yes

Summary for series M (248 detail records)

## ITU-R P Radiowave propagation

Rec No.	Date	Title	observation	Status	MS Word PDF

mercredi, 12. mars 2008 Page 98 of 161

ITU-R P Radiowave propagation

Rec No.	Date	Title	observation	Status	MS Word	PDF
P.310-9	08-1994	Definitions of terms relating to propagation in non- ionized media		In force	Yes	Yes
P.311-12	03-2005	Acquisition, presentation and analysis of data in studies of tropospheric propagation		In force	Yes	Yes
P.313-10	03-2005	Exchange of information for short-term forecasts and transmission of ionospheric disturbance warnings		In force	Yes	Yes
P.341-5	10-1999	The concept of transmission loss for radio links		In force	Yes	Yes
P.368-9	02-2007	Ground-wave propagation curves for frequencies between 10 kHz and 30 MHz		In force	Yes	Yes
P.369-6	08-1994	Reference atmosphere for refraction	Note - Withdrawn on 24/10/97 (RA- 97) - This Recommendation has been replaced by Rec. ITU-R P.453-6	Withdrawn	Yes	Yes
P.370-7	10-1995	VHF and UHF propagation curves for the frequency range from 30 MHz to 1 000 MHz. Broadcasting services	Note - Suppressed on 22/10/01 (CACE/233)	Withdrawn	Yes	Yes
P.371-8	07-1999	Choice of indices for long-term ionospheric predictions		In force	Yes	Yes
P.372-9	08-2007	Radio noise		In force	Yes	Yes

mercredi, 12. mars 2008 Page 99 of 161

ITU-R P Radiowave propagation

Rec No.	Date	Title	observation	Status	MS Word	PDF
P.3/BL/5	01-2007	Draft revision to Recommendation ITU-R P.373-7 - Definitions of maximum and minimum transmission frequencies		Pre-published	Yes	Yes
P.434-6	10-1995	ITU-R reference ionospheric characteristics and methods of basic MUF, operational MUF and raypath prediction	Note - Withdrawn on 24/10/97 (RA- 97) - This Recommendation has been replaced by Rec. ITU-R P.1239 and ITU-R P.1240	Withdrawn	Yes	Yes
P.3/94	08-2007	Draft revision of Recommendation ITU-R P.452-12 - Prediction procedure for the evaluation of microwave interference between stations on the surface of the Earth at frequencies above about 0.7 GHz		Pre-published	Yes	Yes
P.453-9	04-2003	The radio refractive index: its formula and refractivity data		In force	Yes	Yes
P.525-2	08-1994	Calculation of free-space attenuation		In force	Yes	Yes
P.526-10	02-2007	Propagation by diffraction		In force	Yes	Yes
P.527-3	03-1992	Electrical characteristics of the surface of the Earth		In force	Yes	Yes
P.528-2	07-1986	Propagation curves for aeronautical mobile and radionavigation services using the VHF, UHF and SHF bands		In force	Yes	Yes
mercredi, 12. mars 200	8				Page 100	of 16

ITU-R P Radiowave propagation

	Rec No.	Date	Title	observation	Status	MS Word	PDF
j	P.529-3	10-1999	Prediction methods for the terrestrial land mobile service in the VHF and UHF bands	Note - Suppressed on 22/10/01 (CACE/233)	Withdrawn	Yes	Yes
]	P.530-12	02-2007	Propagation data and prediction methods required for the design of terrestrial line-of-sight systems		In force	Yes	Yes
]	P.531-9	02-2007	Ionospheric propagation data and prediction methods required for the design of satellite services and systems		In force	Yes	Yes
]	P.532-1	03-1992	Ionospheric effects and operational considerations associated with artificial modification of the ionosphere and the radio-wave channel		In force	Yes	Yes
]	P.533-9	11-2007	Method for the prediction of the performance of HF circuits		In force	Yes	Yes
]	P.534-4	10-1999	Method for calculating sporadic-E field strength		In force	Yes	Yes
j	P.581-2	06-1990	The concept of "worst month"		In force	Yes	Yes
]	P.616	07-1986	Propagation data for terrestrial maritime mobile services operating at frequencies above 30 MHz	Note - Suppressed on 22/10/01 (CACE/233)	Withdrawn	Yes	Yes
]	P.617-1	03-1992	Propagation prediction techniques and data required for the design of trans-horizon radio-relay systems		In force	Yes	Yes

mercredi, 12. mars 2008 Page 101 of 161

ITU-R P Radiowave propagation

For the design of Earth-space telecommunication systems  P.619-1 03-1992 Propagation data required for the evaluation of interference between stations in space and those on the surface of the Earth  P.620-6 03-2005 Propagation data required for the evaluation of inforce Yes Yes coordination distances in the frequency range 100 MHz to 105 GHz  P.676-7 02-2007 Attenuation by atmospheric gases In force Yes Yes P.678-1 03-1992 Characterization of the natural variability of In force Yes Yes Propagation phenomena  P.679-3 02-2001 Propagation data required for the design of broadcasting-satellite systems  P.680-3 10-1999 Propagation data required for the design of Earth-space maritime mobile telecommunication systems  P.681-6 04-2003 Propagation data required for the design of Earth-space land mobile telecommunication systems  P.682-2 02-2007 Propagation data required for the design of Earth-space land mobile telecommunication systems  In force Yes Yes Yes Yes Space aeronautical mobile telecommunication systems	IIU-R P	Kadioway	e propagation				
For the design of Earth-space telecommunication systems  P.619-1 03-1992 Propagation data required for the evaluation of interference between stations in space and those on the surface of the Earth  P.620-6 03-2005 Propagation data required for the evaluation of coordination distances in the frequency range 100 MHz to 105 GHz  P.676-7 02-2007 Attenuation by atmospheric gases In force Yes Yes  P.678-1 03-1992 Characterization of the natural variability of In force Yes Yes  P.679-3 02-2001 Propagation data required for the design of broadcasting-satellite systems  P.680-3 10-1999 Propagation data required for the design of Earth-space maritime mobile telecommunication systems  P.681-6 04-2003 Propagation data required for the design of Earth-space are national mobile telecommunication systems  P.682-2 02-2007 Propagation data required for the design of Earth-space are national mobile telecommunication systems  P.684-4 03-2005 Prediction of field strength at frequencies below In force Yes Yes about 150 kHz	Rec No.	Date	Title	observation	Status	MS Word	PDF
interference between stations in space and those on the surface of the Earth  P.620-6 03-2005 Propagation data required for the evaluation of coordination distances in the frequency range 100 MHz to 105 GHz  P.676-7 02-2007 Attenuation by atmospheric gases In force Yes Yes  P.678-1 03-1992 Characterization of the natural variability of In force Yes Yes Propagation phenomena  P.679-3 02-2001 Propagation data required for the design of In force Yes Yes Yes P.680-3 10-1999 Propagation data required for the design of Earth-space maritime mobile telecommunication systems  P.681-6 04-2003 Propagation data required for the design of Earth-space land mobile telecommunication systems  P.682-2 02-2007 Propagation data required for the design of Earth-space land mobile telecommunication systems  P.684-4 03-2005 Prediction of field strength at frequencies below In force Yes Yes about 150 kHz	P.618-9	08-2007	for the design of Earth-space telecommunication		In force	Yes	Yes
coordination distances in the frequency range 100 MHz to 105 GHz  P.676-7 02-2007 Attenuation by atmospheric gases In force Yes Yes  P.678-1 03-1992 Characterization of the natural variability of In force Yes Yes  P.679-3 02-2001 Propagation data required for the design of broadcasting-satellite systems  P.680-3 10-1999 Propagation data required for the design of Earthspace maritime mobile telecommunication systems  P.681-6 04-2003 Propagation data required for the design of Earthspace land mobile telecommunication systems  P.682-2 02-2007 Propagation data required for the design of Earthspace aeronautical mobile telecommunication systems  P.684-4 03-2005 Prediction of field strength at frequencies below  In force Yes Yes Yes about 150 kHz	P.619-1	03-1992	interference between stations in space and those on		In force	Yes	Yes
P.678-1 03-1992 Characterization of the natural variability of propagation phenomena  P.679-3 02-2001 Propagation data required for the design of broadcasting-satellite systems  P.680-3 10-1999 Propagation data required for the design of Earthspace maritime mobile telecommunication systems  P.681-6 04-2003 Propagation data required for the design of Earthspace land mobile telecommunication systems  P.682-2 02-2007 Propagation data required for the design of Earthspace land mobile telecommunication systems  P.684-4 03-2005 Prediction of field strength at frequencies below about 150 kHz	P.620-6	03-2005	coordination distances in the frequency range 100		In force	Yes	Yes
P.679-3 02-2001 Propagation data required for the design of broadcasting-satellite systems  P.680-3 10-1999 Propagation data required for the design of Earthspace maritime mobile telecommunication systems  P.681-6 04-2003 Propagation data required for the design of Earthspace land mobile telecommunication systems  P.682-2 02-2007 Propagation data required for the design of Earthspace aeronautical mobile telecommunication systems  P.684-4 03-2005 Prediction of field strength at frequencies below about 150 kHz	P.676-7	02-2007	Attenuation by atmospheric gases		In force	Yes	Yes
broadcasting-satellite systems  P.680-3 10-1999 Propagation data required for the design of Earth-space maritime mobile telecommunication systems  P.681-6 04-2003 Propagation data required for the design of Earth-space land mobile telecommunication systems  P.682-2 02-2007 Propagation data required for the design of Earth-space aeronautical mobile telecommunication systems  P.684-4 03-2005 Prediction of field strength at frequencies below about 150 kHz  In force Yes Yes Yes Yes about 150 kHz	P.678-1	03-1992	·		In force	Yes	Yes
P.681-6 04-2003 Propagation data required for the design of Earth-space land mobile telecommunication systems  P.682-2 02-2007 Propagation data required for the design of Earth-space aeronautical mobile telecommunication systems  P.684-4 03-2005 Prediction of field strength at frequencies below In force Yes Yes about 150 kHz	P.679-3	02-2001			In force	Yes	Yes
P.682-2 02-2007 Propagation data required for the design of Earth- space aeronautical mobile telecommunication systems  P.684-4 03-2005 Prediction of field strength at frequencies below about 150 kHz	P.680-3	10-1999			In force	Yes	Yes
space aeronautical mobile telecommunication systems  P.684-4 03-2005 Prediction of field strength at frequencies below In force Yes Yes about 150 kHz	P.681-6	04-2003			In force	Yes	Yes
about 150 kHz	P.682-2	02-2007	space aeronautical mobile telecommunication		In force	Yes	Yes
mercredi, 12. mars 2008 Page 102 of 16	P.684-4	03-2005			In force	Yes	Yes
	mercredi, 12. mars 200	8				Page 102	of 161

ITU-R P Radiowave propagation

110 11 1	radio wa v	c propagation				
Rec No.	Date	Title	observation	Status	MS Word	PDF
P.832-2	07-1999	World Atlas of Ground Conductivities		In force	Yes	Yes
P.833-6	02-2007	Attenuation in vegetation		In force	Yes	Yes
P.834-6	01-2007	Effects of tropospheric refraction on radiowave propagation		In force	Yes	Yes
P.835-4	03-2005	Reference Standard Atmospheres		In force	Yes	Yes
P.836-3	11-2001	Water vapour: surface density and total columnar content		In force	Yes	Yes
P.837-5	08-2007	Characteristics of precipitation for propagation modelling		In force	Yes	Yes
P.838-3	03-2005	Specific attenuation model for rain for use in prediction methods		In force	Yes	Yes
P.839-3	02-2001	Rain height model for prediction methods		In force	Yes	Yes
P.840-3	10-1999	Attenuation due to clouds and fog		In force	Yes	Yes
P.841-4	03-2005	Conversion of annual statistics to worst-month statistics		In force	Yes	Yes

mercredi, 12. mars 2008 Page 103 of 161

ITU-R P Radiowave propagation

	114410 1141	c propagation				
Rec No.	Date	Title	observation	Status	MS Word	PDF
P.842-4	02-2007	Computation of reliability and compatibility of HF radio systems		In force	Yes	Yes
P.843-1	08-1997	Communication by meteor-burst propagation		In force	Yes	Yes
P.844-1	08-1994	Ionospheric factors affecting frequency sharing in the VHF and UHF bands (30 MHz-3 GHz)		In force	Yes	Yes
P.845-3	08-1997	HF field-strength measurement		In force	Yes	Yes
P.846-1	10-1995	Measurements of ionospheric and related characteristics		In force	Yes	Yes
P.1057-2	08-2007	Probability distributions relevant to radiowave propagation modelling		In force	Yes	Yes
P.1058-2	10-1999	Digital topographic databases for propagation studies		In force	Yes	Yes
P.1060	08-1994	Propagation factors affecting frequency sharing in HF terrestrial systems		In force	Yes	Yes
P.1144-4	02-2007	Guide to the application of the propagation methods of Radiocommunication Study Group 3		In force	Yes	Yes
P.1145	10-1995	Propagation data for the terrestrial land mobile service in the VHF and UHF bands	Note - Suppressed	Withdrawn	Yes	Yes

mercredi, 12. mars 2008 Page 104 of 161

ITU-R P Radiowave propagation

	uuio mu	c propagation				
Rec No.	Date	Title	observation	Status	MS Word	PDF
P.1146	10-1995	The prediction of field strength for land mobile and terrestrial broadcasting services in the frequency range from 1 to 3 GHz	Note - Suppressed on 22/10/01 (CACE/233)	Withdrawn	Yes	Yes
P.1147-4	08-2007	Prediction of sky-wave field strength at frequencies between about 150 and 1 700 kHz		In force	Yes	Yes
P.1148-1	05-1997	Standardized procedure for comparing predicted and observed HF sky-wave signal intensities and the presentation of such comparisons		In force	Yes	Yes
P.1238-5	02-2007	Propagation data and prediction methods for the planning of indoor radiocommunication systems and radio local area networks in the frequency range 900 MHz to 100 GHz		In force	Yes	Yes
P.1239-1	02-2007	ITU-R reference ionospheric characteristics		In force	Yes	Yes
P.1240-1	02-2007	ITU-R methods of basic MUF, operational MUF and ray-path prediction		In force	Yes	Yes
P.1321-2	02-2007	Propagation factors affecting systems using digital modulation techniques at LF and MF		In force	Yes	Yes
P.1322	08-1997	Radiometric estimation of atmospheric attenuation		In force	Yes	Yes
P.1406-1	08-2007	Propagation effects relating to terrestrial land mobile and broadcasting services in the VHF and UHF bands		In force	Yes	Yes

mercredi, 12. mars 2008 Page 105 of 161

ITU-R P Radiowave propagation

Rec No.	Date	Title	observation	Status	MS Word	PDF
P.1407-3	02-2007	Multipath propagation and parameterization of its characteristics		In force	Yes	Yes
P.1409	10-1999	Propagation data and prediction methods required for the design of systems using high altitude platform stations at about 47 GHz		In force	Yes	Yes
P.3/77	02-2007	Draft revision of Recommendation ITU-R P.1410-3 - Propagation data and prediction methods required for the design of terrestrial broadband radio access systems operating in a frequency range from 3 to 60 GHz		Pre-published	Yes	Yes
P.1411-4	08-2007	Propagation data and prediction methods for the planning of short-range outdoor radiocommunication systems and radio local area networks in the frequency range 300 MHz to 100 GHz		In force	Yes	Yes
P.1412	10-1999	Propagation data for the evaluation of coordination between Earth stations working in the bidirectionally allocated frequency bands		In force	Yes	Yes
P.1510	02-2001	Annual mean surface temperature		In force	Yes	Yes
P.1511	02-2001	Topography for Earth-to-space propagation modelling		In force	Yes	Yes
P.1546-3	11-2007	Method for point-to-area predictions for terrestrial services in the frequency range 30 MHz to 3 000 MHz		In force	Yes	Yes

mercredi, 12. mars 2008 Page 106 of 161

ITU-R P Radiowave propagation

Rec No.	Date	Title	observation	Status	MS Word	PDF
P.1621-1	03-2005	Propagation data required for the design of Earth- space systems operating between 20 THz and 375 THz		In force	Yes	Yes
P.1622	04-2003	Prediction methods required for the design of Earth- space systems operating between 20 THz and 375 THz		In force	Yes	Yes
P.1623-1	03-2005	Prediction method of fade dynamics on Earth-space paths		In force	Yes	Yes
P.1791	01-2007	Propagation prediction methods for assessment of the impact of ultra-wideband devices		In force	Yes	Yes
P.1812	11-2007	A path-specific propagation prediction method for point-to-area terrestrial services in the VHF and UHF bands		In force	Yes	Yes
P.1814	08-2007	Prediction methods required for the design of terrestrial free-space optical links		In force	Yes	Yes
P.1815	08-2007	Differential rain attenuation		In force	Yes	Yes
P.1816	08-2007	The prediction of the time and the spatial profile for broadband land mobile services using UHF and SHF bands		In force	Yes	Yes
P.1817	08-2007	Propagation data required for the design of terrestrial free-space optical links		In force	Yes	Yes

Summary for series P (82 detail records)

mercredi, 12. mars 2008 Page 107 of 161

ITU-R RA Radio astronomy

IIO-K KA	-K KA Kaulo asti onomy						
Rec No.	Date	Title	observation	Status	MS Word	PDF	
RA.314-	10 06-2003	Preferred frequency bands for radio astronomical measurements		In force	Yes	Yes	
RA.479-5	5 05-2003	Protection of frequencies for radioastronomical measurements in the shielded zone of the Moon		In force	Yes	Yes	
RA.517-4	4 05-2006	Protection of the radio astronomy service from transmitters operating in adjacent bands		In force	Yes	Yes	
RA.611-4	4 03-2006	Protection of the radio astronomy service from spurious emissions		In force	Yes	Yes	
RA.769-2	2 05-2003	Protection criteria used for radio astronomical measurements		In force	Yes	Yes	
RA.1031	-2 06-2007	Protection of the radio astronomy service in frequency bands shared with other services		In force	Yes	Yes	
RA.1237	-1 06-2003	Protection of the radio astronomy service from unwanted emissions resulting from applications of wideband digital modulation		In force	Yes	Yes	
RA.1272	-1 02-2002	Protection of radio astronomy measurements above 60 GHz from ground based interference		In force	Yes	Yes	
RA.1417	10-1999	A radio-quiet zone in the vicinity of the L2 Sun- Earth Lagrange point		In force	Yes	Yes	
RA.1513	-1 05-2003	Levels of data loss to radio astronomy observations and percentage-of-time criteria resulting from degradation by interference for frequency bands allocated to the radio astronomy on a primary basis		In force	Yes	Yes	
mercredi, 12. mars 2008				Page 108 of 16 <sup>2</sup>			

ITU-R RA Radio astronomy

Rec No.	Date	Title	observation	Status	MS Word	PDF
RA.1630	05-2003	Technical and operational characteristics of ground- based astronomy systems for use in sharing studies with active services between 10 THz and 1 000 THz		In force	Yes	Yes
RA.1631	05-2003	Reference radio astronomy antenna pattern to be used for compatibility analyses between non-GSO systems and radio astronomy service stations based on the epfd concept		In force	Yes	Yes
RA.1750	03-2006	Mutual planning between the Earth exploration- satellite service (active) and the radio astronomy service in the 94 GHz and 130 GHz bands		In force	Yes	Yes

Summary for series RA (13 detail records)

ITU-R RS Remote sensing systems

Red	c No.	Date	Title	observation	Status	MS Word	PDF
RS	S.515-4	05-2003	Frequency bands and bandwidths used for satellite passive sensing	Note - This Recommendation replaces Rec. ITU-R SA.515-4	In force	Yes	Yes
RS	5.516-1	03-1994	Feasibility of sharing between active sensors used on Earth exploration and meteorological satellites and the radiolocation service	Note - This Recommendation replaces Rec. ITU-R SA.516-1	In force	Yes	Yes
RS	5.577-6	03-2006	Frequency bands and required bandwidths used for spaceborne active sensors operating in the Earth exploration-satellite (active) and space research (active) services	Note - This Recommendation replaces Rec. ITU-R SA.577-6	In force	Yes	Yes

mercredi, 12. mars 2008 Page 109 of 161

ITU-R RS Remote sensing systems

Rec No.	Date	Title	observation	Status	MS Word	PDF
RS.1028-2	05-2003	Performance criteria for satellite passive remote sensing	Note - This Recommendation replaces Rec. ITU-R SA.1028 2	In force	Yes	Yes
RS.1029-2	05-2003	Interference criteria for satellite passive remote sensing	Note - This Recommendation replaces Rec. ITU-R SA.1029 2	In force	Yes	Yes
RS.1165-2	03-2006	Technical characteristics and performance criteria for systems in the meteorological aids service in the 403 MHz and 1 680 MHz bands		In force	Yes	Yes
RS.1166-3	03-2006	Performance and interference criteria for active spaceborne sensors		In force	Yes	Yes
RS.1259	06-1997	Feasibility of sharing between spaceborne passive sensors and the fixed service from 50 to 60 GHz	Note - This Recommendation replaces Rec. ITU-R SA.1259	In force	Yes	Yes
RS.1260-1	05-2003	Feasibility of sharing between active spaceborne sensors and other services in the range 420-470 MHz	Note - This Recommendation replaces Rec. ITU-R SA.1260-1	In force	Yes	Yes
RS.1261	06-1997	Feasibility of sharing between spaceborne cloud radars and other services in the range of 92-95 GHz	Note - This Recommendation replaces Rec. ITU-R SA.1261	In force	Yes	Yes

mercredi, 12. mars 2008 Page 110 of 161

ITU-R RS Remote sensing systems

Rec No.	Date	Title	observation	Status	MS Word	PDF
RS.1262	06-1997	Sharing and coordination criteria for meteorological aids in the 400.15-406 MHz and 1 668.4-1 700 MHz bands	Note - This Recommendation replaces Rec. ITU-R SA.1262	In force	Yes	Yes
RS.1263	06-1997	Interference criteria for meteorological aids operated in the 400.15-406 MHz and 1 668.4-1 700 MHz bands	Note - This Recommendation replaces Rec. ITU-R SA.1263	In force	Yes	Yes
RS.1264-	1 05-2003	Feasibility of frequency sharing between the meteorological aids service and the mobile-satellite service (Earth-to-space) in the 1 668.4-1 700 MHz band	Note - This Recommendation replaces Rec. ITU-R SA.1264-1	In force	Yes	Yes
RS.1279	10-1997	Spectrum sharing between spaceborne passive sensors and inter-satellite links in the range 50.2-59.3 GHz	Note - This Recommendation replaces Rec. ITU-R SA.1279	In force	Yes	Yes
RS.1280	10-1997	Selection of active spaceborne sensor emission characteristics to mitigate the potential for interference to terrestrial radars operating in frequency bands 1-10 GHz	Note - This Recommendation replaces Rec. ITU-R SA.1280	In force	Yes	Yes
RS.1281	10-1997	Protection of stations in the radiolocation service from emissions from active spaceborne sensors in the band 13.4-13.75 GHz	Note - This Recommendation replaces Rec. ITU-R SA.1281	In force	Yes	Yes
RS.1282	10-1997	Feasibility of sharing between wind profiler radars and active spaceborne sensors in the vicinity of 1 260 MHz	Note - This Recommendation replaces Rec. ITU-R SA.1282	In force	Yes	Yes
mercredi, 12. mars 200	18				Page 111	of 161

ITU-R RS Remote sensing systems

Rec No.	Date	Title	observation	Status	MS Word	PDF
RS.1346	02-1998	Sharing between the meteorological aids service and medical implant communication systems (MICS) operating in the mobile service in the frequency band 401-406 MHz	Note - This Recommendation replaces Rec. ITU-R SA.1346	In force	Yes	Yes
RS.1347	02-1998	Feasibility of sharing between radionavigation- satellite service receivers and the Earth exploration- satellite (active) and space research (active) services in the 1 215-1 260 MHz band	Note - This Recommendation replaces Rec. ITU-R SA.1347	In force	Yes	Yes
RS.1416	10-1999	Sharing between spaceborne passive sensors and the inter-satellite service operating near 118 and 183 GHz	Note - This Recommendation replaces Rec. ITU-R SA.1416	In force	Yes	Yes
RS.1449	05-2000	Feasibility of sharing between the FSS (space-to-Earth) and the Earth exploration-satellite (passive) and space research (passive) services in the band 18.6-18.8 GHz	Note - This Recommendation replaces Rec. ITU-R SA.1449	In force	Yes	Yes
RS.1624	05-2003	Sharing between the Earth exploration satellite (passive) and airborne altimeters in the aeronautical radionavigation service in the band 4 200-4 400 MHz	Note - This Recommendation replaces Rec. ITU-R SA.1624	In force	Yes	Yes
RS.1628	05-2003	Feasibility of sharing in the band 35.5 36 GHZ between the Earth exploration-satellite service (active) and space research service (active), and other services allocated in this band	Note - This Recommendation replaces Rec. ITU-R SA.1628	In force	Yes	Yes
RS.1632	06-2003	Sharing in the band 5 250-5 350 MHz between the Earth exploration-satellite service (active) and wireless access systems (including radio local area networks) in the mobile service	Note - This Recommendation replaces Rec. ITU-R SA.1632	In force	Yes	Yes
mercredi, 12. mars 200	8				Page 112	of 16

ITU-R RS Remote sensing systems

Rec No.	Date	Title	observation	Status	MS Word	PDF
RS.1744	03-2006	Technical and operational characteristics of ground-based meteorological aids systems operating in the frequency range 272-750 THz	Note - This Recommendation replaces Rec. ITU-R SA.1744	In force	Yes	Yes
RS.1745	03-2006	Use of the band 1 668.4 1 710 MHz by the meteorological aids service and meteorological-satellite service (space-to-Earth)	Note - Identical to Rec. UIT-R SA.1745	In force	Yes	Yes
RS.1749	03-2006	Mitigation technique to facilitate the use of the 1 215-1 300 MHz band by the Earth exploration-satellite service (active) and the space research service (active)	Note - This Recommendation replaces Rec. ITU-R SA.1749	In force	Yes	Yes
RS.1803	06-2007	Technical and operational characteristics for passive sensors in the Earth exploration-satellite (passive) service to facilitate sharing of the 10.6-10.68 GHz and 36-37 GHz bands with the fixed and mobile services		In force	Yes	Yes
RS.1804	06-2007	Technical and operational characteristics of Earth exploration-satellite service (EESS) systems operating above 3 000 GHz		In force	Yes	Yes

Summary for series RS (29 detail records)

ITU-R S Fixed-satellite service

Rec No.	Date	Title	observation	Status	MS Word	PDF
S.352-4	07-1982	Hypothetical reference circuit for systems using		In force	Yes	Yes
		analogue transmission in the fixed-satellite service				

mercredi, 12. mars 2008 Page 113 of 161

ITU-R S Fixed-satellite service

Rec No.	Date	Title	observation	Status	MS Word	PDF
S.353-8	09-1994	Allowable noise power in the hypothetical reference circuit for frequency-division multiplex telephony in the fixed-satellite service		In force	Yes	Yes
S.354-2	07-1974	Video bandwidth and permissible noise level in the hypothetical reference circuit for the fixed-satellite service		In force	Yes	Yes
S.446-4	04-1993	Carrier energy dispersal for systems employing angle modulation by analogue signals or digital modulation in the fixed-satellite service		In force	Yes	Yes
S.464-2	03-1992	Pre-emphasis characteristics for frequency- modulation systems for frequency-division multiplex telephony in the fixed-satellite service		In force	Yes	Yes
S.465-5	04-1993	Reference earth-station radiation pattern for use in coordination and interference assessment in the frequency range from 2 to about 30 GHz		In force	Yes	Yes
S.466-6	03-1992	Maximum permissible level of interference in a telephone channel of a geostationary-satellite network in the fixed-satellite service employing frequency modulation with frequency-division multiplex, caused by other networks of this service		In force	Yes	Yes
S.481-2	07-1986	Measurement of noise in actual traffic for systems in the fixed-satellite service for telephony using frequency-division multiplex		In force	Yes	Yes
S.482-2	07-1986	Measurement of performance by means of a signal of a uniform spectrum for systems using frequency- division multiplex telephony in the fixed-satellite service		In force	Yes	Yes

mercredi, 12. mars 2008 Page 114 of 161

ITU-R S Fixed-satellite service

	Rec No.	Date	Title	observation	Status	MS Word	PDF
S	S.483-3	05-1997	Maximum permissible level of interference in a television channel of a geostationary-satellite network in the fixed-satellite service employing frequency modulation, caused by other networks of this service		In force	Yes	Yes
S	S.484-3	03-1992	Station-keeping in longitude of geostationary satellites in the fixed-satellite service		In force	Yes	Yes
\$	S.521-4	01-2000	Hypothetical reference digital paths for systems using digital transmission in the fixed-satellite service		In force	Yes	Yes
2	S.522-5	09-1994	Allowable bit error ratios at the output of the hypothetical reference digital path for systems in the fixed-satellite service using pulse-code modulation for telephony		In force	Yes	Yes
2	S.523-4	03-1992	Maximum permissible levels of interference in a geostationary-satellite network in the fixed-satellite service using 8-bit PCM encoded telephony, caused by other networks of this service		In force	Yes	Yes
2	S.524-9	01-2006	Maximum permissible levels of off-axis e.i.r.p. density from earth stations in geostationary-satellite orbit networks operating in the fixed-satellite service transmitting in the 6 GHz, 13 GHz, 14 GHz and 30 GHz frequency bands		In force	Yes	Yes

mercredi, 12. mars 2008 Page 115 of 161

ITU-R S Fixed-satellite service

Rec No.	Date	Title	observation	Status	MS Word	PDF
S.579-6	04-2005	Availability objectives for a hypothetical reference circuits and hypothetical reference digital paths when used for telephony using pulse code modulation, or as part of an integrated services digital network hypothetical reference connection, in the fixed-satellite service operating below 15 GHz		In force	Yes	Yes
S.580-6	01-2004	Radiation diagrams for use as design objectives for antennas of earth stations operating with geostationary satellites		In force	Yes	Yes
S.614-4	02-2005	Allowable error performance for a satellite hypothetical reference digital path in the fixed-satellite service operating below 15 GHz when forming part of an international connection in an integrated services digital network		In force	Yes	Yes
S.670-1	03-1992	Flexibility in the positioning of satellites as a design objective		In force	Yes	Yes
S.671-3	09-1994	Necessary protection ratios for narrow-band single channel-per-carrier transmissions interfered with by analogue television carriers		In force	Yes	Yes
S.672-4	09-1997	Satellite antenna radiation pattern for use as a design objective in the fixed-satellite service employing geostationary satellites		In force	Yes	Yes
S.673-2	03-2002	Terms and definitions relating to space radiocommunications		In force	Yes	Yes
S.725	03-1992	Technical characteristics for very small aperture terminals (VSATs)		In force	Yes	Yes
		terminals (VSATs)				

mercredi, 12. mars 2008 Page 116 of 161

ITU-R S Fixed-satellite service

Red	c No.	Date	Title	observation	Status	MS Word	PDF
S.72	26-1	04-1993	Maximum permissible level of spurious emissions from very small aperture terminals (VSATs)		In force	Yes	Yes
S.72	27-2	01-2007	Cross-polarization isolation from very small aperture terminals (VSATs)		In force	Yes	Yes
S.72	28-1	10-1995	Maximum permissible level of off-axis e.i.r.p. density from very small aperture terminals (VSATs)		In force	Yes	Yes
S.72	29	03-1992	Control and monitoring function of very small aperture terminals (VSATs)		In force	Yes	Yes
S.73	30	03-1992	Compensation of the effects of switching discontinuities for voice band data and of doppler frequency-shifts in the fixed-satellite service		In force	Yes	Yes
S.7′.	31-1	04-2005	Reference earth-station cross-polarized radiation pattern for use in frequency coordination and interference assessment in the frequency range from 2 to about 30 GHz		In force	Yes	Yes
S.73	32	03-1992	Method for statistical processing of earth-station antenna side-lobe peaks		In force	Yes	Yes
S.73	33-2	01-2000	Determination of the G/T ratio for Earth stations operating in the fixed-satellite service		In force	Yes	Yes
S.73	34	03-1992	The application of interference cancellers in the fixed-satellite service		In force	Yes	Yes

mercredi, 12. mars 2008 Page 117 of 161

ITU-R S Fixed-satellite service

Rec No.	Date	Title	observation	Status	MS Word	PDF
S.735-1	04-1993	Maximum permissible levels of interference in a geostationary-satellite network for an HRDP when forming part of the ISDN in the fixed-satellite service caused by other networks of this service below 15 GHz		In force	Yes	Yes
S.736-3	05-1997	Estimation of polarization discrimination in calculations of interference between geostationary-satellite networks in the fixed-satellite service		In force	Yes	Yes
S.737	03-1992	Relationship of technical coordination methods within the fixed-satellite service		In force	Yes	Yes
S.738	03-1992	Procedure for determining if coordination is required between geostationary-satellite networks sharing the same frequency bands		In force	Yes	Yes
S.739	03-1992	Additional methods for determining if detailed coordination is necessary between geostationary-satellite networks in the fixed-satellite service sharing the same frequency bands		In force	Yes	Yes
S.740	03-1992	Technical coordination methods for fixed-satellite networks		In force	Yes	Yes
S.741-2	09-1994	Carrier-to-interference calculations between networks in the fixed- satellite service		In force	Yes	Yes
S.742-1	04-1993	Spectrum utilization methodologies		In force	Yes	Yes

mercredi, 12. mars 2008 Page 118 of 161

ITU-R S Fixed-satellite service

mercredi, 12. mars 2008

Rec No.	Date	Title	observation	Status	MS Word	PDF
S.743-1	09-1994	The coordination between satellite networks using slightly inclined geostationary-satellite orbits (GSOs) and between such networks and satellite networks using non-inclined GSO satellites		In force	Yes	Yes
S.744	03-1992	Orbit/spectrum improvement measures for satellite networks having more than one service in one or more frequency bands		In force	Yes	Yes
S.1001-1	01-2006	Use of systems in the fixed-satellite service in the event of natural disasters and similar emergencies for warning and relief operations		In force	Yes	Yes
S.1002	04-1993	Orbit management techniques for the fixed-satellite service		In force	Yes	Yes
S.1003-1	01-2004	Environmental protection of the geostationary-satellite orbit		In force	Yes	Yes
S.1061-1	01-2007	Utilization of fade countermeasure strategies and techniques in the fixed-satellite service		In force	Yes	Yes
S.1062-4	01-2007	Allowable error performance for a satellite hypothetical reference digital path operating below 15 GHz		In force	Yes	Yes
S.1063	09-1994	Criteria for sharing between BSS feeder links and other Earth-to-space or space-to-Earth links of the FSS		In force	Yes	Yes
S.1064-1	10-1995	Pointing accuracy as a design objective for earthward antennas on board geostationary satellites in the fixed-satellite service		In force	Yes	Yes

Page 119 of 161

ITU-R S Fixed-satellite service

Rec No.	Date	Title	observation	Status	MS Word	PDF
S.1065	09-1994	Power flux-density values to facilitate the application of RR Article 14 for the FSS in Region 2 in relation to the BSS in the band 11.7-12.2 GHz	Note - Suppressed on 27/04/06 (CACE/383)	Withdrawn	Yes	Yes
S.1066	09-1994	Ways of reducing the interference from the broadcasting-satellite service of one Region into the fixed-satellite service of another Region around 12 GHz	Note - Suppressed on 27/04/06 (CACE/383)	Withdrawn	Yes	Yes
S.1067	09-1994	Ways of reducing the interference from the broadcasting-satellite service into the fixed-satellite service in adjacent frequency bands around 12 GHz	Note - Suppressed on 27/04/06 (CACE/383)	Withdrawn	Yes	Yes
S.1068	09-1994	Fixed-satellite and radiolocation/radionavigation services sharing in the band 13.75-14 GHz		In force	Yes	Yes
S.1069	09-1994	Compatibility between the fixed-satellite service and the space science services in the band 13.75-14 GHz		In force	Yes	Yes
S.1149-2	2 02-2005	Network architecture and equipment functional aspects of digital satellite systems in the fixed-satellite service forming part of synchronous digital hierarchy transport networks		In force	Yes	Yes
S.1150	10-1995	Technical criteria to be used in examinations relating to the probability of harmful interference between frequency assignments in the fixed-satellite service as required in No. S11.32A.1 of the Radio Regulations		In force	Yes	Yes
S.1151	10-1995	Sharing between the inter-satellite service involving geostationary satellites in the fixed-satellite service and the radionavigation service at 33 GHz		In force	Yes	Yes
mercredi, 12. mars 20	08				Page 120	of 16

ITU-R S Fixed-satellite service

Rec No	. Date	Title	observation	Status	MS Word	PDF
S.1250	05-1997	Network management architecture for digital satellite systems forming part of SDH transport networks in the fixed-satellite service		In force	Yes	Yes
S.1251	07-1997	Network management - Performance management object class definitions for satellite systems network elements forming part of SDH transport networks in the fixed-satellite service		In force	Yes	Yes
S.1252	05-1997	Network management - Payload configuration object class definitions for satellite system network elements forming part of SDH transport networks in the fixed-satellite service		In force	Yes	Yes
S.1253	05-1997	Technical options to facilitate coordination of fixed- satellite service networks in certain orbital arc segments and frequency bands		In force	Yes	Yes
S.1254	05-1997	Best practices to facilitate the coordination process of fixed-satellite service satellite networks		In force	Yes	Yes
S.1255	05-1997	Use of adaptive uplink power control to mitigate codirectional interference between geostationary satellite orbit/fixed-satellite service (GSO/FSS) networks and feeder links of non-geostationary satellite orbit/mobile satellite service (non-GSO/MSS) networks and between GSO/FSS networks and non-GSO/FSS networks		In force	Yes	Yes

mercredi, 12. mars 2008 Page 121 of 161

ITU-R S Fixed-satellite service

Rec No.	Date	Title	observation	Status	MS Word	PDF
S.1256	05-1997	Methodology for determining the maximum aggregate power flux-density at the geostationary-satellite orbit in the band 6 700-7 075 MHz from feeder links of non-geostationary satellite systems in the mobile-satellite service in the space-to-Earth direction		In force	Yes	Yes
S.1257-3	03-2002	Analytical method to calculate short-term visibility and interference statistics for non-geostationary satellite orbit satellites as seen from a point on the Earth's surface		In force	Yes	Yes
S.1323-2	09-2002	Maximum permissible levels of interference in a satellite network (GSO/FSS; non-GSO/FSS; non-GSO/MSS feeder links) in the fixed-satellite service caused by other codirectional FSS networks below 30 GHz		In force	Yes	Yes
S.1324	09-1997	Analytical method for estimating interference between non-geostationary mobile-satellite feeder links and geostationary fixed-satellite networks operating co-frequency and codirectionally		In force	Yes	Yes
S.1325-3	10-2003	Simulation methodologies for determining statistics of short-term interference between co-frequency, codirectional non-geostationary-satellite orbit fixed-satellite service systems in circular orbits and other non-geostationary fixed-satellite service systems in circular orbits or geostationary-satellite orbit fixed-satellite service networks		In force	Yes	Yes

mercredi, 12. mars 2008 Page 122 of 161

ITU-R S Fixed-satellite service

Rec No.	Date	Title	observation	Status	MS Word	PDF
S.1326	09-1997	Feasibility of sharing between the inter-satellite service and the fixed-satellite service in the frequency band 50.4-51.4 GHz		In force	Yes	Yes
S.1327	09-1997	Requirements and suitable bands for operation of the inter-satellite service within the range 50.2-71 GHz		In force	Yes	Yes
S.1328-4	09-2002	Satellite system characteristics to be considered in frequency sharing analyses within the fixed-satellite service		In force	Yes	Yes
S.1329	09-1997	Frequency sharing of the bands 19.7-20.2 GHz and 29.5-30.0 GHz between systems in the mobile-satellite service and systems in the fixed-satellite service		In force	Yes	Yes
S.1339-1	11-1999	Sharing between spaceborne passive sensors of the Earth exploration-satellite service and inter-satellite links of geostationary-satellite networks in the range 54.25 to 59.3 GHz		In force	Yes	Yes
S.1340	10-1997	Sharing between feeder links for the mobile-satellite service and the aeronautical radionavigation service in the Earth-to-space direction in the band 15.4-15.7 GHz		In force	Yes	Yes
S.1341	10-1997	Sharing between feeder links for the mobile-satellite service and the aeronautical radionavigation service in the space-to-Earth direction in the band 15.4-15.7 GHz and the protection of the radio astronomy service in the band 15.35-15.4 GHz		In force	Yes	Yes

mercredi, 12. mars 2008 Page 123 of 161

ITU-R S Fixed-satellite service

Rec No.	Date	Title	observation	Status	MS Word	PDF
S.1342	10-1997	Method for determining coordination distances, in the 5 GHz band, between the international standard microwave landing system stations operating in the aeronautical radionavigation service and non- geostationary mobile-satellite service stations providing feeder uplink services		In force	Yes	Yes
S.1418	11-1999	Method for calculating single entry carrier-to- interference ratios for links in inter-satellite service using geostationary orbit		In force	Yes	Yes
S.1419	11-1999	Interference mitigation techniques to facilitate coordination between non-geostationary-satellite orbit mobile-satellite service feeder links and geostationary-satellite orbit fixed-satellite service networks in the bands 19.3-19.7 GHz and 29.1-29.5 GHz		In force	Yes	Yes
S.1420	11-1999	Performance for broadband integrated services digital network asynchronous transfer mode via satellite		In force	Yes	Yes
S.1424	01-2000	Availability objectives for a hypothetical reference digital path when used for the transmission of B-ISDN asynchronous transfer mode in the fixed-satellite service by geostationary orbit satellite systems using frequencies below 15 GHz		In force	Yes	Yes
S.1425	01-2000	Transmission considerations for digital carriers using higher levels of modulation on satellite circuits	S	In force	Yes	Yes

mercredi, 12. mars 2008 Page 124 of 161

ITU-R S Fixed-satellite service

Rec No.	Date	Title	observation	Status	MS Word	PDF
S.1426	01-2000	Aggregate power flux-density limits, at the FSS satellite orbit for radio local area network (RLAN) transmitters operating in the 5 150-5 250 MHz band sharing frequencies with the FSS (RR No. S5.447A)		In force	Yes	Yes
S.1427-1	01-2006	Methodology and criterion to assess interference from terrestrial wireless access system/radio local area network transmitters to non-geostationary- satellite orbit mobile-satellite service feeder links in the band 5 150-5 250 MHz		In force	Yes	Yes
S.1428-1	02-2001	Reference FSS earth-station radiation patterns for use in interference assessment involving non-GSO satellites in frequency bands between 10.7 GHz and 30 GHz		In force	Yes	Yes
S.1429	01-2000	Error performance objectives due to internetwork interference between GSO and non-GSO FSS systems for hypothetical reference digital paths operating at or above the primary rate carried by systems using frequencies below 15 GHz		In force	Yes	Yes
S.1430	01-2000	Determination of the coordination area for Earth stations operating with non-geostationary space stations with respect to Earth stations operating in the reverse direction in frequency bands allocated bidirectionally to the fixed-satellite service		In force	Yes	Yes
S.1431	01-2000	Methods to enhance sharing between non-GSO FSS systems (except MSS feeder links) in the frequency bands between 10-30 GHz		In force	Yes	Yes

mercredi, 12. mars 2008 Page 125 of 161

ITU-R S Fixed-satellite service

Rec No.	Date	Title	observation	Status	MS Word	PDF
S.1432-1	01-2006	Apportionment of the allowable error performance degradations to fixed-satellite service (FSS) hypothetical reference digital paths arising from time invariant interference for systems operating below 30 GHz		In force	Yes	Yes
S.1433	01-2000	Uplink and inter-satellite equivalent power flux- density radiated by non-GSO FSS Systems		In force	Yes	Yes
S.1503-1	04-2005	Functional description to be used in developing software tools for determining conformity of non-geostationary-satellite orbit fixed-satellite system networks with limits contained in Article 22 of the Radio Regulations		In force	Yes	Yes
S.1512	02-2001	Measurement procedure for determining non- geostationary satellite orbit satellite equivalent isotropically radiated power and antenna discrimination		In force	Yes	Yes
S.1521	06-2001	Allowable error performance for a hypothetical reference digital path based on synchronous digital hierarchy		In force	Yes	Yes
S.1522-1	02-2005	Impact of loss of synchronization recovery time on availability in hypothetical reference digital paths		In force	Yes	Yes
S.1523	06-2001	Methodology for performing parametric evaluation studies of interference sensitivity for geostationary- satellite orbit fixed-satellite service systems sharing spectrum in bands above 10 GHz		In force	Yes	Yes

mercredi, 12. mars 2008 Page 126 of 161

ITU-R S Fixed-satellite service

Rec No.	Date	Title	observation	Status	MS Word	PDF
S.1524	06-2001	Coordination identification between geostationary- satellite orbit fixed-satellite service networks		In force	Yes	Yes
S.1525-1	09-2002	Impact of interference from the Sun into a geostationary-satellite orbit fixed-satellite service link		In force	Yes	Yes
S.1526-1	09-2002	Methodology to assess the interference environment in relation to Nos. 9.12, 9.12A and 9.13 of the Radio Regulations when non-geostationary-satellite orbit fixed-satellite service systems are involved		In force	Yes	Yes
S.1527	06-2001	Procedure for the identification of non- geostationary-satellite orbit satellites causing interference into an operating geostationary-satellite orbit earth station		In force	Yes	Yes
S.1528	06-2001	Satellite antenna radiation patterns for non- geostationary orbit satellite antennas operating in the fixed-satellite service below 30 GHz		In force	Yes	Yes
S.1529	06-2001	Analytical method for determining the statistics of interference between non-geostationary-satellite orbit fixed-satellite service systems and other non-geostationary-satellite orbit fixed-satellite service systems or geostationary-satellite orbit fixed-satellite service networks		In force	Yes	Yes
S.1553	03-2002	A possible method to account for environmental and other effects on satellite antenna patterns		In force	Yes	Yes
S.1554	03-2002	Methodology for determining the overall accuracy of epfddown measurements		In force	Yes	Yes
mercredi, 12. mars 2008					Page 127	of 161

ITU-R S Fixed-satellite service

Rec No.	Date	Title	observation	Status	MS Word	PDF
S.1555	03-2002	Aggregate interference levels between closely spaced dual circularly and dual linearly polarized geostationary-satellite networks in the fixed-satellite service operating in the 6/4 GHz frequency bands		In force	Yes	Yes
S.1556	03-2002	Methodology to determine the epfddown level corresponding to the loss of synchronization in geostationary fixed satellite service networks caused by interference from non-geostationary-satellite systems		In force	Yes	Yes
S.1557	03-2002	Operational requirements and characteristics of fixed-satellite service systems operating in the 50/40 GHz bands for use in sharing studies between the fixed-satellite service and the fixed service		In force	Yes	Yes
S.1558	03-2002	Methodologies for measuring epfddown caused by a non-geostationary-satellite orbit space station to verify compliance with operational epfdown limits		In force	Yes	Yes
S.1559	03-2002	Methodology for computing the geographical distribution of maximum downlink equivalent power flux-density levels generated by nongeostationary fixed-satellite service systems using circular orbits		In force	Yes	Yes
S.1560	03-2002	Methodology for the calculation of the worst-case interference levels from a particular type of non-geostationary fixed-satellite service system using highly-elliptical orbits into geostationary fixed-satellite service satellite networks operating in the 4/6 GHz frequency bands		In force	Yes	Yes

mercredi, 12. mars 2008 Page 128 of 161

ITU-R S Fixed-satellite service

Rec No.	Date	Title	observation	Status	MS Word	PDF
S.1586-1	01-2007	Calculation of unwanted emission levels produced by a non geostationary fixed-satellite service system at radio astronomy sites		In force	Yes	Yes
S.1587-2	10-2007	Technical characteristics of earth stations on board vessels communicating with FSS satellites in the frequency bands 5 925-6 425 MHz and 14-14.5 GHz which are allocated to the fixed-satellite service		In force	Yes	Yes
S.1588	09-2002	Methodologies for calculating aggregate downlink equivalent power flux-density produced by multiple non-geostationary fixed-satellite service systems into a geostationary fixed-satellite service network		In force	Yes	Yes
S.1589	09-2002	Continuous curves of epfddown versus geostationary fixed-satellite service earth station antenna diameter and epfdup versus geostationary fixed-satellite service space station antenna beamwidth to indicate the protection afforded by systems complying with the limits to antennas with diameters other than those in Article 22 of the Radio Regulations		In force	Yes	Yes
S.1590	09-2002	Technical and operational characteristics of satellites operating in the range 20-375 THz		In force	Yes	Yes
S.1591	09-2002	Sharing of inter-satellite link bands around 23, 32.5 and 64.5 GHz between non-geostationary/geostationary inter-satellite links and geostationary/geostationary inter-satellite links		In force	Yes	Yes

mercredi, 12. mars 2008 Page 129 of 161

ITU-R S Fixed-satellite service

Date	Title	observation	Status	MS Word	PDF
09-2002	Methodology to assess compliance of non- geostationary fixed-satellite service satellite systems in circular orbits with the additional operational limits on downlink equivalent power flux-density in Article 22 of the Radio Regulations		In force	Yes	Yes
09-2002	Methodology for frequency sharing between certain types of homogeneous highly-elliptical orbit non-geostationary fixed-satellite service systems in the 4/6 GHz and 11/14 GHz frequency bands		In force	Yes	Yes
09-2002	Maximum emission levels and associated requirements of high density fixed-satellite service earth stations transmitting towards geostationary fixed-satellite service space stations in the 30 GHz range		In force	Yes	Yes
09-2002	Interference mitigation techniques to facilitate coordination between non-geostationary fixed-satellite service systems in highly elliptical orbit and non-geostationary fixed-satellite service systems in low and medium Earth orbit		In force	Yes	Yes
01-2004	Methodology to determine the worst-case interference among certain types of non-GSO FSS systems in situations where no in-line interference exists		In force	Yes	Yes
10-2003	Interference mitigation techniques and frequency sharing in the bands 37.5-42.5 GHz and 47.2-50.2 GHz between geostationary-satellite fixed-satellite service networks and non-geostationary-satellite fixed-satellite service systems		In force	Yes	Yes
	09-2002 09-2002 09-2002 01-2004	<ul> <li>Methodology to assess compliance of nongeostationary fixed-satellite service satellite systems in circular orbits with the additional operational limits on downlink equivalent power flux-density in Article 22 of the Radio Regulations</li> <li>Methodology for frequency sharing between certain types of homogeneous highly-elliptical orbit nongeostationary fixed-satellite service systems in the 4/6 GHz and 11/14 GHz frequency bands</li> <li>Maximum emission levels and associated requirements of high density fixed-satellite service earth stations transmitting towards geostationary fixed-satellite service space stations in the 30 GHz range</li> <li>Interference mitigation techniques to facilitate coordination between non-geostationary fixed-satellite service systems in highly elliptical orbit and non-geostationary fixed-satellite service systems in low and medium Earth orbit</li> <li>Methodology to determine the worst-case interference among certain types of non-GSO FSS systems in situations where no in-line interference exists</li> <li>Interference mitigation techniques and frequency sharing in the bands 37.5-42.5 GHz and 47.2-50.2 GHz between geostationary-satellite fixed-satellite service networks and non-geostationary-satellite</li> </ul>	09-2002 Methodology to assess compliance of nongeostationary fixed-satellite service satellite systems in circular orbits with the additional operational limits on downlink equivalent power flux-density in Article 22 of the Radio Regulations  09-2002 Methodology for frequency sharing between certain types of homogeneous highly-elliptical orbit nongeostationary fixed-satellite service systems in the 4/6 GHz and 11/14 GHz frequency bands  09-2002 Maximum emission levels and associated requirements of high density fixed-satellite service earth stations transmitting towards geostationary fixed-satellite service space stations in the 30 GHz range  09-2002 Interference mitigation techniques to facilitate coordination between non-geostationary fixed-satellite service systems in highly elliptical orbit and non-geostationary fixed-satellite service systems in highly elliptical orbit and non-geostationary fixed-satellite service systems in low and medium Earth orbit  01-2004 Methodology to determine the worst-case interference among certain types of non-GSO FSS systems in situations where no in-line interference exists  10-2003 Interference mitigation techniques and frequency sharing in the bands 37.5-42.5 GHz and 47.2-50.2 GHz between geostationary-satellite fixed-satellite service networks and non-geostationary-satellite	O9-2002 Methodology to assess compliance of non-geostationary fixed-satellite service satellite systems in circular orbits with the additional operational limits on downlink equivalent power flux-density in Article 22 of the Radio Regulations	09-2002 Methodology to assess compliance of nongeostationary fixed-satellite service satellite systems in circular orbits with the additional operational limits on downlink equivalent power flux-density in Article 22 of the Radio Regulations  09-2002 Methodology for frequency sharing between certain types of homogeneous highly-elliptical orbit nongeostationary fixed-satellite service systems in the 4/6 GHz and 11/14 GHz frequency bands  09-2002 Maximum emission levels and associated requirements of high density fixed-satellite service earth stations transmitting towards geostationary fixed-satellite service space stations in the 30 GHz range  09-2002 Interference mitigation techniques to facilitate coordination between non-geostationary fixed-satellite service systems in highly elliptical orbit and non-geostationary fixed-satellite service systems in low and medium Earth orbit  01-2004 Methodology to determine the worst-case interference among certain types of non-GSO FSS systems in situations where no in-line interference exists  10-2003 Interference mitigation techniques and frequency sharing in the bands 37.5-42.5 GHz and 47.2-50.2 GHz between geostationary-satellite fixed-satellite service networks and non-geostationary-satellite service networks and non-geostationary-satellite service networks and non-geostationary-satellite

mercredi, 12. mars 2008 Page 130 of 161

ITU-R S Fixed-satellite service

Rec No.		Title	observation	Status	MS Word	PDF
Rec No.	Date	Title	UDSEI VALIUII	Status	IVIO VVOITO	רטר
S.1656	01-2004	Outline of a software specification for automating the examination of satellite network filings for compliance with Article 5 of the Radio Regulations		In force	Yes	Yes
S.1672	01-2004	Guidelines to be used in the event of non- compliance with single-entry operational and/or additional operational limits in Section II of Article 22 of the Radio Regulations		In force	Yes	Yes
S.1673	01-2004	Methodologies for the calculation of the worst-case interference levels from non-geostationary fixed-satellite service systems using highly-elliptical orbits into geostationary fixed-satellite service satellite networks operating in the 10 to 30 GHz frequency bands		In force	Yes	Yes
S.1709-1	01-2007	Technical characteristics of air interfaces for global broadband satellite systems		In force	Yes	Yes
S.1711	04-2005	Performance enhancements of transmission control protocol over satellite networks		In force	Yes	Yes
S.1712	04-2005	Methodologies for determining whether an FSS earth station at a given location could transmit in the band 13.75-14 GHz without exceeding the pfd limits in No. 5.502 of the Radio Regulations, and guidelines to mitigate excesses		In force	Yes	Yes
S.1713-1	01-2007	Methodology to calculate the minimum separation angle at the Earth's surface between a non-geostationary HEO-type FSS satellite in its "active" arc and a geostationary satellite		In force	Yes	Yes

mercredi, 12. mars 2008 Page 131 of 161

ITU-R S Fixed-satellite service

i med butefilte bel vice							
Date	Title	observation	Status	MS Word	PDF		
04-2005	Static methodology for calculating epfddown to facilitate coordination of very large antennas under RR Nos. 9.7A and 9.7B		In force	Yes	Yes		
04-2005	Guidelines developed in response to the studies requested in Resolution 140 (WRC-03)		In force	Yes	Yes		
02-2005	Performance and availability objectives for fixed- satellite service telemetry, tracking and command systems		In force	Yes	Yes		
02-2005	Electronic data file format for earth station antenna patterns		In force	Yes	Yes		
02-2005	Power flux-density values in the band 11.7-12.7 GHz and associated calculation methodology which may be used when the power flux-density values in § 6 of Annex 1 to Appendix 30 of the Radio Regulations are exceeded		In force	Yes	Yes		
01-2006	Characterization of HEO-type systems in the fixed-satellite service		In force	Yes	Yes		
01-2006	Analysis of interference from HEO system space operation transmissions in FSS bands into GSO networks and corresponding guidelines to be used for designing and operating TT&C for HEO-type FSS system		In force	Yes	Yes		
01-2007	Characteristics of fixed-satellite service systems using wideband spreading signals		In force	Yes	Yes		
	04-2005 04-2005 02-2005 02-2005 01-2006 01-2006	Date Title  04-2005 Static methodology for calculating epfddown to facilitate coordination of very large antennas under RR Nos. 9.7A and 9.7B  04-2005 Guidelines developed in response to the studies requested in Resolution 140 (WRC-03)  02-2005 Performance and availability objectives for fixed-satellite service telemetry, tracking and command systems  02-2005 Electronic data file format for earth station antenna patterns  02-2005 Power flux-density values in the band 11.7-12.7 GHz and associated calculation methodology which may be used when the power flux-density values in § 6 of Annex 1 to Appendix 30 of the Radio Regulations are exceeded  01-2006 Characterization of HEO-type systems in the fixed-satellite service  01-2006 Analysis of interference from HEO system space operation transmissions in FSS bands into GSO networks and corresponding guidelines to be used for designing and operating TT&C for HEO-type FSS system  01-2007 Characteristics of fixed-satellite service systems	Date Title observation  04-2005 Static methodology for calculating epfddown to facilitate coordination of very large antennas under RR Nos. 9.7A and 9.7B  04-2005 Guidelines developed in response to the studies requested in Resolution 140 (WRC-03)  02-2005 Performance and availability objectives for fixed-satellite service telemetry, tracking and command systems  02-2005 Electronic data file format for earth station antenna patterns  02-2005 Power flux-density values in the band 11.7-12.7 GHz and associated calculation methodology which may be used when the power flux-density values in § 6 of Annex 1 to Appendix 30 of the Radio Regulations are exceeded  01-2006 Characterization of HEO-type systems in the fixed-satellite service  01-2006 Analysis of interference from HEO system space operation transmissions in FSS bands into GSO networks and corresponding guidelines to be used for designing and operating TT&C for HEO-type FSS system  01-2007 Characteristics of fixed-satellite service systems	Date         Title         observation         Status           04-2005         Static methodology for calculating epfddown to facilitate coordination of very large antennas under RR Nos. 9.7A and 9.7B         In force           04-2005         Guidelines developed in response to the studies requested in Resolution 140 (WRC-03)         In force           02-2005         Performance and availability objectives for fixed-satellite service telemetry, tracking and command systems         In force           02-2005         Electronic data file format for earth station antenna patterns         In force           02-2005         Power flux-density values in the band 11.7-12.7 GHz and associated calculation methodology which may be used when the power flux-density values in § 6 of Annex 1 to Appendix 30 of the Radio Regulations are exceeded         In force           01-2006         Characterization of HEO-type systems in the fixed-satellite service         In force           01-2006         Analysis of interference from HEO system space operation transmissions in FSS bands into GSO networks and corresponding guidelines to be used for designing and operating TT&C for HEO-type FSS system         In force           01-2007         Characteristics of fixed-satellite service systems         In force	Date         Title         observation         Status         MS Word           04-2005         Static methodology for calculating epfddown to facilitate coordination of very large antennas under RR Nos. 9.7A and 9.7B         In force         Yes           04-2005         Guidelines developed in response to the studies requested in Resolution 140 (WRC-03)         In force         Yes           02-2005         Performance and availability objectives for fixed-satellite service telemetry, tracking and command systems         In force         Yes           02-2005         Electronic data file format for earth station antenna patterns         In force         Yes           02-2005         Power flux-density values in the band 11.7-12.7 GHz and associated calculation methodology which may be used when the power flux-density values in § 6 of Annex 1 to Appendix 30 of the Radio Regulations are exceeded         In force         Yes           01-2006         Characterization of HEO-type systems in the fixed-satellite service         In force         Yes           01-2006         Analysis of interference from HEO system space operation transmissions in FSS bands into GSO networks and corresponding guidelines to be used for designing and operating TT&C for HEO-type FSS system         In force         Yes           01-2007         Characteristics of fixed-satellite service systems         In force         Yes		

mercredi, 12. mars 2008 Page 132 of 161

ITU-R S Fixed-satellite service

Rec No.	Date	Title	observation	Status	MS Word	PDF
S.1780	01-2007	Coordination between geostationary-satellite orbit fixed satellite service networks and broadcasting-satellite service networks in the band 17.3-17.8 GHz		In force	Yes	Yes
S.1781	01-2007	Possible methodology for frequency sharing between bidirectional geostationary fixed-satellite service networks comprising ubiquitously deployed earth stations		In force	Yes	Yes
S.1782	01-2007	Possibilities for global broadband Internet access by fixed-satellite service systems		In force	Yes	Yes
S.1783	01-2007	Technical and operational features characterizing high-density applications in the fixed-satellite service		In force	Yes	Yes

Summary for series S (139 detail records)

ITU-R SA Space applications and meteorology

Rec No.	Date	Title	observation	Status	MS Word	PDF
SA.362-2	07-1982	Frequencies technically suitable for meteorological satellites	Note - Withdrawn on 24/10/97 (RA-97)	Withdrawn	Yes	Yes
SA.363-5	03-1994	Space operation systems		In force	Yes	Yes
SA.364-5	03-1992	Preferred frequencies and bandwidths for manned and unmanned near-Earth research satellites		In force	Yes	Yes

mercredi, 12. mars 2008 Page 133 of 161

ITU-R SA Space applications and meteorology

Rec No.	Date	Title	observation	Status	MS Word	PDF
SA.509-2	02-1998	Space research earth station and radio astronomy reference antenna radiation pattern for use in interference calculations, including coordination procedures		In force	Yes	Yes
SA.510-2	10-1997	Feasibility of frequency sharing between the space research service and other services in bands near 14 and 15 GHz - Potential interference from data relay satellite systems		In force	Yes	Yes
SA.513-1	07-1986	Preferred frequency bands for spacecraft transmitters used as beacons	Note - Withdrawn on 24/10/97 (RA-97)	Withdrawn	Yes	Yes
SA.514-3	10-1997	Interference criteria for command and data transmission systems operating in the Earth exploration-satellite and meteorological-satellite services		In force	Yes	Yes
SA.578	07-1982	Protection criteria and sharing considerations relating to deep-space research	Note - Suppressed on 24/10/97 (RA-97)	Withdrawn	Yes	Yes
SA.609-2	03-2006	Protection criteria for radiocommunication links for manned and unmanned near-Earth research satellites		In force	Yes	Yes
SA.1012	03-1994	Preferred frequency bands for deep-space research in the 1-40 GHz range		In force	Yes	Yes
SA.1013	03-1994	Preferred frequency bands for deep-space research in the 40-120 GHz range		In force	Yes	Yes
SA.1014-1	03-2006	Telecommunication requirements for manned and unmanned deep-space research		In force	Yes	Yes

mercredi, 12. mars 2008 Page 134 of 161

ITU-R SA Space applications and meteorology

Rec No.	Date	Title	observation	Status	MS Word	PDF
SA.1015-1	06-2007	Bandwidth requirements for deep-space research		In force	Yes	Yes
SA.1016	03-1994	Sharing considerations relating to deep-space research		In force	Yes	Yes
SA.1017	03-1994	Preferred method for calculating link performance in the space research service		In force	Yes	Yes
SA.1018	03-1994	Hypothetical reference system for systems comprising data relay satellites in the geostationary orbit and user spacecraft in low Earth-orbits		In force	Yes	Yes
SA.1019	03-1994	Preferred frequency bands and transmission directions for data relay satellite systems		In force	Yes	Yes
SA.1020	03-1994	Hypothetical reference system for the Earth exploration-satellite and meteorological satellite services		In force	Yes	Yes
SA.1021	03-1994	Methodology for determining performance objectives for systems in the Earth exploration-satellite and meteorological-satellite services		In force	Yes	Yes
SA.1022-1	10-1999	Methodology for determining interference criteria for systems in the Earth exploration-satellite and meteorological-satellite services		In force	Yes	Yes
SA.1023	03-1994	Methodology for determining sharing and coordination criteria for systems in the Earth exploration-satellite and meteorological-satellite services		In force	Yes	Yes

mercredi, 12. mars 2008 Page 135 of 161

ITU-R SA Space applications and meteorology

Rec No.	Date	Title	observation	Status	MS Word	PDF
SA.1024-1	06-1997	Necessary bandwidths and preferred frequency bands for data transmission from Earth exploration satellites (not including meteorological satellites)		In force	Yes	Yes
SA.1025-3	10-1999	Performance criteria for space-to-Earth data transmission systems operating in the Earth exploration-satellite and meteorological-satellite services using satellites in low-Earth orbit		In force	Yes	Yes
SA.1026-3	10-1999	Interference criteria for space-to-Earth data transmission systems operating in the Earth exploration-satellite and meteorological-satellite services using satellites in low-Earth orbit		In force	Yes	Yes
SA.1027-3	10-1999	Sharing and coordination criteria for space-to-Earth data transmission systems in the Earth exploration-satellite and meteorological-satellite services using satellites in low-Earth orbit		In force	Yes	Yes
SA.1030	03-1994	Telecommunication requirements of satellite systems for geodesy and geodynamics		In force	Yes	Yes
SA.1071	07-1994	Use of the 13.75 to 14.0 GHz band by the space science services and the fixed satellite service		In force	Yes	Yes
SA.1154	10-1995	Provisions to protect the space research (SR), space operations (SO) and Earth exploration-satellite services (EESS) and to facilitate sharing with the mobile service in the 2 025-2 110 MHz and 2 200-2 290 MHz bands		In force	Yes	Yes
SA.1155	10-1995	Protection criteria related to the operation of data relay satellite systems		In force	Yes	Ye
edi, 12. mars 2008					Page 136	4

ITU-R SA Space applications and meteorology

Rec No.	Date	Title	observation	Status	MS Word	PDF
SA.1156	10-1995	Methods of calculating low-orbit satellite visibility statistics		In force	Yes	Yes
SA.1157-1	03-2006	Protection criteria for deep-space research		In force	Yes	Yes
SA.1158-3	05-2003	Feasibility of frequency sharing in the 1 670-1 710 MHz band between the meteorological-satellite service (space-to-Earth) and the mobile-satellite service (Earth-to-space)		In force	Yes	Yes
SA.1159-3	03-2006	Performance criteria for data dissemination, data collection and direct data readout systems in the Earth exploration-satellite service and meteorological-satellite service		In force	Yes	Yes
SA.1160-2	10-1999	Interference criteria for data dissemination and direct data readout systems in the earth exploration-satellite and meteorological-satellite services using satellites in the geostationary orbit		In force	Yes	Yes
SA.1161-1	10-1999	Sharing and coordination criteria for data dissemination and direct data readout systems in the Earth exploration-satellite and meteorological-satellite services using satellites in geostationary orbit		In force	Yes	Yes
SA.1162-2	05-2003	Performance criteria for service links in data collection and platform location systems in the Earth exploration- and meteorological-satellite services		In force	Yes	Yes

mercredi, 12. mars 2008 Page 137 of 161

ITU-R SA Space applications and meteorology

Rec No.	Date	Title	observation	Status	MS Word	PDF
SA.1163-2	10-1999	Interference criteria for service links in data collection systems in the Earth exploration-satellite and meteorological-satellite services		In force	Yes	Yes
SA.1164-2	10-1999	Sharing and coordination criteria for service links in data collection systems in the Earth exploration-satellite and meteorological-satellite services		In force	Yes	Yes
SA.1236	02-1997	Frequency sharing between space research service extra-vehicular activity (EVA) links and fixed and mobile service links in the 410-420 MHz band		In force	Yes	Yes
SA.1258-1	10-1999	Sharing of the frequency band 401-403 MHz between the meteorological-satellite service, Earth exploration-satellite service and meteorological Aids service		In force	Yes	Yes
SA.1273	10-1997	Power flux-density levels from the space research, space operation and Earth exploration-satellite services at the surface of the Earth required to protect the fixed service in the bands 2 025-2 110 MHz and 2 200-2 290 MHz		In force	Yes	Yes
SA.1274	10-1997	Criteria for data relay satellite networks to facilitate sharing with systems in the fixed service in the bands 2 025-2 110 MHz and 2 200-2 290 MHz		In force	Yes	Yes
SA.1275-1	05-2003	Orbital locations of data relay satellites to be protected from the emissions of fixed service systems operating in the band 2 200-2 290 MHz		In force	Yes	Yes
SA.1276-1	05-2003	Orbital locations of data relay satellites to be protected from the emissions of fixed service systems operating in the band 25.25-27.5 GHz		In force	Yes	Yes
redi, 12. mars 2008					Page 138	of 16

ITU-R SA Space applications and meteorology

Rec No.	Date	Title	observation	Status	MS Word	PDF
SA.1277	7 10-1997	Sharing in the 8 025-8 400 MHz frequency band between the Earth exploration-satellite service and the fixed, fixed-satellite, meteorological-satellite and mobile services in Regions 1, 2 and 3		In force	Yes	Yes
SA.1278	3 10-1997	Feasibility of sharing between the Earth exploration- satellite service (space-to-Earth) and the fixed, inter- satellite, and mobile services in the band 25.5- 27.0 GHz		In force	Yes	Yes
SA.1344	02-1998	Preferred frequency bands and bandwidths for the transmission of space VLBI data		In force	Yes	Yes
SA.1345	02-1998	Methods for predicting radiation patterns of large antennas used for space research and radio astronomy		In force	Yes	Yes
SA.1396	04-1999	Protection criteria for the space research service in the 37-38 and 40-40.5 GHz bands		In force	Yes	Yes
SA.1414	10-1999	Characteristics of data relay satellite systems		In force	Yes	Yes
SA.1415	10-1999	Sharing between inter-satellite service systems in the frequency band 25.25-27.5 GHz		In force	Yes	Yes
SA.1625	05-2003	Feasibility of sharing between the space research service (space-to-Earth) and the fixed, intersatellite, and mobile services in the band 25.5-27 GHz		In force	Yes	Yes

mercredi, 12. mars 2008 Page 139 of 161

ITU-R SA Space applications and meteorology

Rec No.	Date	Title	observation	Status	MS Word	PDF
SA.1626	05-2003	Feasibility of sharing between the space research service (space-to-Earth) and the fixed and mobile services in the band 14.8-15.35 GHz		In force	Yes	Yes
SA.1627	05-2003	Telecommunication requirements and characteristics of EESS and MetSat service systems for data collection and platform location		In force	Yes	Yes
SA.1629	05-2003	Sharing between command links in the space research and space operation services with the fixed, mobile and mobile-satellite services in the frequency band 257-262 MHz		In force	Yes	Yes
SA.1742	03-2006	Technical and operational characteristics of interplanetary and deep-space systems operating in the space-to-Earth direction around 283 THz		In force	Yes	Yes
SA.1743	03-2006	Maximum allowable degradation to radiocommunication links of the space research and space operation services arising from interference from emissions and radiations from other radio sources		In force	Yes	Yes
SA.1745	03-2006	Use of the band 1 668.4 1 710 MHz by the meteorological aids service and meteorological-satellite service (space-to-Earth)	Note - Identical to Rec. UIT-R RS.1745	In force	Yes	Yes
SA.1805	06-2007	Technical and operational characteristics of space- to-space telecommunication systems operating around 354 THz and 366 THz		In force	Yes	Yes
SA.1807	06-2007	System characteristics and interference criteria for meteorological satellite systems operating around 18 GHz		In force	Yes	Yes

mercredi, 12. mars 2008 Page 140 of 161

ITU-R SA Space applications and meteorology

Rec No.	Date	Title	observation	Status	MS Word	PDF
SA.1810	06-2007	System design guidelines for Earth exploration- satellites operating in the band 8 025-8 400 MHz		In force	Yes	Yes
SA.1811	06-2007	Reference antenna patterns of large-aperture space research service earth stations to be used for compatibility analyses involving a large number of distributed interference entries in the bands 31.8-32.3 GHz and 37.0-38.0 GHz		In force	Yes	Yes

Summary for series SA (62 detail records)

ITU-R SF Frequency sharing and coordination between fixed-satellite and fixed service systems

In force	Yes	Yes
In force		
in force	Yes	Yes
In force	Yes	Yes
In force	Yes	Yes

ITU-R SF Frequency sharing and coordination between fixed-satellite and fixed service systems

Rec No.	Date	Title	observation	Status	MS Word	PDF
SF.406-8	04-1993	Maximum equivalent isotropically radiated power of radio-relay system transmitters operating in the frequency bands shared with the fixed-satellite service		In force	Yes	Yes
SF.558-2	07-1986	Maximum allowable values of interference from terrestrial radio links to systems in the fixed-satellite service employing 8-bit PCM encoded telephony and sharing the same frequency bands		In force	Yes	Yes
SF.615-1	05-1997	Maximum allowable values of interference from the fixed-satellite service into terrestrial radio-relay systems which may form part of an ISDN and share the same frequency band below 15 GHz	Note - Withdrawn on 07/02/03 (CACE/281) - This Recommendation has been replaced by Rec. ITU-R F.1565	Withdrawn	Yes	Yes
SF.674-2	05-2002	Determination of the impact on the fixed service operating in the 11.7-12.2 GHz band when geostationary fixed-satellite service networks in Region 2 exceed power flux-density thresholds in Resolution 77 (WRC-2000)		In force	Yes	Yes
SF.675-3	08-1994	Calculation of the maximum power density (averaged over 4 kHz) of an angle-modulated carrier		In force	Yes	Yes
SF.765-1	02-2003	Intersection of radio-relay antenna beams with orbits used by space stations in the fixed-satellite service		In force	Yes	Yes

mercredi, 12. mars 2008 Page 142 of 161

ITU-R SF Frequency sharing and coordination between fixed-satellite and fixed service systems

Rec No.	Date	Title	observation	Status	MS Word	PDF
SF.766	03-1992	Methods for determining the effects of interference on the performance and the availability of terrestrial radio-relay systems and systems in the fixed- satellite service		In force	Yes	Yes
SF.1004	04-1993	Maximum equivalent isotropically radiated power transmitted towards the horizon by earth stations of the fixed-satellite service sharing frequency bands with the fixed service		In force	Yes	Yes
SF.1005	04-1993	Sharing between the fixed service and the fixed- satellite service with bidirectional usage in bands above 10 GHz currently unidirectionally allocated		In force	Yes	Yes
SF.1006	04-1993	Determination of the interference potential between earth stations of the fixed-satellite service and stations in the fixed service		In force	Yes	Yes
SF.1008-1	10-1995	Possible use by space stations in the fixed-satellite service of orbits slightly inclined with respect to the geostationary-satellite orbit in bands shared with the fixed service		In force	Yes	Yes
SF.1193	10-1995	Carrier-to-interference calculations between earth stations in the fixed-satellite service and radio-relay systems		In force	Yes	Yes
SF.1320	08-1997	Maximum allowable values of power flux-density at the surface of the Earth produced by non- geostationary satellites in the fixed-satellite service used in feeder links for the mobile-satellite service and sharing the same frequency bands with radio- relay systems		In force	Yes	Yes

mercredi, 12. mars 2008 Page 143 of 161

ITU-R SF Frequency sharing and coordination between fixed-satellite and fixed service systems

IIC-K SI	r requenc	sharing and coordination between fixed-satelite and fixed service systems					
Rec No.	. Date	Title	observation	Status	MS Word	PDF	
SF.1395	03-1999	Minimum propagation attenuation due to atmospheric gases for use in frequency sharing studies between the fixed-satellite service and the fixed service		In force	Yes	Yes	
SF.1481	-1 02-2002	Frequency sharing between systems in the fixed service using high-altitude platform stations and satellite systems in the geostationary orbit in the fixed-satellite service in the bands 47.2-47.5 and 47.9-48.2 GHz		In force	Yes	Yes	
SF.1482	05-2000	Maximum allowable values of power flux-density (pfd) produced at the Earth's surface by non-GSO satellites in the fixed-satellite service (FSS) operating in the 10.7-12.75 GHz band		In force	Yes	Yes	
SF.1483	05-2000	Maximum allowable values of power flux-density (pfd) produced at the Earth's surface by non-GSO satellites in the fixed-satellite service (FSS) operating in the 17.7-19.3 GHz band		In force	Yes	Yes	
SF.1484	-1 05-2002	Maximum allowable values of power flux-density at the surface of the Earth produced by non- geostationary satellites in the fixed-satellite service operating in the 37.5-42.5 GHz band to protect the fixed service		In force	Yes	Yes	
SF.1485	05-2000	Determination of the coordination area for earth stations operating with non-geostationary space stations in the fixed-satellite service in frequency bands shared with the fixed service		In force	Yes	Yes	

mercredi, 12. mars 2008 Page 144 of 161

ITU-R SF Frequency sharing and coordination between fixed-satellite and fixed service systems

Rec No.	Date	Title	observation	Status	MS Word	PDF
SF.1486	05-2000	Sharing methodology between fixed wireless access systems in the fixed service and very small aperture terminals in the fixed-satellite service in the 3 400-3 700 MHz band		In force	Yes	Yes
SF.1572	05-2002	Methodology to evaluate the impact of space-to- Earth interference from the fixed-satellite service to the fixed service in frequency bands where precipitation is the predominant fade mechanism		In force	Yes	Yes
SF.1573	05-2002	Maximum allowable values of power flux-density at the surface of the Earth by geostationary satellites in the fixed-satellite service operating in the 37.5-42.5 GHz band to protect the fixed service		In force	Yes	Yes
SF.1585	09-2002	Example approach for determination of the composite area within which interference to fixed service stations from earth stations on board vessels when operating in motion near a coastline would need to be evaluated		In force	Yes	Yes
SF.1601-2	02-2007	Methodologies for interference evaluation from the downlink of the fixed service using high altitude platform stations to the uplink of the fixed-satellite service using the geostationary satellites within the band 27.5-28.35 GHz		In force	Yes	Yes
SF.1602	02-2003	Methodology for determining power flux-density statistics for use in sharing studies between fixed wireless systems and multiple fixed-satellite service satellites		In force	Yes	Yes

mercredi, 12. mars 2008 Page 145 of 161

ITU-R SF Frequency sharing and coordination between fixed-satellite and fixed service systems

Rec No.	Date	Title	observation	Status	MS Word	PDF
SF.1648	06-2003	Use of frequencies by earth stations on board vessels transmitting in certain bands allocated to the fixed-satellite service		In force	Yes	Yes
SF.1649	06-2003	Guidance for determination of interference from earth stations on board vessels to stations in the fixed service when the earth station on board vessels is within the minimum distance		In force	Yes	Yes
SF.1650-1	02-2005	The minimum distance from the baseline beyond which in-motion earth stations located on board vessels would not cause unacceptable interference to the terrestrial service in the bands 5 925-6 425 MHz and 14-14.5 GHz		In force	Yes	Yes
SF.1707	04-2005	Methods to facilitate the implementation of large numbers of earth stations in the FSS in areas where terrestrial services are also deployed		In force	Yes	Yes
SF.1719	02-2005	Sharing between point-to-point and point-to-multipoint fixed service and transmitting earth stations of GSO and non-GSO FSS systems in the 27.5-29.5 GHz band		In force	Yes	Yes
SF.1843	10-2007	Methodology for determining the power level for high altitude platform stations ground terminals to facilitate sharing with space station receivers in the bands 47.2-47.5 GHz and 47.9-48.2 GHz		In force	Yes	Yes

Summary for series SF (35 detail records)

## ITU-R SM Spectrum management

Rec No. Date Title observation Status	MS Word PDF

mercredi, 12. mars 2008 Page 146 of 161

ITU-R SM Spectrum management

Rec No.	Date	Title	observation	Status	MS Word	PDF
SM.182-5	02-2007	Automatic monitoring of occupancy of the radio-frequency spectrum		In force	Yes	Yes
SM.239-2	07-1978	Spurious emissions from sound and television broadcast receivers	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
SM.326-7	11-1998	Determination and measurement of the power of amplitude-modulated radio transmitters		In force	Yes	Yes
SM.328-11	05-2006	Spectra and bandwidth of emissions		In force	Yes	Yes
SM.329-10	02-2003	Unwanted emissions in the spurious domain		In force	Yes	Yes
SM.331-4	07-1978	Noise and sensitivity of receivers		In force	Yes	Yes
SM.332-4	07-1978	Selectivity of receivers		In force	Yes	Yes
SM.337-5	02-2007	Frequency and distance separations		In force	Yes	Yes
SM.377-4	02-2007	Accuracy of frequency measurements at stations for international monitoring		In force	Yes	Yes
SM.378-7	02-2007	Field-strength measurements at monitoring stations		In force	Yes	Yes

mercredi, 12. mars 2008 Page 147 of 161

ITU-R SM Spectrum management

Rec No.	Date	Title	observation	Status	MS Word	PDF
SM.433-5	03-1992	Methods for the measurement of radio interference and the determination of tolerable levels of interference	Note - Suppressed on 06/06/03 (RA-03)	Withdrawn	Yes	Yes
SM.443-4	02-2007	Bandwidth measurement at monitoring stations		In force	Yes	Yes
SM.508	07-1978	Use of radio-noise data in spectrum utilization studies	Note - Suppressed on 24/10/97 (RA-97)	Withdrawn	Yes	Yes
SM.575-1	02-2007	Protection of fixed monitoring stations against interference		In force	Yes	Yes
SM.667	06-1990	National spectrum management data		In force	Yes	Yes
SM.668-1	03-1997	Electronic exchange of information for spectrum management purposes		In force	Yes	Yes
SM.669-1	07-1994	Protection ratios for spectrum sharing investigations	Note – Suppressed on 02/06/2006 (CACE/389)	Withdrawn	Yes	Yes
SM.851-1	04-1993	Sharing between the broadcasting service and the fixed and/or mobile services in the VHF and UHF bands	Note - This Recommendation replaces Rec. ITU-R IS.851	In force	Yes	Yes
SM.852	03-1992	Sensitivity of radio receivers for class of emissions F3E		In force	Yes	Yes

mercredi, 12. mars 2008 Page 148 of 161

ITU-R SM Spectrum management

Re	c No.	Date	Title	observation	Status	MS Word	PDF
SM	1.853-1	10-1997	Necessary bandwidth		In force	Yes	Yes
SM	1.854-2	02-2007	Direction finding and location determination at monitoring stations		In force	Yes	Yes
SM	1.855-1	10-1997	Multi-service telecommunication systems		In force	Yes	Yes
SM	1.856-1	03-1997	New spectrally efficient techniques and systems		In force	Yes	Yes
SM	1.1009-1	10-1995	Compatibility between the sound-broadcasting service in the band of about 87-108 MHz and the aeronautical services in the band 108-137 MHz	Note - This Recommendation replaces Rec. ITU-R IS.1009	In force	Yes	Yes
SM	1.1045-1	07-1997	Frequency tolerance of transmitters		In force	Yes	Yes
SM	1.1046-2	05-2006	Definition of spectrum use and efficiency of a radio system		In force	Yes	Yes
SM	1.1047-1	07-2001	National spectrum management		In force	Yes	Yes
SM	1.1048	07-1994	Design guidelines for a basic automated spectrum management system (BASMS)		In force	Yes	Yes
SM	И.1049-1	10-1995	A method of spectrum management to be used for aiding frequency assignment for terrestrial services in border areas		In force	Yes	Yes
mercredi, 12. ma	ars 2008					Page 149	of 161

ITU-R SM Spectrum management

110 11	DIVI D	peeti aiii	munugement				
	Rec No.	Date	Title	observation	Status	MS Word	PDF
	SM.1050-2	01-2004	Tasks of a monitoring service		In force	Yes	Yes
	SM.1051-2	07-1997	Priority of identifying and eliminating harmful interference in the band 406-406.1 MHz		In force	Yes	Yes
	SM.1052	07-1994	Automatic identification of radio stations		In force	Yes	Yes
	SM.1053	07-1994	Methods of improving HF direction-finding accuracy at fixed stations	Note - Suppressed on 06/03/07 (CACE/418)	Withdrawn	Yes	Yes
	SM.1054	07-1994	Monitoring of radio emissions from spacecraft at monitoring stations		In force	Yes	Yes
	SM.1055	07-1994	The use of spread spectrum techniques		In force	Yes	Yes
	SM.1056-1	04-2007	Limitation of radiation from industrial, scientific and medical (ISM) equipment		In force	Yes	Yes
	SM.1131	10-1995	Factors to consider in allocating spectrum on a worldwide basis		In force	Yes	Yes
	SM.1132-2	07-2001	General principles and methods for sharing between radiocommunication services or between radio stations		In force	Yes	Yes
	SM.1133	10-1995	Spectrum utilization of broadly defined services		In force	Yes	Yes

mercredi, 12. mars 2008 Page 150 of 161

ITU-R SM Spectrum management

Rec No.	Date	Title	observation	Status	MS Word	PDF
SM.1134-1	02-2007	Intermodulation interference calculations in the land-mobile service		In force	Yes	Yes
SM.1135	10-1995	SINPO and SINPFEMO codes		In force	Yes	Yes
SM.1138-1	02-2007	Determination of necessary bandwidths including examples for their calculation and associated examples for the designation of emissions		In force	Yes	Yes
SM.1139	10-1995	International monitoring system		In force	Yes	Yes
SM.1140	10-1995	Test procedures for measuring aeronautical receiver characteristics used for determining compatibility between the sound-broadcasting service in the band of about 87-108 MHz and the aeronautical services in the band 108-118 MHz		In force	Yes	Yes
SM.1235	03-1997	Performance functions for digital modulation systems in an interference environment		In force	Yes	Yes
SM.1265-1	07-2001	National alternative allocation methods		In force	Yes	Yes
SM.1266	07-1997	Adaptive MF/HF systems		In force	Yes	Yes
SM.1267	07-1997	Collection and publication of monitoring data to assist frequency assignment for geostationary satellite systems		In force	Yes	Yes

mercredi, 12. mars 2008 Page 151 of 161

ITU-R SM Spectrum management

		Title	observation	Status	MS Word	PUF
SM.1268-1	01-1999	Method of measuring the maximum frequency deviation of FM broadcast emissions at monitoring stations		In force	Yes	Yes
SM.1269	07-1997	Classification of direction finding bearings	Note - Suppressed on 06/03/07 (CACE/418)	Withdrawn	Yes	Yes
SM.1270	07-1997	Additional information for monitoring purposes related to classification and designation of emission		In force	Yes	Yes
SM.1271	10-1997	Efficient spectrum utilization using probabilistic methods		In force	Yes	Yes
SM.1370-1	07-2001	Design guidelines for developing advanced automated spectrum management systems		In force	Yes	Yes
SM.1392-1	04-2000	Essential requirements for a spectrum monitoring station for developing countries		In force	Yes	Yes
SM.1393	01-1999	Common formats for the exchange of information between monitoring stations		In force	Yes	Yes
SM.1394	01-1999	Common format for Memorandum of Understanding between the agreeing countries regarding cooperation in spectrum monitoring matters		In force	Yes	Yes
SM.1413-2	06-2005	Radiocommunication Data Dictionary for notification and coordination purposes		In force	Yes	Yes

mercredi, 12. mars 2008 Page 152 of 161

ITU-R SM Spectrum management

Rec No.	Date	Title	observation	Status	MS Word	PDF
SM.1446	04-2000	Definition and measurement of intermodulation products in transmitter using frequency, phase, or complex modulation techniques		In force	Yes	Yes
SM.1447	04-2000	Monitoring of the radio coverage of land mobile networks to verify compliance with a given licence		In force	Yes	Yes
SM.1448 C	05-2000	Corrigendum to Rec. ITU-R.SM.1448		In force	Yes	Yes
SM.1448	05-2000	Determination of the coordination area around an earth station in the frequency bands between 100 MHz and 105 GHz		In force	Yes	Yes
SM.1535	07-2001	The protection of safety services from unwanted emissions		In force	Yes	Yes
SM.1536	07-2001	Frequency channel occupancy measurements		In force	Yes	Yes
SM.1537	07-2001	Automation and integration of spectrum monitoring systems with automated spectrum management		In force	Yes	Yes
SM.1538-2	05-2006	Technical and operating parameters and spectrum requirements for short range radiocommunication devices		In force	Yes	Yes
SM.1539-1	11-2002	Variation of the boundary between the out-of-band and spurious domains required for the application of Recommendations ITU-R SM.1541 and ITU-R SM.329		In force	Yes	Yes

mercredi, 12. mars 2008 Page 153 of 161

ITU-R SM Spectrum management

SM.1540       07-2001       Unwanted emissions in the out-of-band domain falling into adjacent allocated bands       In force         SM.1541-2       05-2006       Unwanted emissions in the out-of-band domain       In force         SM.1542       07-2001       The protection of passive services from unwanted emissions       In force         SM.1598       10-2002       Methods of radio direction finding and location on time division multiple access signals       In force         SM.1599-1       02-2007       Determination of the geographical and frequency distribution of the spectrum utilization factor for frequency planning purposes       In force         SM.1600       11-2002       Technical identification of digital signals       In force         SM.1603       02-2003       Spectrum redeployment as a method of national spectrum management       In force         SM.1631       06-2003       Guidelines for an upgraded spectrum management system for developing countries       In force         SM.1681       05-2004       Compatibility analysis between a passive service and an active service allocated in adjacent and nearby bands       In force         SM.1681       05-2004       Measuring of low-level emissions from space stations at monitoring earth stations using noise       In force	MS Word	I PDF
SM.1542       07-2001       The protection of passive services from unwanted emissions       In force emissions         SM.1598       10-2002       Methods of radio direction finding and location on time division multiple access and code division multiple access signals       In force         SM.1599-1       02-2007       Determination of the geographical and frequency distribution of the spectrum utilization factor for frequency planning purposes       In force         SM.1600       11-2002       Technical identification of digital signals       In force         SM.1603       02-2003       Spectrum redeployment as a method of national spectrum management       In force         SM.1604       02-2003       Guidelines for an upgraded spectrum management system for developing countries       In force         SM.1633       06-2003       Compatibility analysis between a passive service and an active service allocated in adjacent and nearby bands       In force         SM.1681       05-2004       Measuring of low-level emissions from space       In force	Yes	Yes
sm.1598 10-2002 Methods of radio direction finding and location on time division multiple access and code division multiple access signals  Sm.1599-1 02-2007 Determination of the geographical and frequency distribution of the spectrum utilization factor for frequency planning purposes  Sm.1600 11-2002 Technical identification of digital signals In force  Sm.1603 02-2003 Spectrum redeployment as a method of national spectrum management  Sm.1604 02-2003 Guidelines for an upgraded spectrum management In force system for developing countries  Sm.1633 06-2003 Compatibility analysis between a passive service and an active service allocated in adjacent and nearby bands  Sm.1681 05-2004 Measuring of low-level emissions from space In force	Yes	Yes
time division multiple access and code division multiple access signals  SM.1599-1 02-2007 Determination of the geographical and frequency distribution of the spectrum utilization factor for frequency planning purposes  SM.1600 11-2002 Technical identification of digital signals  In force  SM.1603 02-2003 Spectrum redeployment as a method of national spectrum management  SM.1604 02-2003 Guidelines for an upgraded spectrum management  SM.1604 02-2003 Compatibility analysis between a passive service and an active service allocated in adjacent and nearby bands  SM.1681 05-2004 Measuring of low-level emissions from space  In force	Yes	Yes
distribution of the spectrum utilization factor for frequency planning purposes  SM.1600 11-2002 Technical identification of digital signals  In force  SM.1603 02-2003 Spectrum redeployment as a method of national spectrum management  SM.1604 02-2003 Guidelines for an upgraded spectrum management In force system for developing countries  SM.1633 06-2003 Compatibility analysis between a passive service and an active service allocated in adjacent and nearby bands  SM.1681 05-2004 Measuring of low-level emissions from space In force	Yes	Yes
SM.1603 02-2003 Spectrum redeployment as a method of national In force  SM.1604 02-2003 Guidelines for an upgraded spectrum management In force  SM.1633 06-2003 Compatibility analysis between a passive service and an active service allocated in adjacent and nearby bands  SM.1681 05-2004 Measuring of low-level emissions from space In force	Yes	Yes
SM.1604 02-2003 Guidelines for an upgraded spectrum management In force system for developing countries  SM.1633 06-2003 Compatibility analysis between a passive service and an active service allocated in adjacent and nearby bands  SM.1681 05-2004 Measuring of low-level emissions from space In force	Yes	Yes
SM.1633 06-2003 Compatibility analysis between a passive service and an active service allocated in adjacent and nearby bands  SM.1681 05-2004 Measuring of low-level emissions from space In force	Yes	Yes
and an active service allocated in adjacent and nearby bands  SM.1681 05-2004 Measuring of low-level emissions from space In force	Yes	Yes
	Yes	Yes
reduction techniques	Yes	Yes
mercredi, 12. mars 2008	Page 154	4 of 161

ITU-R SM Spectrum management

Rec No.	Date	Title	observation	Status	MS Word	PDF
SM.1682	05-2004	Methods for measurements on digital broadcasting signals		In force	Yes	Yes
SM.1708	04-2005	Field-strength measurements along a route with geographical coordinate registrations		In force	Yes	Yes
SM.1723	01-2005	Automated mobile spectrum monitoring unit		In force	Yes	Yes
SM.1751	05-2006	An additional methodology for the evaluation of the effect of interference between radiocommunication networks operating in a shared frequency band		In force	Yes	Yes
SM.1752	05-2006	Limits for unwanted emissions under free-space condition		In force	Yes	Yes
SM.1753	05-2006	Method for measurements of radio noise		In force	Yes	Yes
SM.1754	05-2006	Measurement techniques of ultra-wideband transmissions		In force	Yes	Yes
SM.1755	05-2006	Characteristics of ultra-wideband technology		In force	Yes	Yes
SM.1756	05-2006	Framework for the introduction of devices using ultra-wideband technology		In force	Yes	Yes
SM.1757	05-2006	Impact of devices using ultra-wideband technology on systems operating within radiocommunication services		In force	Yes	Yes

mercredi, 12. mars 2008 Page 155 of 161

ITU-R SM Spectrum management

Rec No.	Date	Title	observation	Status	MS Word	PDF
SM.1792	02-2007	Measuring sideband emissions of T-DAB and DVB-T transmitters for monitoring purposes		In force	Yes	Yes
SM.1793	02-2007	Measuring frequency channel occupancy using the technique used for frequency band measurement		In force	Yes	Yes
SM.1794	02-2007	Wideband instantaneous bandwidth spectrum monitoring systems		In force	Yes	Yes
SM.1809	04-2007	Standard data exchange format for frequency band registrations and measurements at monitoring stations		In force	Yes	Yes

Summary for series SM (90 detail records)

## ITU-R SNG Satellite news gathering

Rec No.	Date	Title	observation	Status	MS Word	PDF
SNG.722-1	03-1992	Uniform technical standards (analogue) for satellite news gathering (SNG)		In force	Yes	Yes
SNG.770-1	09-1994	Uniform operational procedures for satellite news gathering (SNG)		In force	Yes	Yes
SNG.771-1	04-1993	Auxiliary coordination satellite circuits for SNG terminals		In force	Yes	Yes
SNG.1007-	10-1995	Uniform technical standards (digital) for satellite news gathering (SNG)		In force	Yes	Yes

mercredi, 12. mars 2008 Page 156 of 161

ITU-R SNG Satellite news gathering

Rec No.	Date	Title	observation	Status	MS Word	PDF
SNG.1070	09-1994	An automatic transmitter identification system (ATIS) for analogue-modulation transmissions for satellite news gathering and outside broadcasts		In force	Yes	Yes
SNG.1152	10-1995	Use of digital transmission techniques for Satellite News Gathering (SNG) (sound)		In force	Yes	Yes
SNG.1421	11-1999	Common operating parameters to ensure interoperability for transmission of digital television news gathering		In force	Yes	Yes
SNG.1561	03-2002	Digital transmission of high-definition television for satellite news gathering and outside broadcasting		In force	Yes	Yes
SNG.1710	04-2005	Satellite news gathering carriers universal access procedures		In force	Yes	Yes

Summary for series SNG (9 detail records)

ITU-R TF Time signals and frequency standards emissions

Rec No.	Date	Title	observation	Status	MS Word	PDF
TF.374-5	04-1999	Precise frequency and time-signal transmissions		In force	Yes	Yes
TF.375-2	07-1982	Standard-frequency and time-signal emissions in additional frequency bands	Note - Suppressed on 24/10/97 (RA-97)	Withdrawn	Yes	Yes
TF.376-1	07-1966	Avoidance of external interference with emissions of the standard-frequency service in the bands allocated to that service	Note - Suppressed on 24/10/97 (RA-97)	Withdrawn	Yes	Yes

mercredi, 12. mars 2008 Page 157 of 161

ITU-R TF Time signals and frequency standards emissions

11 U-IX	11. Time signals and if equency standards emissions							
	Rec No.	Date	Title	observation	Status	MS Word	PDF	
	TF.457-2	10-1997	Use of the modified Julian date by the standard-frequency and time-signal services		In force	Yes	Yes	
	TF.458-3	02-1998	International comparisons of atomic time scales		In force	Yes	Yes	
	TF.460-6	02-2002	Standard-frequency and time-signal emissions		In force	Yes	Yes	
	TF.485-2	06-1990	Use of time scales in the field of standard-frequency and time services	Note - Suppressed on 24/10/97 (RA-97)	Withdrawn	Yes	Yes	
	TF.486-2	02-1998	Use of UTC frequency as reference in standard frequency and time signal emissions		In force	Yes	Yes	
	TF.535-2	02-1998	Use of the term UTC		In force	Yes	Yes	
	TF.536-2	05-2003	Time-scale notations		In force	Yes	Yes	
	TF.537	07-1978	Reduction of mutual interference between emissions of the standard-frequency and time-signal service on the allocated frequencies in bands 6 and 7	Note - Suppressed on 24/10/97 (RA-97)	Withdrawn	Yes	Yes	
	TF.538-3	03-1994	Measures for random instabilities in frequency and time (phase)		In force	Yes	Yes	
	TF.582-2	02-1998	Time and frequency reference signal dissemination and coordination using satellite methods		In force	Yes	Yes	

mercredi, 12. mars 2008 Page 158 of 161

ITU-R TF Time signals and frequency standards emissions

F	Rec No.	Date	Title	observation	Status	MS Word	PDF
7	ΓF.583-6	05-2003	Time codes		In force	Yes	Yes
7	ГҒ.685	06-1990	International synchronization of UTC time scale	Note - Suppressed on 24/10/97 (RA-97)	Withdrawn	Yes	Yes
7	ΓF.686-2	02-2002	Glossary and definitions of time and frequency terms		In force	Yes	Yes
7	ГF.767-2	03-2001	Use of global navigation satellite systems for high-accuracy time transfer		In force	Yes	Yes
J	ГF.768-6	05-2003	Standard frequencies and time signals		In force	Yes	Yes
7	ΓF.1010-1	10-1997	Relativistic effects in a coordinate time system in the vicinity of the Earth		In force	Yes	Yes
7	ΓF.1011-1	10-1997	Systems, techniques and services for time and frequency transfer		In force	Yes	Yes
7	ΓF.1153-2	05-2003	The operational use of two-way satellite time and frequency transfer employing PN codes		In force	Yes	Yes
٦	ΓF.1552	02-2002	Time scales for use by standard-frequency and time- signal services		In force	Yes	Yes

Summary for series TF (22 detail records)

ITU-R V Vocabulary and related subjects

Rec No.	Date	Title	observation	Status	MS Word PDF

mercredi, 12. mars 2008 Page 159 of 161

ITU-R V Vocabulary and related subjects

110 11	•	ocubului	y and related subjects						
	Rec No.	Date	Title	observation	Status	MS Word	PDF		
	V.430-3	06-1990	Use of the international system of units (SI)		In force	Yes	Yes		
	V.431-7	05-2000	Nomenclature of the frequency and wavelength bands used in telecommunications		In force	Yes	Yes		
	V.461-5	04-1993	Graphical symbols and rules for the preparation of documentation in telecommunications		In force	Yes	Yes		
	V.573-5	09-2007	Radiocommunication vocabulary		In force	Yes	Yes		
	V.574-4	05-2000	Use of the decibel and the neper in telecommunications		In force	Yes	Yes		
	V.607-3	05-2000	Terms and symbols for information quantities in telecommunications		In force	Yes	Yes		
	V.608-2	04-1993	Letter symbols for telecommunications	Note - Withdrawn on 06/06/03 (RA-03)	Withdrawn	Yes	Yes		
	V.662-3	05-2000	Terms and definitions		In force	Yes	Yes		
	V.663-1	06-1990	Use of certain terms linked with physical quantities		In force	Yes	Yes		
	V.664	07-1986	Adoption of the CCITT Specification and Description Language (SDL)	Note - Withdrawn (WRC-2000)	Withdrawn	Yes	Yes		

mercredi, 12. mars 2008 Page 160 of 161

ITU-R V Vocabulary and related subjects

Rec No.	Date	Title	observation	Status	MS Word	PDF			
V.665-2	05-2000	Traffic intensity unit		In force	Yes	Yes			
V.666-2	04-1993	Abbreviations and initials used in telecommunications		In force	Yes	Yes			
Summary for series V (12	Summary for series V (12 detail records)								
Grand Total of Recs F	Published	1276	Recs. publi	shed in MS Word	<b>PDF</b> : 1276	1268			

mercredi, 12. mars 2008 Page 161 of 161