

International Telecommunication Union

Identity Convergence for NGN Platform and Business

Hidehito Gomi Identity Architect, NEC Corporation




Outline

- Existing IdM Framework on the Internet
- IdM Framework for NGN
- o Identity Fragmentation
- IdM Requirements for NGN
- o Identity Convergence
- Technologies for Identity Convergence
 - Group Signature
 - Context Obfuscation
 - Privacy Policy Negotiation
- NGN Business based on IdM
- o Summary



Existing IdM Framework on the Internet

SAML models roles of entities and interactions between them






IdM Framework for NGN

ITU-T


- Home operator publishes interfaces for service/network access with SPs and partner operators.
- o SPs (3rd party providers, enterprises, & ISPs) provide IT/network services with users.
- Operators provide network services in a cooperative manner.





Identity Fragmentation

- So far, identity info of a user is distributed & duplicated among different platforms, therefore
 - There is need to have multiple sign-on procedures for a wide range of services.
 - It is difficult to make good use of user's identity info (trail, presence, geo-location) across different platforms.
 - It is troublesome for users to provide, retrieve and update all privacy info managed at each platform separately.






IdM Requirements for NGN

- Seamlessness
 - Consistent access to IT/network services at any platform without interruption
- O Context-aware & Personalization
 - Personalized service utilizing users' context info managed by providers in various domains
- o Privacy Protection
 - Management of users' personal attributes based on their policy, minimizing the risk of leakage




Identity Convergence

- In order to solve identity fragmentation,
 - Build bridges between platforms
 - introduction of multi-personas per user
 - optimum deployment & life cycle mgt of personas
 - Filter identity info when crossing the bridges
 - minimization of identity info disclosure
 - obfuscation of identity info





Technologies for Identity Convergence



Fundamental Technologies


- Anonymization of owner
 - Blocks the owner info but passes authenticated group membership Group Signature
- Information Obfuscation
 - Blocks exact context information but passes only obscured data
 Context Obfuscation
- Privacy Practice Restriction & Enforcement
 - Negotiates type of filtering to be performed between sending & receiving platforms

Privacy Policy
Negotiation



Group Signature

 Authentication mechanism that allows a verifier to verify the group membership of a user without identifying the user.




ITU-T Workshop on "Digital Identity for NGN" Geneva, 5 December 2006



Context Obfuscation

ITU-T



Context Obfuscation Technology

- supports privacy of context information based on user preferences
- handles context exchange within and across domains uniformly

Context Obfuscation Challenges


- Context requires a structure that translates naturally to a blurring mechanism
- Semantics for context blurring need to be defined
- Adequate context distortion filters are required
- User interface must be simple and support decisions in a dynamic environment
- User must trust obfuscation behaviour



Privacy Policy Negotiation

ITU-T


- Privacy policy confirmation for attributes exchange
 - Types of personal attributes to be exchanged
 - Limited recipients and usage of the personal attributes
- Disclose the minimum set of attributes allowed by a user & providers
- Make a mutual agreement on accountability between a sender
 & receiver





NGN Business based on IdM

 Identity Convergence enables service orchestration, which bring about more value & profit than the sum of individual component services





Summary

- o Identity convergence concept enables the following properties of NGN services:
 - Seamless
 - Context-aware & personalized
 - Privacy protected
- NEC will contribute to the standardization of identity management for NGN through the ITU-T.