



Simon COUTEL

Researcher/ITS projects manager
INRETS-LIVIC

Geneva, 5-7 March 2008





L'esprit de recherche au cœur des réseaux



- CVIS project
 - CVIS in brief
 - Assumptions
 - Objectives

- EDA Overview
 - Objectives
 - Cooperative concepts
 - Technical approach



- EDA services
 - Ghost driver
 - Dynamic Speed Alert



L'esprit de recherche au cœur des réseaux

- Test Site Demonstrations
 - Sweden
 - France



The Fully Networked Car
Geneva, 5-7 March 2008



CVIS

Cooperative Vehicle Infrastructure Systems


o CVIS in brief

- Funding : M€ 20 funded by EC DG-ISM,
- Duration : 4 years - 2006 - 2010,
- Coordination : ERTICO - ITS Europe
- Consortium : 70 European public/private partners (Volvo, LCPC and many other relevant partners)
- Website : www.cvisproject.org → EDA

CVIS in brief

Framework of CVIS : C-ITS, E-ITS, V2X, V2V, V2I, V2P, V2N, V2X, V2V, V2I, V2P, V2N

Enhanced Driver's Awareness



The Fully Networked Car
Geneva, 5-7 March 2008



o CVIS Assumptions

- IPv6 : Internet Protocol Version 6
- OSGi : Open Service Gateway Initiative
- CALM : Continuous Air-interface, Long and Medium Range,

o Other project

- SafeSpot : European project – Local Dynamic Map


o Main Objectives

- Create a standardized in-vehicle and roadside module providing a continuous and seamless connectivity using a wide range of communication media, including mobile cellular (3G) and wireless local area networks (802.11p),
- Design innovative processes for enhanced vehicle positioning,
- Develop innovative cooperative applications,
- Create guidelines and tools addressing key non-technical challenges to cooperative systems deployment.

CVIS : Cooperative Vehicle Infrastructure Systems

9

o CVIS in brief




The Fully Networked Car
Geneva, 5-7 March 2008



EDA

Enhanced Driver's Awareness



o EDA in brief

- o EDA is a cooperative safety application:
 - Keeping the driver aware about his/her nearby environment,
 - Keeping the traffic manager informed about dynamic situation regarding roads network,
 - Detecting any kind of non regular event,
 - Managing non regular event notification to drivers and road operators,

In the scope of CVIS – application to :

- Ghost Driver - Wrong way driver detection and management,
- Dynamic Speed Limit – Static/Temporary/Dynamic
- Traffic Flow Event – Hazards

Demonstrations:

- France (Lyon and Versailles),
- Sweden (Götheberg),

The Fully Networked Car
Geneva, 5-7 March 2008



o Cooperative concepts


EDA : Safety cooperative application

for non regular event:

- **preventing,**
- **detection,**
- **notification,**
- **monitoring.**


An application deployed into:

- **vehicle,**
- **roadside unit,**
- **traffic center.**




o Cooperative concepts

Combination of an **event broadcasting based strategy (V2V)** and a **Central system based strategy (V2I)** for an efficient event notification



The Fully Networked Car
Geneva, 5-7 March 2008

o Technical approach




o Technical approach

A Host application (open source/free)

- Open APIs to access to data/functionalities,
- Standard functionalities/mechanisms,

Specific services (Plug-in/Add-on)

- For a given non regular event,
- Using EDA host APIs,
- Providing specific methods/policies,
 - Event message validation,
 - Incoming/Outcoming event filtering,
 - Event state estimation,
 - Event notification,



EDA Services in the scope of CVIS


- Ghost Driver
- Dynamic Speed Limit

- o Ghost driver detection and management


EDA Ghost Driver Services



- o Ghost driver detection and management
 - **RSU based ghost driver detection:** Detection of ghost driver by a roadside unit and notification to both nearby entities (vehicles and roadside unit) and Traffic management center



- Ghost driver detection and management
 - **In-Vehicle based ghost driving detection:**
Preventing and detection of ghost driving situation and notification to nearby entities (vehicles and roadside unit) and Traffic management center




o Dynamic Speed Limit

EDA Dynamic Speed Limit Services




o Dynamic Speed Limit

- **LDM based speed limit notification:** online service to update the current mandatory speed limit and on-board service to assess whether the driver complies the speed limit or not



o Dynamic Speed Limit


- **RSU based speed limit notification:** Roadside unit based speed limit updating and on-board assessment of speed limit compliance



EDA Demonstration on Test Sites

- Sweden
- France


Test Sites Demonstrations – Swedish Test Site²⁴



The Fully Networked Car
Geneva, 5-7 March 2008



Test Sites Demonstrations – Swedish Test site²⁵



By vehicle & RSU

Inception phase

- ① Detection of highway ramps

By vehicle

- ② Cinematic position monitoring & map matching

By RSU

- ③ Pattern recognition

Acting phase

- ④ Sending warning/alert messages

o French Test Site



RSU based
Speed Limit
Notification
(2 vehicles + RSU)

In-Vehicle Ghost Driving
RSU based GhostDriver
Detection/Notification
(3 vehicles + 1 RSU)

Simon COUTEL

Researcher / ITS projects manager

Head of Cooperative Systems research team

INRETS-LIVIC

14 Route de la Minière

78000 Versailles

Tel: 33 140 43 29 24

Email : simon.coutel@inrets.fr

Web: www.inrets.fr

Thanks for your attention