

国际电信联盟

电信标准化局



2008年12月16日，日内瓦

参考号: 电信标准化局AAP-4
AAP/MJ

电话: +41 22 730 5860

传真: +41 22 730 5853

电子邮件: tsbdir@itu.int

– 致国际电联成员国各主管部门;

– 致ITU-T各部门成员;

– 致ITU-T 部门准成员

抄送:

– 电信标准化局研究组主席和副主席

– 电信发展局局长

– 无线电通信局局长

事由: 有关采用替换批准程序 (AAP) 处理的建议书的情况

先生/女士,

ITU-T A.8 建议书中规定的建议书替换批准程序 (AAP) 适用于那些不会产生政策或监管影响、因而不需与成员国正式协商的建议书 (见国际电联《公约》第246B款)。

附件1列出了那些在以往电信标准化局AAP预告后地位发生变化的案文。

如您希望针对某个适用AAP的建议书提出意见, 请使用可在ITU-T网站AAP区域 (<http://www.itu.int/ITU-T/aap>) 的“建议书”网页上获取的《AAP意见在线提交表格》(见附件2)。或者, 可填妥附件3中的表格并将意见发送给相关研究组的秘书处。

敬请留意, 我们不鼓励提交仅支持通过所涉案文而没有实质内容的意见。

鉴于国际电联在年底放假期间不办公, 请注意, 2009年1月1日将不发布任何替换批准程序预告。由于某些案文的截止日期在这段时间, 因此已作为特例得到延期。

顺致敬意!

马尔科姆·琼森
电信标准化局局长

附件: 3件

Place des Nations
CH-1211 Geneva 20
Switzerland

Telephone +41 22 730 51 11
Telefax Gr3: +41 22 733 72 56
Gr4: +41 22 730 65 00

Telex 421 000 uit ch
E-mail: itumail@itu.int
Telegram ITU GENEVE

Web page:
www.itu.int

Annex 1

(to TSB AAP-4)

Status codes used in the AAP announcements:

LC = Last Call

LJ = Last Call Judgment (includes comment resolution)

AR = Additional Review

AJ = Additional Review Judgment (includes comment resolution)

SG = For Study Group approval

A = Approved

AT = Approved with typographic corrections

AC = Approved after Additional Review of Comments

NA = Not approved

TAP = Moved to TAP (ITU-T A.8 / § 5.2)

ITU-T website entry page:

<http://www.itu.int/ITU-T>

Alternative approval process (AAP) welcome page:

<http://www.itu.int/ITU-T/aapinfo>

Note – A tutorial on the ITU-T AAP application is available under the AAP welcome page

ITU-T website AAP Recommendation search page:

<http://www.itu.int/ITU-T/aap/>

Study Group web pages and contacts:

SG 2	http://www.itu.int/ITU-T/studygroups/com02	tsbsg2@itu.int
SG 3	http://www.itu.int/ITU-T/studygroups/com03	tsbsg3@itu.int
SG 5	http://www.itu.int/ITU-T/studygroups/com05	tsbsg5@itu.int
SG 9	http://www.itu.int/ITU-T/studygroups/com09	tsbsg9@itu.int
SG 11	http://www.itu.int/ITU-T/studygroups/com11	tsbsg11@itu.int
SG 12	http://www.itu.int/ITU-T/studygroups/com12	tsbsg12@itu.int
SG 13	http://www.itu.int/ITU-T/studygroups/com13	tsbsg13@itu.int
SG 15	http://www.itu.int/ITU-T/studygroups/com15	tsbsg15@itu.int
SG 16	http://www.itu.int/ITU-T/studygroups/com16	tsbsg16@itu.int
SG 17	http://www.itu.int/ITU-T/studygroups/com17	tsbsg17@itu.int

Situation concerning Study Group 5 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
K.11	Principles of protection against overvoltages and overcurrents	2008-12-16	2009-01-12							LC
K.77 (K.var)	Characteristics of Metal Oxide Varistors (MOVs) for the protection of telecommunications installations	2008-12-16	2009-01-12							LC

Situation concerning Study Group 12 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
G.1080 (G.IPTV-QoE)	Quality of experience requirements for IPTV services	2008-06-16	2008-07-13	LJ	AR	2008-11-16	2008-12-06	AC		AC
Y.1563 (Y.ETHperf)	Ethernet frame transfer and availability performance	2008-06-16	2008-07-13	LJ	AR	2008-12-16	2009-01-12			AR

Situation concerning Study Group 13 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
Y.2015 (Y.ipsplit)	General requirements for ID/locator separation in NGN	2008-10-16	2008-11-12	LJ	SG					SG
Y.2111 (Y.RACF-R2)	Resource and admission control functions in Next Generation Networks	2008-10-16	2008-11-12	LJ	AT					AT
Y.2113 (Y.enet)	Ethernet QoS control for Next Generation Networks	2008-10-16	2008-11-12	LJ	SG					SG
Y.2235 (Y.cwbs)	Converged web-browsing service scenarios in NGN	2008-10-16	2008-11-12	LJ	AT					AT
Y.2612 (Y.FPBN-addr)	Generic requirements and framework of FPBN addressing, routing and forwarding	2008-10-16	2008-11-12	LJ	SG					SG
Y.2807 (Y.mpls-mob)	MPLS-based mobility capabilities for NGN services	2008-10-16	2008-11-12	LJ	SG					SG

Situation concerning Study Group 15 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
G.671	Transmission characteristics of optical components and subsystems	2008-12-16	2009-01-12							LC
G.709/Y.1331 Cor.2	Interfaces for the Optical Transport Network (OTN)	2008-12-16	2009-01-12							LC
G.798 Cor.1	Characteristics of optical transport network hierarchy equipment functional blocks	2008-12-16	2009-01-12							LC
G.800 Amd.1	Unified functional architecture of transport networks	2008-12-16	2009-01-12							LC
G.806	Characteristics of Transport Equipment - Description Methodology and Generic Functionality	2008-12-16	2009-01-12							LC
G.808.1 (2006) Amd.1	Generic protection switching - Linear trail and subnetwork protection	2008-12-16	2009-01-12							LC
G.985 Amd.1	100 Mbit/s point-to-point Ethernet based optical access system	2008-12-16	2009-01-12							LC
G.992.3	Asymmetric digital subscriber line transceivers 2 (ADSL2)	2008-12-16	2009-01-12							LC
G.992.5	Asymmetric Digital subscriber Line (ASDL) transceivers - Extended bandwidth ADSL2 (ADSL2plus)	2008-12-16	2009-01-12							LC
G.993.2 (2006) Amd.4	Very high speed Digital subscriber Line Transceivers 2	2008-12-16	2009-01-12							LC
G.7041 Amd.1	Generic framing procedure (GFP)	2008-12-16	2009-01-12							LC
G.8011.1/Y.1307.1	Ethernet Private Line Service	2008-12-16	2009-01-12							LC
G.8011.2/Y.1307.2	Ethernet Virtual Private Line Service	2008-12-16	2009-01-12							LC

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
G.8011/Y.1307	Ethernet over Transport – Ethernet Service Characteristics	2008-12-16	2009-01-12							LC
G.8021/Y.1341 Amd.1	Characteristics of Ethernet Transport Network Equipment Functional Blocks	2008-12-16	2009-01-12							LC
G.9970 (G.hnta)	Generic Home Network Transport Architecture	2008-12-16	2009-01-12							LC
O.182 Amd.1	Equipment to assess error performance on Optical Transport Network (OTN) interfaces	2008-12-16	2009-01-12							LC
X.85/Y.1321 Amd.2	IP over SDH using LAPS	2008-12-16	2009-01-12							LC
Y.1714	MPLS management and OAM Framework	2008-12-16	2009-01-12							LC

Situation concerning Study Group 16 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
G.729.1 (2006) Amd.5	G.729-based embedded variable bit-rate coder: An 8-32 kbit/s scalable wideband coder bitstream interoperable with G.729: New Annex D (Reference floating-point implementation for G.729.1 Annex C DTX/CNG) and corrections to the main body and Annex B	2008-10-16	2008-11-12	AR		2008-11-16	2008-12-06	AC		AC
H.264 (2007) Cor.1	Advanced video coding for generic audiovisual services: corrections and updates	2008-06-16	2008-07-13	LJ	AR	2008-12-16	2009-01-12			AR

Situation concerning Study Group 17 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
X.1056 (X.sim)	Security incident management guidelines for telecommunications organizations	2008-12-16	2009-01-12							LC
Z.167 (Z.146)	Testing and Test Control Notation version 3 (TTCN-3): Using ASN.1 with TTCN-3	2008-11-01	2008-11-28	A						A
Z.169	Testing and Test Control Notation version 3 (TTCN-3): TTCN-3 and the Use of XML	2008-11-01	2008-11-28	A						A

Annex 2

(to TSB AAP-4)

Using the on-line comment submission form

Comment submission

- Go to AAP search Web page at <http://www.itu.int/ITU-T/aap/>

- Select your Recommendation

Recommendation_No	Title	Study_Group	State	Consent_Date	Approval_Date	Study_Period	Comment
G.711.1 (2008) Amd.1	Wideband embedded extension for G.711 pulse code modulation; New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text	16	LC	2008-10-03		2005-2008	
G.718 (2008) Cor.1	Frame error robust narrowband and wideband embedded variable bit-rate coding of speech and audio from 8-32 kbit/s; Corrections to fixed-point C-code	16	LC	2008-10-03		2005-2008	
G.719 (2008) Amd.1	New Annex A on storage format definitions for G.719, and new Annex B on a reference floating-point implementation for G.719	16	LC	2008-10-03		2005-2008	
G.722.2 (2003) Cor.3	Wideband coding of speech at around 16 kbit/s using Adaptive Multi-Rate Wideband (AMR-WB); Corrections to text and C source code in Annex C	16	LC	2008-10-03		2005-2008	
G.729.1 (2006) Amd.5	G.729-based embedded variable bit-rate coder; An 8-32 kbit/s scalable wideband coder bitstream interoperable with G.729; New Annex D (Reference floating-point implementation for G.729.1 Annex C DTX/CNG) and corrections to the main body and Annex B	16	LC	2008-10-03		2005-2008	
H.264 (2007) Cor.1	Advanced video coding for generic audiovisual services; corrections and updates	16	LJ	2008-05-02		2005-2008	★

Total 6 records match.

3) Click the "Submit Comment" button

AAP Recommendation: G.711.1 (2008) Amd.1

Work Programme: G.711.1 (2008) Amd.1

Title	Study Group	Current Status	Consent Date	Approval Date	Study Period	Provisional Name	IPR	Input used for Consent
Wideband embedded extension for G.711 pulse code modulation: New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text	16	LC	2008-10-03		2005-2008	G.711-WB-Float	?	TD 381-WP3

Observation

AAP Process Details

Last Call (LC)				Additional Review (AR)				Study Group (SG)	
LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	SG Date	SG Result
2008-10-16	2008-11-12								

[AAP-92]

LC - Text / Summary AR - Text / Summary SG Documents

LC Text LC Summary

LC - Comments AR - Comments SG Decisions

Submit Comment

4) Complete the on-line form and click on "Submit"

Study group*: SG16

Announcement number*: AAP 92

Recommendation number*: G.711.1 (2008) Amd.1

Recommendation under*: Last Call (LC) Additional Review (AR)

Country: Adelie Land

Administration or Company*:

Email of contact (for AAP):

Email of Administration or Company:

Technical contact email:

Sender name*:

Sender email address*:

Telephone:

Comments: (Choose as applicable)

We do not support this text. Reasons are given in the attachment.

We support this text on the condition that it be modified as per revision shown in the attachment.

Observation:

Comments or revised text should be sent as an attachment in reprocessable format such as RTF or Winword. Revision marks must be shown relative to the text posted by TSB.

Attach the file:

Note: Maximum file size is 10 Mb

No attachment Comments are given in the Observation field, no attachment needed

Please check your entries and click on Submit to confirm

If the submission is successful, you will get an acknowledgement report and receive an email containing this report.

For more information, read the AAP tutorial on:
<http://www.itu.int/ITU-T/aapinfo/files/AAPTutorial.pdf>

Annex 3

(to TSB AAP-4)

Recommendations under LC/AR – Comment submission form

(Separate form for each Recommendation being commented upon)

ITU-T AAP comment submission form for the period 2009-2012

Study Group: _____

Announcement number: _____

Recommendation number: _____

Recommendation under: Last call (LC)
 Additional Review (AR)

Country: _____

Administration/Company: _____

Name of AAP Contact Person: _____

Email of AAP Contact Person: _____

Sender name:
(if different from AAP Contact Person) _____

Sender email address: _____

Telephone: _____

Comments: We do not support this text. Reasons are given in the attachment.
(Choose as applicable) We support this text on the condition that it be modified as per
revision shown in the attachment.

Observations: _____

No attachment: Comments are given in the Observation field, no attachment needed

To be returned to: email: *tsbgs...@itu.int*
[or fax +41 22 730 5853]

Comments or revised text should be sent as an attachment in RTF or WinWord format.
Revision marks must be shown relative to the text posted by TSB.