

UNION INTERNATIONALE DES TELECOMMUNICATIONS
Bureau de la normalisation des télécommunications



Genève, le 1 avril 2009

Réf: **TSB AAP-10** – Aux administrations des Etats Membres de l'Union;
AAP/MJ – Aux Membres du Secteur UIT-T;
– Aux Associés de l'UIT-T

Tél: +41 22 730 5860 **Copie:**
Fax: +41 22 730 5853 – Aux Présidents et Vice-Présidents des Commissions d'études de l'UIT-T;
E-mail: tsbdir@itu.int – Au Directeur du Bureau de développement des télécommunications;
– Au Directeur du Bureau des radiocommunications

Objet: **Etat des Recommandations auxquelles s'applique la variante de la procédure d'approbation (AAP)**

Madame, Monsieur,

La variante de la procédure d'approbation (AAP), définie dans la Recommandation UIT-T A.8, s'applique aux Recommandations qui n'ont pas d'incidence politique ou réglementaire et ne nécessitent donc pas une consultation formelle des Etats Membres (voir le numéro 246B de la Convention de l'UIT).

L'**Annexe 1** énumère les textes dont le statut a changé par rapport aux annonces TSB AAP antérieures.

Si vous souhaitez soumettre des observations sur une Recommandation ayant fait l'objet de la procédure AAP, vous êtes encouragés à utiliser le formulaire en ligne de soumission des observations AAP, disponible dans l'espace AAP du site web de l'UIT-T à l'adresse <http://www.itu.int/ITU-T/aap/>, à la page de la Recommandation concernée (voir l'**Annexe 2**). Vous pouvez aussi soumettre vos observations en remplissant le formulaire figurant à l'**Annexe 3** et en l'envoyant au secrétariat de la Commission d'études concernée.

Veillez noter que les observations ayant simplement pour objet d'appuyer l'adoption du texte en question ne sont pas encouragées.

Veillez agréer, Madame, Monsieur, l'assurance de ma considération distinguée.

Malcolm Johnson
Directeur du Bureau de la normalisation des télécommunications

Annexes: 3

Place des Nations
CH-1211 Geneva 20
Switzerland

Telephone +41 22 730 51 11
Telefax Gr3: +41 22 733 72 56
Gr4: +41 22 730 65 00

Telex 421 000 uit ch
E-mail: itumail@itu.int
Telegram ITU GENEVE

Web page:
www.itu.int

Annex 1

(to TSB AAP-10)

Status codes used in the AAP announcements:

LC = Last Call

LJ = Last Call Judgment (includes comment resolution)

AR = Additional Review

AJ = Additional Review Judgment (includes comment resolution)

SG = For Study Group approval

A = Approved

AT = Approved with typographic corrections

AC = Approved after Additional Review of Comments

NA = Not approved

TAP = Moved to TAP (ITU-T A.8 / § 5.2)

ITU-T website entry page:

<http://www.itu.int/ITU-T>

Alternative approval process (AAP) welcome page:

<http://www.itu.int/ITU-T/aapinfo>

Note – A tutorial on the ITU-T AAP application is available under the AAP welcome page

ITU-T website AAP Recommendation search page:

<http://www.itu.int/ITU-T/aap/>

Study Group web pages and contacts:

SG 2	http://www.itu.int/ITU-T/studygroups/com02	tsbsg2@itu.int
SG 3	http://www.itu.int/ITU-T/studygroups/com03	tsbsg3@itu.int
SG 5	http://www.itu.int/ITU-T/studygroups/com05	tsbsg5@itu.int
SG 9	http://www.itu.int/ITU-T/studygroups/com09	tsbsg9@itu.int
SG 11	http://www.itu.int/ITU-T/studygroups/com11	tsbsg11@itu.int
SG 12	http://www.itu.int/ITU-T/studygroups/com12	tsbsg12@itu.int
SG 13	http://www.itu.int/ITU-T/studygroups/com13	tsbsg13@itu.int
SG 15	http://www.itu.int/ITU-T/studygroups/com15	tsbsg15@itu.int
SG 16	http://www.itu.int/ITU-T/studygroups/com16	tsbsg16@itu.int
SG 17	http://www.itu.int/ITU-T/studygroups/com17	tsbsg17@itu.int

Situation concerning Study Group 9 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
J.286 (J.h-dpi)	Seamless splicing for heterogeneous MPEG-2/H.264 bitstreams	2008-10-01	2008-10-28	LJ	AR	2009-03-01	2009-03-21	AC		AC

Situation concerning Study Group 12 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
G.107	The E-model: a computational model for use in transmission planning	2009-04-01	2009-04-28							LC
G.1082 (G.IPTV MMRP (ex G.IPTV-QMA))	Measurement-based methods for improving the robustness of IPTV performance	2009-04-01	2009-04-28							LC
P.57	Artificial ears	2009-04-01	2009-04-28							LC
P.310	Transmission characteristics for narrow-band digital handset and headset telephones	2009-04-01	2009-04-28							LC
P.342	Transmission characteristics for narrow-band digital hands-free and loudspeaking telephony terminals	2009-04-01	2009-04-28							LC
P.833.1	Methodology for the derivation of equipment impairment factors from subjective listening-only tests for wideband speech codecs	2009-04-01	2009-04-28							LC
P.834.1 (P.834.WB)	Extension of the methodology for the derivation of equipment impairment factors from instrumental models for wideband speech codecs	2009-04-01	2009-04-28							LC

Situation concerning Study Group 15 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
G.709/Y.1331 (2003) Amd.3	Interfaces for the optical transport network (OTN)	2009-01-16	2009-02-12	LJ	AR	2009-04-01	2009-04-21			AR
G.992.3	Asymmetric digital subscriber line transceivers 2 (ADSL2)	2008-12-16	2009-01-12	LJ	AR	2009-04-01	2009-04-21			AR
G.994.1 (2007) Amd.3	Handshake procedures for digital subscriber line (DSL) transceivers	2009-01-16	2009-02-12	LJ	AR	2009-03-01	2009-03-21	AC		AC
G.997.1	Physical layer management for digital subscriber line (DSL) transceivers	2009-01-16	2009-02-12	LJ	AR	2009-04-01	2009-04-21			AR
G.8032/Y.1344 (2008) Amd.1	Ethernet Ring protection	2009-01-16	2009-02-12	LJ	AR	2009-04-01	2009-04-21			AR

Situation concerning Study Group 16 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
G.168 (V6)	Digital network echo cancellers	2009-02-16	2009-03-15	A						A
G.711.1 (2008) Amd.2	Wideband embedded extension for G.711 pulse code modulation: New Annex B on G.711.1 usage in H.245 and editorial corrections to the main body text	2009-02-16	2009-03-15	A						A
G.718 (2008) Amd.1 (G.718-Float)	Frame error robust narrowband and wideband embedded variable bit-rate coding of speech and audio from 8-32 kbit/s: Floating point annex plus corrections to fixed-point C-code and description text	2009-02-16	2009-03-15	A						A
G.719 (2008) Amd.2	Low-complexity, full-band audio coding for high-quality, conversational applications: New Annex C on G.719 packet format, capability identifiers and capability parameters	2009-02-16	2009-03-15	A						A
G.763 (1998) Cor.1	Digital circuit multiplication equipment using G.726 ADPCM and digital speech interpolation: Corrections	2009-02-16	2009-03-15	A						A
H.221 (V8)	Frame structure for a 64 to 1920 kbit/s channel in audiovisual teleservices	2009-02-16	2009-03-15	A						A
H.222.0 (2006) Amd.3 (H.222.0-SVC)	Information technology - Generic coding of moving pictures and associated audio information: Systems: Transport of scalable video over ITU-T Rec. H.222.0 ISO/IEC 13818-1	2009-02-16	2009-03-15	A						A
H.222.0 (2006) Cor.2	Information technology - Generic coding of moving pictures and associated audio information: Systems: Correction of transfer rate Rxn in the T-STD model	2009-02-16	2009-03-15	A						A

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
H.230 (V7)	Frame-synchronous control and indication signals for audiovisual systems	2009-02-16	2009-03-15	A						A
H.235.6 (2005) Cor.1	H.323 security: Voice encryption profile with native H.235/H.245 key management: Correction of defects	2009-02-16	2009-03-15	A						A
H.242 (V7)	System for establishing communication between audiovisual terminals using digital channels up to 2 Mbit/s	2009-02-16	2009-03-15	A						A
H.248.14 Rev.1 ((Ed. 0.2))	Gateway control protocol: Inactivity timer package	2009-02-16	2009-03-15	A						A
H.248.19 (2004) Amd.2	Gateway Control Protocol: Decomposed multipoint control unit, audio, video and data conferencing packages: Floor Control Enhancements	2009-02-16	2009-03-15	AT						AT
H.248.42 (H.248.42 (2006) Amd.1)	Gateway control protocol: DCME interworking package: Parameters for enhanced event reporting control	2009-02-16	2009-03-15	A						A
H.248.52 Amd.1	Gateway Control Protocol: QoS Support Packages: Clarifications and updates to the Differentiated Services package	2009-02-16	2009-03-15	A						A
H.248.53	Gateway Control Protocol: Traffic Management Packages	2009-02-16	2009-03-15	A						A
H.248.56 Cor.1	Gateway control protocol: Packages for virtual private network support: VLAN package clarifications	2009-02-16	2009-03-15	A						A
H.248.60 (H.248.cci)	Gateway control protocol: Identification of content of communication	2009-02-16	2009-03-15	A						A
H.248.61 (H.248.ipocs)	Gateway Control Protocol: Packages for Network Level H.248 Statistics	2009-02-16	2009-03-15	A						A

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
H.248.63 (H.248.resman)	Gateway Control Protocol: Resource Management Packages	2009-02-16	2009-03-15	A						A
H.248.65 (H.248.RSVP)	Gateway control protocol: Support of the resource reservation protocol	2009-02-16	2009-03-15	A						A
H.248.68 (H.248.RDT)	Gateway control protocol: Removal of Digits and Tones package	2009-02-16	2009-03-15	A						A
H.248.69 (H.248.MSRP)	Gateway control protocol: Packages for MSRP and H.248 Interworking	2009-02-16	2009-03-15	A						A
H.248.70 (H.248.DMI)	Gateway Control Protocol: Dialling Method Information Packages	2009-02-16	2009-03-15	A						A
H.262 (2000) Amd.3	Information technology - Generic coding of moving pictures and associated audio information: Video: New level for 1080@50p/60p	2009-02-16	2009-03-15	A						A
H.264 (V4) (H.264-MVC)	Advanced video coding for generic audiovisual services	2009-02-16	2009-03-15	A						A
H.324 (V5)	Terminal for low bit-rate multimedia communication	2009-04-01	2009-04-28							LC
H.701 (H.IPTV-CDER)	Content Delivery Error Recovery for IPTV services	2009-02-16	2009-03-15	A						A
H.721 (H.IPTV-TDES.2)	IPTV Terminal Device, Basic Model	2009-02-16	2009-03-15	A						A
H.760 (H.IPTV-MAFR.0)	Overview of Multimedia Application Frameworks for IPTV	2009-02-16	2009-03-15	A						A
H.761 (H.IPTV-MAFR.9)	Nested Context Language (NCL) and Ginga-NCL for IPTV	2009-04-01	2009-04-28							LC
I.733 (G.vclad)	Voice on ATM Multiplication Equipment	2009-02-16	2009-03-15	A						A

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
T.800 (2002) Amd.2	Information technology - JPEG 2000 image coding system: Core coding system: Extended profiles for cinema and video production and archival applications	2009-02-16	2009-03-15	A						A
T.803 (2002) Cor.1	Information technology -JPEG 2000 image coding system: Conformance testing: Correction to G.4.4	2009-02-16	2009-03-15	A						A
T.832 (T.JXR-2)	Information technology - JPEG XR image coding system - Part 2: Image coding specification	2009-02-16	2009-03-15	A						A
V.152 (2009) Amd.1 (V.152 Annex/Appendix [X])	New Annex B on use of data signal detection and silence insertion in voiceband data and new Annex C on use of V.21 preamble for echo canceller control in a V.152 gateway	2009-02-16	2009-03-15	A						A

Annex 2

(to TSB AAP-10)

Using the on-line comment submission form

Comment submission

- Go to AAP search Web page at <http://www.itu.int/ITU-T/aap/>

- Select your Recommendation

Recommendation_No	Title	Study_Group	State	Consent_Date	Approval_Date	Study_Period	Comment
G.711.1 (2008) Amd.1	Wideband embedded extension for G.711 pulse code modulation; New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text	16	LC	2008-10-03		2005-2008	
G.718 (2008) Cor.1	Frame error robust narrowband and wideband embedded variable bit-rate coding of speech and audio from 8-32 kbit/s; Corrections to fixed-point C-code	16	LC	2008-10-03		2005-2008	
G.719 (2008) Amd.1	New Annex A on storage format definitions for G.719, and new Annex B on a reference floating-point implementation for G.719	16	LC	2008-10-03		2005-2008	
G.722.2 (2003) Cor.3	Wideband coding of speech at around 16 kbit/s using Adaptive Multi-Rate Wideband (AMR-WB); Corrections to text and C source code in Annex C	16	LC	2008-10-03		2005-2008	
G.729.1 (2006) Amd.5	G.729-based embedded variable bit-rate coder; An 8-32 kbit/s scalable wideband coder bitstream interoperable with G.729; New Annex D (Reference floating-point implementation for G.729.1 Annex C DTX/CNG) and corrections to the main body and Annex B	16	LC	2008-10-03		2005-2008	
H.264 (2007) Cor.1	Advanced video coding for generic audiovisual services; corrections and updates	16	LJ	2008-05-02		2005-2008	★

Total 6 records match.

3) Click the "Submit Comment" button

AAP Recommendation: G.711.1 (2008) Amd.1

Work Programme: G.711.1 (2008) Amd.1

Title	Study Group	Current Status	Consent Date	Approval Date	Study Period	Provisional Name	IPR	Input used for Consent
Wideband embedded extension for G.711 pulse code modulation: New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text	16	LC	2008-10-03		2005-2008	G.711-WB-Float	?	TD 381-WP3

Observation

AAP Process Details

Last Call (LC)				Additional Review (AR)				Study Group (SG)	
LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	SG Date	SG Result
2008-10-16	2008-11-12								
[AAP-92]									
LC - Text / Summary				AR - Text / Summary				SG Documents	
LC Text									
LC Summary									
LC - Comments				AR - Comments				SG Decisions	

4) Complete the on-line form and click on "Submit"

Study group*: SG16

Announcement number*: AAP 92

Recommendation number*: G.711.1 (2008) Amd.1

Recommendation under*: Last Call (LC) Additional Review (AR)

Country: Adelie Land

Administration or Company*: [Dropdown]

Email of contact (for AAP): [Dropdown]

Email of Administration or Company: [Text]

Technical contact email: [Text]

Sender name*: [Text]

Sender email address*: [Text]

Telephone: [Text]

Comments: (Choose as applicable)

We do not support this text. Reasons are given in the attachment.

We support this text on the condition that it be modified as per revision shown in the attachment.

Observation:

Comments or revised text should be sent as an attachment in reprocessable format such as RTF or Winword. Revision marks must be shown relative to the text posted by TSB.

Attach the file: [Text]

Note: Maximum file size is 10 Mb

No attachment Comments are given in the Observation field, no attachment needed

Please check your entries and click on **Submit to confirm**

If the submission is successful, you will get an acknowledgement report and receive an email containing this report.

For more information, read the AAP tutorial on:
<http://www.itu.int/ITU-T/aapinfo/files/AAPTutorial.pdf>

Annex 3

(to TSB AAP-10)

Recommendations under LC/AR – Comment submission form

(Separate form for each Recommendation being commented upon)

ITU-T AAP comment submission form for the period 2009-2012

Study Group: _____

Announcement number: _____

Recommendation number: _____

Recommendation under: Last call (LC)
 Additional Review (AR)

Country: _____

Administration/Company: _____

Name of AAP Contact Person: _____

Email of AAP Contact Person: _____

Sender name:
(if different from AAP Contact Person) _____

Sender email address: _____

Telephone: _____

Comments: We do not support this text. Reasons are given in the attachment.
(Choose as applicable) We support this text on the condition that it be modified as per
revision shown in the attachment.

Observations: _____

No attachment: Comments are given in the Observation field, no attachment needed

To be returned to: email: *tsbgs...@itu.int*
[or fax +41 22 730 5853]

Comments or revised text should be sent as an attachment in RTF or WinWord format.
Revision marks must be shown relative to the text posted by TSB.