

国际电信联盟

电信标准化局



2009年11月1日，日内瓦

参考号: **电信标准化局AAP-24**
AAP/MJ

电话: +41 22 730 5860

传真: +41 22 730 5853

电子邮件: tsbdir@itu.int

– 致国际电联成员国各主管部门;

– 致ITU-T各部门成员;

– 致ITU-T 部门准成员

抄送:

– 电信标准化局研究组主席和副主席

– 电信发展局主任

– 无线电通信局主任

事由: **有关采用替换批准程序 (AAP) 处理的建议书的情况**

先生/女士,

ITU-T A.8 建议书中规定的建议书替换批准程序 (AAP) 适用于那些不会产生政策或监管影响、因而不需与成员国正式协商的建议书 (见国际电联《公约》第246B款)。

附件1列出了那些在以往电信标准化局AAP预告后地位发生变化的案文。

如您希望针对某个适用AAP的建议书提出意见, 请使用可在ITU-T网站AAP区域 (<http://www.itu.int/ITU-T/aap>) 的“建议书”网页上获取的《AAP意见在线提交表格》(见**附件2**)。或者, 可填妥**附件3**中的表格并将意见发送给相关研究组的秘书处。

敬请留意, 我们不鼓励提交仅支持通过所涉案文而没有实质内容的意见。

顺致敬意!

马尔科姆·琼森

电信标准化局主任

附件: 3件

Place des Nations
CH-1211 Geneva 20
Switzerland

Telephone +41 22 730 51 11
Telefax Gr3: +41 22 733 72 56
Gr4: +41 22 730 65 00

Telex 421 000 uit ch
E-mail: itumail@itu.int
Telegram ITU GENEVE

Web page:
www.itu.int

Annex 1

(to TSB AAP-24)

Status codes used in the AAP announcements:

LC = Last Call

LJ = Last Call Judgment (includes comment resolution)

AR = Additional Review

AJ = Additional Review Judgment (includes comment resolution)

SG = For Study Group approval

A = Approved

AT = Approved with typographic corrections

AC = Approved after Additional Review of Comments

NA = Not approved

TAP = Moved to TAP (ITU-T A.8 / § 5.2)

ITU-T website entry page:

<http://www.itu.int/ITU-T>

Alternative approval process (AAP) welcome page:

<http://www.itu.int/ITU-T/aapinfo>

Note – A tutorial on the ITU-T AAP application is available under the AAP welcome page

ITU-T website AAP Recommendation search page:

<http://www.itu.int/ITU-T/aap/>

Study Group web pages and contacts:

| | | |
|-------|---|--|
| SG 2 | http://www.itu.int/ITU-T/studygroups/com02 | tsbsg2@itu.int |
| SG 3 | http://www.itu.int/ITU-T/studygroups/com03 | tsbsg3@itu.int |
| SG 5 | http://www.itu.int/ITU-T/studygroups/com05 | tsbsg5@itu.int |
| SG 9 | http://www.itu.int/ITU-T/studygroups/com09 | tsbsg9@itu.int |
| SG 11 | http://www.itu.int/ITU-T/studygroups/com11 | tsbsg11@itu.int |
| SG 12 | http://www.itu.int/ITU-T/studygroups/com12 | tsbsg12@itu.int |
| SG 13 | http://www.itu.int/ITU-T/studygroups/com13 | tsbsg13@itu.int |
| SG 15 | http://www.itu.int/ITU-T/studygroups/com15 | tsbsg15@itu.int |
| SG 16 | http://www.itu.int/ITU-T/studygroups/com16 | tsbsg16@itu.int |
| SG 17 | http://www.itu.int/ITU-T/studygroups/com17 | tsbsg17@itu.int |

Situation concerning Study Group 5 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|------------------------------------|---|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| K.56 | Protection of radio base stations against lightning discharges | 2009-11-01 | 2009-11-28 | | | | | | | LC |
| K.81 (K.hpem) | HPEM immunity guide for telecommunication systems | 2009-11-01 | 2009-11-28 | | | | | | | LC |
| L.24 | Classification of outside plant waste | 2009-11-01 | 2009-11-28 | | | | | | | LC |
| L.1000 (L.adapter) | Universal power adapter and charger solution for mobile terminals and other ICT devices | 2009-11-01 | 2009-11-28 | | | | | | | LC |

Situation concerning Study Group 11 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|--|---|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| Q.761 (1999) Amd. 4 | Support for the Customized Alerting Tone (CAT) service | 2009-10-01 | 2009-10-28 | LJ | | | | | | LJ |
| Q.762 (1999) Amd. 5 | Support for the Customized Alerting Tone (CAT) service | 2009-10-01 | 2009-10-28 | LJ | | | | | | LJ |
| Q.763 (1999) Amd. 6 | Support for the Customized Alerting Tone (CAT) service | 2009-10-01 | 2009-10-28 | LJ | | | | | | LJ |
| Q.1902.1 (2001) Amd. 3 | Support for Customized Alerting Tone (CAT) service | 2009-10-01 | 2009-10-28 | LJ | | | | | | LJ |
| Q.1902.2 (2001) Amd. 5 | Support for the Customized Alerting Tone (CAT) service | 2009-10-01 | 2009-10-28 | LJ | | | | | | LJ |
| Q.1902.3 (2001) Amd. 5 | Support for the Customized Alerting Tone (CAT) service | 2009-10-01 | 2009-10-28 | LJ | | | | | | LJ |
| Q.3306.1 | Protocol at the Rd interface between intra-domain Policy Decision Physical Entities (PD-PEs) (Rd interface) | 2009-10-01 | 2009-10-28 | LJ | | | | | | LJ |
| Q.3309 (Q.QCP) | QoS Coordination Protocol | 2009-10-01 | 2009-10-28 | LJ | | | | | | LJ |

Situation concerning Study Group 13 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|---------------------------------------|--|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| Q.1741.6 | IMT 2000 references to Release 8 of GSM-evolved UMTS core network | 2009-10-01 | 2009-10-28 | A | | | | | | A |
| Y.2002 (Y.NGN-UbiNet) | Overview of ubiquitous networking and of its support in NGN | 2009-10-01 | 2009-10-28 | LJ | | | | | | LJ |
| Y.2007 (Y.NGN-Cap2) | NGN Capability Set 2 | 2009-10-01 | 2009-10-28 | LJ | | | | | | LJ |
| Y.2221 (Y.USN-reqts) | Requirements for support of Ubiquitous Sensor Network (USN) applications and services in the NGN environment | 2009-10-01 | 2009-10-28 | LJ | | | | | | LJ |
| Y.2237 (Y.cmoip) | Functional model, service scenarios and use cases for QoS enabled mobile VoIP service | 2009-10-01 | 2009-10-28 | LJ | | | | | | LJ |

Situation concerning Study Group 17 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|-------------------------------------|---|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| X.902 | Information technology - Open Distributed Processing - Reference model: Foundations | 2009-10-01 | 2009-10-28 | A | | | | | | A |
| X.903 | Information technology - Open distributed processing - Reference model: Architecture | 2009-10-01 | 2009-10-28 | A | | | | | | A |
| X.906 (2007) Cor.1 | Information technology - Open Distributed Processing - Use of UML for ODP system specification - Technical Corrigendum 1 | 2009-10-01 | 2009-10-28 | A | | | | | | A |
| X.1081 (2004) Amd.1 | The telebiometric multimodal model - A framework for the specification of security and safety aspects of telebiometrics - Amendment 1: Object identifier assignments under the Telebiometrics arc | 2009-10-01 | 2009-10-28 | A | | | | | | A |
| X.1082 (2007) Amd.1 | Telebiometrics related to human physiology - Amendment 1: Object identifier assignments under the Telebiometrics arc | 2009-10-01 | 2009-10-28 | A | | | | | | A |

Annex 2

(to TSB AAP-24)

Using the on-line comment submission form

Comment submission

- Go to AAP search Web page at <http://www.itu.int/ITU-T/aap/>

The screenshot shows the ITU AAP Search interface. At the top, there is the ITU logo and navigation links: AAP Info | AAP Search | Rec. Under AAP | AAP Announcements. The main heading is "Search for Recommendation(s)". Below this is a search form with the following fields:

- Status:** Under AAP, Approved, Not Approved
- Study Period:** 2005-2008
- Study Group:** All (with a red arrow pointing to it and the text "a) Select study group")
- Recommendation No.:** Three input boxes for Recommendation No., Year, and Study Group (e.g., G.993 or G.993.2 or G.vdsl2)

At the bottom of the form are "Search" and "Reset" buttons. A red arrow points to the "Reset" button with the text "b) Click here".

- Select your Recommendation

The screenshot shows the ITU AAP Recommendations page. At the top, there is the ITU logo and navigation links: AAP Info | AAP Search | Rec. Under AAP | AAP Announcements. Below this is a search criteria summary: "SEARCH CRITERIA: Status: Under AAP Study Period: 2005-2008 Study Group: 16". The main heading is "AAP Recommendations". Below this is a table with the following columns: Recommendation_No, Title, Study_Group, State, Consent_Date, Approval_Date, Study_Period, and Comment.

| Recommendation_No | Title | Study_Group | State | Consent_Date | Approval_Date | Study_Period | Comment |
|--------------------------------------|---|-------------|-------|--------------|---------------|--------------|---------|
| G.711.1 (2008) Amd.1 | Wideband embedded extension for G.711 pulse code modulation; New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text | 16 | LC | 2008-10-03 | | 2005-2008 | |
| G.718 (2008) Cor.1 | Frame error robust narrowband and wideband embedded variable bit-rate coding of speech and audio from 8-32 kbit/s; Corrections to fixed-point C-code | 16 | LC | 2008-10-03 | | 2005-2008 | |
| G.719 (2008) Amd.1 | New Annex A on storage format definitions for G.719, and new Annex B on a reference floating-point implementation for G.719 | 16 | LC | 2008-10-03 | | 2005-2008 | |
| G.722.2 (2003) Cor.3 | Wideband coding of speech at around 16 kbit/s using Adaptive Multi-Rate Wideband (AMR-WB); Corrections to text and C source code in Annex C | 16 | LC | 2008-10-03 | | 2005-2008 | |
| G.729.1 (2006) Amd.5 | G.729-based embedded variable bit-rate coder; An 8-32 kbit/s scalable wideband coder bitstream interoperable with G.729; New Annex D (Reference floating-point implementation for G.729.1 Annex C DTX/CNG) and corrections to the main body and Annex B | 16 | LC | 2008-10-03 | | 2005-2008 | |
| H.264 (2007) Cor.1 | Advanced video coding for generic audiovisual services; corrections and updates | 16 | LJ | 2008-05-02 | | 2005-2008 | ★ |

Total 6 records match.

3) Click the "Submit Comment" button

AAP Recommendation: G.711.1 (2008) Amd.1

Work Programme: G.711.1 (2008) Amd.1

| Title | Study Group | Current Status | Consent Date | Approval Date | Study Period | Provisional Name | IPR | Input used for Consent |
|---|-------------|----------------|--------------|---------------|--------------|------------------|-----|------------------------|
| Wideband embedded extension for G.711 pulse code modulation: New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text | 16 | LC | 2008-10-03 | | 2005-2008 | G.711-WB-Float | ? | TD 381-WP3 |

Observation

AAP Process Details

| Last Call (LC) | | | | Additional Review (AR) | | | | Study Group (SG) | |
|----------------|------------|-----------|-----------|------------------------|--------|-----------|-----------|------------------|-----------|
| LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | SG Date | SG Result |
| 2008-10-16 | 2008-11-12 | | | | | | | | |

[AAP-92]

LC - Text / Summary AR - Text / Summary SG Documents

LC Text LC Summary

LC - Comments AR - Comments SG Decisions

Submit Comment

4) Complete the on-line form and click on "Submit"

Study group*: SG16

Announcement number*: AAP 92

Recommendation number*: G.711.1 (2008) Amd.1

Recommendation under*: Last Call (LC) Additional Review (AR)

Country: Adelie Land

Administration or Company*: [dropdown]

Email of contact (for AAP): [dropdown]

Email of Administration or Company: [text]

Technical contact email: [text]

Sender name*: [text]

Sender email address*: [text]

Telephone: [text]

Comments: (Choose as applicable)

We do not support this text. Reasons are given in the attachment.

We support this text on the condition that it be modified as per revision shown in the attachment.

Observation:

Comments or revised text should be sent as an attachment in reprocessable format such as RTF or Winword. Revision marks must be shown relative to the text posted by TSB.

Attach the file: [text]

Note: Maximum file size is 10 Mb

No attachment Comments are given in the Observation field, no attachment needed

Please check your entries and click on Submit to confirm

If the submission is successful, you will get an acknowledgement report and receive an email containing this report.

For more information, read the AAP tutorial on:
<http://www.itu.int/ITU-T/aapinfo/files/AAPTutorial.pdf>

Annex 3

(to TSB AAP-24)

Recommendations under LC/AR – Comment submission form

(Separate form for each Recommendation being commented upon)

ITU-T AAP comment submission form for the period 2009-2012

Study Group: _____

Announcement number: _____

Recommendation number: _____

Recommendation under: Last call (LC)
 Additional Review (AR)

Country: _____

Administration/Company: _____

Name of AAP Contact Person: _____

Email of AAP Contact Person: _____

Sender name:
(if different from AAP Contact Person) _____

Sender email address: _____

Telephone: _____

Comments:
(Choose as applicable) We do not support this text. Reasons are given in the attachment.
 We support this text on the condition that it be modified as per revision shown in the attachment.

Observations: _____

No attachment: Comments are given in the Observation field, no attachment needed

To be returned to: email: *tsbsg...@itu.int*
[or fax +41 22 730 5853]

Comments or revised text should be sent as an attachment in RTF or WinWord format.
Revision marks must be shown relative to the text posted by TSB.