

# 国际电信联盟

电信标准化局



2010年6月1日，日内瓦

参考号: 电信标准化局AAP-37  
AAP/MJ

电话: +41 22 730 5860

传真: +41 22 730 5853

电子邮件: [tsbdir@itu.int](mailto:tsbdir@itu.int)

– 致国际电联成员国各主管部门;

– 致ITU-T各部门成员;

– 致ITU-T 部门准成员

**抄送:**

– 电信标准化局研究组主席和副主席

– 电信发展局主任

– 无线电通信局主任

事由: 有关采用替换批准程序 (AAP) 处理的建议书的情况

先生/女士,

ITU-T A.8 建议书中规定的建议书替换批准程序 (AAP) 适用于那些不会产生政策或监管影响、因而不需与成员国正式协商的建议书 (见国际电联《公约》第246B款)。

附件1列出了那些在以往电信标准化局AAP预告后地位发生变化的案文。

如您希望针对某个适用AAP的建议书提出意见, 请使用可在ITU-T网站AAP区域 (<http://www.itu.int/ITU-T/aap>) 的“建议书”网页上获取的《AAP意见在线提交表格》(见附件2)。或者, 可填妥附件3中的表格并将意见发送给相关研究组的秘书处。

敬请留意, 我们不鼓励提交仅支持通过所涉案文而没有实质内容的意见。

顺致敬意!

马尔科姆·琼森  
电信标准化局主任

附件: 3件

Place des Nations  
CH-1211 Geneva 20  
Switzerland

Telephone +41 22 730 51 11  
Telefax Gr3: +41 22 733 72 56  
Gr4: +41 22 730 65 00

Telex 421 000 uit ch  
E-mail: [itumail@itu.int](mailto:itumail@itu.int)  
Telegram ITU GENEVE

Web page:  
[www.itu.int](http://www.itu.int)

## **Annex 1**

(to TSB AAP-37)

### **Status codes used in the AAP announcements:**

LC = Last Call

LJ = Last Call Judgment (includes comment resolution)

AR = Additional Review

AJ = Additional Review Judgment (includes comment resolution)

SG = For Study Group approval

A = Approved

AT = Approved with typographic corrections

AC = Approved after Additional Review of Comments

NA = Not approved

TAP = Moved to TAP (ITU-T A.8 / § 5.2)

### **ITU-T website entry page:**

<http://www.itu.int/ITU-T>

### **Alternative approval process (AAP) welcome page:**

<http://www.itu.int/ITU-T/aapinfo>

Note – A tutorial on the ITU-T AAP application is available under the AAP welcome page

### **ITU-T website AAP Recommendation search page:**

<http://www.itu.int/ITU-T/aap/>

### **Study Group web pages and contacts:**

SG 2	<a href="http://www.itu.int/ITU-T/studygroups/com02">http://www.itu.int/ITU-T/studygroups/com02</a>	<a href="mailto:tsbsg2@itu.int">tsbsg2@itu.int</a>
SG 3	<a href="http://www.itu.int/ITU-T/studygroups/com03">http://www.itu.int/ITU-T/studygroups/com03</a>	<a href="mailto:tsbsg3@itu.int">tsbsg3@itu.int</a>
SG 5	<a href="http://www.itu.int/ITU-T/studygroups/com05">http://www.itu.int/ITU-T/studygroups/com05</a>	<a href="mailto:tsbsg5@itu.int">tsbsg5@itu.int</a>
SG 9	<a href="http://www.itu.int/ITU-T/studygroups/com09">http://www.itu.int/ITU-T/studygroups/com09</a>	<a href="mailto:tsbsg9@itu.int">tsbsg9@itu.int</a>
SG 11	<a href="http://www.itu.int/ITU-T/studygroups/com11">http://www.itu.int/ITU-T/studygroups/com11</a>	<a href="mailto:tsbsg11@itu.int">tsbsg11@itu.int</a>
SG 12	<a href="http://www.itu.int/ITU-T/studygroups/com12">http://www.itu.int/ITU-T/studygroups/com12</a>	<a href="mailto:tsbsg12@itu.int">tsbsg12@itu.int</a>
SG 13	<a href="http://www.itu.int/ITU-T/studygroups/com13">http://www.itu.int/ITU-T/studygroups/com13</a>	<a href="mailto:tsbsg13@itu.int">tsbsg13@itu.int</a>
SG 15	<a href="http://www.itu.int/ITU-T/studygroups/com15">http://www.itu.int/ITU-T/studygroups/com15</a>	<a href="mailto:tsbsg15@itu.int">tsbsg15@itu.int</a>
SG 16	<a href="http://www.itu.int/ITU-T/studygroups/com16">http://www.itu.int/ITU-T/studygroups/com16</a>	<a href="mailto:tsbsg16@itu.int">tsbsg16@itu.int</a>
SG 17	<a href="http://www.itu.int/ITU-T/studygroups/com17">http://www.itu.int/ITU-T/studygroups/com17</a>	<a href="mailto:tsbsg17@itu.int">tsbsg17@itu.int</a>

Situation concerning Study Group 2 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
<a href="#">M.3703</a> <a href="#">(X.alarm-neutral)</a>	Common Management Service – Alarm Management - Requirements and analysis - Protocol neutral	2010-06-01	2010-06-28							LC

**Situation concerning Study Group 5 Recommendations under AAP**

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
<a href="#">K.12</a>	Characteristics of gas discharge tubes for the protection of telecommunications installations	2010-05-01	2010-05-28	A						A
<a href="#">K.82 (K.ocp)</a>	Characteristics and ratings of solid-state, self restoring overcurrent protectors for the protection of telecommunications installations	2010-05-01	2010-05-28	A						A
<a href="#">L.19</a>	Multi-pair copper network cable supporting shared multiple services such as POTS, ISDN and xDSL	2010-05-01	2010-05-28	A						A

**Situation concerning Study Group 9 Recommendations under AAP**

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
<a href="#">J.200</a>	Worldwide common core - Application environment for digital interactive television services	2010-04-01	2010-04-28	LJ	AT					AT
<a href="#">J.340 (J.ra-psnr)</a>	Reference Algorithm for Computing Peak Signal to Noise Ratio (PSNR) of a Video Sequence with Constant Spatial Shifts and a Constant Delay	2010-06-01	2010-06-28							LC
<a href="#">J.703 (J.iptvclientctrl)</a>	IPTV Client Control Interface Definition	2010-02-01	2010-02-28	LJ	AT					AT

**Situation concerning Study Group 12 Recommendations under AAP**

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
<a href="#">G.1011 (G.RQAM (ex G.FQT))</a>	Reference guide to Quality of Experience (QoE) assessment methodologies	2010-06-01	2010-06-28							LC
<a href="#">Y.1221</a>	Traffic control and congestion control in IP-based networks	2010-06-01	2010-06-28							LC
<a href="#">Y.1542</a>	Framework for achieving end-to-end IP performance objectives	2010-06-01	2010-06-28							LC

**Situation concerning Study Group 16 Recommendations under AAP**

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
<a href="#">H.264.2 (V3)</a>	Reference software for H.264 advanced video coding	2010-03-01	2010-03-28	LJ	AR	2010-06-01	2010-06-21			AR
<a href="#">T.800 (2002) Amd. 4</a>	Information technology - JPEG 2000 image coding system: Core coding system: Profiles for broadcast applications	2009-11-16	2009-12-13	LJ	AR	2010-06-01	2010-06-21			AR
<a href="#">T.808 (2005) Amd.4</a>	Information technology - JPEG 2000 image coding system: Interactivity tools, APIs and protocols: JPIP server and client profiles	2009-11-16	2009-12-13	LJ	AR	2010-05-01	2010-05-21	AC		AC

**Situation concerning Study Group 17 Recommendations under AAP**

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
<a href="#">E.115 (E.115 Amd.1)</a>	Computerized directory assistance	2010-05-01	2010-05-28	A						A
<a href="#">X.1081 (2004) Amd.2</a>	The telebiometric multimodal model - A framework for the specification of security and safety aspects of telebiometrics - Amendment 2: Enhancement to support ISO/IEC 80000-series	2010-05-01	2010-05-28	A						A
<a href="#">X.1082 (2007) Amd.2</a>	Telebiometrics related to human physiology - Amendment 2: Enhancement to support ISO/IEC 80000-series	2010-05-01	2010-05-28	A						A
<a href="#">X.1101 (X.mcsec-1)</a>	Security requirements and framework for multicast communication	2010-05-01	2010-05-28	LJ						LJ



## Annex 2

(to TSB AAP-37)

### Using the on-line comment submission form

#### Comment submission

- Go to AAP search Web page at <http://www.itu.int/ITU-T/aap/>

- Select your Recommendation

Recommendation_No	Title	Study_Group	State	Consent_Date	Approval_Date	Study_Period	Comment
<a href="#">G.711.1 (2008) Amd.1</a>	Wideband embedded extension for G.711 pulse code modulation; New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text	16	LC	2008-10-03		2005-2008	
<a href="#">G.718 (2008) Cor.1</a>	Frame error robust narrowband and wideband embedded variable bit-rate coding of speech and audio from 8-32 kbit/s; Corrections to fixed-point C-code	16	LC	2008-10-03		2005-2008	
<a href="#">G.719 (2008) Amd.1</a>	New Annex A on storage format definitions for G.719, and new Annex B on a reference floating-point implementation for G.719	16	LC	2008-10-03		2005-2008	
<a href="#">G.722.2 (2003) Cor.3</a>	Wideband coding of speech at around 16 kbit/s using Adaptive Multi-Rate Wideband (AMR-WB); Corrections to text and C source code in Annex C	16	LC	2008-10-03		2005-2008	
<a href="#">G.729.1 (2006) Amd.5</a>	G.729-based embedded variable bit-rate coder: An 8-32 kbit/s scalable wideband coder bitstream interoperable with G.729; New Annex D (Reference floating-point implementation for G.729.1 Annex C DTX/CNG) and corrections to the main body and Annex B	16	LC	2008-10-03		2005-2008	
<a href="#">H.264 (2007) Cor.1</a>	Advanced video coding for generic audiovisual services: corrections and updates	16	LJ	2008-05-02		2005-2008	★

Total 6 records match.

3) Click the "Submit Comment" button

**AAP Recommendation: G.711.1 (2008) Amd.1**

Work Programme: G.711.1 (2008) Amd.1

Title	Study Group	Current Status	Consent Date	Approval Date	Study Period	Provisional Name	IPR	Input used for Consent
Wideband embedded extension for G.711 pulse code modulation: New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text	16	LC	2008-10-03		2005-2008	G.711-WB-Float	?	TD 381-WP3

**Observation**

**AAP Process Details**

Last Call (LC)				Additional Review (AR)				Study Group (SG)	
LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	SG Date	SG Result
2008-10-16	2008-11-12								
[AAP-92]									
LC - Text / Summary				AR - Text / Summary				SG Documents	
<a href="#">LC Text</a>									
<a href="#">LC Summary</a>									
LC - Comments				AR - Comments				SG Decisions	

4) Complete the on-line form and click on "Submit"

**Study group\*:** SG16

**Announcement number\*:** AAP 92

**Recommendation number\*:** G.711.1 (2008) Amd.1

**Recommendation under\*:**  Last Call (LC)  Additional Review (AR)

**Country:** Adelie Land

**Administration or Company\*:** [Dropdown]

**Email of contact (for AAP):** [Dropdown]

**Email of Administration or Company:** [Text]

**Technical contact email:** [Text]

**Sender name\*:** [Text]

**Sender email address\*:** [Text]

**Telephone:** [Text]

**Comments: (Choose as applicable)**

We do not support this text. Reasons are given in the attachment.

We support this text on the condition that it be modified as per revision shown in the attachment.

**Observation:**

Comments or revised text should be sent as an attachment in reprocessable format such as RTF or Winword. Revision marks must be shown relative to the text posted by TSB.

**Attach the file:** [Text]

Note: Maximum file size is 10 Mb

**No attachment** Comments are given in the Observation field, no attachment needed

**Please check your entries and click on Submit to confirm**

If the submission is successful, you will get an acknowledgement report and receive an email containing this report.

For more information, read the AAP tutorial on:  
<http://www.itu.int/ITU-T/aapinfo/files/AAPTutorial.pdf>

### Annex 3

(to TSB AAP-37)

#### Recommendations under LC/AR – Comment submission form

*(Separate form for each Recommendation being commented upon)*

#### ITU-T AAP comment submission form for the period 2009-2012

Study Group: \_\_\_\_\_

Announcement number: \_\_\_\_\_

Recommendation number: \_\_\_\_\_

Recommendation under:

Last call (LC)

Additional Review (AR)

Country: \_\_\_\_\_

Administration/Company: \_\_\_\_\_

Name of AAP Contact Person: \_\_\_\_\_

Email of AAP Contact Person: \_\_\_\_\_

Sender name:

*(if different from AAP Contact Person)* \_\_\_\_\_

Sender email address: \_\_\_\_\_

Telephone: \_\_\_\_\_

Comments:

*(Choose as applicable)*

We do not support this text. Reasons are given in the attachment.

We support this text on the condition that it be modified as per revision shown in the attachment.

Observations: \_\_\_\_\_

**No attachment:** Comments are given in the Observation field, no attachment needed

*To be returned to: email: tsbsg...@itu.int  
[or fax +41 22 730 5853]*

*Comments or revised text should be sent as an attachment in RTF or WinWord format.  
Revision marks must be shown relative to the text posted by TSB.*