

UNION INTERNATIONALE DES TELECOMMUNICATIONS
Bureau de la normalisation des télécommunications



Genève, le 16 mars 2011

Réf: **TSB AAP-55** – Aux administrations des Etats Membres de l'Union;
AAP/MJ – Aux Membres du Secteur UIT-T;
– Aux Associés de l'UIT-T

Tél: +41 22 730 5860 **Copie:**
Fax: +41 22 730 5853 – Aux Présidents et Vice-Présidents des Commissions d'études de l'UIT-T;
E-mail: tsbdir@itu.int – Au Directeur du Bureau de développement des télécommunications;
– Au Directeur du Bureau des radiocommunications

Objet: **Etat des Recommandations auxquelles s'applique la variante de la procédure d'approbation (AAP)**

Madame, Monsieur,

La variante de la procédure d'approbation (AAP), définie dans la Recommandation UIT-T A.8, s'applique aux Recommandations qui n'ont pas d'incidence politique ou réglementaire et ne nécessitent donc pas une consultation formelle des Etats Membres (voir le numéro 246B de la Convention de l'UIT).

L'**Annexe 1** énumère les textes dont le statut a changé par rapport aux annonces TSB AAP antérieures.

Si vous souhaitez soumettre des observations sur une Recommandation ayant fait l'objet de la procédure AAP, vous êtes encouragés à utiliser le formulaire en ligne de soumission des observations AAP, disponible dans l'espace AAP du site web de l'UIT-T à l'adresse <http://www.itu.int/ITU-T/aap/>, à la page de la Recommandation concernée (voir l'**Annexe 2**). Vous pouvez aussi soumettre vos observations en remplissant le formulaire figurant à l'**Annexe 3** et en l'envoyant au secrétariat de la Commission d'études concernée.

Veillez noter que les observations ayant simplement pour objet d'appuyer l'adoption du texte en question ne sont pas encouragées.

Veillez agréer, Madame, Monsieur, l'assurance de ma considération distinguée.

Malcolm Johnson
Directeur du Bureau de la normalisation des télécommunications

Annexes: 3

Place des Nations
CH-1211 Geneva 20
Switzerland

Telephone +41 22 730 51 11
Telefax Gr3: +41 22 733 72 56
Gr4: +41 22 730 65 00

Telex 421 000 uit ch
E-mail: itumail@itu.int
Telegram ITU GENEVE

Web page:
www.itu.int

Annex 1

(to TSB AAP-55)

Status codes used in the AAP announcements:

LC = Last Call

LJ = Last Call Judgment (includes comment resolution)

AR = Additional Review

AJ = Additional Review Judgment (includes comment resolution)

SG = For Study Group approval

A = Approved

AT = Approved with typographic corrections

AC = Approved after Additional Review of Comments

NA = Not approved

TAP = Moved to TAP (ITU-T A.8 / § 5.2)

ITU-T website entry page:

<http://www.itu.int/ITU-T>

Alternative approval process (AAP) welcome page:

<http://www.itu.int/ITU-T/aapinfo>

Note – A tutorial on the ITU-T AAP application is available under the AAP welcome page

ITU-T website AAP Recommendation search page:

<http://www.itu.int/ITU-T/aap/>

Study Group web pages and contacts:

| | | |
|-------|---|--|
| SG 2 | http://www.itu.int/ITU-T/studygroups/com02 | tsbsg2@itu.int |
| SG 3 | http://www.itu.int/ITU-T/studygroups/com03 | tsbsg3@itu.int |
| SG 5 | http://www.itu.int/ITU-T/studygroups/com05 | tsbsg5@itu.int |
| SG 9 | http://www.itu.int/ITU-T/studygroups/com09 | tsbsg9@itu.int |
| SG 11 | http://www.itu.int/ITU-T/studygroups/com11 | tsbsg11@itu.int |
| SG 12 | http://www.itu.int/ITU-T/studygroups/com12 | tsbsg12@itu.int |
| SG 13 | http://www.itu.int/ITU-T/studygroups/com13 | tsbsg13@itu.int |
| SG 15 | http://www.itu.int/ITU-T/studygroups/com15 | tsbsg15@itu.int |
| SG 16 | http://www.itu.int/ITU-T/studygroups/com16 | tsbsg16@itu.int |
| SG 17 | http://www.itu.int/ITU-T/studygroups/com17 | tsbsg17@itu.int |

Situation concerning Study Group 2 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|---------------------------------|-----------------------------------|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| M.727 (M.7pnop) | Planned Outage Notification Point | 2010-12-01 | 2011-01-12 | A | | | | | | A |

Situation concerning Study Group 5 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|---|--|-----------------------|------------|-----------|-----------|-------------------------------|------------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| K.83 (K.monitor) | Monitoring of EMF levels | 2010-12-16 | 2011-01-12 | LJ | AR | 2011-02-16 | 2011-03-08 | AC | | AC |
| L.1400 (L.methodology umbrella) | Overview and general principles of methodologies for assessing the environmental impact of ICT | 2010-10-16 | 2010-11-12 | LJ | AR | 2011-02-01 | 2011-02-21 | AJ | AC | AC |

Situation concerning Study Group 12 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|-----------------------------------|---|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| G.1050 | Network model for evaluating multimedia transmission performance over Internet Protocol | 2011-02-01 | 2011-02-28 | A | | | | | | A |
| P.56 | Objective measurement of active speech level | 2011-02-01 | 2011-02-28 | A | | | | | | A |
| P.311 | Transmission characteristics for wideband digital handset and headset telephones | 2011-02-01 | 2011-02-28 | A | | | | | | A |
| P.341 | Transmission characteristics for wideband digital loudspeaking and hands-free telephony terminals | 2011-02-01 | 2011-02-28 | A | | | | | | A |
| P.1100 | Narrowband hands-free communication in motor vehicles | 2011-02-01 | 2011-02-28 | A | | | | | | A |
| Y.1540 | Internet protocol data communication service – IP packet transfer and availability performance parameters | 2011-02-01 | 2011-02-28 | A | | | | | | A |
| Y.1564 (Y.156sam) | Ethernet service activation test methodology | 2011-02-01 | 2011-02-28 | AT | | | | | | AT |

Situation concerning Study Group 15 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|---|--|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| G.663 | Application related aspects of optical amplifier devices and subsystems | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.709/Y.1331 (2009) Amd.2 | Interfaces for the Optical Transport Network (OTN): Amendment 2 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.798 (2010) Amd.1 | Characteristics of optical transport network hierarchy equipment functional blocks: Amendment 1 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.798 (2010) Cor.1 | Characteristics of optical transport network hierarchy equipment functional blocks: Corrigendum 1 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.798.1 | Types and characteristics of Optical Transport Network (OTN) equipment | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.806 (2009) Amd.1 | Characteristics of transport equipment – Description methodology and generic functionality: Amendment 1 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.873.1 | Optical Transport Network (OTN): Linear protection | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.874 (2010) Cor.1 | Management aspects of optical transport network elements: Corrigendum 1 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.959.1 (2009) Amd.1 | Optical transport networks physical layer interfaces: Amendment 1 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.972 | Definition of terms relevant to optical fibre submarine cable systems | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.973.2 (G.mdasub) | Multichannel DWDM applications with single channel optical interfaces for repeaterless optical fibre submarine cable systems | 2011-03-16 | 2011-04-12 | | | | | | | LC |

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|---|---|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| G.977 | Characteristics of optically amplified optical fibre submarine cable systems | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.988 (2010-10) Amd.1 | ONU management and control interface (OMCI) specification: Amendment 1 - Maintenance | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.992.3 (2009) Cor.2 | Asymmetric digital subscriber line transceivers 2 (ADSL2): Corrigendum 2 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.993.2 (2006) Amd.7 | Very high speed digital subscriber line transceivers 2 (VDSL2): Amendment 7 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.993.2 (2006) Cor.4 | Very high speed digital subscriber line transceivers 2 (VDSL2): Corrigendum 4 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.993.5 (2010) Cor.1 (G.vector) | Self-FEXT cancellation (vectoring) for use with VDSL2 transceivers: Corrigendum 1 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.994.1 (2007) Amd.7 | Handshake procedures for digital subscriber line (DSL) transceivers: Amendment 7 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.997.1 (2009) Amd.3 | Physical layer management for digital subscriber line (DSL) transceivers: Amendment 3 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.998.4 (2010) Amd.1 | Improved impulse noise protection for DSL transceivers: Amendment 1 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.998.4 (2010) Cor.2 | Improved impulse noise protection for DSL transceivers: Corrigendum 2 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.7041/Y.1303 | Generic framing procedure (GFP) | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.7710/Y.1701 (2007) Cor.2 | Common equipment management function requirements: Corrigendum 2 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.8001/Y.1354 | Terms and definitions for Ethernet frames over Transport | 2011-03-16 | 2011-04-12 | | | | | | | LC |

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|---|---|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| G.8013/Y.1731 (Y.1731) | OAM functions and mechanisms for Ethernet based networks | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.8021/Y.1341 (2010) Amd.1 | Characteristics of Ethernet transport network equipment functional blocks: Amendment 1 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.8031/Y.1342 | Ethernet linear protection switching | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.8051/Y.1345 (2009) Amd.1 (G.eot-mgmt) | Management aspects of the Ethernet-over-Transport (EoT) capable network element: Amendment 1 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.8110.1/Y.1370.1 | Architecture of MPLS Transport Profile (MPLS-TP) layer network | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.8201 | Error performance parameters and objectives for multi-operator international paths within the Optical Transport Network (OTN) | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.8251 (2010) Amd.1 | The control of jitter and wander within the optical transport network (OTN): Amendment 1 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.8265.1/Y.1365.1 (2010) Amd.1 | Precision time protocol telecom profile for frequency synchronization: Amendment 1 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.9956 (G.hnem) | Narrow-band OFDM power line communication transceivers - Data link layer specification | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.9961 (2010) Amd.1 | Data link layer (DLL) for unified high-speed wire-line based home networking transceivers: Amendment 1 | 2011-03-16 | 2011-04-12 | | | | | | | LC |
| G.9961 (2010) Cor.1 | Data link layer (DLL) for unified high-speed wire-line based home networking transceivers: Corrigendum 1 | 2011-03-16 | 2011-04-12 | | | | | | | LC |

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|------------------------------------|---|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| O.174 (2009) Amd.1 | Jitter and wander measuring equipment for digital systems which are based on synchronous Ethernet technology: Amendment 1 | 2011-03-16 | 2011-04-12 | | | | | | | LC |

Annex 2

(to TSB AAP-55)

Using the on-line comment submission form

Comment submission

- Go to AAP search Web page at <http://www.itu.int/ITU-T/aap/>

- Select your Recommendation

| Recommendation_No | Title | Study_Group | State | Consent_Date | Approval_Date | Study_Period | Comment |
|--------------------------------------|---|-------------|-------|--------------|---------------|--------------|---------|
| G.711.1 (2008) Amd.1 | Wideband embedded extension for G.711 pulse code modulation; New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text | 16 | LC | 2008-10-03 | | 2005-2008 | |
| G.718 (2008) Cor.1 | Frame error robust narrowband and wideband embedded variable bit-rate coding of speech and audio from 8-32 kbit/s; Corrections to fixed-point C-code | 16 | LC | 2008-10-03 | | 2005-2008 | |
| G.719 (2008) Amd.1 | New Annex A on storage format definitions for G.719, and new Annex B on a reference floating-point implementation for G.719 | 16 | LC | 2008-10-03 | | 2005-2008 | |
| G.722.2 (2003) Cor.3 | Wideband coding of speech at around 16 kbit/s using Adaptive Multi-Rate Wideband (AMR-WB); Corrections to text and C source code in Annex C | 16 | LC | 2008-10-03 | | 2005-2008 | |
| G.729.1 (2006) Amd.5 | G.729-based embedded variable bit-rate coder; An 8-32 kbit/s scalable wideband coder bitstream interoperable with G.729; New Annex D (Reference floating-point implementation for G.729.1 Annex C DTX/CNG) and corrections to the main body and Annex B | 16 | LC | 2008-10-03 | | 2005-2008 | |
| H.264 (2007) Cor.1 | Advanced video coding for generic audiovisual services: corrections and updates | 16 | LJ | 2008-05-02 | | 2005-2008 | ★ |

Total 6 records match.

3) Click the "Submit Comment" button

AAP Recommendation: G.711.1 (2008) Amd.1

Work Programme: G.711.1 (2008) Amd.1

| Title | Study Group | Current Status | Consent Date | Approval Date | Study Period | Provisional Name | IPR | Input used for Consent |
|---|-------------|----------------|--------------|---------------|--------------|------------------|-----|------------------------|
| Wideband embedded extension for G.711 pulse code modulation: New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text | 16 | LC | 2008-10-03 | | 2005-2008 | G.711-WB-Float | ? | TD 381-WP3 |

Observation

AAP Process Details

| Last Call (LC) | | | | Additional Review (AR) | | | | Study Group (SG) | |
|----------------------------|------------|-----------|-----------|------------------------|--------|-----------|-----------|------------------|-----------|
| LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | SG Date | SG Result |
| 2008-10-16 | 2008-11-12 | | | | | | | | |
| [AAP-92] | | | | | | | | | |
| LC - Text / Summary | | | | AR - Text / Summary | | | | SG Documents | |
| LC Text | | | | | | | | | |
| LC Summary | | | | | | | | | |
| LC - Comments | | | | AR - Comments | | | | SG Decisions | |

Submit Comment

4) Complete the on-line form and click on "Submit"

Study group*: SG16

Announcement number*: AAP 92

Recommendation number*: G.711.1 (2008) Amd.1

Recommendation under*: Last Call (LC) Additional Review (AR)

Country: Adelie Land

Administration or Company*: [Dropdown]

Email of contact (for AAP): [Dropdown]

Email of Administration or Company: [Text]

Technical contact email: [Text]

Sender name*: [Text]

Sender email address*: [Text]

Telephone: [Text]

Comments: (Choose as applicable)

We do not support this text. Reasons are given in the attachment.

We support this text on the condition that it be modified as per revision shown in the attachment.

Observation: [Text Area]

Comments or revised text should be sent as an attachment in reprocessible format such as RTF or Winword. Revision marks must be shown relative to the text posted by TSB.

Attach the file: [Text]

Note: Maximum file size is 10 Mb

No attachment Comments are given in the Observation field, no attachment needed

Please check your entries and click on **Submit to confirm**

If the submission is successful, you will get an acknowledgement report and receive an email containing this report.

For more information, read the AAP tutorial on:
<http://www.itu.int/ITU-T/aapinfo/files/AAPTutorial.pdf>

Annex 3

(to TSB AAP-55)

Recommendations under LC/AR – Comment submission form

(Separate form for each Recommendation being commented upon)

ITU-T AAP comment submission form for the period 2009-2012

Study Group: _____

Announcement number: _____

Recommendation number: _____

Recommendation under:

Last call (LC)

Additional Review (AR)

Country: _____

Administration/Company: _____

Name of AAP Contact Person: _____

Email of AAP Contact Person: _____

Sender name:

(if different from AAP Contact Person) _____

Sender email address: _____

Telephone: _____

Comments:

(Choose as applicable)

We do not support this text. Reasons are given in the attachment.

We support this text on the condition that it be modified as per revision shown in the attachment.

Observations: _____

No attachment: Comments are given in the Observation field, no attachment needed

To be returned to: email: *tsbgs...@itu.int*
[or fax +41 22 730 5853]

Comments or revised text should be sent as an attachment in RTF or WinWord format.
Revision marks must be shown relative to the text posted by TSB.