

INTERNATIONAL TELECOMMUNICATION UNION

Telecommunication Standardization Bureau



Geneva, 1 June 2011

Ref: **TSB AAP-60** – To Administrations of Member States of the Union;
AAP/MJ – To ITU-T Sector Members;
– To ITU-T Associates

Tel: +41 22 730 5860

Fax: +41 22 730 5853

E-mail: tsbdir@itu.int

Copy:

- To the ITU-T Study Group Chairmen and Vice-Chairmen;
- To the Director of the Telecommunication Development Bureau;
- To the Director of the Radiocommunication Bureau

Subject: **Situation concerning Recommendations under the Alternative Approval Process (AAP)**

Dear Sir/Madam,

The Alternative Approval Process (AAP) defined in Rec. ITU-T A.8 applies to Recommendations which do not have policy or regulatory implications and which, therefore, do not require formal consultation of Member States (see ITU Convention 246B).

Annex 1 lists those texts whose status has changed compared with previous TSB AAP Announcements.

If you wish to submit a comment relative to a Recommendation under AAP, you are encouraged to use the on-line AAP comment submission form available on the page of the Recommendation in the AAP area of the ITU-T website at <http://www.itu.int/ITU-T/aap> (see **Annex 2**). Alternatively, comments can be submitted by completing the form in **Annex 3** and sending it to the secretariat of the concerned study group.

Please note that comments that simply support adoption of the text in question are not encouraged.

Yours faithfully,

Malcolm Johnson
Director of the Telecommunication Standardization Bureau

Annexes: 3

Place des Nations
CH-1211 Geneva 20
Switzerland

Telephone +41 22 730 51 11
Telefax Gr3: +41 22 733 72 56
Gr4: +41 22 730 65 00

Telex 421 000 uit ch
E-mail: itumail@itu.int
Telegram ITU GENEVE

Web page:
www.itu.int

Annex 1

(to TSB AAP-60)

Status codes used in the AAP announcements:

LC = Last Call

LJ = Last Call Judgment (includes comment resolution)

AR = Additional Review

AJ = Additional Review Judgment (includes comment resolution)

SG = For Study Group approval

A = Approved

AT = Approved with typographic corrections

AC = Approved after Additional Review of Comments

NA = Not approved

TAP = Moved to TAP (ITU-T A.8 / § 5.2)

ITU-T website entry page:

<http://www.itu.int/ITU-T>

Alternative approval process (AAP) welcome page:

<http://www.itu.int/ITU-T/aapinfo>

Note – A tutorial on the ITU-T AAP application is available under the AAP welcome page

ITU-T website AAP Recommendation search page:

<http://www.itu.int/ITU-T/aap/>

Study Group web pages and contacts:

SG 2	http://www.itu.int/ITU-T/studygroups/com02	tsbsg2@itu.int
SG 3	http://www.itu.int/ITU-T/studygroups/com03	tsbsg3@itu.int
SG 5	http://www.itu.int/ITU-T/studygroups/com05	tsbsg5@itu.int
SG 9	http://www.itu.int/ITU-T/studygroups/com09	tsbsg9@itu.int
SG 11	http://www.itu.int/ITU-T/studygroups/com11	tsbsg11@itu.int
SG 12	http://www.itu.int/ITU-T/studygroups/com12	tsbsg12@itu.int
SG 13	http://www.itu.int/ITU-T/studygroups/com13	tsbsg13@itu.int
SG 15	http://www.itu.int/ITU-T/studygroups/com15	tsbsg15@itu.int
SG 16	http://www.itu.int/ITU-T/studygroups/com16	tsbsg16@itu.int
SG 17	http://www.itu.int/ITU-T/studygroups/com17	tsbsg17@itu.int

Situation concerning Study Group 11 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
Q.3203 (Q.NGN-nacf-mob2)	Signalling requirements and architecture of NACF for IP mobility	2011-06-01	2011-06-28							LC
Q.3325 (Q.3325.1)	Resource control protocol no.5 (rcp5) - Protocol at the interface between transport resource control physical entity and policy decision physical entity (Rt interface): Diameter-based	2011-06-01	2011-06-28							LC
Q.3612 (QcentreSig)	Signalling Requirements and Protocol Profiles for IP Centrex service	2011-06-01	2011-06-28							LC
Q.3941.1 (Q.SIP-ISDN-IT C (integration tests))	Network Integration Testing between SIP and ISDN/PSTN network signalling protocols Part 1: Test Suite Structure and Test Purposes (TSS&TP) for SIP-ISDN	2011-06-01	2011-06-28							LC
Q.3941.2 (Q.SIP-ISDN-IT D (integration tests))	Network Integration Testing between SIP and ISDN/PSTN network signalling protocols Part 2: Abstract Test Suite (ATS) and partial protocol Implementation eXtra Information for Testing (PIXIT) proformaspecification for SIP-ISDN	2011-06-01	2011-06-28							LC
Q.3941.3	Network Integration Testing between SIP and ISDN/PSTN network signalling protocols Part 3: Test Suite Structure and Test Purposes (TSS&TP) for SIP-SIP	2011-06-01	2011-06-28							LC
Q.3941.4	Network Integration Testing between SIP and ISDN/PSTN network signalling protocols Part 4: Abstract Test suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for SIP-SIP	2011-06-01	2011-06-28							LC

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
Q.3948	Service testing framework for VoIP at NGN UNI	2011-06-01	2011-06-28							LC

Situation concerning Study Group 13 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
Y.2020 (Y.OSE-arch)	Open Service Environment Functional Architecture for NGN	2011-02-16	2011-03-15	SG						AC
Y.2022 (Y.FAid-loc-split)	Functional architecture for the support of host-based ID/locator separation in NGN	2011-06-01	2011-06-28							LC
Y.2056 (Y.ipv6-vmh)	Framework of vertical multi-homing in IPv6-based NGN	2011-06-01	2011-06-28							LC
Y.2614 (Y.PTDN-reliability)	Network reliability in PTDN	2011-06-01	2011-06-28							LC
Y.2621 (Y.iSCP-req)	Requirements of independent Scalable Control Plane (iSCP) in FPBN	2011-06-01	2011-06-28							LC

Situation concerning Study Group 15 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
G.806 (2009) Amd.1	Characteristics of transport equipment – Description methodology and generic functionality: Amendment 1	2011-03-16	2011-04-12	LJ	AR	2011-06-01	2011-06-21			AR
G.992.3 (2009) Cor.2	Asymmetric digital subscriber line transceivers 2 (ADSL2): Corrigendum 2	2011-03-16	2011-04-12	LJ	AR	2011-06-01	2011-06-21			AR
G.993.2 (2006) Amd.7	Very high speed digital subscriber line transceivers 2 (VDSL2): Amendment 7	2011-03-16	2011-04-12	LJ	AR	2011-06-01	2011-06-21			AR
G.993.5 (2010) Cor.1 (G.vector)	Self-FEXT cancellation (vectoring) for use with VDSL2 transceivers: Corrigendum 1	2011-03-16	2011-04-12	LJ	AR	2011-06-01	2011-06-21			AR
G.997.1 (2009) Amd.3	Physical layer management for digital subscriber line (DSL) transceivers: Amendment 3	2011-03-16	2011-04-12	LJ	AR	2011-06-01	2011-06-21			AR
G.998.4 (2010) Amd.1	Improved impulse noise protection for DSL transceivers: Amendment 1	2011-03-16	2011-04-12	LJ	AR	2011-06-01	2011-06-21			AR
G.8031/Y.1342	Ethernet linear protection switching	2011-03-16	2011-04-12	LJ	AR	2011-06-01	2011-06-21			AR

Situation concerning Study Group 16 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
G.169 (V2)	Automatic level control devices	2011-04-16	2011-05-13	A						A
G.799.3 (G.IP2IP)	Signal processing functionality and performance of an IP-to-IP voice gateway optimised for the transport of voice and voiceband data	2011-04-16	2011-05-13	A						A
H.222.0 (2006) Amd.5 (H.222.0-J2k-video)	Information technology - Generic coding of moving pictures and associated audio information: Systems: Transport of JPEG 2000 Part 1 (ITU-T T.800 ISO/IEC 15444-1) video over ITU-T H.222.0 ISO/IEC 13818-1	2011-04-16	2011-05-13	A						A
H.222.0 (2006) Amd.6 (H.222.0-MVC-ext)	Information technology - Generic coding of moving pictures and associated audio information: Systems: Extension to AVC video descriptor and signaling of operation points for MVC	2011-04-16	2011-05-13	A						A
H.241 (2006) Cor.1	Extended video procedures and control signals for H.300-series terminals: Corrections to CustomMaxDPB capability parameter	2011-04-16	2011-05-13	A						A
H.245 (V16)	Control protocol for multimedia communication	2011-04-16	2011-05-13	A						A
H.248.75 (H.248.PIPA)	Gateway control protocol: Package identifier publishing and application package	2011-04-16	2011-05-13	A						A
H.248.81 (H.248.ETS)	Gateway Control Protocol: Guidelines on the Use of the International Emergency Preference Scheme (IEPS) Call Indicator and Priority Indicator in H.248 Profiles	2011-04-16	2011-05-13	A						A

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
H.264 (H.264 (2010) Amd. 1)	Advanced video coding for generic audiovisual services	2011-06-01	2011-06-28							LC
H.350	Directory services architecture for multimedia conferencing	2011-04-16	2011-05-13	A						A
H.350.1	Directory services architecture for H.323	2011-04-16	2011-05-13	A						A
H.350.2	Directory services architecture for H.235	2011-04-16	2011-05-13	A						A
H.350.3	Directory services architecture for H.320	2011-04-16	2011-05-13	A						A
H.350.4	Directory services architecture for SIP	2011-04-16	2011-05-13	A						A
H.350.5	Directory services architecture for non-standard protocols	2011-04-16	2011-05-13	A						A
H.350.6	Directory services architecture for call forwarding and preferences	2011-04-16	2011-05-13	A						A
H.450.1	Generic functional protocol for the support of supplementary services in H.323	2011-04-16	2011-05-13	A						A
H.450.2	Call transfer supplementary service for H.323	2011-04-16	2011-05-13	A						A
H.450.3	Call diversion supplementary service for H.323	2011-04-16	2011-05-13	A						A
H.460.23 (2009) Amd.1	Network address translator and firewall device determination in H.323 systems: Support for ITU-T H.460.24 Annex B	2011-04-16	2011-05-13	A						A
H.460.24 (2009) Amd.1	Point to point media through network address translators and firewalls within H.323 systems: Improvements for NAT traversal without intermediary entities	2011-04-16	2011-05-13	A						A
H.626 (H.VSarch)	Architectural requirements for visual surveillance	2011-04-16	2011-05-13	A						A

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
H.762	Lightweight interactive multimedia environment (LIME) for IPTV services	2011-04-16	2011-05-13	A						A
H.771 (H.IPTV-SBSD)	SIP-based IPTV Service Discovery	2011-04-16	2011-05-13	A						A
T.88 (2000) Amd.3	Information technology - Lossy/lossless coding of bi-level images: Extension to color coding	2011-04-16	2011-05-13	A						A
T.800 (2002) Amd.3 (*)	Information technology - JPEG 2000 image coding system: Core coding system: Guidelines for digital cinema applications	2011-04-16	2011-05-13	A						A
T.808 (2005) Cor.3	Information technology - JPEG 2000 image coding system: Interactivity tools, APIs and protocols: Corrections to clause J.4.3.4	2011-04-16	2011-05-13	A						A
T.809 (2007) Cor.1	Information technology - JPEG 2000 image coding system: Extensions for three-dimensional data: Minor corrections plus clarifications on code stream CAP marker segments and quantization of JP3D images	2011-04-16	2011-05-13	LJ						LJ
T.832 (2009) Cor.2	JPEG XR image coding system - Image coding specification: Corrections and clarifications	2011-04-16	2011-05-13	A						A
T.871 (T.JFIF)	Information technology - Digital compression and coding of continuous-tone still images: JPEG File Interchange Format (JFIF)	2011-04-16	2011-05-13	A						A

(*) For edition history consistency, this text will be published as T.800 (2002) Amd. 4 (05/2011).

Situation concerning Study Group 17 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
X.1052 (X.ismf)	Information security management framework	2011-05-01	2011-05-28	A						A
X.1057 (X.amg)	Asset management guidelines in telecommunication organizations	2011-05-01	2011-05-28	A						A
X.1090 (X.ott)	Authentication framework with one-time telebiometric template	2011-05-01	2011-05-28	A						A
X.1192 (X.iptvsec-2)	Functional requirements and mechanisms for the secure transcodable scheme of IPTV	2011-05-01	2011-05-28	A						A

Annex 2

(to TSB AAP-60)

Using the on-line comment submission form

Comment submission

- Go to AAP search Web page at <http://www.itu.int/ITU-T/aap/>

- Select your Recommendation

Recommendation_No	Title	Study_Group	State	Consent_Date	Approval_Date	Study_Period	Comment
G.711.1 (2008) Amd.1	Wideband embedded extension for G.711 pulse code modulation; New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text	16	LC	2008-10-03		2005-2008	
G.718 (2008) Cor.1	Frame error robust narrowband and wideband embedded variable bit-rate coding of speech and audio from 8-32 kbit/s; Corrections to fixed-point C-code	16	LC	2008-10-03		2005-2008	
G.719 (2008) Amd.1	New Annex A on storage format definitions for G.719, and new Annex B on a reference floating-point implementation for G.719	16	LC	2008-10-03		2005-2008	
G.722.2 (2003) Cor.3	Wideband coding of speech at around 16 kbit/s using Adaptive Multi-Rate Wideband (AMR-WB); Corrections to text and C source code in Annex C	16	LC	2008-10-03		2005-2008	
G.729.1 (2006) Amd.5	G.729-based embedded variable bit-rate coder; An 8-32 kbit/s scalable wideband coder bitstream interoperable with G.729; New Annex D (Reference floating-point implementation for G.729.1 Annex C DTX/CNG) and corrections to the main body and Annex B	16	LC	2008-10-03		2005-2008	
H.264 (2007) Cor.1	Advanced video coding for generic audiovisual services; corrections and updates	16	LJ	2008-05-02		2005-2008	★

Total 6 records match.

3) Click the "Submit Comment" button

AAP Recommendation: G.711.1 (2008) Amd.1

Work Programme: G.711.1 (2008) Amd.1

Title	Study Group	Current Status	Consent Date	Approval Date	Study Period	Provisional Name	IPR	Input used for Consent
Wideband embedded extension for G.711 pulse code modulation: New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text	16	LC	2008-10-03		2005-2008	G.711-WB-Float	?	TD 381-WP3

Observation

AAP Process Details

Last Call (LC)				Additional Review (AR)				Study Group (SG)	
LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	SG Date	SG Result
2008-10-16	2008-11-12								
[AAP-92]									
LC - Text / Summary				AR - Text / Summary				SG Documents	
LC Text LC Summary									
LC - Comments				AR - Comments				SG Decisions	

Submit Comment

4) Complete the on-line form and click on "Submit"

Study group*: SG16
Announcement number*: AAP 92
Recommendation number*: G.711.1 (2008) Amd.1
Recommendation under*: Last Call (LC) Additional Review (AR)
Country: Adelie Land
Administration or Company*:
Email of contact (for AAP):
Email of Administration or Company:
Technical contact email:
Sender name*:
Sender email address*:
Telephone:

Comments: (Choose as applicable)

We do not support this text. Reasons are given in the attachment.
 We support this text on the condition that it be modified as per revision shown in the attachment.

Observation:

Comments or revised text should be sent as an attachment in reprocessible format such as RTF or Winword. Revision marks must be shown relative to the text posted by TSB.

Attach the file:

Note: Maximum file size is 10 Mb

No attachment Comments are given in the Observation field, no attachment needed

Please check your entries and click on **Submit to confirm**

If the submission is successful, you will get an acknowledgement report and receive an email containing this report.

For more information, read the AAP tutorial on:
<http://www.itu.int/ITU-T/aapinfo/files/AAPTutorial.pdf>

Annex 3

(to TSB AAP-60)

Recommendations under LC/AR – Comment submission form

(Separate form for each Recommendation being commented upon)

ITU-T AAP comment submission form for the period 2009-2012

Study Group: _____

Announcement number: _____

Recommendation number: _____

Recommendation under:

Last call (LC)

Additional Review (AR)

Country: _____

Administration/Company: _____

Name of AAP Contact Person: _____

Email of AAP Contact Person: _____

Sender name:

(if different from AAP Contact Person) _____

Sender email address: _____

Telephone: _____

Comments:

(Choose as applicable)

We do not support this text. Reasons are given in the attachment.

We support this text on the condition that it be modified as per revision shown in the attachment.

Observations: _____

No attachment: Comments are given in the Observation field, no attachment needed

To be returned to: email: *tsbsg...@itu.int*
[or fax +41 22 730 5853]

Comments or revised text should be sent as an attachment in RTF or WinWord format.
Revision marks must be shown relative to the text posted by TSB.