

UNION INTERNATIONALE DES TELECOMMUNICATIONS
Bureau de la normalisation des télécommunications



Genève, le 16 novembre 2011

Réf: **TSB AAP-71** – Aux administrations des Etats Membres de l'Union;
AAP/MJ – Aux Membres du Secteur UIT-T;
– Aux Associés de l'UIT-T

Tél: +41 22 730 5860 **Copie:**
Fax: +41 22 730 5853 – Aux Présidents et Vice-Présidents des Commissions d'études de l'UIT-T;
E-mail: tsbdir@itu.int – Au Directeur du Bureau de développement des télécommunications;
– Au Directeur du Bureau des radiocommunications

Objet: **Etat des Recommandations auxquelles s'applique la variante de la procédure d'approbation (AAP)**

Madame, Monsieur,

La variante de la procédure d'approbation (AAP), définie dans la Recommandation UIT-T A.8, s'applique aux Recommandations qui n'ont pas d'incidence politique ou réglementaire et ne nécessitent donc pas une consultation formelle des Etats Membres (voir le numéro 246B de la Convention de l'UIT).

L'**Annexe 1** énumère les textes dont le statut a changé par rapport aux annonces TSB AAP antérieures.

Si vous souhaitez soumettre des observations sur une Recommandation ayant fait l'objet de la procédure AAP, vous êtes encouragés à utiliser le formulaire en ligne de soumission des observations AAP, disponible dans l'espace AAP du site web de l'UIT-T à l'adresse <http://www.itu.int/ITU-T/aap/>, à la page de la Recommandation concernée (voir l'**Annexe 2**). Vous pouvez aussi soumettre vos observations en remplissant le formulaire figurant à l'**Annexe 3** et en l'envoyant au secrétariat de la Commission d'études concernée.

Veillez noter que les observations ayant simplement pour objet d'appuyer l'adoption du texte en question ne sont pas encouragées.

Veillez agréer, Madame, Monsieur, l'assurance de ma considération distinguée.

Malcolm Johnson
Directeur du Bureau de la normalisation des télécommunications

Annexes: 3

Place des Nations
CH-1211 Geneva 20
Switzerland

Telephone +41 22 730 51 11
Telefax Gr3: +41 22 733 72 56
Gr4: +41 22 730 65 00

Telex 421 000 uit ch
E-mail: itumail@itu.int
Telegram ITU GENEVE

Web page:
www.itu.int

Annex 1

(to TSB AAP-71)

Status codes used in the AAP announcements:

LC = Last Call

LJ = Last Call Judgment (includes comment resolution)

AR = Additional Review

AJ = Additional Review Judgment (includes comment resolution)

SG = For Study Group approval

A = Approved

AT = Approved with typographic corrections

AC = Approved after Additional Review of Comments

NA = Not approved

TAP = Moved to TAP (ITU-T A.8 / § 5.2)

ITU-T website entry page:

<http://www.itu.int/ITU-T>

Alternative approval process (AAP) welcome page:

<http://www.itu.int/ITU-T/aapinfo>

Note – A tutorial on the ITU-T AAP application is available under the AAP welcome page

ITU-T website AAP Recommendation search page:

<http://www.itu.int/ITU-T/aap/>

Study Group web pages and contacts:

SG 2	http://www.itu.int/ITU-T/studygroups/com02	tsbsg2@itu.int
SG 3	http://www.itu.int/ITU-T/studygroups/com03	tsbsg3@itu.int
SG 5	http://www.itu.int/ITU-T/studygroups/com05	tsbsg5@itu.int
SG 9	http://www.itu.int/ITU-T/studygroups/com09	tsbsg9@itu.int
SG 11	http://www.itu.int/ITU-T/studygroups/com11	tsbsg11@itu.int
SG 12	http://www.itu.int/ITU-T/studygroups/com12	tsbsg12@itu.int
SG 13	http://www.itu.int/ITU-T/studygroups/com13	tsbsg13@itu.int
SG 15	http://www.itu.int/ITU-T/studygroups/com15	tsbsg15@itu.int
SG 16	http://www.itu.int/ITU-T/studygroups/com16	tsbsg16@itu.int
SG 17	http://www.itu.int/ITU-T/studygroups/com17	tsbsg17@itu.int

Situation concerning Study Group 5 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
K.20	Resistibility of telecommunication equipment installed in a telecommunications centre to overvoltages and overcurrents	2011-10-16	2011-11-12	A						A
K.21	Resistibility of telecommunication equipment installed in customer premises to overvoltages and overcurrents	2011-10-16	2011-11-12	A						A
K.44	Resistibility tests for telecommunication equipment exposed to overvoltages and overcurrents – Basic Recommendation	2011-10-16	2011-11-12	A						A
K.45	Resistibility of telecommunication equipment installed in the access and trunk networks to overvoltages and overcurrents	2011-10-16	2011-11-12	A						A
K.85 (K.hnwr)	Requirements for the mitigation of lightning effects on home networks installed in customer premises	2011-10-16	2011-11-12	A						A
K.86 (K.lcl)	Method for measuring Longitudinal Conversion Loss (9kHz - 30MHz)	2011-10-16	2011-11-12	A						A
K.87 (K.sec)	Guide for the application of electromagnetic security requirements - Basic Recommendation	2011-10-16	2011-11-12	A						A
K.88 (K.NGN)	EMC requirements for Next Generation Network equipment	2011-10-16	2011-11-12	A						A
L.1100 (L.raremetals)	A method to provide recycling information of rare metals in ICT products	2011-10-16	2011-11-12	LJ						LJ
L.1410 (L.GNS)	Methodology for environmental impact assessment of information and communication technologies goods, networks and services	2011-10-16	2011-11-12	LJ						LJ

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
L.1420 (L.ORG)	Methodology for energy consumption and greenhouse gas emissions impact assessment of Information and Communication Technologies in organizations	2011-10-16	2011-11-12	LJ						LJ

Situation concerning Study Group 9 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
J.380.1 (J.dpi-asi.1)	Digital Program Insertion – Advertising Systems Interfaces: Part 1 – Advertising Systems Overview	2011-10-16	2011-11-12	A						A
J.380.2 (J.dpi-asi.2)	Digital Program Insertion–Advertising Systems Interfaces: Part 2 - Core data elements	2011-10-16	2011-11-12	A						A
J.380.3 (J.dpi-asi.3)	Digital Program Insertion – Advertising Systems Interfaces: Part 3 – Ad Management Service Interface	2011-10-16	2011-11-12	A						A
J.380.4 (J.dpi-asi.4)	Digital Program Insertion–Advertising Systems Interfaces: Part 4 – Content Information Service (CIS)	2011-10-16	2011-11-12	A						A
J.380.5 (J.dpi-asi.5)	Digital Program Insertion–Advertising Systems Interfaces: Part 5 – Placement Opportunity Information Service	2011-10-16	2011-11-12	A						A
J.380.6 (J.dpi-asi.6)	Digital Program Insertion – Advertising Systems Interfaces: Part 6 – Subscriber Information Service	2011-10-16	2011-11-12	A						A
J.380.7 (J.dpi-asi.7)	Digital Program Insertion–Advertising Systems Interfaces: Part 7 – Message Transport	2011-10-16	2011-11-12	A						A
J.380.8 (J.dpi-asi.8)	Digital Program Insertion–Advertising Systems Interfaces: Part 8 – General Information Service	2011-10-16	2011-11-12	A						A

Situation concerning Study Group 12 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
E.803 (E.QoSNT)	Quality of Service parameters of non-utilisation stages of ICT services	2011-11-16	2011-12-13							LC
G.107	The E-model: a computational model for use in transmission planning	2011-11-16	2011-12-13							LC
G.107.1 (G.WBEM)	Wideband E-model	2011-11-16	2011-12-13							LC
P.10/G.100 (2006) Amd.3 (P.10/G.100 (2006) Amd.3)	New definitions for inclusion in Recommendation ITU-T P.10/G.100	2011-11-16	2011-12-13							LC
P.56	Objective measurement of active speech level	2011-11-16	2011-12-13							LC
P.57	Artificial ears	2011-11-16	2011-12-13							LC
P.58	Head and torso simulator for telephony	2011-11-16	2011-12-13							LC
Y.1541	Network performance objectives for IP-based services	2011-11-16	2011-12-13							LC
Y.1565 (Y.15HN)	Home Network Performance Parameters	2011-11-16	2011-12-13							LC

Situation concerning Study Group 13 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
Y.3011 (Y.FNvirt)	Framework of network virtualization for Future Networks	2011-11-16	2011-12-13							LC

Situation concerning Study Group 15 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
G.992.3 (2009) Amd.4	Asymmetric digital subscriber line transceivers 2 (ADSL2): Amendment 4	2011-10-01	2011-10-28	LJ	A					A
G.993.2	Very high speed digital subscriber line transceivers 2 (VDSL2)	2011-10-01	2011-10-28	LJ	SG					SG
G.993.5 (2010) Amd.1 (G.vector)	Self-FEXT cancellation (vectoring) for use with VDSL2 transceivers: Amendment 1	2011-10-01	2011-10-28	LJ	SG					SG
G.994.1 (2007) Amd.8 (G.hs)	Handshake procedures for digital subscriber line (DSL) transceivers - Amendment 8	2011-10-01	2011-10-28	LJ	SG					SG
G.994.1 (2007) Cor.1 (G.hs)	Handshake procedures for digital subscriber line (DSL) transceivers - Corrigendum 1	2011-10-01	2011-10-28	LJ	A					A
G.997.1 (2009) Amd.4	Physical layer management for digital subscriber line (DSL) transceivers: Amendment 4	2011-10-01	2011-10-28	LJ	SG					SG
G.997.1 (2009) Cor.2	Physical layer management for digital subscriber line (DSL) transceivers: Corrigendum 2	2011-10-01	2011-10-28	LJ	A					A
G.998.4 (2010) Cor.3	Improved impulse noise protection for DSL transceivers: Corrigendum 3	2011-10-01	2011-10-28	LJ	SG					SG
G.7044/Y.1347 (G.hao)	Hitless Adjustment of ODUflex(GFP) (HAO)	2011-10-01	2011-10-28	LJ	AT					AT
G.8013/Y.1731 (2011) Cor.1	OAM functions and mechanisms for Ethernet based networks: Corrigendum 1	2011-10-01	2011-10-28	LJ	A					A
G.8110.1/Y.1370.1	Architecture of MPLS Transport Profile (MPLS-TP) layer network	2011-09-01	2011-09-28	LJ	SG					SG

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
G.8113.2/Y.1372.2 (G.tpoam G.mplstpoam)	Operations, administration and maintenance mechanisms for MPLS-TP networks using the tools defined for MPLS	2011-10-16	2011-11-12	SG						SG
G.9956 (G.hnem)	Narrow-band OFDM power line communication transceivers - Data link layer specification	2011-03-16	2011-04-12	LJ	AR	2011-10-16	2011-11-05	AC		AC
G.9960	Unified high-speed wire-line based home networking transceivers - System architecture and physical layer specification	2011-10-01	2011-10-28	LJ	SG					SG
G.9961 (2010) Amd.1	Data link layer (DLL) for unified high-speed wire-line based home networking transceivers: Amendment 1	2011-03-16	2011-04-12	LJ	SG					SG
G.9961 (2010) Cor.1	Data link layer (DLL) for unified high-speed wire-line based home networking transceivers: Corrigendum 1	2011-03-16	2011-04-12	LJ	SG					SG
G.9963 (G.hn-MIMO)	Unified high-speed wire-line based home networking transceivers - Multiple Input/Multiple Output (MIMO)	2011-10-01	2011-10-28	LJ	SG					SG
G.9973 (G.cmhn, G.phnt)	Protocol for identifying home network topology	2011-10-01	2011-10-28	LJ	A					A

Annex 2

(to TSB AAP-71)

Using the on-line comment submission form

Comment submission

- Go to AAP search Web page at <http://www.itu.int/ITU-T/aap/>

- Select your Recommendation

Recommendation_No	Title	Study_Group	State	Consent_Date	Approval_Date	Study_Period	Comment
G.711.1 (2008) Amd.1	Wideband embedded extension for G.711 pulse code modulation; New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text	16	LC	2008-10-03		2005-2008	
G.718 (2008) Cor.1	Frame error robust narrowband and wideband embedded variable bit-rate coding of speech and audio from 8-32 kbit/s; Corrections to fixed-point C-code	16	LC	2008-10-03		2005-2008	
G.719 (2008) Amd.1	New Annex A on storage format definitions for G.719, and new Annex B on a reference floating-point implementation for G.719	16	LC	2008-10-03		2005-2008	
G.722.2 (2003) Cor.3	Wideband coding of speech at around 16 kbit/s using Adaptive Multi-Rate Wideband (AMR-WB); Corrections to text and C source code in Annex C	16	LC	2008-10-03		2005-2008	
G.729.1 (2006) Amd.5	G.729-based embedded variable bit-rate coder: An 8-32 kbit/s scalable wideband coder bitstream interoperable with G.729; New Annex D (Reference floating-point implementation for G.729.1 Annex C DTX/CNG) and corrections to the main body and Annex B	16	LC	2008-10-03		2005-2008	
H.264 (2007) Cor.1	Advanced video coding for generic audiovisual services: corrections and updates	16	LJ	2008-05-02		2005-2008	★

Total 6 records match.

3) Click the "Submit Comment" button

AAP Recommendation: G.711.1 (2008) Amd.1

Work Programme: G.711.1 (2008) Amd.1

Title	Study Group	Current Status	Consent Date	Approval Date	Study Period	Provisional Name	IPR	Input used for Consent
Wideband embedded extension for G.711 pulse code modulation: New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text	16	LC	2008-10-03		2005-2008	G.711-WB-Float	?	TD 381-WP3

Observation

AAP Process Details

Last Call (LC)				Additional Review (AR)				Study Group (SG)	
LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	SG Date	SG Result
2008-10-16	2008-11-12								
[AAP-92]									
LC - Text / Summary				AR - Text / Summary				SG Documents	
LC Text LC Summary									
LC - Comments				AR - Comments				SG Decisions	

Submit Comment

4) Complete the on-line form and click on "Submit"

Study group*: SG16
Announcement number*: AAP 92
Recommendation number*: G.711.1 (2008) Amd.1
Recommendation under*: Last Call (LC) Additional Review (AR)
Country: Adelie Land
Administration or Company*:
Email of contact (for AAP):
Email of Administration or Company:
Technical contact email:
Sender name*:
Sender email address*:
Telephone:

Comments: (Choose as applicable)
 We do not support this text. Reasons are given in the attachment.
 We support this text on the condition that it be modified as per revision shown in the attachment.

Observation:

Comments or revised text should be sent as an attachment in reprocessible format such as RTF or Winword. Revision marks must be shown relative to the text posted by TSB.

Attach the file:
 Note: Maximum file size is 10 Mb

No attachment Comments are given in the Observation field, no attachment needed

Please check your entries and click on **Submit to confirm**

If the submission is successful, you will get an acknowledgement report and receive an email containing this report.

For more information, read the AAP tutorial on:
<http://www.itu.int/ITU-T/aapinfo/files/AAPTutorial.pdf>

Annex 3

(to TSB AAP-71)

Recommendations under LC/AR – Comment submission form

(Separate form for each Recommendation being commented upon)

ITU-T AAP comment submission form for the period 2009-2012

Study Group: _____

Announcement number: _____

Recommendation number: _____

Recommendation under:

Last call (LC)

Additional Review (AR)

Country: _____

Administration/Company: _____

Name of AAP Contact Person: _____

Email of AAP Contact Person: _____

Sender name:

(if different from AAP Contact Person) _____

Sender email address: _____

Telephone: _____

Comments:

(Choose as applicable)

We do not support this text. Reasons are given in the attachment.

We support this text on the condition that it be modified as per revision shown in the attachment.

Observations: _____

No attachment: Comments are given in the Observation field, no attachment needed

To be returned to: email: *tsbgs...@itu.int*
[or fax +41 22 730 5853]

Comments or revised text should be sent as an attachment in RTF or WinWord format.
Revision marks must be shown relative to the text posted by TSB.