



الاتحاد الدولي للاتصالات

مكتب تقييس الاتصالات

جنيف، 1 اغسطس 2012

- إلى إدارات الدول الأعضاء في الاتحاد؛
- إلى أعضاء قطاع تقييس الاتصالات؛
- إلى المنتسبين إلى قطاع تقييس الاتصالات

TSB AAP-87
AAP/MJ

المرجع:

+41 22 730 5860

الهاتف:

+41 22 730 5853

الفاكس:

tsbdir@itu.int

البريد الإلكتروني:

نسخة إلى:

- رؤساء لجان الدراسات في قطاع تقييس الاتصالات ونوابهم؛
- مدير مكتب تنمية الاتصالات؛
- مدير مكتب الاتصالات الراديوية

الموضوع: حالة التوصيات الخاضعة لعملية الموافقة البديلة (AAP)

حضرات السادة والسيدات،

تحية طيبة وبعد،

تنطبق عملية الموافقة البديلة (AAP) المعرفة في التوصية ITU-T A.8 على التوصيات التي لا تنطوي على بعد سياسي أو تنظيمي ولا تتطلب بالتالي استشارة الدول الأعضاء رسمياً (انظر الرقم 246B من اتفاقية الاتحاد).

ويتضمن الملحق 1 لائحة بالنصوص التي تغيرت حالتها مقارنة بما جاء في إعلانات عملية الموافقة البديلة السابقة.

إذا رغبت في تقديم تعليق بشأن توصية ما خاضعة لعملية الموافقة البديلة، فنرجو منكم استعمال استمارة التعليق على الخط المتوفرة على موقع قطاع تقييس الاتصالات على صفحة عملية الموافقة البديلة <http://www.itu.int/ITU-T/aap> على المدخل الخاص بالتوصية المعنية (انظر الملحق 2). وبديلاً من ذلك، يمكنكم تقديم التعليقات باستكمال الاستمارة الواردة في الملحق 3 وإرسالها إلى أمانة لجنة الدراسات المعنية بالأمر.

وتجدر الإشارة إلى أنه يفضل عدم إرسال تعليقات تقتصر على تأييد اعتماد النص قيد النظر.

وتفضلوا بقبول فائق الاحترام والتقدير.

مالكولم جونسون

مدير مكتب تقييس الاتصالات

الملحقات: 3

Place des Nations
CH-1211 Geneva 20
Switzerland

Telephone +41 22 730 51 11
Telefax Gr3: +41 22 733 72 56
Gr4: +41 22 730 65 00

Telex 421 000 uit ch
E-mail: itumail@itu.int
Telegram ITU GENEVE

Web page:
www.itu.int

Annex 1

(to TSB AAP-87)

Status codes used in the AAP announcements:

LC = Last Call

LJ = Last Call Judgment (includes comment resolution)

AR = Additional Review

AJ = Additional Review Judgment (includes comment resolution)

SG = For Study Group approval

A = Approved

AT = Approved with typographic corrections

AC = Approved after Additional Review of Comments

NA = Not approved

TAP = Moved to TAP (ITU-T A.8 / § 5.2)

ITU-T website entry page:

<http://www.itu.int/ITU-T>

Alternative approval process (AAP) welcome page:

<http://www.itu.int/ITU-T/aapinfo>

Note – A tutorial on the ITU-T AAP application is available under the AAP welcome page

ITU-T website AAP Recommendation search page:

<http://www.itu.int/ITU-T/aap/>

Study Group web pages and contacts:

SG 2	http://www.itu.int/ITU-T/studygroups/com02	tsbsg2@itu.int
SG 3	http://www.itu.int/ITU-T/studygroups/com03	tsbsg3@itu.int
SG 5	http://www.itu.int/ITU-T/studygroups/com05	tsbsg5@itu.int
SG 9	http://www.itu.int/ITU-T/studygroups/com09	tsbsg9@itu.int
SG 11	http://www.itu.int/ITU-T/studygroups/com11	tsbsg11@itu.int
SG 12	http://www.itu.int/ITU-T/studygroups/com12	tsbsg12@itu.int
SG 13	http://www.itu.int/ITU-T/studygroups/com13	tsbsg13@itu.int
SG 15	http://www.itu.int/ITU-T/studygroups/com15	tsbsg15@itu.int
SG 16	http://www.itu.int/ITU-T/studygroups/com16	tsbsg16@itu.int
SG 17	http://www.itu.int/ITU-T/studygroups/com17	tsbsg17@itu.int

Situation concerning Study Group 12 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
G.1021 (G.102buff)	Buffer models for development of client performance metrics	2012-06-16	2012-07-13	A						A
G.1070	Opinion model for video-telephony applications	2012-06-16	2012-07-13	A						A
P.381 (P.UHIP)	Technical requirements and test methods for universal wired headset or headphone interface of digital wireless terminals	2012-06-16	2012-07-13	AR		2012-08-01	2012-08-21			AR
P.501 (2012) Amd.1 (P.501)	Amendment 1 to P.501 (2012): Test signals for use in telephony	2012-06-16	2012-07-13	A						A
P.1301 (P.AMT)	Subjective quality evaluation of audio and audiovisual multiparty telemeetings	2012-06-16	2012-07-13	A						A
P.1401 (P.STAT)	Methods, metrics and procedures for statistical evaluation, qualification and comparison of objective quality prediction models	2012-06-16	2012-07-13	A						A
Y.1566 (Y.QoSmap)	QoS mapping and interconnection between Ethernet, IP and MPLS networks	2012-06-16	2012-07-13	A						A

Situation concerning Study Group 13 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
Y.1920 (Y.IPTV-TM)	Guidelines for the use of traffic management mechanisms in support of IPTV services	2012-07-01	2012-07-28	A						A
Y.2024 (Y.NGN-Web)	Functional requirements and architecture of the Web service component in Next Generation Network	2012-07-01	2012-07-28	A						A
Y.2025 (Y.NGN-SIDE-arch)	Functional architecture of Next Generation Network service integration and delivery environment	2012-07-01	2012-07-28	A						A
Y.2026 (Y.USN-arch)	Functional requirements and architecture of the Next Generation Network for support of ubiquitous sensor network (USN) applications and services	2012-07-01	2012-07-28	A						A
Y.2027 (Y.MC-ARCH)	Functional architecture of Multi-connection	2012-07-01	2012-07-28	A						A
Y.2059 (Y.ipv6na)	Functional requirements for accessing to IPv6-based next generation networks	2012-07-01	2012-07-28	A						A
Y.2063 (Y.WoT)	Framework of Web of Things	2012-07-01	2012-07-28	A						A
Y.2069 (Y.terms-IoT)	Terms and definitions for Internet of Things	2012-07-01	2012-07-28	A						A
Y.2081 (Y.dsntocf)	Distributed Service Networking Traffic Optimization Control Functions	2012-07-01	2012-07-28	A						A
Y.2252 (Y.MC-ID)	Identification and configuration of resources for multi-connection	2012-07-01	2012-07-28	A						A
Y.2615 (Y.PTDN-routing)	The routing mechanisms in Public packet Telecom Data Network (PTDN)	2012-07-01	2012-07-28	A						A

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
Y.2622 (Y.iSCP_arch)	Architecture of independent Scalable Control Plane (iSCP) in future packet based network (FPBN)	2012-07-01	2012-07-28	A						A
Y.2811 (Y.MM-VPN)	Framework of Mobile Virtual Private Network in Next Generation Network	2012-07-01	2012-07-28	A						A
Y.2812 (Y.MM-WAU)	Mobility Management for Interworking between WiMAX and UMTS	2012-07-01	2012-07-28	A						A

Situation concerning Study Group 15 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
G.8121/Y.1381	Characteristics of MPLS-TP Network Equipment Functional Blocks	2012-01-16	2012-02-12	LJ	AR	2012-07-01	2012-07-21	AJ		AJ
G.8151/Y.1374	Management aspects of the MPLS-TP network element	2012-01-16	2012-02-12	LJ	AR	2012-07-01	2012-07-21	AC		AC

Situation concerning Study Group 16 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
H.248.84 (H.248.NATTP2P)	Gateway control protocol: NAT traversal for peer-to-peer services	2012-06-01	2012-06-28	AR		2012-07-01	2012-07-21	AC		AC

Annex 2

(to TSB AAP-87)

Using the on-line comment submission form

Comment submission

- 1) Go to AAP search Web page at <http://www.itu.int/ITU-T/aap/>

- 2) Select your Recommendation

Recommendation_No	Title	Study_Group	State	Consent_Date	Approval_Date	Study_Period	Comment
G.711.1 (2008) Amd.1	Wideband embedded extension for G.711 pulse code modulation: New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text	16	LC	2008-10-03		2005-2008	
G.718 (2008) Cor.1	Frame error robust narrowband and wideband embedded variable bit-rate coding of speech and audio from 8-32 kbit/s: Corrections to fixed-point C-code	16	LC	2008-10-03		2005-2008	
G.719 (2008) Amd.1	New Annex A on storage format definitions for G.719, and new Annex B on a reference floating-point implementation for G.719	16	LC	2008-10-03		2005-2008	
G.722.2 (2003) Cor.3	Wideband coding of speech at around 16 kbit/s using Adaptive Multi-Rate Wideband (AMR-WB): Corrections to text and C source code in Annex C	16	LC	2008-10-03		2005-2008	
G.729.1 (2006) Amd.5	G.729-based embedded variable bit-rate coder: An 8-32 kbit/s scalable wideband coder bitstream interoperable with G.729: New Annex D (Reference floating-point implementation for G.729.1 Annex C DTX/CNG) and corrections to the main body and Annex B	16	LC	2008-10-03		2005-2008	
H.264 (2007) Cor.1	Advanced video coding for generic audiovisual services: corrections and updates	16	LJ	2008-05-02		2005-2008	★

Total 6 records match.

3) Click the "Submit Comment" button

AAP Recommendation: G.711.1 (2008) Amd.1

Work Programme: G.711.1 (2008) Amd.1

Title	Study Group	Current Status	Consent Date	Approval Date	Study Period	Provisional Name	IPR	Input used for Consent
Wideband embedded extension for G.711 pulse code modulation: New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text	16	LC	2008-10-03		2005-2008	G.711-WB-Float	?	TD 381-WP3

Observation

AAP Process Details

Last Call (LC)				Additional Review (AR)				Study Group (SG)	
LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	SG Date	SG Result
2008-10-16	2008-11-12								
[AAP-92]									
LC - Text / Summary				AR - Text / Summary				SG Documents	
LC Text									
LC Summary									
LC - Comments				AR - Comments				SG Decisions	

Submit Comment

4) Complete the on-line form and click on "Submit"

Study group*: SG16

Announcement number*: AAP 92

Recommendation number*: G.711.1 (2008) Amd.1

Recommendation under*: Last Call (LC) Additional Review (AR)

Country: Adelie Land

Administration or Company*: [dropdown]

Email of contact (for AAP): [dropdown]

Email of Administration or Company: [text box]

Technical contact email: [text box]

Sender name*: [text box]

Sender email address*: [text box]

Telephone: [text box]

Comments: (Choose as applicable)

We do not support this text. Reasons are given in the attachment.

We support this text on the condition that it be modified as per revision shown in the attachment.

Observation:

Comments or revised text should be sent as an attachment in reprocessable format such as RTF or Winword. Revision marks must be shown relative to the text posted by TSB.

Attach the file: [text box]

Note: Maximum file size is 10 Mb

No attachment Comments are given in the Observation field, no attachment needed

Please check your entries and click on **Submit to confirm**

If the submission is successful, you will get an acknowledgement report and receive an email containing this report.

For more information, read the AAP tutorial on:
<http://www.itu.int/ITU-T/aapinfo/files/AAPTutorial.pdf>

Annex 3

(to TSB AAP-87)

Recommendations under LC/AR – Comment submission form

(Separate form for each Recommendation being commented upon)

ITU-T AAP comment submission form for the period 2009-2012

Study Group: _____

Announcement number: _____

Recommendation number: _____

Recommendation under:

Last call (LC)

Additional Review (AR)

Country: _____

Administration/Company: _____

Name of AAP Contact Person: _____

Email of AAP Contact Person: _____

Sender name:

(if different from AAP Contact Person) _____

Sender email address: _____

Telephone: _____

Comments:

(Choose as applicable)

We do not support this text. Reasons are given in the attachment.

We support this text on the condition that it be modified as per revision shown in the attachment.

Observations: _____

No attachment: Comments are given in the Observation field, no attachment needed

*To be returned to: email: tsbsg...@itu.int
[or fax +41 22 730 5853]*

*Comments or revised text should be sent as an attachment in RTF or WinWord format.
Revision marks must be shown relative to the text posted by TSB.*