

UNION INTERNATIONALE DES TELECOMMUNICATIONS

Bureau de la normalisation des télécommunications



Genève, le 16 août 2012

Réf: **TSB AAP-88** – Aux administrations des Etats Membres de l'Union;
AAP/MJ – Aux Membres du Secteur UIT-T;
– Aux Associés de l'UIT-T

Tél: +41 22 730 5860

Fax: +41 22 730 5853

E-mail: tsbdir@itu.int

Copie:

- Aux Présidents et Vice-Présidents des Commissions d'études de l'UIT-T;
- Au Directeur du Bureau de développement des télécommunications;
- Au Directeur du Bureau des radiocommunications

Objet: **Etat des Recommandations auxquelles s'applique la variante de la procédure d'approbation (AAP)**

Madame, Monsieur,

La variante de la procédure d'approbation (AAP), définie dans la Recommandation UIT-T A.8, s'applique aux Recommandations qui n'ont pas d'incidence politique ou réglementaire et ne nécessitent donc pas une consultation formelle des Etats Membres (voir le numéro 246B de la Convention de l'UIT).

L'**Annexe 1** énumère les textes dont le statut a changé par rapport aux annonces TSB AAP antérieures.

Si vous souhaitez soumettre des observations sur une Recommandation ayant fait l'objet de la procédure AAP, vous êtes encouragés à utiliser le formulaire en ligne de soumission des observations AAP, disponible dans l'espace AAP du site web de l'UIT-T à l'adresse <http://www.itu.int/ITU-T/aap/>, à la page de la Recommandation concernée (voir l'**Annexe 2**). Vous pouvez aussi soumettre vos observations en remplissant le formulaire figurant à l'**Annexe 3** et en l'envoyant au secrétariat de la Commission d'études concernée.

Veuillez noter que les observations ayant simplement pour objet d'appuyer l'adoption du texte en question ne sont pas encouragées.

Veuillez agréer, Madame, Monsieur, l'assurance de ma considération distinguée.

Malcolm Johnson
Directeur du Bureau de la normalisation des télécommunications

Annexes: 3

Place des Nations Telephone +41 22 730 51 11 Telex 421 000 uit ch
CH-1211 Geneva 20 Telefax Gr3: +41 22 733 72 56 E-mail: itumail@itu.int
Switzerland Gr4: +41 22 730 65 00 Telegram ITU GENEVE

Web page:
www.itu.int

Annex 1

(to TSB AAP-88)

Status codes used in the AAP announcements:

LC = Last Call

LJ = Last Call Judgment (includes comment resolution)

AR = Additional Review

AJ = Additional Review Judgment (includes comment resolution)

SG = For Study Group approval

A = Approved

AT = Approved with typographic corrections

AC = Approved after Additional Review of Comments

NA = Not approved

TAP = Moved to TAP (ITU-T A.8 / § 5.2)

ITU-T website entry page:

<http://www.itu.int/ITU-T>

Alternative approval process (AAP) welcome page:

<http://www.itu.int/ITU-T/aapinfo>

Note – A tutorial on the ITU-T AAP application is available under the AAP welcome page

ITU-T website AAP Recommendation search page:

<http://www.itu.int/ITU-T/aap/>

Study Group web pages and contacts:

| | | |
|-------|---|--|
| SG 2 | http://www.itu.int/ITU-T/studygroups/com02 | tsbsg2@itu.int |
| SG 3 | http://www.itu.int/ITU-T/studygroups/com03 | tsbsg3@itu.int |
| SG 5 | http://www.itu.int/ITU-T/studygroups/com05 | tsbsg5@itu.int |
| SG 9 | http://www.itu.int/ITU-T/studygroups/com09 | tsbsg9@itu.int |
| SG 11 | http://www.itu.int/ITU-T/studygroups/com11 | tsbsg11@itu.int |
| SG 12 | http://www.itu.int/ITU-T/studygroups/com12 | tsbsg12@itu.int |
| SG 13 | http://www.itu.int/ITU-T/studygroups/com13 | tsbsg13@itu.int |
| SG 15 | http://www.itu.int/ITU-T/studygroups/com15 | tsbsg15@itu.int |
| SG 16 | http://www.itu.int/ITU-T/studygroups/com16 | tsbsg16@itu.int |
| SG 17 | http://www.itu.int/ITU-T/studygroups/com17 | tsbsg17@itu.int |

Situation concerning Study Group 11 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|--|--|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| Q.3050 (Q.NGN-SigProt) | Description of signaling protocols supporting NGN capability sets | 2012-07-16 | 2012-08-12 | A | | | | | | A |
| Q.3230 (Q.nACP.M13) | Signalling Requirements and Protocol at the M13 interface between TLM-PE and NID-PE | 2012-07-16 | 2012-08-12 | A | | | | | | A |
| Q.3303.1 v2 (Q.3323.1 (Q.RwCOPS v2)) | Resource control protocol no.3 - Protocol at the interface between a Policy Decision Physical Entity (PD-PE) and a Policy Enforcement Physical Entity (PE-PE): COPS Profile version 2 | 2012-07-16 | 2012-08-12 | A | | | | | | A |
| Q.3304.2 v2 (Q.3324.2 (Q.RcSNMP)) | Resource control protocol No.4 (rcp4) - Protocols at the Rc interface between a transport resource control physical entity (TRC-PE) and a transport physical entity (T-PE): SNMP alternative | 2012-07-16 | 2012-08-12 | A | | | | | | A |
| Q.3912 (Q.monitor_ss) | Set of parameters of NGN streaming services for monitoring | 2012-07-16 | 2012-08-12 | A | | | | | | A |
| Q.3930 | Performance Testing of distributed systems; Concepts and Terminology | 2012-07-16 | 2012-08-12 | A | | | | | | A |
| Q.3940 (Q.SIP-ISDN-IT B (integration tests)) | NGN/IMS interconnection tests between network operators at the IMS 'Ic' Interface and NGN NNI / SIP-I | 2012-07-16 | 2012-08-12 | A | | | | | | A |
| Q.3949 (Q.MMtesting) | Real-time multimedia service testing framework at the user-to-user network interface of next generation networks | 2012-07-16 | 2012-08-12 | A | | | | | | A |
| X.603.1 Revised | Information technology - Relayed multicast protocol: Specification for simplex group applications | 2012-07-16 | 2012-08-12 | A | | | | | | A |

Situation concerning Study Group 15 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|---|--|-----------------------|------------|-----------|-----------|-------------------------------|------------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| <u>G.808.1 (2010) Amd.1</u> | Generic Protection Switching - Linear Trail and Subnetwork Protection: Amendment 1 | 2012-01-16 | 2012-02-12 | LJ | AR | 2012-07-16 | 2012-08-05 | AC | | AC |
| <u>G.8121/Y.1381</u> | Characteristics of MPLS-TP Network Equipment Functional Blocks | 2012-01-16 | 2012-02-12 | LJ | AR | 2012-07-01 | 2012-07-21 | AJ | SG | SG |
| <u>G.9956 (2011) Cor.1 (G.hnem)</u> | Narrow-band OFDM power line communication transceivers - Data link layer specification: Corrigendum 1 | 2012-01-16 | 2012-02-12 | LJ | AR | 2012-06-16 | 2012-07-06 | AJ | SG | SG |
| <u>G.9961 (2010) Amd.1</u> | Data link layer (DLL) for unified high-speed wire-line based home networking transceivers: Amendment 1 | 2012-02-01 | 2012-02-28 | LJ | AR | 2012-06-16 | 2012-07-06 | AJ | SG | SG |

Situation concerning Study Group 16 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|-----------------------------------|---|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| G.711.1 (G.711.1) | Wideband embedded extension for G.711 pulse code modulation | 2012-08-16 | 2012-09-12 | | | | | | | LC |
| G.722 (G.722) | 7 kHz audio-coding within 64 kbit/s | 2012-08-16 | 2012-09-12 | | | | | | | LC |

Annex 2

(to TSB AAP-88)

Using the on-line comment submission form

Comment submission

- 1) Go to AAP search Web page at <http://www.itu.int/ITU-T/aap/>

The screenshot shows the ITU AAP search interface. At the top, there's a navigation bar with links for 'AAP Info', 'AAP Search', 'Rec. Under AAP', and 'AAP Announcements'. Below this is a banner featuring four small images related to telecommunications. The main area is titled 'Search for Recommendation(s)'. It contains several input fields: 'Status' (checkboxes for 'Under AAP', 'Approved', and 'Not Approved'), 'Study Period' (dropdown set to '2005-2008'), 'Study Group' (dropdown set to 'All', with a red arrow pointing to it labeled 'a) Select study group'), and 'Recommendation No.' (dropdown and input fields). At the bottom right of the search form are 'Advanced Search', 'Search', and 'Reset' buttons, with a red arrow pointing to the 'Search' button labeled 'b) Click here'.

- 2) Select your Recommendation

The screenshot shows the search results page. At the top, there's a banner with four small images. Below the banner, a message says 'SEARCH CRITERIA: Status:'Under AAP' Study Period:'2005-2008' Study Group:'16''. The main title is 'AAP Recommendations'. Below the title is a table with the following data:

| Recommendation_No | Title | Study_Group | State | Consent_Date | Approval_Date | Study_Period | Comment |
|----------------------|--|-------------|-------|--------------|---------------|--------------|---------|
| G.711.1 (2008) Amd.1 | Wideband embedded extension for G.711 pulse code modulation: New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text | 16 | LC | 2008-10-03 | | 2005-2008 | |
| G.718 (2008) Cor.1 | Frame error robust narrowband and wideband embedded variable bit-rate coding of speech and audio from 8-32 kbit/s: Corrections to fixed-point C-code | 16 | LC | 2008-10-03 | | 2005-2008 | |
| G.719 (2008) Amd.1 | New Annex A on storage format definitions for G.719, and new Annex B on a reference floating-point implementation for G.719 | 16 | LC | 2008-10-03 | | 2005-2008 | |
| G.722.2 (2003) Cor.3 | Wideband coding of speech at around 16 kbit/s using Adaptive Multi-Rate Wideband (AMR-WB): Corrections to text and C source code in Annex C | 16 | LC | 2008-10-03 | | 2005-2008 | |
| G.729.1 (2006) Amd.5 | G.729-based embedded variable bit-rate coder: An 8-32 kbit/s scalable wideband coder/bitsream interoperable with G.729: New Annex D (Reference floating-point implementation for G.729.1 Annex C DTX/CNG) and corrections to the main body and Annex B | 16 | LC | 2008-10-03 | | 2005-2008 | |
| H.264 (2007) Cor.1 | Advanced video coding for generic audiovisual services: corrections and updates | 16 | LJ | 2008-05-02 | | 2005-2008 | * |

Total 6 records match.

- 3) Click the "Submit Comment" button

AAP Info | AAP Search | Rec. Under AAP | AAP Announcements

AAP Recommendation: G.711.1 (2008) Amd.1

Work Programme: G.711.1 (2008) Amd.1

| Basic Information | | | | | | | | | |
|---|-------------|----------------|--------------|---------------|--------------|------------------|-----|------------------------|--|
| Title | Study Group | Current Status | Consent Date | Approval Date | Study Period | Provisional Name | IPR | Input used for Consent | |
| Wideband embedded extension for G.711 pulse code modulation: New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text | 16 | LC | 2008-10-03 | | 2005-2008 | G.711-WB-Float | ? | TD 381-WP3 | |

Observation

| AAP Process Details | | | | | | | | | |
|--|------------|-----------|-----------|------------------------|--------|-----------|-----------|------------------|-----------|
| Last Call (LC) | | | | Additional Review (AR) | | | | Study Group (SG) | |
| LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | SG Date | SG Result |
| 2008-10-16 | 2008-11-12 | | | | | | | | |
| [AAP-92] | | | | | | | | | |
| LC - Text / Summary | | | | AR - Text / Summary | | | | SG Documents | |
| <input type="checkbox"/> LC Text <input type="checkbox"/> LC Summary | | | | | | | | | |
| LC - Comments | | | | AR - Comments | | | | SG Decisions | |
| <input type="button" value="Submit Comment"/> | | | | | | | | | |

- 4) Complete the on-line form and click on "Submit"

Study group*: SG16

Announcement number*: AAP 92

Recommendation number*: G.711.1 (2008) Amd.1

Recommendation under*: Last Call (LC) Additional Review (AR)

Country: Adelie Land

Administration or Company*:

Email of contact (for AAP):

Email of Administration or Company:

Technical contact email:

Sender name*:

Sender email address*:

Telephone:

Comments: (Choose as applicable)

We do not support this text. Reasons are given in the attachment.

We support this text on the condition that it be modified as per revision shown in the attachment.

Observation:

Comments or revised text should be sent as an attachment in reprocessable format such as RTF or Winword.
Revision marks must be shown relative to the text posted by TSB.

Attach the file:
Note: Maximum file size is 10 Mb

No attachment Comments are given in the Observation field, no attachment needed

Please check your entries and click on Submit to confirm

If the submission is successful, you will get an acknowledgement report and receive an email containing this report.

For more information, read the AAP tutorial on:
<http://www.itu.int/ITU-T/aapinfo/files/AAPTutorial.pdf>

Annex 3

(to TSB AAP-88)

Recommendations under LC/AR – Comment submission form

(Separate form for each Recommendation being commented upon)

ITU-T AAP comment submission form for the period 2009-2012

Study Group: _____

Announcement number: _____

Recommendation number: _____

Recommendation under: Last call (LC)
 Additional Review (AR)

Country: _____

Administration/Company: _____

Name of AAP Contact Person: _____

Email of AAP Contact Person: _____

Sender name:
(if different from AAP Contact Person) _____

Sender email address: _____

Telephone: _____

Comments:
(Choose as applicable) We do not support this text. Reasons are given in the attachment.
 We support this text on the condition that it be modified as per revision shown in the attachment.

Observations: _____

No attachment: Comments are given in the Observation field, no attachment needed

*To be returned to: email: tsbsg....@itu.int
[or fax +41 22 730 5853]*

*Comments or revised text should be sent as an attachment in RTF or WinWord format.
Revision marks must be shown relative to the text posted by TSB.*