

МЕЖДУНАРОДНЫЙ СОЮЗ ЭЛЕКТРОСВЯЗИ

Бюро стандартизации электросвязи



Женева, 1 октября 2012

Осн.: **TSB AAP-91** – Администрациям Государств – Членов Союза;
AAP/MJ – Членам Сектора МСЭ-Т;
– Ассоциированным членам МСЭ-Т

Тел.: +41 22 730 5860 **Копии:**

Факс: +41 22 730 5853 – Председателям и заместителям председателей Исследовательских комиссий МСЭ-Т;

Эл. почта: tsbdir@itu.int – Директору Бюро Развития Электросвязи;
– Директору Бюро Радиосвязи

Предмет: **Положение относительно Рекомендаций, рассматриваемых в соответствии с альтернативным процессом утверждения (АПУ)**

Альтернативный процесс утверждения (АПУ), определенный в Рекомендации МСЭ-Т А.8, распространяется на Рекомендации, которые не имеют политических или регламентарных последствий и которые поэтому не требуют официальных консультаций с Государствами-Членами (см. п. 246В Конвенции МСЭ).

В **Приложении 1** содержится перечень текстов, статус которых изменился по сравнению с предыдущими объявлениями об АПУ БСЭ.

Если вы желаете представить замечания относительно какой-либо Рекомендации, рассматриваемой в соответствии с АПУ, рекомендуем Вам использовать онлайн-форму для представления замечаний по АПУ, которая размещена на странице этой Рекомендации в разделе веб-сайта МСЭ-Т, посвященном АПУ, по адресу: <http://www.itu.int/ITU-T/aap/> (см. **Приложение 2**). Замечания можно представить иным способом, заполнив приведенную в **Приложении 3** форму и направив ее в секретариат заинтересованной исследовательской комиссии.

Просим принять к сведению, что не рекомендуется представлять замечания, являющиеся не чем иным, как поддержкой рассматриваемого текста.

С уважением,

Малколм Джонсон
Директор Бюро
стандартизации электросвязи

Приложения: 3

Place des Nations
CH-1211 Geneva 20
Switzerland

Telephone +41 22 730 51 11
Telefax Gr3: +41 22 733 72 56
Gr4: +41 22 730 65 00

Telex 421 000 uit ch
E-mail: itumail@itu.int
Telegram ITU GENEVE

Web page:
www.itu.int

Annex 1

(to TSB AAP-91)

Status codes used in the AAP announcements:

LC = Last Call

LJ = Last Call Judgment (includes comment resolution)

AR = Additional Review

AJ = Additional Review Judgment (includes comment resolution)

SG = For Study Group approval

A = Approved

AT = Approved with typographic corrections

AC = Approved after Additional Review of Comments

NA = Not approved

TAP = Moved to TAP (ITU-T A.8 / § 5.2)

ITU-T website entry page:

<http://www.itu.int/ITU-T>

Alternative approval process (AAP) welcome page:

<http://www.itu.int/ITU-T/aapinfo>

Note – A tutorial on the ITU-T AAP application is available under the AAP welcome page

ITU-T website AAP Recommendation search page:

<http://www.itu.int/ITU-T/aap/>

Study Group web pages and contacts:

| | | |
|-------|-----------------------------------------------------------------------------------------------------|------------------------------------------------------|
| SG 2 | http://www.itu.int/ITU-T/studygroups/com02 | tsbsg2@itu.int |
| SG 3 | http://www.itu.int/ITU-T/studygroups/com03 | tsbsg3@itu.int |
| SG 5 | http://www.itu.int/ITU-T/studygroups/com05 | tsbsg5@itu.int |
| SG 9 | http://www.itu.int/ITU-T/studygroups/com09 | tsbsg9@itu.int |
| SG 11 | http://www.itu.int/ITU-T/studygroups/com11 | tsbsg11@itu.int |
| SG 12 | http://www.itu.int/ITU-T/studygroups/com12 | tsbsg12@itu.int |
| SG 13 | http://www.itu.int/ITU-T/studygroups/com13 | tsbsg13@itu.int |
| SG 15 | http://www.itu.int/ITU-T/studygroups/com15 | tsbsg15@itu.int |
| SG 16 | http://www.itu.int/ITU-T/studygroups/com16 | tsbsg16@itu.int |
| SG 17 | http://www.itu.int/ITU-T/studygroups/com17 | tsbsg17@itu.int |

Situation concerning Study Group 9 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|--------------------------------------|-------------------------------------------------------------------|-----------------------|------------|-----------|-----------|-------------------------------|------------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| J.381 (J.atrans-req) | Requirements for advanced digital cable transmission technologies | 2012-05-16 | 2012-06-12 | LJ | AR | 2012-09-01 | 2012-09-21 | AC | | AC |

Situation concerning Study Group 12 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------|-----------------------|------------|-----------|-----------|-------------------------------|------------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| P.381 (P.UHIP) | Technical requirements and test methods for universal wired headset or headphone interface of digital wireless terminals | 2012-06-16 | 2012-07-13 | AR | | 2012-08-01 | 2012-08-21 | AJ | AC | AC |

Situation concerning Study Group 15 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|-------------------------------------------|---------------------------------------------------------------------------------------------------------------|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| G.650.1 (2010) Amd.1 | Definitions and test methods for linear, deterministic attributes of single-mode fibre and cable: Amendment 1 | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.654 | Characteristics of a cut-off shifted single-mode optical fibre and cable | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.657 | Characteristics of a bending-loss insensitive single-mode optical fibre and cable for the access network | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.664 | Optical safety procedures and requirements for optical transmission systems | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.672 (G.rmon) | Characteristics of multi-degree reconfigurable optical add/drop multiplexers | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.709/Y.1331 (2012) Amd.1 | Interfaces for the Optical Transport Network (OTN): Amendment 1 | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.709/Y.1331 (2012) Cor.1 | Interfaces for the Optical Transport Network (OTN): Corrigendum 1 | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.798 | Characteristics of optical transport network hierarchy equipment functional blocks | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.798.1 | Types and characteristics of optical transport network equipment | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.806 (2012) Cor.1 | Characteristics of transport equipment - Description methodology and generic functionality: Corrigendum 1 | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.808.3 (G.smp) | Generic protection switching - Shared Mesh Protection | 2012-10-01 | 2012-10-28 | | | | | | | LC |

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|--------------------------------------|-------------------------------------------------------------------------------------------------------------|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| G.870/Y.1352 | Terms and definitions for Optical Transport Networks (OTN) | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.872 | Architecture of optical transport networks | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.873.1 (2011) Amd.1 | Optical Transport Network (OTN): Linear protection: Amendment 1 | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.873.2 (2012) Amd.1 | Optical Transport Network (OTN) - Ring Protection: Amendment 1 | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.874 (2010) Amd.2 | Management aspects of optical transport network elements: Amendment 2 | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.874.1 | Optical transport network (OTN): Protocol-neutral management information model for the network element view | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.979 (G.msub) | Characteristics of monitoring systems for optical submarine cable systems | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.988 (G.omci) | ONU management and control interface (OMCI) specification | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.989.1 (G.ngpon2) | 40-Gigabit-capable passive optical networks (NG-PON2): General requirements | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.992.3 (2009) Amd.5 | Asymmetric digital subscriber line transceivers 2 (ADSL2): Amendment 5 - Accuracy of test parameters | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.993.2 (2011) Amd.2 | Very high speed digital subscriber line transceivers 2 (VDSL2): Amendment 2 | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.993.5 (2010) Amd.2 | Self-FEXT cancellation (vectoring) for use with VDSL2 transceivers: Amendment 2 | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.994.1 (2012) Amd.1 | Handshake procedures for digital subscriber line (DSL) transceivers: Amendment 1 | 2012-10-01 | 2012-10-28 | | | | | | | LC |

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|--------------------------------------------|------------------------------------------------------------------------------------------|-----------------------|------------|-----------|-----------|-------------------------------|------------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| G.997.1 (2012) Amd.1 | Physical layer management for digital subscriber line (DSL) transceivers: Amendment 1 | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.7041/Y.1303 (2011) Amd.2 | Generic Framing Procedure (GFP): Amendment 2 | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.8001/Y.1354 | Terms and definitions for Ethernet frames over Transport | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.8011/Y.1307 | Ethernet over Transport – Ethernet service characteristics | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.8012.1/Y.1308.1 | Interfaces for the Ethernet Transport network | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.8021.1/Y.1341.1 | Types and characteristics of Ethernet transport network equipment | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.8021/Y.1341 (2012) Amd.1 | Characteristics of Ethernet transport network equipment functional blocks: Amendment 1 | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.8101/Y.1355 | Terms and definitions for MPLS Transport Profile (MPLS-TP) | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.8112/Y.1371 | Interfaces for the MPLS Transport Profile (MPLS-TP) layer network | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.8121/Y.1381 | Characteristics of MPLS-TP Network Equipment Functional Blocks | 2012-01-16 | 2012-02-12 | LJ | AR | 2012-07-01 | 2012-07-21 | AJ | SG | AC |
| G.8121/Y.1381 (2012) Amd.1 | Characteristics of MPLS-TP Network equipment functional blocks: Amendment 1 | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.8151/Y.1374 (2012) Amd.1 | Management aspects of the MPLS-TP network element: Amendment 1 | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.8251 (2010) Amd.3 | The control of jitter and wander within the optical transport network (OTN): Amendment 3 | 2012-10-01 | 2012-10-28 | | | | | | | LC |

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|----------------------------------------------------|--------------------------------------------------------------------------------------------------------|-----------------------|------------|-----------|-----------|-------------------------------|------------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| G.8262/Y.1362 (2010) Amd.2 | Timing characteristics of a synchronous Ethernet equipment slave clock (EEC): Amendment 2 | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.8265.1/Y.1365.1 (2010) Amd.2 | Precision time protocol telecom profile for frequency synchronization: Amendment 2 | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.8272/Y.1367 | Timing characteristics of primary reference time clock | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.9902 (G.9956, G.hnem) | Narrow-band OFDM power line communication transceivers - G.hnem | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.9903 (G.9956 Annex A, G.9957, G) | Narrow-band OFDM power line communication transceivers - G3-PLC | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.9904 (G.9956 Annex B, G.9958, P) | Narrow-band OFDM power line communication transceivers - PRIME | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.9956 (2011) Amd.1 (G.hnem) | Narrow-band OFDM power line communication transceivers - Data link layer specification: Amendment 1 | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| G.9956 (2011) Cor.1 (G.hnem) | Narrow-band OFDM power line communication transceivers - Data link layer specification: Corrigendum 1 | 2012-01-16 | 2012-02-12 | LJ | AR | 2012-06-16 | 2012-07-06 | AJ | SG | AC |
| G.9961 (2010) Amd.1 | Data link layer (DLL) for unified high-speed wire-line based home networking transceivers: Amendment 1 | 2012-02-01 | 2012-02-28 | LJ | AR | 2012-06-16 | 2012-07-06 | AJ | SG | AC |
| L.64 | ID tag requirements for infrastructure and network elements management | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| L.92 (L.dmosp) | Disaster management for outside plant facilities | 2012-10-01 | 2012-10-28 | | | | | | | LC |
| O.175 (O.xgponjitter) | Jitter measuring equipment for digital systems based on XG-PON | 2012-10-01 | 2012-10-28 | | | | | | | LC |

Annex 2

(to TSB AAP-91)

Using the on-line comment submission form

Comment submission

- Go to AAP search Web page at <http://www.itu.int/ITU-T/aap/>

- Select your Recommendation

| Recommendation_No | Title | Study_Group | State | Consent_Date | Approval_Date | Study_Period | Comment |
|--------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-------|--------------|---------------|--------------|---------|
| G.711.1 (2008) Amd.1 | Wideband embedded extension for G.711 pulse code modulation; New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text | 16 | LC | 2008-10-03 | | 2005-2008 | |
| G.718 (2008) Cor.1 | Frame error robust narrowband and wideband embedded variable bit-rate coding of speech and audio from 8-32 kbit/s; Corrections to fixed-point C-code | 16 | LC | 2008-10-03 | | 2005-2008 | |
| G.719 (2008) Amd.1 | New Annex A on storage format definitions for G.719, and new Annex B on a reference floating-point implementation for G.719 | 16 | LC | 2008-10-03 | | 2005-2008 | |
| G.722.2 (2003) Cor.3 | Wideband coding of speech at around 16 kbit/s using Adaptive Multi-Rate Wideband (AMR-WB); Corrections to text and C source code in Annex C | 16 | LC | 2008-10-03 | | 2005-2008 | |
| G.729.1 (2006) Amd.5 | G.729-based embedded variable bit-rate coder; An 8-32 kbit/s scalable wideband coder bitstream interoperable with G.729; New Annex D (Reference floating-point implementation for G.729.1 Annex C DTX/CNG) and corrections to the main body and Annex B | 16 | LC | 2008-10-03 | | 2005-2008 | |
| H.264 (2007) Cor.1 | Advanced video coding for generic audiovisual services; corrections and updates | 16 | LJ | 2008-05-02 | | 2005-2008 | ★ |

Total 6 records match.

3) Click the "Submit Comment" button

AAP Recommendation: G.711.1 (2008) Amd.1

| Title | Study Group | Current Status | Consent Date | Approval Date | Study Period | Provisional Name | IPR | Input used for Consent |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|----------------|--------------|---------------|--------------|------------------|-----|------------------------|
| Wideband embedded extension for G.711 pulse code modulation: New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text | 16 | LC | 2008-10-03 | | 2005-2008 | G.711-WB-Float | ? | TD 381-WP3 |

Observation

AAP Process Details

| Last Call (LC) | | | | Additional Review (AR) | | | | Study Group (SG) | |
|----------------------------|------------|-----------|-----------|------------------------|--------|-----------|-----------|------------------|-----------|
| LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | SG Date | SG Result |
| 2008-10-16 | 2008-11-12 | | | | | | | | |
| [AAP-92] | | | | | | | | | |
| LC - Text / Summary | | | | AR - Text / Summary | | | | SG Documents | |
| LC Text | | | | | | | | | |
| LC Summary | | | | | | | | | |
| LC - Comments | | | | AR - Comments | | | | SG Decisions | |

4) Complete the on-line form and click on "Submit"

Study group*: SG16

Announcement number*: AAP 92

Recommendation number*: G.711.1 (2008) Amd.1

Recommendation under*: Last Call (LC) Additional Review (AR)

Country: Adelie Land

Administration or Company*:

Email of contact (for AAP):

Email of Administration or Company:

Technical contact email:

Sender name*:

Sender email address*:

Telephone:

Comments: (Choose as applicable)

We do not support this text. Reasons are given in the attachment.

We support this text on the condition that it be modified as per revision shown in the attachment.

Observation:

Comments or revised text should be sent as an attachment in reprocessable format such as RTF or Winword. Revision marks must be shown relative to the text posted by TSB.

Attach the file:

Note: Maximum file size is 10 Mb

No attachment Comments are given in the Observation field, no attachment needed

Please check your entries and click on Submit to confirm

If the submission is successful, you will get an acknowledgement report and receive an email containing this report.

For more information, read the AAP tutorial on:
<http://www.itu.int/ITU-T/aapinfo/files/AAPTutorial.pdf>

Annex 3

(to TSB AAP-91)

Recommendations under LC/AR – Comment submission form

(Separate form for each Recommendation being commented upon)

ITU-T AAP comment submission form for the period 2009-2012

Study Group: _____

Announcement number: _____

Recommendation number: _____

Recommendation under: Last call (LC)
 Additional Review (AR)

Country: _____

Administration/Company: _____

Name of AAP Contact Person: _____

Email of AAP Contact Person: _____

Sender name:
(if different from AAP Contact Person) _____

Sender email address: _____

Telephone: _____

Comments:
(Choose as applicable)

- We do not support this text. Reasons are given in the attachment.
 We support this text on the condition that it be modified as per revision shown in the attachment.

Observations: _____

No attachment: Comments are given in the Observation field, no attachment needed

To be returned to: email: *tsbgs...@itu.int*
[or fax +41 22 730 5853]

Comments or revised text should be sent as an attachment in RTF or WinWord format.
Revision marks must be shown relative to the text posted by TSB.