

国际电信联盟

电信标准化局



2012年11月1日，日内瓦

参考号: **电信标准化局AAP-93**
AAP/MJ

电话: +41 22 730 5860

传真: +41 22 730 5853

电子邮件: tsbdir@itu.int

- 致国际电联成员国各主管部门;
- 致ITU-T各部门成员;
- 致ITU-T 部门准成员

抄送:

- 电信标准化局研究组主席和副主席
- 电信发展局局长
- 无线电通信局局长

事由: **有关采用替换批准程序 (AAP) 处理的建议书的情况**

先生/女士,

ITU-T A.8 建议书中规定的建议书替换批准程序 (AAP) 适用于那些不会产生政策或监管影响、因而不需与成员国正式协商的建议书 (见国际电联《公约》第246B款)。

附件1列出了那些在以往电信标准化局AAP预告后地位发生变化的案文。

如您希望针对某个适用AAP的建议书提出意见, 请使用可在ITU-T网站AAP区域 (<http://www.itu.int/ITU-T/aap>) 的“建议书”网页上获取的《AAP意见在线提交表格》(见**附件2**)。或者, 可填妥**附件3**中的表格并将意见发送给相关研究组的秘书处。

敬请留意, 我们不鼓励提交仅支持通过所涉案文而没有实质内容的意见。

顺致敬意!

马尔科姆·琼森
电信标准化局局长

附件: 3件

Place des Nations
CH-1211 Geneva 20
Switzerland

Telephone +41 22 730 51 11
Telefax Gr3: +41 22 733 72 56
Gr4: +41 22 730 65 00

Telex 421 000 uit ch
E-mail: itumail@itu.int
Telegram ITU GENEVE

Web page:
www.itu.int

Annex 1

(to TSB AAP-93)

Status codes used in the AAP announcements:

LC = Last Call

LJ = Last Call Judgment (includes comment resolution)

AR = Additional Review

AJ = Additional Review Judgment (includes comment resolution)

SG = For Study Group approval

A = Approved

AT = Approved with typographic corrections

AC = Approved after Additional Review of Comments

NA = Not approved

TAP = Moved to TAP (ITU-T A.8 / § 5.2)

ITU-T website entry page:

<http://www.itu.int/ITU-T>

Alternative approval process (AAP) welcome page:

<http://www.itu.int/ITU-T/aapinfo>

Note – A tutorial on the ITU-T AAP application is available under the AAP welcome page

ITU-T website AAP Recommendation search page:

<http://www.itu.int/ITU-T/aap/>

Study Group web pages and contacts:

SG 2	http://www.itu.int/ITU-T/studygroups/com02	tsbsg2@itu.int
SG 3	http://www.itu.int/ITU-T/studygroups/com03	tsbsg3@itu.int
SG 5	http://www.itu.int/ITU-T/studygroups/com05	tsbsg5@itu.int
SG 9	http://www.itu.int/ITU-T/studygroups/com09	tsbsg9@itu.int
SG 11	http://www.itu.int/ITU-T/studygroups/com11	tsbsg11@itu.int
SG 12	http://www.itu.int/ITU-T/studygroups/com12	tsbsg12@itu.int
SG 13	http://www.itu.int/ITU-T/studygroups/com13	tsbsg13@itu.int
SG 15	http://www.itu.int/ITU-T/studygroups/com15	tsbsg15@itu.int
SG 16	http://www.itu.int/ITU-T/studygroups/com16	tsbsg16@itu.int
SG 17	http://www.itu.int/ITU-T/studygroups/com17	tsbsg17@itu.int

Situation concerning Study Group 5 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
L.1001 (L.CPS stationary; L.adapter Phase 2)	External universal power adapter solutions for stationary information and communication technology devices	2012-11-01	2012-11-28							LC

Situation concerning Study Group 15 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
G.650.1 (2010) Amd.1	Definitions and test methods for linear, deterministic attributes of single-mode fibre and cable: Amendment 1	2012-10-01	2012-10-28	A						A
G.654	Characteristics of a cut-off shifted single-mode optical fibre and cable	2012-10-01	2012-10-28	A						A
G.657	Characteristics of a bending-loss insensitive single-mode optical fibre and cable for the access network	2012-10-01	2012-10-28	A						A
G.664	Optical safety procedures and requirements for optical transmission systems	2012-10-01	2012-10-28	A						A
G.672 (G.rmon)	Characteristics of multi-degree reconfigurable optical add/drop multiplexers	2012-10-01	2012-10-28	A						A
G.709/Y.1331 (2012) Amd.1	Interfaces for the Optical Transport Network (OTN): Amendment 1	2012-10-01	2012-10-28	LJ						LJ
G.709/Y.1331 (2012) Cor.1	Interfaces for the Optical Transport Network (OTN): Corrigendum 1	2012-10-01	2012-10-28	A						A
G.798	Characteristics of optical transport network hierarchy equipment functional blocks	2012-10-01	2012-10-28	LJ						LJ
G.798.1	Types and characteristics of optical transport network equipment	2012-10-01	2012-10-28	LJ						LJ
G.806 (2012) Cor.1	Characteristics of transport equipment - Description methodology and generic functionality: Corrigendum 1	2012-10-01	2012-10-28	LJ						LJ
G.808.3 (G.smp)	Generic protection switching - Shared Mesh Protection	2012-10-01	2012-10-28	LJ						LJ

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
G.870/Y.1352	Terms and definitions for Optical Transport Networks (OTN)	2012-10-01	2012-10-28	A						A
G.872	Architecture of optical transport networks	2012-10-01	2012-10-28	A						A
G.873.1 (2011) Amd.1	Optical Transport Network (OTN): Linear protection: Amendment 1	2012-10-01	2012-10-28	LJ						LJ
G.873.2 (2012) Amd.1	Optical Transport Network (OTN) - Ring Protection: Amendment 1	2012-10-01	2012-10-28	A						A
G.874 (2010) Amd.2	Management aspects of optical transport network elements: Amendment 2	2012-10-01	2012-10-28	A						A
G.874.1	Optical transport network (OTN): Protocol-neutral management information model for the network element view	2012-10-01	2012-10-28	A						A
G.979 (G.msub)	Characteristics of monitoring systems for optical submarine cable systems	2012-10-01	2012-10-28	A						A
G.988 (G.omci)	ONU management and control interface (OMCI) specification	2012-10-01	2012-10-28	A						A
G.989.1 (G.ngpon2)	40-Gigabit-capable passive optical networks (NG-PON2): General requirements	2012-10-01	2012-10-28	LJ						LJ
G.992.3 (2009) Amd.5	Asymmetric digital subscriber line transceivers 2 (ADSL2): Amendment 5 - Accuracy of test parameters	2012-10-01	2012-10-28	A						A
G.993.2 (2011) Amd.2	Very high speed digital subscriber line transceivers 2 (VDSL2): Amendment 2	2012-10-01	2012-10-28	LJ						LJ
G.993.5 (2010) Amd.2	Self-FEXT cancellation (vectoring) for use with VDSL2 transceivers: Amendment 2	2012-10-01	2012-10-28	LJ						LJ
G.994.1 (2012) Amd.1	Handshake procedures for digital subscriber line (DSL) transceivers: Amendment 1	2012-10-01	2012-10-28	A						A

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
G.997.1 (2012) Amd.1	Physical layer management for digital subscriber line (DSL) transceivers: Amendment 1	2012-10-01	2012-10-28	LJ						LJ
G.7041/Y.1303 (2011) Amd.2	Generic Framing Procedure (GFP): Amendment 2	2012-10-01	2012-10-28	LJ						LJ
G.8001/Y.1354	Terms and definitions for Ethernet frames over Transport	2012-10-01	2012-10-28	A						A
G.8011/Y.1307	Ethernet over Transport – Ethernet service characteristics	2012-10-01	2012-10-28	A						A
G.8012.1/Y.1308.1	Interfaces for the Ethernet Transport network	2012-10-01	2012-10-28	LJ						LJ
G.8021.1/Y.1341.1	Types and characteristics of Ethernet transport network equipment	2012-10-01	2012-10-28	LJ						LJ
G.8021/Y.1341 (2012) Amd.1	Characteristics of Ethernet transport network equipment functional blocks: Amendment 1	2012-10-01	2012-10-28	LJ						LJ
G.8101/Y.1355	Terms and definitions for MPLS Transport Profile (MPLS-TP)	2012-10-01	2012-10-28	LJ						LJ
G.8112/Y.1371	Interfaces for the MPLS Transport Profile (MPLS-TP) layer network	2012-10-01	2012-10-28	LJ						LJ
G.8121/Y.1381 (2012) Amd.1	Characteristics of MPLS-TP Network equipment functional blocks: Amendment 1	2012-10-01	2012-10-28	LJ						LJ
G.8151/Y.1374 (2012) Amd.1	Management aspects of the MPLS-TP network element: Amendment 1	2012-10-01	2012-10-28	LJ						LJ
G.8251 (2010) Amd.3	The control of jitter and wander within the optical transport network (OTN): Amendment 3	2012-10-01	2012-10-28	A						A
G.8262/Y.1362 (2010) Amd.2	Timing characteristics of a synchronous Ethernet equipment slave clock (EEC): Amendment 2	2012-10-01	2012-10-28	A						A

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
G.8265.1/Y.1365.1 (2010) Amd.2	Precision time protocol telecom profile for frequency synchronization: Amendment 2	2012-10-01	2012-10-28	A						A
G.8272/Y.1367	Timing characteristics of primary reference time clock	2012-10-01	2012-10-28	A						A
G.9902 (G.9956, G.hnem)	Narrow-band OFDM power line communication transceivers - G.hnem	2012-10-01	2012-10-28	A						A
G.9903 (G.9956 Annex A, G.9957, G)	Narrow-band OFDM power line communication transceivers - G3-PLC	2012-10-01	2012-10-28	LJ						LJ
G.9904 (G.9956 Annex B, G.9958, P)	Narrow-band OFDM power line communication transceivers - PRIME	2012-10-01	2012-10-28	A						A
G.9956 (2011) Amd.1 (G.hnem)	Narrow-band OFDM power line communication transceivers - Data link layer specification: Amendment 1	2012-10-01	2012-10-28	A						A
L.64	ID tag requirements for infrastructure and network elements management	2012-10-01	2012-10-28	A						A
L.92 (L.dmosp)	Disaster management for outside plant facilities	2012-10-01	2012-10-28	A						A
O.175 (O.xgponjitter)	Jitter measuring equipment for digital systems based on XG-PON	2012-10-01	2012-10-28	A						A

Situation concerning Study Group 17 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
Z.109 (2012) Amd.1	Unified modeling language (UML) profile for SDL-2010: Amendment 1: Appendix 1 - Concrete syntax	2012-11-01	2012-11-28							LC

Annex 2

(to TSB AAP-93)

Using the on-line comment submission form

Comment submission

- Go to AAP search Web page at <http://www.itu.int/ITU-T/aap/>

- Select your Recommendation

Recommendation_No	Title	Study_Group	State	Consent_Date	Approval_Date	Study_Period	Comment
G.711.1 (2008) Amd.1	Wideband embedded extension for G.711 pulse code modulation; New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text	16	LC	2008-10-03		2005-2008	
G.718 (2008) Cor.1	Frame error robust narrowband and wideband embedded variable bit-rate coding of speech and audio from 8-32 kbit/s; Corrections to fixed-point C-code	16	LC	2008-10-03		2005-2008	
G.719 (2008) Amd.1	New Annex A on storage format definitions for G.719, and new Annex B on a reference floating-point implementation for G.719	16	LC	2008-10-03		2005-2008	
G.722.2 (2003) Cor.3	Wideband coding of speech at around 16 kbit/s using Adaptive Multi-Rate Wideband (AMR-WB); Corrections to text and C source code in Annex C	16	LC	2008-10-03		2005-2008	
G.729.1 (2006) Amd.5	G.729-based embedded variable bit-rate coder; An 8-32 kbit/s scalable wideband coder bitstream interoperable with G.729; New Annex D (Reference floating-point implementation for G.729.1 Annex C DTX/CNG) and corrections to the main body and Annex B	16	LC	2008-10-03		2005-2008	
H.264 (2007) Cor.1	Advanced video coding for generic audiovisual services; corrections and updates	16	LJ	2008-05-02		2005-2008	★

Total 6 records match.

3) Click the "Submit Comment" button

AAP Recommendation: G.711.1 (2008) Amd.1

Work Programme: G.711.1 (2008) Amd.1

Title	Study Group	Current Status	Consent Date	Approval Date	Study Period	Provisional Name	IPR	Input used for Consent
Wideband embedded extension for G.711 pulse code modulation: New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text	16	LC	2008-10-03		2005-2008	G.711-WB-Float	?	TD 381-WP3

Observation

AAP Process Details

Last Call (LC)				Additional Review (AR)				Study Group (SG)	
LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	SG Date	SG Result
2008-10-16	2008-11-12								
[AAP-92]									
LC - Text / Summary				AR - Text / Summary				SG Documents	
LC Text									
LC Summary									
LC - Comments				AR - Comments				SG Decisions	

Submit Comment

4) Complete the on-line form and click on "Submit"

Study group*: SG16

Announcement number*: AAP 92

Recommendation number*: G.711.1 (2008) Amd.1

Recommendation under*: Last Call (LC) Additional Review (AR)

Country: Adelie Land

Administration or Company*: [Dropdown]

Email of contact (for AAP): [Dropdown]

Email of Administration or Company: [Text]

Technical contact email: [Text]

Sender name*: [Text]

Sender email address*: [Text]

Telephone: [Text]

Comments: (Choose as applicable)

We do not support this text. Reasons are given in the attachment.

We support this text on the condition that it be modified as per revision shown in the attachment.

Observation:

Comments or revised text should be sent as an attachment in reprocessable format such as RTF or Winword. Revision marks must be shown relative to the text posted by TSB.

Attach the file: [Text]

Note: Maximum file size is 10 Mb

No attachment Comments are given in the Observation field, no attachment needed

Please check your entries and click on Submit to confirm

If the submission is successful, you will get an acknowledgement report and receive an email containing this report.

For more information, read the AAP tutorial on:
<http://www.itu.int/ITU-T/aapinfo/files/AAPTutorial.pdf>

Annex 3

(to TSB AAP-93)

Recommendations under LC/AR – Comment submission form

(Separate form for each Recommendation being commented upon)

ITU-T AAP comment submission form for the period 2009-2012

Study Group: _____

Announcement number: _____

Recommendation number: _____

Recommendation under: Last call (LC)
 Additional Review (AR)

Country: _____

Administration/Company: _____

Name of AAP Contact Person: _____

Email of AAP Contact Person: _____

Sender name:
(if different from AAP Contact Person) _____

Sender email address: _____

Telephone: _____

Comments:
(Choose as applicable)

- We do not support this text. Reasons are given in the attachment.
 We support this text on the condition that it be modified as per revision shown in the attachment.

Observations: _____

No attachment: Comments are given in the Observation field, no attachment needed

To be returned to: email: *tsbgs...@itu.int*
[or fax +41 22 730 5853]

Comments or revised text should be sent as an attachment in RTF or WinWord format.
Revision marks must be shown relative to the text posted by TSB.