

International Telecommunication Union

ITU-R
Radiocommunication Sector of ITU

Recommendation ITU-R P.1239-3
(02/2012)

**ITU-R reference ionospheric
characteristics**

P Series
Radiowave propagation



Foreword

The role of the Radiocommunication Sector is to ensure the rational, equitable, efficient and economical use of the radio-frequency spectrum by all radiocommunication services, including satellite services, and carry out studies without limit of frequency range on the basis of which Recommendations are adopted.

The regulatory and policy functions of the Radiocommunication Sector are performed by World and Regional Radiocommunication Conferences and Radiocommunication Assemblies supported by Study Groups.

Policy on Intellectual Property Right (IPR)

ITU-R policy on IPR is described in the Common Patent Policy for ITU-T/ITU-R/ISO/IEC referenced in Annex 1 of Resolution ITU-R 1. Forms to be used for the submission of patent statements and licensing declarations by patent holders are available from <http://www.itu.int/ITU-R/go/patents/en> where the Guidelines for Implementation of the Common Patent Policy for ITU-T/ITU-R/ISO/IEC and the ITU-R patent information database can also be found.

Series of ITU-R Recommendations

(Also available online at <http://www.itu.int/publ/R-REC/en>)

Series	Title
BO	Satellite delivery
BR	Recording for production, archival and play-out; film for television
BS	Broadcasting service (sound)
BT	Broadcasting service (television)
F	Fixed service
M	Mobile, radiodetermination, amateur and related satellite services
P	Radiowave propagation
RA	Radio astronomy
RS	Remote sensing systems
S	Fixed-satellite service
SA	Space applications and meteorology
SF	Frequency sharing and coordination between fixed-satellite and fixed service systems
SM	Spectrum management
SNG	Satellite news gathering
TF	Time signals and frequency standards emissions
V	Vocabulary and related subjects

Note: This ITU-R Recommendation was approved in English under the procedure detailed in Resolution ITU-R 1.

Electronic Publication
Geneva, 2012

© ITU 2012

All rights reserved. No part of this publication may be reproduced, by any means whatsoever, without written permission of ITU.

RECOMMENDATION ITU-R P.1239-3*

ITU-R reference ionospheric characteristics

(Question ITU-R 212/3)

(1997-2007-2009-2012)

Scope

This Recommendation provides models and numerical maps of the monthly median characteristics of the ionosphere, and information regarding the statistical variability.

The ITU Radiocommunication Assembly,

considering

a) that long-term reference ionospheric data and prediction methods are needed for radio-circuit design, service planning and frequency band selection,

recommends

1 that for the prediction of ionospheric characteristics, use should be made of the formulations contained in Annex 1.

Annex 1**Ionospheric characteristics****1 Introduction**

Expressions are provided for the evaluation of the monthly median of foF2, M(3000)F2, foE, foF1, h'F and h'F,F2 and of the monthly median, upper decile and lower decile of foEs and fbEs. Also included are representations of the percentage of occurrence of spread-F. These formulations yield values for any location, month and time-of-day for different solar epochs. In the case of foE and foF1, empirical formulae in terms of solar-zenith angle are presented. For the other ionospheric characteristics a numerical mapping technique based on orthogonal Fourier functions is applied.

2 Mapping functions

The general form of the numerical map function, $\Omega(\lambda, \theta, T)$ is the Fourier time series:

$$\Omega(\lambda, \theta, T) = a_0(\lambda, \theta) + \sum_{j=1}^H [a_j(\lambda, \theta) \cos jT + b_j(\lambda, \theta) \sin jT] \quad (1)$$

where:

* Radiocommunication Study Group 3 made editorial amendments to this Recommendation in 2016 in accordance with Resolution ITU-R 1.

- Ω : ionospheric characteristic to be mapped
 λ : geographic latitude ($-90^\circ \leq \lambda \leq 90^\circ$)
 θ : East geographic longitude ($0^\circ \leq \theta \leq 360^\circ$) (θ in degrees East of the Greenwich meridian)
 T : universal time (UTC) expressed as an angle ($-180^\circ \leq T \leq 180^\circ$)
 H : maximum number of harmonics used to represent the diurnal variation.

The Fourier coefficients, $a_j(\lambda, \theta)$ and $b_j(\lambda, \theta)$, vary with the geographic coordinates, and are represented by series of the form:

$$a_j(\lambda, \theta) = \sum_{k=0}^K U_{2j,k} G_k(\lambda, \theta), \quad j = 0, 1, 2, \dots, H \quad (2a)$$

$$b_j(\lambda, \theta) = \sum_{k=0}^K U_{2j-1,k} G_k(\lambda, \theta), \quad j = 1, 2, \dots, H \quad (2b)$$

The particular choice of the functions, $G_k(\lambda, \theta)$ is determined by specifying the integers k ($k_0, k_1, k_2, \dots, k_i, \dots, k_m; k_m = K$), where i is the order in longitude. Therefore, a numerical map can be written more explicitly in the form:

$$\Omega(\lambda, \theta, T) = \sum_{k=0}^K U_{0k} G_k(\lambda, \theta) + \sum_{j=1}^H \left[\cos j T \sum_{k=0}^K U_{2j,k} G_k(\lambda, \theta) + \sin j T \sum_{k=0}^K U_{2j-1,k} G_k(\lambda, \theta) \right] \quad (3)$$

$U_{2j,k}$ and $U_{2j-1,k}$ in equations (2a), (2b) and (3), can be written as $U_{s,k}$, where s is either $2j$ or $2j-1$.

In the numerical mapping technique, the modified magnetic dip:

$$X = \arctan \left(\frac{I}{\sqrt{\cos \lambda}} \right) \quad (4)$$

has been used, where I is the magnetic dip and λ is the geographic latitude. Since X is a function of both geographic latitude and longitude, the formal expression of $\Omega(\lambda, \theta, T)$, equation (3), is unchanged. Table 1 shows the geographic functions, $G_k(\lambda, \theta)$.

A model of the Earth's magnetic field for epoch 1960 based on a sixth-order spherical-harmonic analysis is employed in order to determine modified magnetic dip and gyrofrequency required in the evaluation of the numerical maps. The 1960 epoch must be used, rather than some other epoch of interest because it is that which is used in generating the values of the numerical coefficients.

TABLE 1

Geographic coordinate functions $G_k(\lambda, \theta)$

(X is a function of λ and θ , m is the maximum order in longitude)

$$q_0 = k_0; q_i (i = 1, m) = \frac{k_i - k_{i-1} - 2}{2}$$

k	Main latitude variation	k	First order longitude	k	Second order longitude	.. .	k	m th order longitude
0	1	$k_0 + 1$	$\cos \lambda \cos \theta$	$k_1 + 1$	$\cos^2 \lambda \cos 2 \theta$.. .	$k_{m-1} + 1$	$\cos^m \lambda \cos m \theta$
1	$\sin X$	$k_0 + 2$	$\cos \lambda \sin \theta$	$k_1 + 2$	$\cos^2 \lambda \sin 2 \theta$.. .	$k_{m-1} + 2$	$\cos^m \lambda \sin m \theta$
2	$\sin^2 X$	$k_0 + 3$	$\sin X \cos \lambda \cos \theta$	$k_1 + 3$	$\sin X \cos^2 \lambda \cos 2 \theta$.. .	$k_{m-1} + 3$	$\sin X \cos^m \lambda \cos m \theta$
.		$k_0 + 4$	$\sin X \cos \lambda \sin \theta$	$k_1 + 4$	$\sin X \cos^2 \lambda \sin 2 \theta$.. .	$k_{m-1} + 4$	$\sin X \cos^m \lambda \sin m \theta$
.		
.		
.		
k_0	$\sin^{q_0} X$	$k_1 - 1$	$\sin^{q_1} X \cos \lambda \cos \theta$	$k_2 - 1$	$\sin^{q_2} X \cos^2 \lambda \cos 2 \theta$.. .	$k_m - 1$	$\sin^{q_m} X \cos^m \lambda \cos m \theta$
		k_1	$\sin^{q_1} X \cos \lambda \sin \theta$	k_2	$\sin^{q_2} X \cos^2 \lambda \sin 2 \theta$.. .	k_m	$\sin^{q_m} X \cos^m \lambda \sin m \theta$

The magnetic induction F_x , F_y and F_z (Gauss) along the geographic North, East and vertically downwards directions respectively, is given by:

$$F_x = \sum_{n=1}^6 \sum_{m=0}^n x_n^m \left[g_n^m \cos m \theta + h_n^m \sin m \theta \right] R^{n+2} \tag{5a}$$

$$F_y = \sum_{n=1}^6 \sum_{m=0}^n y_n^m \left[g_n^m \sin m \theta - h_n^m \cos m \theta \right] R^{n+2} \tag{5b}$$

$$F_z = \sum_{n=1}^6 \sum_{m=0}^n z_n^m \left[g_n^m \cos m \theta + h_n^m \sin m \theta \right] R^{n+2} \tag{5c}$$

where:

$$x_n^m = \frac{d}{d \varphi} (P_{n,m}(\cos \varphi)) \tag{6a}$$

$$y_n^m = m \cdot \frac{P_{n,m}(\cos \varphi)}{\sin \varphi} \tag{6b}$$

$$z_n^m = - (n + 1) P_{n,m}(\cos \varphi) \tag{6c}$$

with:

φ : northern co-latitude ($= 90^\circ - \lambda$), where λ is the geographic latitude (degrees)
(North positive, $-90^\circ \leq \lambda \leq 90^\circ$)

$P_{n,m}(\cos \varphi)$: associated Legendre function defined as:

$$P_{n,m}(\cos \varphi) = \sin^m \varphi \left[\cos^{n-m} \varphi - \frac{(n-m)(n-m-1)}{2(2n-1)} \cos^{n-m-2} \varphi + \frac{(n-m)(n-m-1)(n-m-2)(n-m-3)}{(2)(4)(2n-1)(2n-3)} \cos^{n-m-4} \varphi + \dots \right] \quad (7)$$

$g^{m,n}$ and $h^{m,n}$: numerical coefficients for the field model (Gauss)

R : height-dependent scaling factor given as:

$$R = \frac{6371.2}{6371.2 + h_r} \quad (8)$$

where:

h_r : height at which the field is evaluated (taken as 300 km).

The total magnetic field, F , is given as:

$$F = \sqrt{F_x^2 + F_y^2 + F_z^2} \quad (9)$$

The magnetic dip, I , and gyrofrequency, f_H (MHz) are determined from:

$$I = \tan^{-1} \left(\frac{F_z}{\sqrt{F_x^2 + F_y^2}} \right) \quad (10)$$

and

$$f_H = 2.8 F \quad (11)$$

3 Prediction of foF2 and M(3000)F2

3.1 Monthly median values

The F2-layer numerical maps are based on vertical incidence soundings of the ionosphere at a large number of ground stations all over the world. The sets of numerical coefficients defining the diurnal and geographical variations of the monthly median of foF2 and M(3000)F2 are based on a linear relationship with solar activity¹. The coefficients are the values of $U_{s,k}$ (see equations (2) and (3)) that define the function $\Omega(\lambda, \theta, T)$, of the numerical map of the given characteristic for the indicated month and level of solar activity. The coefficients are available for each month of the year, and for two levels of solar activity, $R_{12} = 0$ and $R_{12} = 100$. R_{12} is the twelve-month running mean value of the monthly sunspot numbers and is used as an index of the level of solar activity.

For some applications it may be more appropriate to use grid-point tables for the ionospheric characteristics rather than implementing equation (1). Computer programs to calculate grid-point tables for foF2 and M(3000)F2 are available on the Radiocommunication Study Group 3 website in 2 alternative software procedures. Output grid point tables for foF2 and M(3000)F2, from one of the programs mentioned above, are also available on the Radiocommunication Study Group 3 website.

¹ Several different sets of coefficients have been available. The recommended set is that approved at the CCIR Plenary Assembly, Oslo, 1966.

For the evaluation of parameters between grid points the bi-linear interpolation procedure given in Recommendation ITU-R P.1144 (Annex 1) should be used.

For most purposes it is adequate to assume a linear relationship with R_{12} for both foF2 and M(3000)F2. However, the relationship between foF2 and R_{12} becomes non-linear at a level of solar activity which is a function of geographic location, time of day and season. The most noticeable departure from linearity is for values of R_{12} above approximately 160. For values of R_{12} greater than 160, the error is reduced by assuming that higher values are effectively 160. The relationship of M(3000)F2 with R_{12} is also taken to be linear over the range of values up to $R_{12} = 160$. For higher values of R_{12} , M(3000)F2 is taken to be the value obtained for $R_{12} = 160$.

3.2 Variability factors

The decile factors for describing the daily variations within a month for foF2 are given in Tables 2 and 3. The tables are for the local time and geographic latitude at the control point. Tables are given for three ranges of sunspot number, R_{12} , and for the three seasons:

- Winter: November-February in the Northern Hemisphere and May-August in the Southern Hemisphere
- Equinox: March, April, September and October
- Summer: May-August in the Northern Hemisphere and November-February in the Southern Hemisphere.

A bilinear interpolation process may be used between tabulated points.

4 Prediction of foE

The method for predicting the monthly median foE is based on all published data over the years 1944-1973 from 55 ionospheric stations.

foE (MHz) is given by:

$$(\text{foE})^4 = A B C D \quad (12)$$

where:

A : solar activity factor, given as:

$$A = 1 + 0.0094 (\Phi - 66) \quad (13)$$

Φ : monthly mean 10.7 cm solar radio flux expressed in units of $10^{-22} \text{ W m}^{-2} \text{ Hz}^{-1}$. For prediction purposes, it is appropriate to approximate Φ by an estimate of Φ_{12} , the twelve-monthly smoothed value (see Recommendation ITU-R P.371)

B : seasonal factor, given as:

$$B = \cos^m N \quad (14)$$

where:

$$N = \lambda - \delta \text{ for } |\lambda - \delta| < 80^\circ, \text{ and } N = 80^\circ \text{ for } |\lambda - \delta| \geq 80^\circ$$

λ : geographic latitude and is taken as positive in the Northern Hemisphere

δ : solar declination and is taken as positive for northern declinations.

The exponent m is a function of geographic latitude, λ :

$$m = -1.93 + 1.92 \cos \lambda \quad \text{for } |\lambda| < 32^\circ \quad (15a)$$

or:

$$m = 0.11 - 0.49 \cos \lambda \quad \text{for } |\lambda| \geq 32^\circ \quad (15b)$$

C : main latitude factor, given as:

$$C = X + Y \cos \lambda \quad (16a)$$

where:

$$X = 23, \quad Y = 116 \quad \text{for } |\lambda| < 32^\circ \quad (16b)$$

or:

$$X = 92, \quad Y = 35 \quad \text{for } |\lambda| \geq 32^\circ \quad (16c)$$

D : time-of-day factor.

1st Case: $\chi \leq 73^\circ$

$$D = \cos^p \chi \quad (17a)$$

where χ is the solar zenith angle (degrees). For $|\lambda| \leq 12^\circ$, $p = 1.31$; for $|\lambda| > 12^\circ$, $p = 1.20$.

2nd Case: $73^\circ < \chi < 90^\circ$

$$D = \cos^p (\chi - \delta\chi) \quad (17b)$$

where:

$$\delta\chi = 6.27 \times 10^{-13} (\chi - 50)^8 \quad \text{degrees} \quad (17c)$$

and p is as in the 1st Case.

3rd Case: $\chi \geq 90^\circ$

The night-time value of D , for $\chi \geq 90^\circ$, is taken as the greater of those given by:

$$D = (0.072)^p \exp(-1.4 h) \quad (17d)$$

or:

$$D = (0.072)^p \exp(25.2 - 0.28 \chi) \quad (17e)$$

where h is the number of hours after sunset ($\chi = 90^\circ$). In polar winter conditions, when the Sun does not rise, equation (17e) should be used. p has the same value as in the 1st Case.

The minimum value of foE, is given by:

$$(\text{foE})^4_{\text{minimum}} = 0.004 (1 + 0.021 \Phi)^2 \quad (18)$$

where Φ may be approximated by an estimated value of Φ_{12} .

At night, if foE, when calculated by equations (12) to (17e), is less than that calculated by equation (18) the latter value should be taken.

Tests of the accuracy of the prediction method give for a data base of over 80 000 hourly comparisons for the 55 stations a median r.m.s. deviation of 0.11 MHz.

5 Prediction of foF1

Expressions for monthly median foF1 are based on data recorded from 1954 to 1966 at 39 ionospheric stations located in both hemispheres.

foF1 (MHz) is given by:

$$\text{foF1} = f_s \cos^n \chi \quad (19)$$

where:

$$\begin{aligned}
 f_s &= f_{s_0} + 0.01 (f_{s_{100}} - f_{s_0}) R_{12} \\
 f_{s_0} &= 4.35 + 0.0058 \lambda - 0.000120 \lambda^2 \\
 f_{s_{100}} &= 5.35 + 0.0110 \lambda - 0.000230 \lambda^2 \\
 n &= 0.093 + 0.00461 \lambda - 0.0000540 \lambda^2 + 0.00031 R_{12}
 \end{aligned}$$

and where λ , the value of the geomagnetic latitude (degrees) taken as positive in both hemispheres, is given by:

$$\lambda = \left| \arcsin [\sin g_0 \cdot \sin g + \cos g_0 \cdot \cos g \cdot \cos (\theta_0 - \theta)] \right|$$

where:


- g : geographic latitude of position of interest
- g_0 : geographic latitude of North geomagnetic pole (taken as 78.3° N)
- θ : geographic longitude of position of interest
- θ_0 : geographic longitude of North geomagnetic pole (taken as 69.0° W).

The maximum solar zenith angle at which the F1 layer is present (see also Figs. 1 and 2) is given by the following expressions:

$$\chi_m = \chi_0 + 0.01 (\chi_{100} - \chi_0) R_{12} \quad \text{degrees} \quad (20)$$

where:

$$\begin{aligned}
 \chi_0 &= 50.0 + 0.348 \lambda \\
 \chi_{100} &= 38.7 + 0.509 \lambda
 \end{aligned}$$



6 Prediction of foEs and fbEs

A set of numerical coefficients defining the diurnal, geographical and monthly variations of the medians and upper and lower deciles of the foEs for a year of minimum and one of maximum solar activity, and a set of numerical coefficients defining the variations of the medians and upper and

lower deciles of the fbEs (blanketing frequency of sporadic-E) for a year of minimum solar activity have been derived.

7 Prediction of h'F and h'F,F2


Numerical maps have been developed on a monthly basis for years of maximum and minimum solar activity of monthly median h'F, which is the minimum observed virtual height of reflection of vertical incidence signals from the F region (generally from the F2 layer at night and from the F1 layer in the daytime). Numerical maps have also been developed for years of maximum and minimum solar activity of h'F,F2. h'F,F2 is the combination of the minimum observed virtual height of reflection of vertical-incidence signals from both the F layer at night and the F2 layer in the daytime.

8 Prediction of the percentage of occurrence of spread-F

The percentage occurrence of spread-F has been determined from the ionospheric data from the world network of vertical-incidence ionosonde stations on a monthly basis for a year representative of high solar activity and for a year of low solar activity, and values have been represented numerically by means of a mapping technique.

FIGURE 2

Geomagnetic latitudes



9 Available computer programs and reference data

The procedures described in this Annex are implemented in the computer programs WOMAP and HRMNTH. The program WOMAP displays for locations in a specified geographic area, the values of the chosen ionospheric characteristic, for a given Universal Time, month and solar epoch. The complementary program HRMNTH displays the chosen ionospheric characteristic for a given location and year, as a function of the Universal Time, for each month and the associated solar epoch.

The required twelve coefficient text files, one for each month can be found on the Radiocommunication Study Group 3 website. Each file contains coefficients for foF2, M(3000)F2, foE, median foEs, upper decile foEs, lower decile foEs, h'F and h'F,F2 at two levels of solar activity, $R_{12} = 0$ and $R_{12} = 100$. Each coefficient set consists of a k array used to calculate the G_k in Table 1 and the corresponding $U_{s,k}$ coefficients used to determine the a_j and b_j arrays in equation (1). These coefficients were approved at the ex-CCIR Plenary Assembly, Oslo, 1966.

Grid point tables for foF2 and M(3000)F2 at 1.5° resolution for each of 24 h for monthly mean values are available at the Radiocommunication Study Group 3 website.

TABLE 2

Lower decile factors for within-the-month variations of foF2

a) foF2 variability: lower decile, winter, $R_{12} < 50$

Lat.	Local time (h)																							
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
90°	0.67	0.67	0.67	0.67	0.67	0.67	0.67	0.67	0.67	0.67	0.67	0.67	0.67	0.67	0.67	0.67	0.67	0.67	0.67	0.67	0.67	0.67	0.67	0.67
85°	0.64	0.64	0.64	0.66	0.66	0.66	0.67	0.68	0.68	0.68	0.68	0.70	0.70	0.70	0.70	0.68	0.68	0.68	0.68	0.67	0.67	0.67	0.66	0.64
80°	0.60	0.60	0.62	0.65	0.65	0.65	0.67	0.69	0.69	0.69	0.70	0.72	0.72	0.72	0.70	0.68	0.68	0.68	0.68	0.67	0.67	0.67	0.64	0.60
75°	0.64	0.64	0.66	0.68	0.68	0.68	0.70	0.72	0.72	0.72	0.73	0.74	0.74	0.74	0.73	0.72	0.72	0.72	0.70	0.68	0.68	0.68	0.66	0.64
70°	0.68	0.68	0.70	0.71	0.71	0.71	0.73	0.75	0.75	0.75	0.76	0.76	0.76	0.76	0.76	0.75	0.75	0.75	0.72	0.70	0.70	0.70	0.69	0.68
65°	0.71	0.71	0.72	0.74	0.74	0.74	0.76	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.75	0.72	0.72	0.72	0.72	0.71
60°	0.74	0.74	0.75	0.76	0.76	0.76	0.78	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.81	0.82	0.82	0.82	0.78	0.73	0.73	0.73	0.74	0.74
55°	0.76	0.76	0.76	0.77	0.77	0.77	0.80	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.83	0.83	0.83	0.78	0.74	0.74	0.74	0.75	0.76
50°	0.79	0.79	0.78	0.78	0.78	0.78	0.80	0.83	0.83	0.83	0.84	0.85	0.85	0.85	0.84	0.84	0.84	0.84	0.80	0.76	0.76	0.76	0.78	0.79
45°	0.80	0.80	0.79	0.78	0.78	0.78	0.81	0.84	0.84	0.84	0.85	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.81	0.76	0.76	0.76	0.78	0.80
40°	0.81	0.81	0.80	0.79	0.79	0.79	0.82	0.85	0.85	0.85	0.86	0.87	0.87	0.87	0.88	0.89	0.89	0.89	0.83	0.77	0.77	0.77	0.79	0.81
35°	0.81	0.81	0.78	0.76	0.76	0.76	0.81	0.86	0.86	0.86	0.85	0.84	0.84	0.84	0.86	0.87	0.87	0.87	0.82	0.78	0.78	0.78	0.80	0.81
30°	0.81	0.81	0.78	0.74	0.74	0.74	0.80	0.86	0.86	0.86	0.84	0.82	0.82	0.82	0.84	0.85	0.85	0.85	0.82	0.78	0.78	0.78	0.80	0.81
25°	0.80	0.80	0.75	0.70	0.70	0.70	0.78	0.86	0.86	0.86	0.82	0.78	0.78	0.78	0.80	0.81	0.81	0.81	0.80	0.78	0.78	0.78	0.79	0.80
20°	0.78	0.78	0.72	0.67	0.67	0.67	0.77	0.87	0.87	0.87	0.81	0.75	0.75	0.75	0.76	0.77	0.77	0.77	0.78	0.79	0.79	0.79	0.78	0.78
15°	0.74	0.74	0.71	0.68	0.68	0.68	0.76	0.88	0.88	0.88	0.84	0.80	0.80	0.80	0.81	0.82	0.82	0.82	0.80	0.79	0.79	0.79	0.76	0.74
10°	0.71	0.71	0.70	0.70	0.70	0.70	0.79	0.88	0.88	0.88	0.87	0.86	0.86	0.86	0.86	0.87	0.87	0.87	0.83	0.79	0.79	0.79	0.75	0.71
5°	0.71	0.71	0.70	0.70	0.70	0.70	0.79	0.88	0.88	0.88	0.87	0.86	0.86	0.86	0.86	0.87	0.87	0.87	0.83	0.79	0.79	0.79	0.75	0.71
0°	0.72	0.72	0.72	0.72	0.72	0.72	0.78	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.80	0.74	0.74	0.74	0.74	0.72

TABLE 2 (continued)

b) foF2 variability: lower decile, winter, $50 \leq R_{12} \leq 100$

Lat.	Local time (h)																							
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
90°	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70
85°	0.73	0.73	0.74	0.74	0.74	0.74	0.72	0.69	0.69	0.69	0.69	0.68	0.68	0.68	0.67	0.66	0.66	0.66	0.68	0.70	0.70	0.70	0.72	0.73
80°	0.76	0.76	0.77	0.78	0.78	0.78	0.73	0.68	0.68	0.68	0.68	0.67	0.67	0.67	0.64	0.62	0.62	0.62	0.66	0.70	0.70	0.70	0.73	0.76
75°	0.78	0.78	0.79	0.80	0.80	0.80	0.76	0.71	0.71	0.71	0.70	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.70	0.72	0.72	0.72	0.75	0.78
70°	0.79	0.79	0.80	0.81	0.81	0.81	0.78	0.74	0.74	0.74	0.72	0.70	0.70	0.70	0.72	0.73	0.73	0.73	0.73	0.73	0.73	0.73	0.76	0.79
65°	0.80	0.80	0.81	0.82	0.82	0.82	0.79	0.76	0.76	0.76	0.74	0.72	0.72	0.72	0.74	0.76	0.76	0.76	0.75	0.74	0.74	0.74	0.77	0.80
60°	0.82	0.82	0.82	0.83	0.83	0.83	0.81	0.79	0.79	0.79	0.77	0.75	0.75	0.75	0.78	0.80	0.80	0.80	0.78	0.76	0.76	0.76	0.79	0.82
55°	0.83	0.83	0.82	0.82	0.82	0.82	0.82	0.81	0.81	0.81	0.80	0.78	0.78	0.78	0.80	0.82	0.82	0.82	0.80	0.77	0.77	0.77	0.80	0.83
50°	0.84	0.84	0.83	0.82	0.82	0.82	0.82	0.83	0.83	0.83	0.82	0.81	0.81	0.81	0.82	0.84	0.84	0.84	0.81	0.78	0.78	0.78	0.81	0.84
45°	0.84	0.84	0.83	0.82	0.82	0.82	0.83	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.85	0.85	0.85	0.82	0.78	0.78	0.78	0.81	0.84
40°	0.83	0.83	0.82	0.81	0.81	0.81	0.83	0.85	0.85	0.85	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.82	0.79	0.79	0.79	0.81	0.83
35°	0.80	0.80	0.79	0.78	0.78	0.78	0.82	0.85	0.85	0.85	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.82	0.78	0.78	0.78	0.79	0.80
30°	0.78	0.78	0.77	0.76	0.76	0.76	0.80	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.85	0.82	0.78	0.78	0.78	0.78	0.78
25°	0.76	0.76	0.75	0.74	0.74	0.74	0.80	0.85	0.85	0.85	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.80	0.77	0.77	0.77	0.76	0.76
20°	0.74	0.74	0.72	0.71	0.71	0.71	0.78	0.85	0.85	0.85	0.84	0.83	0.83	0.83	0.82	0.82	0.82	0.82	0.79	0.76	0.76	0.76	0.75	0.74
15°	0.76	0.76	0.73	0.70	0.70	0.70	0.78	0.86	0.86	0.86	0.85	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.80	0.77	0.77	0.77	0.76	0.76
10°	0.77	0.77	0.73	0.69	0.69	0.69	0.78	0.87	0.87	0.87	0.86	0.86	0.86	0.86	0.86	0.85	0.85	0.85	0.82	0.78	0.78	0.78	0.78	0.77
5°	0.77	0.77	0.73	0.69	0.69	0.69	0.78	0.87	0.87	0.87	0.86	0.86	0.86	0.86	0.86	0.85	0.85	0.85	0.82	0.78	0.78	0.78	0.78	0.77
0°	0.78	0.78	0.72	0.66	0.66	0.66	0.76	0.86	0.86	0.86	0.85	0.86	0.86	0.86	0.84	0.83	0.83	0.83	0.80	0.78	0.78	0.78	0.78	0.78

TABLE 2 (continued)

c) foF2 variability: lower decile, winter, $R_{12} > 100$

Lat.	Local time (h)																							
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
90°	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68
85°	0.65	0.65	0.67	0.69	0.69	0.69	0.70	0.71	0.71	0.71	0.69	0.68	0.68	0.68	0.67	0.66	0.66	0.66	0.68	0.70	0.70	0.70	0.68	0.65
80°	0.62	0.62	0.66	0.70	0.70	0.70	0.72	0.74	0.74	0.74	0.70	0.67	0.67	0.67	0.66	0.64	0.64	0.64	0.68	0.73	0.73	0.73	0.68	0.62
75°	0.66	0.66	0.69	0.72	0.72	0.72	0.74	0.76	0.76	0.76	0.73	0.70	0.70	0.70	0.69	0.68	0.68	0.68	0.72	0.76	0.76	0.76	0.71	0.66
70°	0.69	0.69	0.72	0.74	0.74	0.74	0.76	0.77	0.77	0.77	0.74	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.75	0.78	0.78	0.78	0.74	0.69
65°	0.73	0.73	0.74	0.76	0.76	0.76	0.78	0.79	0.79	0.79	0.78	0.76	0.76	0.76	0.76	0.76	0.76	0.76	0.78	0.80	0.80	0.80	0.76	0.73
60°	0.77	0.77	0.78	0.78	0.78	0.78	0.80	0.81	0.81	0.81	0.80	0.80	0.80	0.80	0.80	0.79	0.79	0.79	0.80	0.82	0.82	0.82	0.80	0.77
55°	0.80	0.80	0.80	0.79	0.79	0.79	0.80	0.82	0.82	0.82	0.83	0.84	0.84	0.84	0.83	0.82	0.82	0.82	0.83	0.84	0.84	0.84	0.82	0.80
50°	0.83	0.83	0.82	0.80	0.80	0.80	0.82	0.84	0.84	0.84	0.86	0.87	0.87	0.87	0.86	0.84	0.84	0.84	0.85	0.86	0.86	0.86	0.84	0.83
45°	0.84	0.84	0.82	0.80	0.80	0.80	0.83	0.86	0.86	0.86	0.87	0.88	0.88	0.88	0.87	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.85	0.84
40°	0.86	0.86	0.84	0.81	0.81	0.81	0.84	0.87	0.87	0.87	0.88	0.90	0.90	0.90	0.88	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.86	0.86
35°	0.84	0.84	0.81	0.78	0.78	0.78	0.83	0.88	0.88	0.88	0.89	0.90	0.90	0.90	0.89	0.88	0.88	0.88	0.87	0.86	0.86	0.86	0.85	0.84
30°	0.83	0.83	0.80	0.76	0.76	0.76	0.82	0.89	0.89	0.89	0.90	0.90	0.90	0.90	0.89	0.88	0.88	0.88	0.87	0.86	0.86	0.86	0.84	0.83
25°	0.80	0.80	0.76	0.73	0.73	0.73	0.81	0.89	0.89	0.89	0.90	0.90	0.90	0.90	0.89	0.88	0.88	0.88	0.86	0.84	0.84	0.84	0.82	0.80
20°	0.78	0.78	0.74	0.70	0.70	0.70	0.80	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.86	0.83	0.83	0.83	0.80	0.78
15°	0.80	0.80	0.76	0.73	0.73	0.73	0.81	0.89	0.89	0.89	0.90	0.90	0.90	0.90	0.90	0.89	0.89	0.89	0.86	0.84	0.84	0.84	0.82	0.80
10°	0.83	0.83	0.80	0.76	0.76	0.76	0.82	0.89	0.89	0.89	0.90	0.90	0.90	0.90	0.90	0.89	0.89	0.89	0.86	0.84	0.84	0.84	0.84	0.83
5°	0.83	0.83	0.80	0.76	0.76	0.76	0.82	0.89	0.89	0.89	0.90	0.90	0.90	0.90	0.90	0.89	0.89	0.89	0.86	0.84	0.84	0.84	0.84	0.83
0°	0.82	0.82	0.80	0.78	0.78	0.78	0.82	0.88	0.88	0.88	0.89	0.90	0.90	0.90	0.88	0.87	0.87	0.87	0.84	0.81	0.81	0.81	0.82	0.82

TABLE 2 (continued)

d) foF2 variability: lower decile, equinox, $R_{12} < 50$

Lat.	Local time (h)																							
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
90°	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69
85°	0.68	0.68	0.70	0.70	0.70	0.70	0.71	0.72	0.72	0.72	0.72	0.71	0.71	0.71	0.72	0.74	0.74	0.74	0.70	0.67	0.67	0.67	0.68	0.68
80°	0.67	0.67	0.70	0.72	0.72	0.72	0.73	0.74	0.74	0.74	0.74	0.73	0.73	0.73	0.76	0.80	0.80	0.80	0.72	0.65	0.65	0.65	0.66	0.67
75°	0.68	0.68	0.71	0.74	0.74	0.74	0.74	0.75	0.75	0.75	0.74	0.74	0.74	0.74	0.78	0.81	0.81	0.81	0.74	0.67	0.67	0.67	0.68	0.68
70°	0.70	0.70	0.72	0.75	0.75	0.75	0.76	0.76	0.76	0.76	0.75	0.74	0.74	0.74	0.78	0.82	0.82	0.82	0.76	0.69	0.69	0.69	0.70	0.70
65°	0.72	0.72	0.74	0.76	0.76	0.76	0.77	0.78	0.78	0.78	0.76	0.74	0.74	0.74	0.78	0.82	0.82	0.82	0.76	0.71	0.71	0.71	0.72	0.72
60°	0.73	0.73	0.76	0.78	0.78	0.78	0.79	0.80	0.80	0.80	0.78	0.75	0.75	0.75	0.78	0.81	0.81	0.81	0.77	0.73	0.73	0.73	0.73	0.73
55°	0.74	0.74	0.76	0.79	0.79	0.79	0.80	0.80	0.80	0.80	0.78	0.76	0.76	0.76	0.78	0.81	0.81	0.81	0.78	0.74	0.74	0.74	0.74	0.74
50°	0.75	0.75	0.78	0.80	0.80	0.80	0.80	0.81	0.81	0.81	0.78	0.76	0.76	0.76	0.78	0.81	0.81	0.81	0.78	0.76	0.76	0.76	0.76	0.75
45°	0.76	0.76	0.78	0.80	0.80	0.80	0.80	0.81	0.81	0.81	0.78	0.76	0.76	0.76	0.78	0.80	0.80	0.80	0.78	0.77	0.77	0.77	0.76	0.76
40°	0.77	0.77	0.79	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.79	0.77	0.77	0.77	0.78	0.80	0.80	0.80	0.79	0.78	0.78	0.78	0.78	0.77
35°	0.78	0.78	0.79	0.80	0.80	0.80	0.81	0.82	0.82	0.82	0.80	0.78	0.78	0.78	0.79	0.80	0.80	0.80	0.78	0.76	0.76	0.76	0.77	0.78
30°	0.78	0.78	0.79	0.80	0.80	0.80	0.81	0.82	0.82	0.82	0.80	0.78	0.78	0.78	0.80	0.81	0.81	0.81	0.78	0.74	0.74	0.74	0.76	0.78
25°	0.78	0.78	0.78	0.78	0.78	0.78	0.80	0.82	0.82	0.82	0.81	0.80	0.80	0.80	0.81	0.82	0.82	0.82	0.77	0.72	0.72	0.72	0.75	0.78
20°	0.77	0.77	0.76	0.75	0.75	0.75	0.79	0.83	0.83	0.83	0.82	0.81	0.81	0.81	0.82	0.83	0.83	0.83	0.76	0.69	0.69	0.69	0.73	0.77
15°	0.76	0.76	0.73	0.70	0.70	0.70	0.77	0.84	0.84	0.84	0.84	0.85	0.85	0.85	0.84	0.84	0.84	0.84	0.78	0.72	0.72	0.72	0.74	0.76
10°	0.76	0.76	0.71	0.66	0.66	0.66	0.76	0.86	0.86	0.86	0.88	0.89	0.89	0.89	0.86	0.86	0.86	0.86	0.80	0.75	0.75	0.75	0.76	0.76
5°	0.76	0.76	0.71	0.66	0.66	0.66	0.76	0.86	0.86	0.86	0.88	0.89	0.89	0.89	0.86	0.86	0.86	0.86	0.80	0.75	0.75	0.75	0.76	0.76
0°	0.76	0.76	0.71	0.66	0.66	0.66	0.76	0.86	0.86	0.86	0.88	0.89	0.89	0.89	0.86	0.86	0.86	0.86	0.80	0.75	0.75	0.75	0.76	0.76

TABLE 2 (continued)

e) foF2 variability: lower decile, equinox, $50 \leq R_{12} \leq 100$

Lat.	Local time (h)																							
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
90°	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69
85°	0.66	0.66	0.64	0.65	0.65	0.65	0.68	0.71	0.71	0.71	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.70	0.68	0.68	0.68	0.68	0.66
80°	0.64	0.64	0.62	0.61	0.61	0.61	0.67	0.73	0.73	0.73	0.74	0.74	0.74	0.74	0.74	0.74	0.74	0.74	0.70	0.67	0.67	0.67	0.66	0.64
75°	0.66	0.66	0.66	0.66	0.66	0.66	0.70	0.75	0.75	0.75	0.74	0.74	0.74	0.74	0.75	0.76	0.76	0.76	0.72	0.68	0.68	0.68	0.67	0.66
70°	0.68	0.68	0.70	0.71	0.71	0.71	0.74	0.77	0.77	0.77	0.76	0.74	0.74	0.74	0.76	0.78	0.78	0.78	0.74	0.70	0.70	0.70	0.69	0.68
65°	0.69	0.69	0.71	0.73	0.73	0.73	0.76	0.78	0.78	0.78	0.76	0.73	0.73	0.73	0.76	0.78	0.78	0.78	0.75	0.72	0.72	0.72	0.70	0.69
60°	0.70	0.70	0.72	0.75	0.75	0.75	0.78	0.80	0.80	0.80	0.76	0.72	0.72	0.72	0.75	0.78	0.78	0.78	0.76	0.73	0.73	0.73	0.72	0.70
55°	0.72	0.72	0.74	0.76	0.76	0.76	0.78	0.80	0.80	0.80	0.77	0.73	0.73	0.73	0.75	0.77	0.77	0.77	0.76	0.74	0.74	0.74	0.73	0.72
50°	0.73	0.73	0.75	0.77	0.77	0.77	0.79	0.81	0.81	0.81	0.78	0.74	0.74	0.74	0.75	0.76	0.76	0.76	0.76	0.75	0.75	0.75	0.74	0.73
45°	0.74	0.74	0.76	0.78	0.78	0.78	0.80	0.82	0.82	0.82	0.79	0.76	0.76	0.76	0.76	0.76	0.76	0.76	0.76	0.76	0.76	0.76	0.75	0.74
40°	0.75	0.75	0.76	0.78	0.78	0.78	0.80	0.82	0.82	0.82	0.80	0.78	0.78	0.78	0.77	0.76	0.76	0.76	0.76	0.76	0.76	0.76	0.76	0.75
35°	0.76	0.76	0.76	0.77	0.77	0.77	0.80	0.82	0.82	0.82	0.81	0.80	0.80	0.80	0.78	0.77	0.77	0.77	0.76	0.74	0.74	0.74	0.75	0.76
30°	0.77	0.77	0.76	0.76	0.76	0.76	0.79	0.82	0.82	0.82	0.82	0.83	0.83	0.83	0.80	0.78	0.78	0.78	0.75	0.72	0.72	0.72	0.74	0.77
25°	0.76	0.76	0.75	0.74	0.74	0.74	0.79	0.83	0.83	0.83	0.84	0.85	0.85	0.85	0.82	0.80	0.80	0.80	0.75	0.70	0.70	0.70	0.73	0.76
20°	0.75	0.75	0.74	0.73	0.73	0.73	0.78	0.84	0.84	0.84	0.86	0.87	0.87	0.87	0.84	0.81	0.81	0.81	0.76	0.69	0.69	0.69	0.72	0.75
15°	0.77	0.77	0.74	0.70	0.70	0.70	0.78	0.85	0.85	0.85	0.86	0.88	0.88	0.88	0.85	0.82	0.82	0.82	0.78	0.74	0.74	0.74	0.76	0.77
10°	0.79	0.79	0.74	0.68	0.68	0.68	0.77	0.86	0.86	0.86	0.88	0.89	0.89	0.89	0.86	0.84	0.84	0.84	0.82	0.80	0.80	0.80	0.80	0.79
5°	0.79	0.79	0.74	0.68	0.68	0.68	0.77	0.86	0.86	0.86	0.88	0.89	0.89	0.89	0.86	0.84	0.84	0.84	0.82	0.80	0.80	0.80	0.80	0.79
0°	0.79	0.79	0.74	0.68	0.68	0.68	0.77	0.86	0.86	0.86	0.88	0.89	0.89	0.89	0.86	0.84	0.84	0.84	0.82	0.80	0.80	0.80	0.80	0.79

TABLE 2 (continued)

f) foF2 variability: lower decile, equinox, $R_{12} > 100$

Lat.	Local time (h)																							
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
90°	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69	0.69
85°	0.68	0.68	0.68	0.68	0.68	0.68	0.70	0.72	0.72	0.72	0.70	0.68	0.68	0.68	0.68	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.69	0.68
80°	0.66	0.66	0.66	0.67	0.67	0.67	0.71	0.75	0.75	0.75	0.70	0.66	0.66	0.66	0.68	0.70	0.70	0.70	0.71	0.72	0.72	0.72	0.69	0.66
75°	0.66	0.66	0.68	0.69	0.69	0.69	0.72	0.74	0.74	0.74	0.71	0.68	0.68	0.68	0.69	0.70	0.70	0.70	0.71	0.72	0.72	0.72	0.69	0.66
70°	0.67	0.67	0.69	0.71	0.71	0.71	0.72	0.73	0.73	0.73	0.72	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.71	0.72	0.72	0.72	0.70	0.67
65°	0.68	0.68	0.70	0.73	0.73	0.73	0.72	0.72	0.72	0.72	0.71	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.71	0.72	0.72	0.72	0.70	0.68
60°	0.69	0.69	0.72	0.75	0.75	0.75	0.73	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.71	0.72	0.72	0.72	0.72	0.70	0.69
55°	0.70	0.70	0.73	0.76	0.76	0.76	0.73	0.70	0.70	0.70	0.71	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.72	0.71	0.70
50°	0.71	0.71	0.74	0.78	0.78	0.78	0.74	0.70	0.70	0.70	0.72	0.72	0.72	0.72	0.74	0.74	0.74	0.74	0.74	0.73	0.73	0.73	0.72	0.71
45°	0.75	0.75	0.78	0.80	0.80	0.80	0.76	0.72	0.72	0.72	0.74	0.75	0.75	0.75	0.76	0.77	0.77	0.77	0.78	0.78	0.78	0.78	0.77	0.75
40°	0.79	0.79	0.80	0.82	0.82	0.82	0.78	0.75	0.75	0.75	0.76	0.78	0.78	0.78	0.79	0.80	0.80	0.80	0.82	0.84	0.84	0.84	0.82	0.79
35°	0.80	0.80	0.81	0.82	0.82	0.82	0.82	0.81	0.81	0.81	0.82	0.82	0.82	0.82	0.83	0.84	0.84	0.84	0.84	0.85	0.85	0.85	0.82	0.80
30°	0.81	0.81	0.81	0.82	0.82	0.82	0.84	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.86	0.86	0.86	0.86	0.84	0.81
25°	0.81	0.81	0.80	0.80	0.80	0.80	0.84	0.88	0.88	0.88	0.89	0.90	0.90	0.90	0.89	0.88	0.88	0.88	0.87	0.86	0.86	0.86	0.83	0.81
20°	0.81	0.81	0.79	0.77	0.77	0.77	0.83	0.89	0.89	0.89	0.90	0.92	0.92	0.92	0.91	0.90	0.90	0.90	0.88	0.85	0.85	0.85	0.83	0.81
15°	0.80	0.80	0.79	0.78	0.78	0.78	0.73	0.88	0.88	0.88	0.89	0.91	0.91	0.91	0.90	0.90	0.90	0.90	0.87	0.84	0.84	0.84	0.82	0.80
10°	0.80	0.80	0.80	0.79	0.79	0.79	0.82	0.86	0.86	0.86	0.88	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.86	0.82	0.82	0.82	0.81	0.80
5°	0.80	0.80	0.80	0.79	0.79	0.79	0.82	0.86	0.86	0.86	0.88	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.86	0.82	0.82	0.82	0.81	0.80
0°	0.80	0.80	0.80	0.79	0.79	0.79	0.82	0.86	0.86	0.86	0.88	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.86	0.82	0.82	0.82	0.81	0.80

TABLE 2 (continued)

g) foF2 variability: lower decile, summer, $R_{12} < 50$

Lat.	Local time (h)																							
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
90°	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80
85°	0.74	0.74	0.77	0.80	0.80	0.80	0.81	0.82	0.82	0.82	0.83	0.84	0.84	0.84	0.83	0.82	0.82	0.82	0.80	0.78	0.78	0.78	0.76	0.74
80°	0.68	0.68	0.74	0.79	0.79	0.79	0.82	0.84	0.84	0.84	0.86	0.87	0.87	0.87	0.86	0.85	0.85	0.85	0.80	0.76	0.76	0.76	0.72	0.68
75°	0.69	0.69	0.74	0.80	0.80	0.80	0.82	0.84	0.84	0.84	0.85	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.81	0.76	0.76	0.76	0.73	0.69
70°	0.70	0.70	0.76	0.81	0.81	0.81	0.82	0.83	0.83	0.83	0.84	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.82	0.77	0.77	0.77	0.74	0.70
65°	0.71	0.71	0.76	0.82	0.82	0.82	0.83	0.83	0.83	0.83	0.84	0.85	0.85	0.85	0.86	0.86	0.86	0.86	0.82	0.79	0.79	0.79	0.75	0.71
60°	0.72	0.72	0.78	0.84	0.84	0.84	0.84	0.83	0.83	0.83	0.84	0.84	0.84	0.84	0.85	0.86	0.86	0.86	0.84	0.81	0.81	0.81	0.76	0.72
55°	0.74	0.74	0.79	0.84	0.84	0.84	0.83	0.82	0.82	0.82	0.83	0.84	0.84	0.84	0.85	0.86	0.86	0.86	0.84	0.82	0.82	0.82	0.78	0.74
50°	0.75	0.75	0.80	0.85	0.85	0.85	0.84	0.82	0.82	0.82	0.82	0.83	0.83	0.83	0.84	0.85	0.85	0.85	0.84	0.84	0.84	0.84	0.80	0.75
45°	0.77	0.77	0.80	0.85	0.85	0.85	0.83	0.81	0.81	0.81	0.82	0.82	0.82	0.82	0.83	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.80	0.77
40°	0.79	0.79	0.82	0.85	0.85	0.85	0.82	0.80	0.80	0.80	0.81	0.82	0.82	0.82	0.82	0.83	0.83	0.83	0.84	0.85	0.85	0.85	0.82	0.79
35°	0.79	0.79	0.81	0.84	0.84	0.84	0.81	0.79	0.79	0.79	0.80	0.81	0.81	0.81	0.81	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.81	0.79
30°	0.79	0.79	0.80	0.82	0.82	0.82	0.80	0.78	0.78	0.78	0.79	0.80	0.80	0.80	0.80	0.81	0.81	0.81	0.80	0.80	0.80	0.80	0.80	0.79
25°	0.78	0.78	0.79	0.80	0.80	0.80	0.79	0.78	0.78	0.78	0.78	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.78	0.76	0.76	0.76	0.77	0.78
20°	0.77	0.77	0.78	0.78	0.78	0.78	0.78	0.77	0.77	0.77	0.78	0.79	0.79	0.79	0.79	0.79	0.79	0.79	0.76	0.73	0.73	0.73	0.75	0.77
15°	0.76	0.76	0.76	0.76	0.76	0.76	0.78	0.78	0.78	0.78	0.80	0.81	0.81	0.81	0.81	0.80	0.80	0.80	0.76	0.71	0.71	0.71	0.73	0.76
10°	0.74	0.74	0.74	0.75	0.75	0.75	0.78	0.80	0.80	0.80	0.82	0.83	0.83	0.83	0.82	0.82	0.82	0.82	0.76	0.69	0.69	0.69	0.72	0.74
5°	0.74	0.74	0.74	0.75	0.75	0.75	0.78	0.80	0.80	0.80	0.82	0.83	0.83	0.83	0.82	0.82	0.82	0.82	0.76	0.69	0.69	0.69	0.72	0.74
0°	0.72	0.72	0.72	0.72	0.72	0.72	0.78	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.80	0.74	0.74	0.74	0.74	0.72

TABLE 2 (continued)

h) foF2 variability: lower decile, summer, $50 \leq R_{12} \leq 100$

Lat.	Local time (h)																							
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
90°	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81	0.81
85°	0.82	0.82	0.81	0.80	0.80	0.80	0.81	0.82	0.82	0.82	0.82	0.83	0.83	0.83	0.82	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.82
80°	0.82	0.82	0.81	0.80	0.80	0.80	0.81	0.82	0.82	0.82	0.84	0.85	0.85	0.85	0.82	0.80	0.80	0.80	0.80	0.79	0.79	0.79	0.80	0.82
75°	0.82	0.82	0.82	0.81	0.81	0.81	0.81	0.80	0.80	0.80	0.82	0.84	0.84	0.84	0.82	0.81	0.81	0.81	0.81	0.80	0.80	0.80	0.81	0.82
70°	0.83	0.83	0.82	0.82	0.82	0.82	0.80	0.79	0.79	0.79	0.80	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.83
65°	0.83	0.83	0.82	0.82	0.82	0.82	0.80	0.78	0.78	0.78	0.79	0.80	0.80	0.80	0.81	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.83	0.83
60°	0.83	0.83	0.82	0.82	0.82	0.82	0.80	0.77	0.77	0.77	0.78	0.79	0.79	0.79	0.80	0.82	0.82	0.82	0.82	0.83	0.83	0.83	0.83	0.83
55°	0.82	0.82	0.82	0.82	0.82	0.82	0.79	0.76	0.76	0.76	0.77	0.78	0.78	0.78	0.80	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.82	0.82
50°	0.81	0.81	0.81	0.81	0.81	0.81	0.78	0.76	0.76	0.76	0.76	0.77	0.77	0.77	0.79	0.81	0.81	0.81	0.82	0.82	0.82	0.82	0.82	0.81
45°	0.80	0.80	0.80	0.80	0.80	0.80	0.78	0.76	0.76	0.76	0.76	0.78	0.78	0.78	0.78	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80
40°	0.78	0.78	0.78	0.78	0.78	0.78	0.76	0.75	0.75	0.75	0.76	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78
35°	0.78	0.78	0.79	0.80	0.80	0.80	0.78	0.75	0.75	0.75	0.76	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.77	0.76	0.76	0.76	0.77	0.78
30°	0.77	0.77	0.80	0.83	0.83	0.83	0.79	0.75	0.75	0.75	0.77	0.79	0.79	0.79	0.78	0.77	0.77	0.77	0.76	0.74	0.74	0.74	0.76	0.77
25°	0.77	0.77	0.76	0.76	0.76	0.76	0.76	0.76	0.76	0.76	0.79	0.80	0.80	0.80	0.79	0.78	0.78	0.78	0.76	0.74	0.74	0.74	0.75	0.77
20°	0.77	0.77	0.73	0.69	0.69	0.69	0.74	0.78	0.78	0.78	0.80	0.82	0.82	0.82	0.80	0.78	0.78	0.78	0.76	0.73	0.73	0.73	0.75	0.77
15°	0.78	0.78	0.72	0.66	0.66	0.66	0.74	0.81	0.81	0.81	0.82	0.84	0.84	0.84	0.82	0.80	0.80	0.80	0.77	0.75	0.75	0.75	0.76	0.78
10°	0.79	0.79	0.71	0.63	0.63	0.63	0.74	0.84	0.84	0.84	0.84	0.85	0.85	0.85	0.83	0.81	0.81	0.81	0.79	0.77	0.77	0.77	0.78	0.79
5°	0.79	0.79	0.71	0.63	0.63	0.63	0.74	0.84	0.84	0.84	0.84	0.85	0.85	0.85	0.83	0.81	0.81	0.81	0.79	0.77	0.77	0.77	0.78	0.79
0°	0.78	0.78	0.72	0.66	0.66	0.66	0.76	0.86	0.86	0.86	0.85	0.86	0.86	0.86	0.84	0.83	0.83	0.83	0.80	0.78	0.78	0.78	0.78	0.78

TABLE 2 (end)

i) foF2 variability: lower decile, summer, $R_{12} > 100$

Lat.	Local time (h)																							
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
90°	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78
85°	0.76	0.76	0.76	0.76	0.76	0.76	0.78	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.78	0.78	0.78	0.78	0.76	0.76	0.76	0.76	0.76
80°	0.73	0.73	0.74	0.74	0.74	0.74	0.78	0.82	0.82	0.82	0.82	0.83	0.83	0.83	0.81	0.79	0.79	0.79	0.77	0.75	0.75	0.75	0.74	0.73
75°	0.74	0.74	0.74	0.74	0.74	0.74	0.77	0.80	0.80	0.80	0.80	0.82	0.82	0.82	0.81	0.80	0.80	0.80	0.78	0.76	0.76	0.76	0.75	0.74
70°	0.75	0.75	0.75	0.75	0.75	0.75	0.76	0.77	0.77	0.77	0.78	0.80	0.80	0.80	0.81	0.80	0.80	0.80	0.78	0.77	0.77	0.77	0.76	0.75
65°	0.76	0.76	0.76	0.76	0.76	0.76	0.76	0.76	0.76	0.76	0.77	0.78	0.78	0.78	0.79	0.80	0.80	0.80	0.79	0.78	0.78	0.78	0.77	0.76
60°	0.77	0.77	0.76	0.76	0.76	0.76	0.75	0.74	0.74	0.74	0.76	0.77	0.77	0.77	0.78	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.78	0.77
55°	0.78	0.78	0.77	0.76	0.76	0.76	0.75	0.74	0.74	0.74	0.75	0.76	0.76	0.76	0.78	0.80	0.80	0.80	0.81	0.82	0.82	0.82	0.80	0.78
50°	0.79	0.79	0.78	0.76	0.76	0.76	0.74	0.73	0.73	0.73	0.74	0.75	0.75	0.75	0.78	0.80	0.80	0.80	0.82	0.84	0.84	0.84	0.82	0.79
45°	0.80	0.80	0.78	0.76	0.76	0.76	0.75	0.74	0.74	0.74	0.74	0.75	0.75	0.75	0.77	0.80	0.80	0.80	0.82	0.84	0.84	0.84	0.82	0.80
40°	0.80	0.80	0.78	0.76	0.76	0.76	0.76	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.77	0.79	0.79	0.79	0.82	0.84	0.84	0.84	0.82	0.80
35°	0.80	0.80	0.78	0.76	0.76	0.76	0.77	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.78	0.79	0.79	0.79	0.80	0.84	0.84	0.84	0.82	0.80
30°	0.81	0.81	0.78	0.76	0.76	0.76	0.78	0.82	0.82	0.82	0.82	0.81	0.81	0.81	0.80	0.79	0.79	0.79	0.81	0.83	0.83	0.83	0.82	0.81
25°	0.81	0.81	0.78	0.76	0.76	0.76	0.80	0.84	0.84	0.84	0.84	0.84	0.84	0.84	0.82	0.80	0.80	0.80	0.81	0.82	0.82	0.82	0.81	0.81
20°	0.81	0.81	0.79	0.77	0.77	0.77	0.81	0.85	0.85	0.85	0.86	0.86	0.86	0.86	0.84	0.81	0.81	0.81	0.80	0.80	0.80	0.80	0.80	0.81
15°	0.80	0.80	0.79	0.78	0.78	0.78	0.82	0.86	0.86	0.86	0.87	0.88	0.88	0.88	0.85	0.83	0.83	0.83	0.81	0.79	0.79	0.79	0.80	0.80
10°	0.80	0.80	0.80	0.79	0.79	0.79	0.82	0.86	0.86	0.86	0.88	0.89	0.89	0.89	0.87	0.85	0.85	0.85	0.82	0.78	0.78	0.78	0.79	0.80
5°	0.80	0.80	0.80	0.79	0.79	0.79	0.82	0.86	0.86	0.86	0.88	0.89	0.89	0.89	0.87	0.85	0.85	0.85	0.82	0.78	0.78	0.78	0.79	0.80
0°	0.82	0.82	0.80	0.78	0.78	0.78	0.82	0.88	0.88	0.88	0.89	0.90	0.90	0.90	0.88	0.87	0.87	0.87	0.84	0.81	0.81	0.81	0.82	0.82

TABLE 3 (continued)

c) foF2 variability: upper decile, winter, $R_{12} > 100$

Lat.	Local time (h)																							
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
90°	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.38
85°	1.37	1.37	1.35	1.32	1.32	1.32	1.36	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.39	1.39	1.39	1.40	1.40	1.40	1.40	1.39	1.37
80°	1.36	1.36	1.32	1.27	1.27	1.27	1.34	1.41	1.41	1.41	1.42	1.42	1.42	1.42	1.41	1.40	1.40	1.40	1.42	1.43	1.43	1.43	1.40	1.36
75°	1.34	1.34	1.30	1.26	1.26	1.26	1.32	1.38	1.38	1.38	1.37	1.36	1.36	1.36	1.32	1.28	1.28	1.28	1.33	1.38	1.38	1.38	1.36	1.34
70°	1.31	1.31	1.28	1.25	1.25	1.25	1.30	1.34	1.34	1.34	1.32	1.30	1.30	1.30	1.23	1.16	1.16	1.16	1.25	1.34	1.34	1.34	1.32	1.31
65°	1.28	1.28	1.26	1.24	1.24	1.24	1.27	1.29	1.29	1.29	1.26	1.24	1.24	1.24	1.19	1.14	1.14	1.14	1.22	1.30	1.30	1.30	1.29	1.28
60°	1.26	1.26	1.24	1.23	1.23	1.23	1.24	1.24	1.24	1.24	1.21	1.18	1.18	1.18	1.14	1.11	1.11	1.11	1.18	1.26	1.26	1.26	1.26	1.26
55°	1.22	1.22	1.22	1.21	1.21	1.21	1.21	1.20	1.20	1.20	1.17	1.14	1.14	1.14	1.12	1.10	1.10	1.10	1.16	1.23	1.23	1.23	1.23	1.22
50°	1.19	1.19	1.19	1.19	1.19	1.19	1.18	1.16	1.16	1.16	1.14	1.11	1.11	1.11	1.10	1.09	1.09	1.09	1.14	1.20	1.20	1.20	1.20	1.19
45°	1.17	1.17	1.16	1.16	1.16	1.16	1.15	1.14	1.14	1.14	1.12	1.10	1.10	1.10	1.10	1.09	1.09	1.09	1.13	1.17	1.17	1.17	1.17	1.17
40°	1.15	1.15	1.14	1.14	1.14	1.14	1.14	1.13	1.13	1.13	1.11	1.09	1.09	1.09	1.09	1.09	1.09	1.09	1.12	1.14	1.14	1.14	1.14	1.15
35°	1.18	1.18	1.19	1.20	1.20	1.20	1.16	1.12	1.12	1.12	1.11	1.09	1.09	1.09	1.10	1.10	1.10	1.10	1.12	1.14	1.14	1.14	1.16	1.18
30°	1.22	1.22	1.24	1.26	1.26	1.26	1.19	1.12	1.12	1.12	1.10	1.09	1.09	1.09	1.10	1.11	1.11	1.11	1.12	1.13	1.13	1.13	1.18	1.22
25°	1.27	1.27	1.29	1.30	1.30	1.30	1.21	1.12	1.12	1.12	1.11	1.10	1.10	1.10	1.11	1.12	1.12	1.12	1.14	1.16	1.16	1.16	1.22	1.27
20°	1.32	1.32	1.34	1.35	1.35	1.35	1.24	1.12	1.12	1.12	1.12	1.12	1.12	1.12	1.13	1.14	1.14	1.14	1.17	1.20	1.20	1.20	1.26	1.32
15°	1.25	1.25	1.28	1.30	1.30	1.30	1.22	1.13	1.13	1.13	1.13	1.12	1.12	1.12	1.13	1.14	1.14	1.14	1.17	1.20	1.20	1.20	1.22	1.25
10°	1.18	1.18	1.22	1.25	1.25	1.25	1.20	1.14	1.14	1.14	1.14	1.13	1.13	1.13	1.14	1.15	1.15	1.15	1.18	1.20	1.20	1.20	1.19	1.18
5°	1.18	1.18	1.22	1.25	1.25	1.25	1.20	1.14	1.14	1.14	1.14	1.13	1.13	1.13	1.14	1.15	1.15	1.15	1.18	1.20	1.20	1.20	1.19	1.18
0°	1.20	1.22	1.22	1.23	1.23	1.23	1.18	1.14	1.14	1.14	1.14	1.15	1.15	1.15	1.17	1.18	1.18	1.18	1.20	1.22	1.22	1.22	1.22	1.22

TABLE 3 (continued)

d) foF2 variability: upper decile, equinox, $R_{12} < 50$

Lat.	Local time (h)																							
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
90°	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35
85°	1.38	1.38	1.36	1.34	1.34	1.34	1.32	1.32	1.32	1.32	1.32	1.30	1.30	1.30	1.32	1.34	1.34	1.34	1.38	1.42	1.42	1.42	1.40	1.38
80°	1.42	1.42	1.37	1.32	1.32	1.32	1.30	1.29	1.29	1.29	1.28	1.26	1.26	1.26	1.30	1.33	1.33	1.33	1.40	1.48	1.48	1.48	1.45	1.42
75°	1.40	1.40	1.34	1.28	1.28	1.28	1.28	1.27	1.27	1.27	1.26	1.24	1.24	1.24	1.27	1.30	1.30	1.30	1.36	1.44	1.44	1.44	1.42	1.40
70°	1.38	1.38	1.32	1.25	1.25	1.25	1.25	1.25	1.25	1.25	1.24	1.23	1.23	1.23	1.24	1.26	1.26	1.26	1.33	1.40	1.40	1.40	1.39	1.38
65°	1.35	1.35	1.29	1.23	1.23	1.23	1.24	1.24	1.24	1.24	1.23	1.22	1.22	1.22	1.22	1.23	1.23	1.23	1.30	1.36	1.36	1.36	1.36	1.35
60°	1.32	1.32	1.26	1.21	1.21	1.21	1.22	1.22	1.22	1.22	1.21	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.26	1.31	1.31	1.31	1.32	1.32
55°	1.29	1.29	1.24	1.20	1.20	1.20	1.21	1.21	1.21	1.21	1.20	1.19	1.19	1.19	1.18	1.18	1.18	1.18	1.23	1.28	1.28	1.28	1.29	1.29
50°	1.26	1.26	1.22	1.19	1.19	1.19	1.20	1.20	1.20	1.20	1.19	1.18	1.18	1.18	1.17	1.16	1.16	1.16	1.21	1.26	1.26	1.26	1.26	1.26
45°	1.24	1.24	1.22	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.18	1.17	1.17	1.17	1.16	1.16	1.16	1.16	1.21	1.26	1.26	1.26	1.25	1.24
40°	1.22	1.22	1.21	1.20	1.20	1.20	1.20	1.19	1.19	1.19	1.18	1.16	1.16	1.16	1.16	1.16	1.16	1.16	1.20	1.25	1.25	1.25	1.24	1.22
35°	1.22	1.22	1.22	1.23	1.23	1.23	1.21	1.18	1.18	1.18	1.17	1.16	1.16	1.16	1.16	1.16	1.16	1.16	1.21	1.26	1.26	1.26	1.24	1.22
30°	1.22	1.22	1.24	1.26	1.26	1.26	1.22	1.18	1.18	1.18	1.16	1.15	1.15	1.15	1.16	1.16	1.16	1.16	1.22	1.28	1.28	1.28	1.26	1.22
25°	1.26	1.26	1.28	1.29	1.29	1.29	1.23	1.17	1.17	1.17	1.16	1.14	1.14	1.14	1.16	1.17	1.17	1.17	1.24	1.30	1.30	1.30	1.28	1.26
20°	1.30	1.30	1.31	1.32	1.32	1.32	1.24	1.16	1.16	1.16	1.15	1.14	1.14	1.14	1.16	1.18	1.18	1.18	1.26	1.33	1.33	1.33	1.32	1.30
15°	1.26	1.26	1.31	1.36	1.36	1.36	1.25	1.14	1.14	1.14	1.14	1.14	1.14	1.14	1.16	1.18	1.18	1.18	1.21	1.24	1.24	1.24	1.26	1.26
10°	1.23	1.23	1.32	1.40	1.40	1.40	1.26	1.13	1.13	1.13	1.13	1.13	1.13	1.13	1.16	1.19	1.19	1.19	1.18	1.16	1.16	1.16	1.20	1.23
5°	1.23	1.23	1.32	1.40	1.40	1.40	1.26	1.13	1.13	1.13	1.13	1.13	1.13	1.13	1.16	1.19	1.19	1.19	1.18	1.16	1.16	1.16	1.20	1.23
0°	1.23	1.23	1.32	1.40	1.40	1.40	1.26	1.13	1.13	1.13	1.13	1.13	1.13	1.13	1.16	1.19	1.19	1.19	1.18	1.16	1.16	1.16	1.20	1.23

TABLE 3 (continued)

e) foF2 variability: upper decile, equinox, $50 \leq R_{12} \leq 100$

Lat.	Local time (h)																							
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
90°	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.35	
85°	1.40	1.40	1.36	1.33	1.33	1.33	1.32	1.31	1.31	1.31	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.32	1.36	1.41	1.41	1.41	1.40	1.40
80°	1.45	1.45	1.38	1.31	1.31	1.31	1.29	1.27	1.27	1.27	1.28	1.28	1.28	1.28	1.29	1.30	1.30	1.30	1.38	1.47	1.47	1.47	1.46	1.45
75°	1.43	1.43	1.35	1.26	1.26	1.26	1.25	1.25	1.25	1.25	1.26	1.27	1.27	1.27	1.28	1.28	1.28	1.28	1.35	1.42	1.42	1.42	1.42	1.43
70°	1.41	1.41	1.32	1.22	1.22	1.22	1.22	1.23	1.23	1.23	1.24	1.26	1.26	1.26	1.26	1.26	1.26	1.26	1.32	1.38	1.38	1.38	1.40	1.41
65°	1.38	1.38	1.29	1.20	1.20	1.20	1.20	1.22	1.22	1.22	1.23	1.24	1.24	1.24	1.23	1.22	1.22	1.22	1.28	1.34	1.34	1.34	1.36	1.38
60°	1.35	1.35	1.26	1.17	1.17	1.17	1.18	1.20	1.20	1.20	1.22	1.23	1.23	1.23	1.20	1.18	1.18	1.18	1.24	1.29	1.29	1.29	1.32	1.35
55°	1.32	1.32	1.24	1.16	1.16	1.16	1.17	1.18	1.18	1.18	1.20	1.22	1.22	1.22	1.19	1.16	1.16	1.16	1.20	1.24	1.24	1.24	1.28	1.32
50°	1.28	1.28	1.22	1.15	1.15	1.15	1.16	1.17	1.17	1.17	1.19	1.21	1.21	1.21	1.17	1.13	1.13	1.13	1.16	1.20	1.20	1.20	1.24	1.28
45°	1.26	1.26	1.20	1.16	1.16	1.16	1.16	1.16	1.16	1.16	1.18	1.20	1.20	1.20	1.16	1.12	1.12	1.12	1.15	1.18	1.18	1.18	1.22	1.26
40°	1.22	1.22	1.19	1.16	1.16	1.16	1.16	1.16	1.16	1.16	1.17	1.18	1.18	1.18	1.15	1.12	1.12	1.12	1.14	1.17	1.17	1.17	1.20	1.22
35°	1.22	1.22	1.20	1.19	1.19	1.19	1.17	1.16	1.16	1.16	1.17	1.18	1.18	1.18	1.15	1.13	1.13	1.13	1.16	1.20	1.20	1.20	1.21	1.22
30°	1.22	1.22	1.22	1.22	1.22	1.22	1.18	1.15	1.15	1.15	1.16	1.17	1.17	1.17	1.16	1.14	1.14	1.14	1.18	1.23	1.23	1.23	1.22	1.22
25°	1.27	1.27	1.27	1.26	1.26	1.26	1.20	1.14	1.14	1.14	1.15	1.16	1.16	1.16	1.16	1.16	1.16	1.16	1.23	1.30	1.30	1.30	1.28	1.27
20°	1.32	1.32	1.31	1.30	1.30	1.30	1.22	1.13	1.13	1.13	1.14	1.15	1.15	1.15	1.16	1.17	1.17	1.17	1.27	1.37	1.37	1.37	1.34	1.32
15°	1.25	1.25	1.30	1.34	1.34	1.34	1.23	1.12	1.12	1.12	1.13	1.14	1.14	1.14	1.16	1.18	1.18	1.18	1.24	1.30	1.30	1.30	1.27	1.25
10°	1.18	1.18	1.28	1.39	1.39	1.39	1.25	1.11	1.11	1.11	1.12	1.13	1.13	1.13	1.16	1.20	1.20	1.20	1.22	1.23	1.23	1.23	1.20	1.18
5°	1.18	1.18	1.28	1.39	1.39	1.39	1.25	1.11	1.11	1.11	1.12	1.13	1.13	1.13	1.16	1.20	1.20	1.20	1.22	1.23	1.23	1.23	1.20	1.18
0°	1.18	1.18	1.28	1.39	1.39	1.39	1.25	1.11	1.11	1.11	1.12	1.13	1.13	1.13	1.16	1.20	1.20	1.20	1.22	1.23	1.23	1.23	1.20	1.18

TABLE 3 (continued)

f) foF2 variability: upper decile, equinox, $R_{12} > 100$

Lat.	Local time (h)																							
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
90°	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40
85°	1.43	1.43	1.41	1.38	1.38	1.38	1.38	1.38	1.38	1.38	1.39	1.40	1.40	1.40	1.40	1.39	1.39	1.39	1.41	1.43	1.43	1.43	1.43	1.43
80°	1.46	1.46	1.42	1.37	1.37	1.37	1.36	1.35	1.35	1.35	1.38	1.40	1.40	1.40	1.39	1.38	1.38	1.38	1.42	1.46	1.46	1.46	1.46	1.46
75°	1.44	1.44	1.39	1.34	1.34	1.34	1.33	1.32	1.32	1.32	1.34	1.36	1.36	1.36	1.36	1.36	1.36	1.36	1.39	1.42	1.42	1.42	1.43	1.44
70°	1.42	1.42	1.36	1.31	1.31	1.31	1.30	1.30	1.30	1.30	1.30	1.31	1.31	1.31	1.32	1.33	1.33	1.33	1.35	1.37	1.37	1.37	1.40	1.42
65°	1.36	1.36	1.32	1.28	1.28	1.28	1.28	1.28	1.28	1.28	1.28	1.28	1.28	1.28	1.28	1.29	1.29	1.29	1.30	1.30	1.30	1.30	1.33	1.36
60°	1.30	1.30	1.28	1.25	1.25	1.25	1.26	1.27	1.27	1.27	1.26	1.24	1.24	1.24	1.24	1.25	1.25	1.25	1.24	1.24	1.24	1.24	1.27	1.30
55°	1.24	1.24	1.24	1.22	1.22	1.22	1.24	1.26	1.26	1.26	1.24	1.22	1.22	1.22	1.21	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.22	1.24
50°	1.18	1.18	1.19	1.20	1.20	1.20	1.22	1.25	1.25	1.25	1.22	1.20	1.20	1.20	1.18	1.16	1.16	1.16	1.16	1.17	1.17	1.17	1.18	1.18
45°	1.16	1.16	1.17	1.18	1.18	1.18	1.19	1.21	1.21	1.21	1.19	1.18	1.18	1.18	1.16	1.14	1.14	1.14	1.15	1.16	1.16	1.16	1.16	1.16
40°	1.15	1.15	1.16	1.16	1.16	1.16	1.16	1.17	1.17	1.17	1.16	1.16	1.16	1.16	1.14	1.12	1.12	1.12	1.13	1.14	1.14	1.14	1.14	1.15
35°	1.20	1.20	1.18	1.17	1.17	1.17	1.15	1.14	1.14	1.14	1.13	1.13	1.13	1.13	1.12	1.12	1.12	1.12	1.13	1.14	1.14	1.14	1.17	1.20
30°	1.25	1.25	1.22	1.18	1.18	1.18	1.14	1.10	1.10	1.10	1.10	1.10	1.10	1.10	1.10	1.11	1.11	1.11	1.13	1.15	1.15	1.15	1.20	1.25
25°	1.28	1.28	1.26	1.25	1.25	1.25	1.18	1.10	1.10	1.10	1.10	1.10	1.10	1.10	1.11	1.12	1.12	1.12	1.15	1.18	1.18	1.18	1.23	1.28
20°	1.31	1.31	1.32	1.32	1.32	1.32	1.22	1.11	1.11	1.11	1.11	1.11	1.11	1.11	1.12	1.12	1.12	1.12	1.16	1.20	1.20	1.20	1.26	1.31
15°	1.26	1.26	1.27	1.28	1.28	1.28	1.19	1.10	1.10	1.10	1.13	1.16	1.16	1.16	1.14	1.13	1.13	1.13	1.17	1.22	1.22	1.22	1.24	1.26
10°	1.21	1.21	1.22	1.23	1.23	1.23	1.16	1.09	1.09	1.09	1.14	1.20	1.20	1.20	1.17	1.14	1.14	1.14	1.18	1.23	1.23	1.23	1.22	1.21
5°	1.21	1.21	1.22	1.23	1.23	1.23	1.16	1.09	1.09	1.09	1.14	1.20	1.20	1.20	1.17	1.14	1.14	1.14	1.18	1.23	1.23	1.23	1.22	1.21
0°	1.21	1.21	1.22	1.23	1.23	1.23	1.16	1.09	1.09	1.09	1.14	1.20	1.20	1.20	1.17	1.14	1.14	1.14	1.18	1.23	1.23	1.23	1.22	1.21

TABLE 3 (end)

i) foF2 variability: upper decile, summer, $R_{12} > 100$

Lat.	Local time (h)																							
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
90°	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23	1.23
85°	1.26	1.26	1.26	1.25	1.25	1.25	1.22	1.20	1.20	1.20	1.20	1.19	1.19	1.19	1.21	1.23	1.23	1.23	1.24	1.24	1.24	1.24	1.25	1.26
80°	1.30	1.30	1.28	1.27	1.27	1.27	1.22	1.17	1.17	1.17	1.16	1.15	1.15	1.15	1.19	1.23	1.23	1.23	1.24	1.24	1.24	1.24	1.27	1.30
75°	1.26	1.26	1.25	1.24	1.24	1.24	1.21	1.18	1.18	1.18	1.17	1.16	1.16	1.16	1.19	1.22	1.22	1.22	1.23	1.24	1.24	1.24	1.25	1.26
70°	1.22	1.22	1.22	1.22	1.22	1.22	1.21	1.20	1.20	1.20	1.19	1.18	1.18	1.18	1.20	1.21	1.21	1.21	1.22	1.23	1.23	1.23	1.22	1.22
65°	1.19	1.19	1.20	1.20	1.20	1.20	1.22	1.23	1.23	1.23	1.22	1.20	1.20	1.20	1.20	1.20	1.20	1.20	1.21	1.22	1.22	1.22	1.20	1.19
60°	1.16	1.16	1.17	1.18	1.18	1.18	1.22	1.26	1.26	1.26	1.24	1.21	1.21	1.21	1.20	1.19	1.19	1.19	1.20	1.21	1.21	1.21	1.18	1.16
55°	1.15	1.15	1.16	1.16	1.16	1.16	1.22	1.28	1.28	1.28	1.26	1.24	1.24	1.24	1.21	1.19	1.19	1.19	1.19	1.20	1.20	1.20	1.17	1.15
50°	1.14	1.14	1.14	1.15	1.15	1.15	1.22	1.30	1.30	1.30	1.28	1.26	1.26	1.26	1.22	1.19	1.19	1.19	1.18	1.18	1.18	1.18	1.16	1.14
45°	1.14	1.14	1.14	1.14	1.14	1.14	1.22	1.30	1.30	1.30	1.28	1.26	1.26	1.26	1.23	1.19	1.19	1.19	1.18	1.17	1.17	1.17	1.16	1.14
40°	1.14	1.14	1.14	1.14	1.14	1.14	1.22	1.30	1.30	1.30	1.28	1.27	1.27	1.27	1.23	1.19	1.19	1.19	1.18	1.16	1.16	1.16	1.15	1.14
35°	1.15	1.15	1.15	1.14	1.14	1.14	1.21	1.28	1.28	1.28	1.26	1.28	1.28	1.28	1.21	1.18	1.18	1.18	1.17	1.16	1.16	1.16	1.15	1.15
30°	1.16	1.16	1.16	1.15	1.15	1.15	1.20	1.25	1.25	1.25	1.22	1.20	1.20	1.20	1.18	1.17	1.17	1.17	1.16	1.15	1.15	1.15	1.16	1.16
25°	1.18	1.18	1.18	1.18	1.18	1.18	1.20	1.22	1.22	1.22	1.20	1.18	1.18	1.18	1.18	1.18	1.18	1.18	1.17	1.17	1.17	1.17	1.18	1.18
20°	1.21	1.21	1.22	1.22	1.22	1.22	1.20	1.18	1.18	1.18	1.16	1.15	1.15	1.15	1.16	1.18	1.18	1.18	1.18	1.19	1.19	1.19	1.20	1.21
15°	1.23	1.23	1.22	1.22	1.22	1.22	1.19	1.16	1.16	1.16	1.16	1.16	1.16	1.16	1.18	1.20	1.20	1.20	1.20	1.21	1.21	1.21	1.22	1.23
10°	1.25	1.25	1.23	1.21	1.21	1.21	1.17	1.13	1.13	1.13	1.15	1.17	1.17	1.17	1.20	1.22	1.22	1.22	1.22	1.23	1.23	1.23	1.24	1.25
5°	1.25	1.25	1.23	1.21	1.21	1.21	1.17	1.13	1.13	1.13	1.15	1.17	1.17	1.17	1.20	1.22	1.22	1.22	1.22	1.23	1.23	1.23	1.24	1.25
0°	1.20	1.22	1.22	1.23	1.23	1.23	1.18	1.14	1.14	1.14	1.14	1.15	1.15	1.15	1.17	1.18	1.18	1.18	1.20	1.22	1.22	1.22	1.22	1.22