

RECOMMENDATION ITU-R SM.1809-0*

**Standard data exchange format for frequency band registrations
and measurements at monitoring stations**

(2007)

Scope

To support frequency management and the work of the ITU-R in general, monitoring and measurement campaigns are conducted. These campaigns produce large amounts of data that in many cases have to be compared or merged. This document describes a standard exchange format for frequency scan based monitoring data.

Keywords

Frequency management, standard exchange format, RMDF

The ITU Radiocommunication Assembly,

considering

- a) that the success of monitoring campaigns lays in the total effort of the participating administrations and the combination of their monitoring and measurement data;
- b) that monitoring equipment, computer equipment and software is not standardized and the data is stored in many different, often proprietary, formats;
- c) that successful merging or combining monitoring data not only depends on the data format in which the data is stored but also on the environmental and technical conditions under which the data is gathered,

recommends

- 1 that data gathered during monitoring campaigns should be converted to the format as described in Annex 1 before it is exchanged;
- 2 that software for automated spectrum monitoring should contain the possibility to store its data or convert its data to the format as described in Annex 1;
- 3 that administrations should discuss the conditions under which a monitoring or measurement campaign is conducted and data is exchanged before starting the campaign.

Annex 1**Standard data exchange format for frequency band registrations
and measurements at monitoring stations****1 General aspects**

The format described is a format derived from the radio monitoring data format (RMDF) used by the radio astronomy service to exchange spectrum data. The format is a line based ASCII file with

* Radiocommunication Study Group 1 made editorial amendments to this Recommendation in the year 2019 in accordance with Resolution ITU-R 1.

linefeed carriage returns after each line. Although the data files can be compressed in an efficient way no specification for compression is included in this Recommendation nor in the RMDF specification.

2 Standard data format

The data file should consist of two sections:

- A “Header” section containing the static information relating to the monitoring task such as the location used for monitoring, time information and key monitoring parameters.
- A “Data” section containing all the measured results during the period of observation.

In the original RMDF specification two separate files were used for the header and data section. In this Recommendation only one file is used to guarantee the link between header and data.

The name of the format is CEF: common data exchange format.

2.1 Header section

The following fields and fieldnames should be used. All appropriate data fields should be included in the header area before the measured results are added. The header section can contain three types of information – Essential, Optional and Additional Optional (marked E, O and AO in Table 1). Optional means that space is reserved in the header but the field containing the data is left blank.

TABLE 1
Header fields

Type	Fieldname	Data format	Array ⁽¹⁾	Description	Example
E	FileType	Text	N	Type and/or version of the datafile	Common exchange format V2.0
E	LocationName	Text	N	Name of the location where the measurements are made	NERA
E	Latitude	Text	N	DD.MM.SSx where “x” is “N” or “S”	52.10.04N
E	Longitude	Text	N	DDD.MM.SSx where “x” is “E” or “W”	005.10.09W
E	FreqStart	Numeric (real)	Y	Frequency (kHz)	1000.000
E	FreqStop	Numeric (real)	Y	Frequency (kHz)	2000.000
E	AntennaType	Text, Numeric (real), Numeric (real)	Y	Info, gain (dBi), Kfactor (dB/m) The gain and kfactor fields can be omitted if not used	LPD, 7, 10
E	FilterBandwidth	Numeric (real)	Y	In kHz	0.2
E	LevelUnits	Text	N	dBuV, dBuV/m or dBm (note that “u” is used instead of “μ”)	dBuV
E	Date	Text	N	Date of measurements in the format YYYY-MM-DD (start date if measurements span midnight). Note that time is also stored in each line in the data section	2006-06-25
E	DataPoints	Numeric (integer)	Y	Number of data elements in the data row (analyzer data points or receiver steps)	80000

TABLE 1 (end)

Type	Fieldname	Data format	Array ⁽¹⁾	Description	Example
E	ScanTime	Numeric (real)	N	The actual time taken (s) for the equipment to scan from FreqStart to FreqStop. For a digital system using fast Fourier transform (FFT) this time is the time needed to sample the data block	24.1
E	Detector	Text	N		RMS
O	Note	Text	N	General comments	
O	AntennaAzimuth	Text	Y	DDD.DD (0 = North)	181.12
O	AntennaElevation	Text	Y	DD.DD (0 = no elevation)	45.32
O	Attenuation	Numeric (integer)	Y	Equipment attenuator setting (dB)	3
O	FilterType	Text	Y	Filtertype bandwidth and shapefactor. For a digital system using FFT the window type used can be specified here	Gaussian 3 dB shapefactor 3.2
O	DisplayedNote	Text	N	A small remark of less than 40 characters containing essential information which could be displayed next to the data on any final report	
O	Multiscan	Text	N	Y or N If this optional field is not present the value is automatically N	
AO	Measurement Accuracy	Numeric	N	Total accuracy of the system	
AO	VideoFilterType	Text	Y	Video Filtertype bandwidth and shapefactor	

⁽¹⁾ An explanation can be found in § 2.4.

Additional Optional fields are fields that may be added to the header in order to provide further information, however, these will not be automatically processed or recognised by the transfer software. The header and data sections should be separated by ONE blank line.

2.2 Data section

The data area should consist of scans where for each scan a separate line is used. Each line should contain the start time of the scan in HH:MM:SS format converted to UTC (or local time if requested by the coordinator) followed by a level reading for each analyzer frequency point or receiver frequency step, all separated by commas. For a monitoring campaign where no exact level measurement data is required the signal level values can be rounded to the nearest integer value to decrease the size of the data file. For measurement campaigns an accuracy of one decimal should be used. A decimal point should always be used since the comma is used as separator. The first whitespace in each line separates the descriptor from the variable.

2.3 Example file

FileType Standard Data exchange Format 2.0
LocationName NERA

Latitude 52.00.00N
 Longitude 005.08.00W
 FreqStart 7000
 FreqStop 7200
 AntennaType Inverted V
 FilterBandwidth 0.5
 LevelUnits dBuV/m
 Date 2006-06-25
 DataPoints 80000
 ScanTime 7.5
 Detector RMS

Note This is a sample file to demonstrate the data format.

```

00:00:00,65,56,64,54,23,29,32,43,54,25,29,25,36...etc...,43,59
00:00:10,64,53,65,59,42,37,35,34,64,25,26,36,63...etc...,54,61
00:00:20,62,57,64,59,41,36,26,42,53,62,16,52,24...etc...,52,66
.
.
.
etc
.
.
.
23:59:30,53,33,61,44,25,44,36,26,46,24,26,24,63...etc...,29,56
23:59:40,54,32,62,48,24,42,35,26,24,64,24,34,35...etc...,29,56
23:59:50,64,52,63,57,33,23,32,53,25,26,63,35,26...etc...,32,59
  
```

2.4 Multiscan

For specific applications it can be necessary to scan multiple small frequency segments with large gaps in between. This optional field determines if the data file contains more than one of these segments. When this value is set to Y the fields indicated with Y in the column “array” change from one value to an array of values. The individual values in the array are separated by a semicolon.

For example for part of the header of a multiscan file:

```

FileType Common Exchange Format 2.0  this field will not change
FreqStart 3100;7000;5000.2           this field will change to an array of, in this case, 3 values
FreqStop 3200;7200;5100.1           this field will change to an array of, in this case, 3 values
  
```

The same is the case with the data section. One line with 3 scans will look like this:

```

23:59:50,64,52,63,57,33,23,26,...etc...,38,55; ,64,52,63,57,33,23,26,...etc...,32,46; ,64,52,63,57,33,23,26,...etc...,55,23
  
```

Note that only one timestamp is used for the complete array of scans and the scantime in the header is the total time to complete the array of scans. Another application of multiscan is channelscan. Start and stopfrequency are defined equal so only one frequency is scanned. The line in the data section now contains the scanned frequencies separated by semicolons.


2.5 Transfer software

Various administrations use different data formats and should develop or obtain transfer software to translate their data format to and from the common exchange format. Depending on the structure of the internal data format, this transfer software may be a simple macro file or a complex program to convert the actual data to a derived data structure. Monitoring packages could include an integrated

transfer function but a freely distributable separate tool for each monitoring package could contribute to a smooth exchange of data between administrations.

FIGURE 1

Schematic presentation of data transfer to and from the common exchange format



1809-01

2.6 Verifying the integrity of the datafile

Before importing and using a data file submitted by a third party it is recommended to check the integrity and compliance with the dataformat specification. The best way to do this is to write a small tool that checks the presence of all necessary fields. It should also check the date time integrity of the sequence of scans and the number of valid datapoints in each scan. The header can contain a number of optional and additional optional fields so a modified tool or script for particular measurement campaigns may be needed and distributed among participants.

2.7 Organizing and indexing a large number of measurement datafiles

The header section of the datafile contains sufficient information to generate unique indicators for each measurement file. Recommended is to use Date LocationName and Note and if needed FreqStart and FreqStop so a list of indexed measurements could look like Fig. 2.

3 Considerations for starting a measurement/monitoring campaign

In addition to the use of a standard data format it is recommended to agree on some basic issues before starting a monitoring or measurement campaign to make the exchange and effective use of each others monitoring data possible. The first set of items, given in Table 2, consists of technical and logistic issues to be agreed on.

There is a strong relationship between some of the technical parameters and also the information content and measurement accuracy of the gathered data is influenced by equipment settings. The second set of items given in Table 3 and consists therefore of equipment issues directly influencing the generated data.

FIGURE 2

Example of a list of indexed measurement files

Available registrations		
Date	Location	Note
20-06-2006	Westerbork	9.9-10.1 MHz noise measurements
20-07-2006	Nera	0.5-1.5 MHz broadcasting
21-07-2007	Amsterdam	2.3-2.5 GHz interference investigation

1809-02

TABLE 2

General technical and logistic parameters

Parameter	Considerations
Dates/times of measurements	Data to be merged or compared should be gathered simultaneously or in a defined sequence
Wanted geographic location	To exclude or to make use of propagation effects
Frequency range (<i>FreqStart, FreqStop</i>)	As desired. Note that in many cases there is a direct relationship between the frequency span, the frequency resolution of measurements and the measurement time
Duration of monitoring	This will vary depending on the task
Revisit time	This is the time between the measurements on each unique frequency as described in Recommendation ITU-R SM.1536. It should be short enough to detect the shortest duration of a transmission of interest. To prevent unnecessary over sampling it is a good idea to agree on a defined revisit time
Antenna (<i>AntennaType</i>)	Directivity, gain, and antenna pattern should be chosen according to the measurement campaign and within certain boundaries the same for all participating stations
Detector (<i>Detector</i>)	The choice of detector depends on the type of signal to be measured. Short pulse type signals may be best measured with a peak or sample detector but a noise measurement campaign for example should use an RMS detector. In analogue receivers/analyzers the detectors integration or sample time depends on the used filter bandwidth and within the measurement time for a frequencystep these samples are converted in peak, r.m.s, average etc. values. In FFT based analyzers the detector function is based on the processing of successive frequencyscans but the result is the same

TABLE 3
Equipment parameters influencing the gathered data

Parameter	Considerations
Number of frequency points in each scan (<i>DataPoints</i>)	The chosen number of points should guarantee sufficient frequency resolution but also compatibility with other participants in the campaign. Interpolation or extrapolation to obtain a uniform number of points per scan can be necessary
Filter bandwidth (<i>FilterBandwidth</i>)	To ensure that all frequencies are monitored with minimal overlap a bandwidth of about 120% of the stepsize is recommended for a scanning receiver. This of course depends fully on the shapfactor of the filter. For digital equipment using FFT the used window and the number of data points within the window determines the frequency resolution. For (semi)analogue analyzers the 3 dB points of the Gaussian filter should overlap
Scan Time (<i>ScanTime</i>)	This is the time the equipment needs to scan from FreqStart to FreqStop. It is always shorter than the revisit time
Attenuation (<i>Attenuation</i>)	<p>A high input attenuation increases the noise floor and should be avoided. On the other hand overloading of the receiver can cause blocking and intermodulation</p> <p>The attenuator setting should be as low as possible, depending on local conditions. A setting of 0 dB is not recommended because the input impedance of the receiver is not defined resulting in a high measurement uncertainty</p>
RF dynamic range and reference level	A sufficient dynamic range and reference level should be chosen to cope with both the strongest and weakest received signals. The chosen dynamic range and reference level puts the values to be presented in predetermined limits