

START OF JOB SNSBPFD 19.01.04 10.08.19 VERSION 4.17 099520386 Hlemouchi 01N
 COORDINATION REQUEST CHECK AGAINST HARD LIMITS ONLY

SNS **HARD LIMITS for EXPRESS-5B (099520386)** EXAMINATION REQUESTED BY : lemouchi DATE: 19/01/04 10:08:19

| RUS | EXPRESS-5B | 53.00E | 0.10 | 0.10 | 22.10.99 | 099.520386 | C 099.520386 |
|------------|--------------------------------|---------------------|-----------------|--------------------|-------------------|-------------------|--------------|
| SKR | 30.0 DB | POINTING ACC | 0.30 DEG | | | 099.520386 | |
| EC | 50000 KHZ | 22.10.99 | | | | | 099.898143 |
| 13.77500 | G 50000 KHZ 64K0G7W-- | 3.3 DBW (MIN) | 12.1 DBW (MAX) | -36.0 DBW/HZ | | | 0001 |
| | (4) 5.502 | | TYPICAL ST-1A | 44.8 29-25LOG (FI) | | | |
| | ANTENNA DIAM. 1.5 MIN. ALLOWED | 4.5 | | | | | |
| 13.77500 | G 50000 KHZ 150KG7W-- | 7.0 DBW (MIN) | 15.8 DBW (MAX) | -36.0 DBW/HZ | | | 0001 |
| | (4) 5.502 | | TYPICAL ST-1A | 44.8 29-25LOG (FI) | | | |
| | ANTENNA DIAM. 1.5 MIN. ALLOWED | 4.5 | | | | | |
| 13.77500 | G 50000 KHZ 2M40G7W-- | 19.0 DBW (MIN) | 27.8 DBW (MAX) | -36.0 DBW/HZ | | | 0001 |
| | (4) 5.502 | | TYPICAL ST-1A | 44.8 29-25LOG (FI) | | | |
| | ANTENNA DIAM. 1.5 MIN. ALLOWED | 4.5 | | | | | |
| | (5) 5.503 | | TYPICAL ST-1A | 44.8 29-25LOG (FI) | OVERLAP 6.000 MHZ | | |
| | ALL WORLD | | | 72.6 1.6 71.0 | | | |
| 13.77500 | G 50000 KHZ 36M0G7W-- | 32.8 DBW (MIN) | 39.6 DBW (MAX) | -36.0 DBW/HZ | | | 0001 |
| | (4) 5.502 | | TYPICAL ST-1A | 44.8 29-25LOG (FI) | | | |
| | ANTENNA DIAM. 1.5 MIN. ALLOWED | 4.5 | | | | | |
| | (5) 5.503 | | TYPICAL ST-1A | 44.8 29-25LOG (FI) | OVERLAP 6.000 MHZ | | |
| | ALL WORLD | | | 76.6 5.6 71.0 | | | |
| 13.77500 | G 50000 KHZ 36M0F3F-- | 26.0 DBW (MIN) | 30.0 DBW (MAX) | -36.0 DBW/HZ | | | 0001 |
| | (4) 5.502 | | TYPICAL ST-1A | 44.8 29-25LOG (FI) | | | |
| | ANTENNA DIAM. 1.5 MIN. ALLOWED | 4.5 | | | | | |
| | (5) 5.503 | | TYPICAL ST-1A | 44.8 29-25LOG (FI) | OVERLAP 6.000 MHZ | | |
| | ALL WORLD | | | 74.8 3.8 71.0 | | | |
| 13.82500 | G 50000 KHZ 64K0G7W-- | 3.3 DBW (MIN) | 12.1 DBW (MAX) | -36.0 DBW/HZ | | | 0002 |
| | (4) 5.502 | | TYPICAL ST-1A | 44.8 29-25LOG (FI) | | | |
| | ANTENNA DIAM. 1.5 MIN. ALLOWED | 4.5 | | | | | |
| 13.82500 | G 50000 KHZ 150KG7W-- | 7.0 DBW (MIN) | 15.8 DBW (MAX) | -36.0 DBW/HZ | | | 0002 |
| | (4) 5.502 | | TYPICAL ST-1A | 44.8 29-25LOG (FI) | | | |
| | ANTENNA DIAM. 1.5 MIN. ALLOWED | 4.5 | | | | | |
| | ANTENNA DIAM. 1.5 MIN. ALLOWED | 4.5 | | | | | |
| 13.82500 | G 50000 KHZ 2M40G7W-- | 19.0 DBW (MIN) | 27.8 DBW (MAX) | -36.0 DBW/HZ | | | 0002 |
| | (4) 5.502 | | TYPICAL ST-1A | 44.8 29-25LOG (FI) | | | |
| | ANTENNA DIAM. 1.5 MIN. ALLOWED | 4.5 | | | | | |
| 13.82500 | G 50000 KHZ 36M0G7W-- | 32.8 DBW (MIN) | 39.6 DBW (MAX) | -36.0 DBW/HZ | | | 0002 |
| | (4) 5.502 | | TYPICAL ST-1A | 44.8 29-25LOG (FI) | | | |
| | ANTENNA DIAM. 1.5 MIN. ALLOWED | 4.5 | | | | | |
| 13.82500 | G 50000 KHZ 36M0F3F-- | 26.0 DBW (MIN) | 30.0 DBW (MAX) | -36.0 DBW/HZ | | | 0002 |
| | (4) 5.502 | | TYPICAL ST-1A | 44.8 29-25LOG (FI) | | | |
| | ANTENNA DIAM. 1.5 MIN. ALLOWED | 4.5 | | | | | |
| 13.87500 | G 50000 KHZ 64K0G7W-- | 3.3 DBW (MIN) | 12.1 DBW (MAX) | -36.0 DBW/HZ | | | 0003 |
| | (4) 5.502 | | TYPICAL ST-1A | 44.8 29-25LOG (FI) | | | |
| | ANTENNA DIAM. 1.5 MIN. ALLOWED | 4.5 | | | | | |
| 13.87500 | G 50000 KHZ 150KG7W-- | 7.0 DBW (MIN) | 15.8 DBW (MAX) | -36.0 DBW/HZ | | | 0003 |
| | (4) 5.502 | | TYPICAL ST-1A | 44.8 29-25LOG (FI) | | | |
| | ANTENNA DIAM. 1.5 MIN. ALLOWED | 4.5 | | | | | |
| | ANTENNA DIAM. 1.5 MIN. ALLOWED | 4.5 | | | | | |
| 13.87500 | G 50000 KHZ 2M40G7W-- | 19.0 DBW (MIN) | 27.8 DBW (MAX) | -36.0 DBW/HZ | | | 0003 |
| | (4) 5.502 | | TYPICAL ST-1A | 44.8 29-25LOG (FI) | | | |
| | ANTENNA DIAM. 1.5 MIN. ALLOWED | 4.5 | | | | | |
| 13.87500 | G 50000 KHZ 36M0G7W-- | 32.8 DBW (MIN) | 39.6 DBW (MAX) | -36.0 DBW/HZ | | | 0003 |
| | (4) 5.502 | | TYPICAL ST-1A | 44.8 29-25LOG (FI) | | | |
| | ANTENNA DIAM. 1.5 MIN. ALLOWED | 4.5 | | | | | |

| | | | | | | | | | | | |
|----------|---------------|-------|--------------|-----------|------|-----------|---------|-----------|-------|---------------|-------------------|
| 13.87500 | G | 50000 | KHZ | 36M0F3F-- | 26.0 | DBW (MIN) | 30.0 | DBW (MAX) | -36.0 | DBW/HZ | 0003 |
| | (4) | 5.502 | | | | | TYPICAL | ST-1A | 44.8 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | | |
| 13.92500 | G | 50000 | KHZ | 64K0G7W-- | 3.3 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | 0004 |
| | (4) | 5.502 | | | | | TYPICAL | ST-1A | 44.8 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | | |
| 13.92500 | G | 50000 | KHZ | 150KG7W-- | 7.0 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | 0004 |
| | (4) | 5.502 | | | | | TYPICAL | ST-1A | 44.8 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | | |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | | |
| 13.92500 | G | 50000 | KHZ | 2M40G7W-- | 19.0 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | 0004 |
| | (4) | 5.502 | | | | | TYPICAL | ST-1A | 44.8 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | | |
| 13.92500 | G | 50000 | KHZ | 36M0G7W-- | 32.8 | DBW (MIN) | 39.6 | DBW (MAX) | -36.0 | DBW/HZ | 0004 |
| | (4) | 5.502 | | | | | TYPICAL | ST-1A | 44.8 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | | |
| 13.92500 | G | 50000 | KHZ | 36M0F3F-- | 26.0 | DBW (MIN) | 30.0 | DBW (MAX) | -36.0 | DBW/HZ | 0004 |
| | (4) | 5.502 | | | | | TYPICAL | ST-1A | 44.8 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | | |
| 13.97500 | G | 50000 | KHZ | 64K0G7W-- | 3.3 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | 0005 |
| | (4) | 5.502 | | | | | TYPICAL | ST-1A | 44.8 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | | |
| 13.97500 | G | 50000 | KHZ | 150KG7W-- | 7.0 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | 0005 |
| | (4) | 5.502 | | | | | TYPICAL | ST-1A | 44.8 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | | |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | | |
| 13.97500 | G | 50000 | KHZ | 2M40G7W-- | 19.0 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | 0005 |
| | (4) | 5.502 | | | | | TYPICAL | ST-1A | 44.8 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | | |
| 13.97500 | G | 50000 | KHZ | 36M0G7W-- | 32.8 | DBW (MIN) | 39.6 | DBW (MAX) | -36.0 | DBW/HZ | 0005 |
| | (4) | 5.502 | | | | | TYPICAL | ST-1A | 44.8 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | | |
| 13.97500 | G | 50000 | KHZ | 36M0F3F-- | 26.0 | DBW (MIN) | 30.0 | DBW (MAX) | -36.0 | DBW/HZ | 0005 |
| | (4) | 5.502 | | | | | TYPICAL | ST-1A | 44.8 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | | |
| EC | | 50000 | KHZ | 22.10.99 | | | | | | | 099.898144 |
| 13.77500 | G | 50000 | KHZ | 64K0G7W-- | -1.1 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | 0001 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | | |
| 13.77500 | G | 50000 | KHZ | 150KG7W-- | 2.6 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | 0001 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | | |
| | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | | |
| | (5) | 5.503 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | OVERLAP 6.000 MHZ |
| | ALL WORLD | | | | | | | | 71.1 | 0.1 | 71.0 |
| 13.77500 | G | 50000 | KHZ | 2M40G7W-- | 14.6 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | 0001 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | | |
| | (5) | 5.503 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | OVERLAP 6.000 MHZ |
| | ALL WORLD | | | | | | | | 77.1 | 6.1 | 71.0 |
| 13.77500 | G | 50000 | KHZ | 36M0G7W-- | 28.4 | DBW (MIN) | 39.6 | DBW (MAX) | -36.0 | DBW/HZ | 0001 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | | |
| | (5) | 5.503 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | OVERLAP 6.000 MHZ |
| | ALL WORLD | | | | | | | | 81.1 | 10.1 | 71.0 |
| 13.77500 | G | 50000 | KHZ | 36M0F3F-- | 23.0 | DBW (MIN) | 30.0 | DBW (MAX) | -36.0 | DBW/HZ | 0001 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | | |
| | (5) | 5.503 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | OVERLAP 6.000 MHZ |

| ALL WORLD | | | | | | 79.3 | | 8.3 | | 71.0 | | |
|-----------|-------|-------|---------------|-----------|--------------|-----------|---------|-----------|-------|---------------|--|------|
| 13.82500 | G | 50000 | KHZ | 64K0G7W-- | -1.1 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | | 0002 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | | |
| | | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.82500 | G | 50000 | KHZ | 150KG7W-- | 2.6 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | | 0002 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | | |
| | | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | |
| | | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.82500 | G | 50000 | KHZ | 2M40G7W-- | 14.6 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | | 0002 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | | |
| | | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.82500 | G | 50000 | KHZ | 36M0G7W-- | 28.4 | DBW (MIN) | 39.6 | DBW (MAX) | -36.0 | DBW/HZ | | 0002 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | | |
| | | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.82500 | G | 50000 | KHZ | 36M0F3F-- | 23.0 | DBW (MIN) | 30.0 | DBW (MAX) | -36.0 | DBW/HZ | | 0002 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | | |
| | | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.87500 | G | 50000 | KHZ | 64K0G7W-- | -1.1 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | | 0003 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | | |
| | | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.87500 | G | 50000 | KHZ | 150KG7W-- | 2.6 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | | 0003 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | | |
| | | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | |
| | | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.87500 | G | 50000 | KHZ | 2M40G7W-- | 14.6 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | | 0003 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | | |
| | | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.87500 | G | 50000 | KHZ | 36M0G7W-- | 28.4 | DBW (MIN) | 39.6 | DBW (MAX) | -36.0 | DBW/HZ | | 0003 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | | |
| | | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.87500 | G | 50000 | KHZ | 36M0F3F-- | 23.0 | DBW (MIN) | 30.0 | DBW (MAX) | -36.0 | DBW/HZ | | 0003 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | | |
| | | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.92500 | G | 50000 | KHZ | 64K0G7W-- | -1.1 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | | 0004 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | | |
| | | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.92500 | G | 50000 | KHZ | 150KG7W-- | 2.6 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | | 0004 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | | |
| | | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | |
| | | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.92500 | G | 50000 | KHZ | 2M40G7W-- | 14.6 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | | 0004 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | | |
| | | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.92500 | G | 50000 | KHZ | 36M0G7W-- | 28.4 | DBW (MIN) | 39.6 | DBW (MAX) | -36.0 | DBW/HZ | | 0004 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | | |
| | | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.92500 | G | 50000 | KHZ | 36M0F3F-- | 23.0 | DBW (MIN) | 30.0 | DBW (MAX) | -36.0 | DBW/HZ | | 0004 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | | |
| | | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.97500 | G | 50000 | KHZ | 64K0G7W-- | -1.1 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | | 0005 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | | |
| | | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.97500 | G | 50000 | KHZ | 150KG7W-- | 2.6 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | | 0005 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | | |
| | | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | |
| | | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.97500 | G | 50000 | KHZ | 2M40G7W-- | 14.6 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | | 0005 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | | |
| | | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | |

| | | | | | | | | | | | | |
|----|----------|---------------|-------|--------------|-----------|----------|-----------|---------|-----------|-------|---------------|-------------------|
| | 13.97500 | G | 50000 | KHZ | 36M0G7W-- | 28.4 | DBW (MIN) | 39.6 | DBW (MAX) | -36.0 | DBW/HZ | 0005 |
| | | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | |
| | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | | |
| | 13.97500 | G | 50000 | KHZ | 36M0F3F-- | 23.0 | DBW (MIN) | 30.0 | DBW (MAX) | -36.0 | DBW/HZ | 0005 |
| | | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | |
| | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | | |
| EC | | | 50000 | KHZ | | 22.10.99 | | | | | | 099.898145 |
| | 13.77500 | G | 50000 | KHZ | 64K0G7W-- | -4.9 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | 0001 |
| | | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| | 13.77500 | G | 50000 | KHZ | 150KG7W-- | -1.2 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | 0001 |
| | | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| | | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| | | (5) | 5.503 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | OVERLAP 6.000 MHZ |
| | | ALL WORLD | | | | | | | | 75.1 | 4.1 71.0 | |
| | 13.77500 | G | 50000 | KHZ | 2M40G7W-- | 10.8 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | 0001 |
| | | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| | | (5) | 5.503 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | OVERLAP 6.000 MHZ |
| | | ALL WORLD | | | | | | | | 81.1 | 10.1 71.0 | |
| | 13.77500 | G | 50000 | KHZ | 36M0G7W-- | 24.6 | DBW (MIN) | 39.6 | DBW (MAX) | -36.0 | DBW/HZ | 0001 |
| | | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| | | (5) | 5.503 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | OVERLAP 6.000 MHZ |
| | | ALL WORLD | | | | | | | | 85.1 | 14.1 71.0 | |
| | 13.77500 | G | 50000 | KHZ | 36M0F3F-- | 23.0 | DBW (MIN) | 30.0 | DBW (MAX) | -36.0 | DBW/HZ | 0001 |
| | | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| | | (5) | 5.503 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | OVERLAP 6.000 MHZ |
| | | ALL WORLD | | | | | | | | 83.3 | 12.3 71.0 | |
| | 13.82500 | G | 50000 | KHZ | 64K0G7W-- | -4.9 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | 0002 |
| | | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| | 13.82500 | G | 50000 | KHZ | 150KG7W-- | -1.2 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | 0002 |
| | | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| | | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| | 13.82500 | G | 50000 | KHZ | 2M40G7W-- | 10.8 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | 0002 |
| | | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| | 13.82500 | G | 50000 | KHZ | 36M0G7W-- | 24.6 | DBW (MIN) | 39.6 | DBW (MAX) | -36.0 | DBW/HZ | 0002 |
| | | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| | 13.82500 | G | 50000 | KHZ | 36M0F3F-- | 23.0 | DBW (MIN) | 30.0 | DBW (MAX) | -36.0 | DBW/HZ | 0002 |
| | | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| | 13.87500 | G | 50000 | KHZ | 64K0G7W-- | -4.9 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | 0003 |
| | | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| | 13.87500 | G | 50000 | KHZ | 150KG7W-- | -1.2 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | 0003 |
| | | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| | | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| | 13.87500 | G | 50000 | KHZ | 2M40G7W-- | 10.8 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | 0003 |
| | | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| | 13.87500 | G | 50000 | KHZ | 36M0G7W-- | 24.6 | DBW (MIN) | 39.6 | DBW (MAX) | -36.0 | DBW/HZ | 0003 |
| | | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |

| | | | | | | | | | | | |
|----------|-------|-------|-----|-----------|------|-----------|---------|-----------|-------|---------------|------------|
| 13.87500 | G | 50000 | KHZ | 36M0F3F-- | 23.0 | DBW (MIN) | 30.0 | DBW (MAX) | -36.0 | DBW/HZ | 0003 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| 13.92500 | G | 50000 | KHZ | 64K0G7W-- | -4.9 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | 0004 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| 13.92500 | G | 50000 | KHZ | 150KG7W-- | -1.2 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | 0004 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| 13.92500 | G | 50000 | KHZ | 2M40G7W-- | 10.8 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | 0004 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| 13.92500 | G | 50000 | KHZ | 36M0G7W-- | 24.6 | DBW (MIN) | 39.6 | DBW (MAX) | -36.0 | DBW/HZ | 0004 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| 13.92500 | G | 50000 | KHZ | 36M0F3F-- | 23.0 | DBW (MIN) | 30.0 | DBW (MAX) | -36.0 | DBW/HZ | 0004 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| 13.97500 | G | 50000 | KHZ | 64K0G7W-- | -4.9 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | 0005 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| 13.97500 | G | 50000 | KHZ | 150KG7W-- | -1.2 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | 0005 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| 13.97500 | G | 50000 | KHZ | 2M40G7W-- | 10.8 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | 0005 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| 13.97500 | G | 50000 | KHZ | 36M0G7W-- | 24.6 | DBW (MIN) | 39.6 | DBW (MAX) | -36.0 | DBW/HZ | 0005 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| 13.97500 | G | 50000 | KHZ | 36M0F3F-- | 23.0 | DBW (MIN) | 30.0 | DBW (MAX) | -36.0 | DBW/HZ | 0005 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| EC | | 50000 | KHZ | 22.10.99 | | | | | | | 099.898146 |
| 13.77500 | G | 50000 | KHZ | 64K0G7W-- | -9.9 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | 0001 |
| | (4) | 5.502 | | | | | TYPICAL | ST-4A | 58.2 | 29-25LOG (FI) | |
| 13.77500 | G | 50000 | KHZ | 150KG7W-- | -6.2 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | 0001 |
| | (4) | 5.502 | | | | | TYPICAL | ST-4A | 58.2 | 29-25LOG (FI) | |
| | (5) | 5.503 | | | | | TYPICAL | ST-4A | 58.2 | 29-25LOG (FI) | |
| | | | | ALL WORLD | | | | | 74.0 | 3.0 71.0 | |
| 13.77500 | G | 50000 | KHZ | 2M40G7W-- | 5.8 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | 0001 |
| | (4) | 5.502 | | | | | TYPICAL | ST-4A | 58.2 | 29-25LOG (FI) | |
| | (5) | 5.503 | | | | | TYPICAL | ST-4A | 58.2 | 29-25LOG (FI) | |
| | | | | ALL WORLD | | | | | 80.0 | 9.0 71.0 | |
| 13.77500 | G | 50000 | KHZ | 36M0G7W-- | 19.6 | DBW (MIN) | 39.6 | DBW (MAX) | -36.0 | DBW/HZ | 0001 |
| | (5) | 5.503 | | | | | TYPICAL | ST-4A | 58.2 | 29-25LOG (FI) | |
| | | | | ALL WORLD | | | | | 90.0 | 19.0 71.0 | |
| 13.77500 | G | 50000 | KHZ | 36M0F3F-- | 23.0 | DBW (MIN) | 30.0 | DBW (MAX) | -36.0 | DBW/HZ | 0001 |
| | (5) | 5.503 | | | | | TYPICAL | ST-4A | 58.2 | 29-25LOG (FI) | |
| | | | | ALL WORLD | | | | | 88.2 | 17.2 71.0 | |

| | | | | | | | | | | | |
|----------|---------------|-------|--------------|-----------|----------|-----------|--------------|-----------|-------|---------------|-------------------|
| 13.82500 | G | 50000 | KHZ | 64K0G7W-- | -9.9 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | 0002 |
| | (4) | 5.502 | | | | | TYPICAL | ST-4A | 58.2 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | E.I.R.P. | 48.2 | MIN. ALLOWED | 68.0 | | | |
| 13.82500 | G | 50000 | KHZ | 150KG7W-- | -6.2 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | 0002 |
| | (4) | 5.502 | | | | | TYPICAL | ST-4A | 58.2 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | E.I.R.P. | 52.0 | MIN. ALLOWED | 68.0 | | | |
| | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | E.I.R.P. | 58.0 | MIN. ALLOWED | 68.0 | | | |
| 13.82500 | G | 50000 | KHZ | 2M40G7W-- | 5.8 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | 0002 |
| | (4) | 5.502 | | | | | TYPICAL | ST-4A | 58.2 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | E.I.R.P. | 64.0 | MIN. ALLOWED | 68.0 | | | |
| 13.87500 | G | 50000 | KHZ | 64K0G7W-- | -9.9 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | 0003 |
| | (4) | 5.502 | | | | | TYPICAL | ST-4A | 58.2 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | E.I.R.P. | 48.2 | MIN. ALLOWED | 68.0 | | | |
| 13.87500 | G | 50000 | KHZ | 150KG7W-- | -6.2 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | 0003 |
| | (4) | 5.502 | | | | | TYPICAL | ST-4A | 58.2 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | E.I.R.P. | 52.0 | MIN. ALLOWED | 68.0 | | | |
| | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | E.I.R.P. | 58.0 | MIN. ALLOWED | 68.0 | | | |
| 13.87500 | G | 50000 | KHZ | 2M40G7W-- | 5.8 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | 0003 |
| | (4) | 5.502 | | | | | TYPICAL | ST-4A | 58.2 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | E.I.R.P. | 64.0 | MIN. ALLOWED | 68.0 | | | |
| 13.92500 | G | 50000 | KHZ | 64K0G7W-- | -9.9 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | 0004 |
| | (4) | 5.502 | | | | | TYPICAL | ST-4A | 58.2 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | E.I.R.P. | 48.2 | MIN. ALLOWED | 68.0 | | | |
| 13.92500 | G | 50000 | KHZ | 150KG7W-- | -6.2 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | 0004 |
| | (4) | 5.502 | | | | | TYPICAL | ST-4A | 58.2 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | E.I.R.P. | 52.0 | MIN. ALLOWED | 68.0 | | | |
| | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | E.I.R.P. | 58.0 | MIN. ALLOWED | 68.0 | | | |
| 13.92500 | G | 50000 | KHZ | 2M40G7W-- | 5.8 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | 0004 |
| | (4) | 5.502 | | | | | TYPICAL | ST-4A | 58.2 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | E.I.R.P. | 64.0 | MIN. ALLOWED | 68.0 | | | |
| 13.97500 | G | 50000 | KHZ | 64K0G7W-- | -9.9 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | 0005 |
| | (4) | 5.502 | | | | | TYPICAL | ST-4A | 58.2 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | E.I.R.P. | 48.2 | MIN. ALLOWED | 68.0 | | | |
| 13.97500 | G | 50000 | KHZ | 150KG7W-- | -6.2 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | 0005 |
| | (4) | 5.502 | | | | | TYPICAL | ST-4A | 58.2 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | E.I.R.P. | 52.0 | MIN. ALLOWED | 68.0 | | | |
| | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | E.I.R.P. | 58.0 | MIN. ALLOWED | 68.0 | | | |
| 13.97500 | G | 50000 | KHZ | 2M40G7W-- | 5.8 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | 0005 |
| | (4) | 5.502 | | | | | TYPICAL | ST-4A | 58.2 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | E.I.R.P. | 64.0 | MIN. ALLOWED | 68.0 | | | |
| EC | | 50000 | KHZ | 22.10.99 | | | | | | | 099.898147 |
| 13.77500 | G | 50000 | KHZ | 64K0G7W-- | 3.3 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | 0001 |
| | (4) | 5.502 | | | | | TYPICAL | ST-1A | 44.8 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | | |
| 13.77500 | G | 50000 | KHZ | 150KG7W-- | 7.0 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | 0001 |
| | (4) | 5.502 | | | | | TYPICAL | ST-1A | 44.8 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | | |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | | |
| 13.77500 | G | 50000 | KHZ | 2M40G7W-- | 19.0 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | 0001 |
| | (4) | 5.502 | | | | | TYPICAL | ST-1A | 44.8 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | | |
| | (5) | 5.503 | | | | | TYPICAL | ST-1A | 44.8 | 29-25LOG (FI) | OVERLAP 6.000 MHZ |
| | ALL WORLD | | | | | | | | 72.6 | 1.6 | 71.0 |
| 13.77500 | G | 50000 | KHZ | 36M0G7W-- | 32.8 | DBW (MIN) | 39.6 | DBW (MAX) | -36.0 | DBW/HZ | 0001 |
| | (4) | 5.502 | | | | | TYPICAL | ST-1A | 44.8 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | | |
| | (5) | 5.503 | | | | | TYPICAL | ST-1A | 44.8 | 29-25LOG (FI) | OVERLAP 6.000 MHZ |
| | ALL WORLD | | | | | | | | 76.6 | 5.6 | 71.0 |
| 13.77500 | G | 50000 | KHZ | 36M0F3F-- | 26.0 | DBW (MIN) | 30.0 | DBW (MAX) | -36.0 | DBW/HZ | 0001 |

| | | | | | | | | | | |
|----------|---------------|-------|--------------|-----------|------|---------------|------|---------------|---------|-----------|
| | (4) 5.502 | | | | | TYPICAL ST-1A | 44.8 | 29-25LOG (FI) | | |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | |
| | (5) 5.503 | | | | | TYPICAL ST-1A | 44.8 | 29-25LOG (FI) | OVERLAP | 6.000 MHZ |
| | ALL WORLD | | | | | | 74.8 | | 3.8 | 71.0 |
| 13.82500 | G | 50000 | KHZ | 64K0G7W-- | 3.3 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ |
| | (4) 5.502 | | | | | TYPICAL ST-1A | 44.8 | 29-25LOG (FI) | | 0002 |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.82500 | G | 50000 | KHZ | 150KG7W-- | 7.0 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ |
| | (4) 5.502 | | | | | TYPICAL ST-1A | 44.8 | 29-25LOG (FI) | | 0002 |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.82500 | G | 50000 | KHZ | 2M40G7W-- | 19.0 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ |
| | (4) 5.502 | | | | | TYPICAL ST-1A | 44.8 | 29-25LOG (FI) | | 0002 |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.82500 | G | 50000 | KHZ | 36M0G7W-- | 32.8 | DBW (MIN) | 39.6 | DBW (MAX) | -36.0 | DBW/HZ |
| | (4) 5.502 | | | | | TYPICAL ST-1A | 44.8 | 29-25LOG (FI) | | 0002 |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.82500 | G | 50000 | KHZ | 36M0F3F-- | 26.0 | DBW (MIN) | 30.0 | DBW (MAX) | -36.0 | DBW/HZ |
| | (4) 5.502 | | | | | TYPICAL ST-1A | 44.8 | 29-25LOG (FI) | | 0002 |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.87500 | G | 50000 | KHZ | 64K0G7W-- | 3.3 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ |
| | (4) 5.502 | | | | | TYPICAL ST-1A | 44.8 | 29-25LOG (FI) | | 0003 |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.87500 | G | 50000 | KHZ | 150KG7W-- | 7.0 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ |
| | (4) 5.502 | | | | | TYPICAL ST-1A | 44.8 | 29-25LOG (FI) | | 0003 |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.87500 | G | 50000 | KHZ | 2M40G7W-- | 19.0 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ |
| | (4) 5.502 | | | | | TYPICAL ST-1A | 44.8 | 29-25LOG (FI) | | 0003 |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.87500 | G | 50000 | KHZ | 36M0G7W-- | 32.8 | DBW (MIN) | 39.6 | DBW (MAX) | -36.0 | DBW/HZ |
| | (4) 5.502 | | | | | TYPICAL ST-1A | 44.8 | 29-25LOG (FI) | | 0003 |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.87500 | G | 50000 | KHZ | 36M0F3F-- | 26.0 | DBW (MIN) | 30.0 | DBW (MAX) | -36.0 | DBW/HZ |
| | (4) 5.502 | | | | | TYPICAL ST-1A | 44.8 | 29-25LOG (FI) | | 0003 |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.92500 | G | 50000 | KHZ | 64K0G7W-- | 3.3 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ |
| | (4) 5.502 | | | | | TYPICAL ST-1A | 44.8 | 29-25LOG (FI) | | 0004 |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.92500 | G | 50000 | KHZ | 150KG7W-- | 7.0 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ |
| | (4) 5.502 | | | | | TYPICAL ST-1A | 44.8 | 29-25LOG (FI) | | 0004 |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.92500 | G | 50000 | KHZ | 2M40G7W-- | 19.0 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ |
| | (4) 5.502 | | | | | TYPICAL ST-1A | 44.8 | 29-25LOG (FI) | | 0004 |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.92500 | G | 50000 | KHZ | 36M0G7W-- | 32.8 | DBW (MIN) | 39.6 | DBW (MAX) | -36.0 | DBW/HZ |
| | (4) 5.502 | | | | | TYPICAL ST-1A | 44.8 | 29-25LOG (FI) | | 0004 |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.92500 | G | 50000 | KHZ | 36M0F3F-- | 26.0 | DBW (MIN) | 30.0 | DBW (MAX) | -36.0 | DBW/HZ |
| | (4) 5.502 | | | | | TYPICAL ST-1A | 44.8 | 29-25LOG (FI) | | 0004 |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.97500 | G | 50000 | KHZ | 64K0G7W-- | 3.3 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ |
| | (4) 5.502 | | | | | TYPICAL ST-1A | 44.8 | 29-25LOG (FI) | | 0005 |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | |
| 13.97500 | G | 50000 | KHZ | 150KG7W-- | 7.0 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ |
| | (4) 5.502 | | | | | TYPICAL ST-1A | 44.8 | 29-25LOG (FI) | | 0005 |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | |
| | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | |

| | | | | | | | | | | | | | |
|----|----------|---------------|-------|--------------|-----------|----------|-----------|---------|-----------|-------|--------|---------------|-------------------|
| | 13.97500 | G | 50000 | KHZ | 2M40G7W-- | 19.0 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | | 0005 |
| | | (4) | 5.502 | | | | | TYPICAL | ST-1A | | 44.8 | 29-25LOG (FI) | |
| | | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | | | |
| | 13.97500 | G | 50000 | KHZ | 36M0G7W-- | 32.8 | DBW (MIN) | 39.6 | DBW (MAX) | -36.0 | DBW/HZ | | 0005 |
| | | (4) | 5.502 | | | | | TYPICAL | ST-1A | | 44.8 | 29-25LOG (FI) | |
| | | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | | | |
| | 13.97500 | G | 50000 | KHZ | 36M0F3F-- | 26.0 | DBW (MIN) | 30.0 | DBW (MAX) | -36.0 | DBW/HZ | | 0005 |
| | | (4) | 5.502 | | | | | TYPICAL | ST-1A | | 44.8 | 29-25LOG (FI) | |
| | | ANTENNA DIAM. | 1.5 | MIN. ALLOWED | 4.5 | | | | | | | | |
| EC | | | 50000 | KHZ | | 22.10.99 | | | | | | | 099.898148 |
| | 13.77500 | G | 50000 | KHZ | 64K0G7W-- | -1.1 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | | 0001 |
| | | (4) | 5.502 | | | | | TYPICAL | ST-2A | | 49.3 | 29-25LOG (FI) | |
| | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | | | |
| | 13.77500 | G | 50000 | KHZ | 150KG7W-- | 2.6 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | | 0001 |
| | | (4) | 5.502 | | | | | TYPICAL | ST-2A | | 49.3 | 29-25LOG (FI) | |
| | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | | | |
| | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | | | |
| | | (5) | 5.503 | | | | | TYPICAL | ST-2A | | 49.3 | 29-25LOG (FI) | OVERLAP 6.000 MHZ |
| | | ALL WORLD | | | | | | | | | 71.1 | 0.1 71.0 | |
| | 13.77500 | G | 50000 | KHZ | 2M40G7W-- | 14.6 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | | 0001 |
| | | (4) | 5.502 | | | | | TYPICAL | ST-2A | | 49.3 | 29-25LOG (FI) | |
| | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | | | |
| | | (5) | 5.503 | | | | | TYPICAL | ST-2A | | 49.3 | 29-25LOG (FI) | OVERLAP 6.000 MHZ |
| | | ALL WORLD | | | | | | | | | 77.1 | 6.1 71.0 | |
| | 13.77500 | G | 50000 | KHZ | 36M0G7W-- | 28.4 | DBW (MIN) | 39.6 | DBW (MAX) | -36.0 | DBW/HZ | | 0001 |
| | | (4) | 5.502 | | | | | TYPICAL | ST-2A | | 49.3 | 29-25LOG (FI) | |
| | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | | | |
| | | (5) | 5.503 | | | | | TYPICAL | ST-2A | | 49.3 | 29-25LOG (FI) | OVERLAP 6.000 MHZ |
| | | ALL WORLD | | | | | | | | | 81.1 | 10.1 71.0 | |
| | 13.77500 | G | 50000 | KHZ | 36M0F3F-- | 23.0 | DBW (MIN) | 30.0 | DBW (MAX) | -36.0 | DBW/HZ | | 0001 |
| | | (4) | 5.502 | | | | | TYPICAL | ST-2A | | 49.3 | 29-25LOG (FI) | |
| | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | | | |
| | | (5) | 5.503 | | | | | TYPICAL | ST-2A | | 49.3 | 29-25LOG (FI) | OVERLAP 6.000 MHZ |
| | | ALL WORLD | | | | | | | | | 79.3 | 8.3 71.0 | |
| | 13.82500 | G | 50000 | KHZ | 64K0G7W-- | -1.1 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | | 0002 |
| | | (4) | 5.502 | | | | | TYPICAL | ST-2A | | 49.3 | 29-25LOG (FI) | |
| | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | | | |
| | 13.82500 | G | 50000 | KHZ | 150KG7W-- | 2.6 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | | 0002 |
| | | (4) | 5.502 | | | | | TYPICAL | ST-2A | | 49.3 | 29-25LOG (FI) | |
| | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | | | |
| | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | | | |
| | 13.82500 | G | 50000 | KHZ | 2M40G7W-- | 14.6 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | | 0002 |
| | | (4) | 5.502 | | | | | TYPICAL | ST-2A | | 49.3 | 29-25LOG (FI) | |
| | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | | | |
| | 13.82500 | G | 50000 | KHZ | 36M0G7W-- | 28.4 | DBW (MIN) | 39.6 | DBW (MAX) | -36.0 | DBW/HZ | | 0002 |
| | | (4) | 5.502 | | | | | TYPICAL | ST-2A | | 49.3 | 29-25LOG (FI) | |
| | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | | | |
| | 13.82500 | G | 50000 | KHZ | 36M0F3F-- | 23.0 | DBW (MIN) | 30.0 | DBW (MAX) | -36.0 | DBW/HZ | | 0002 |
| | | (4) | 5.502 | | | | | TYPICAL | ST-2A | | 49.3 | 29-25LOG (FI) | |
| | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | | | |
| | 13.87500 | G | 50000 | KHZ | 64K0G7W-- | -1.1 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | | 0003 |
| | | (4) | 5.502 | | | | | TYPICAL | ST-2A | | 49.3 | 29-25LOG (FI) | |
| | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | | | |
| | 13.87500 | G | 50000 | KHZ | 150KG7W-- | 2.6 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | | 0003 |
| | | (4) | 5.502 | | | | | TYPICAL | ST-2A | | 49.3 | 29-25LOG (FI) | |
| | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | | | |
| | | ANTENNA DIAM. | 2.6 | MIN. ALLOWED | 4.5 | | | | | | | | |
| | 13.87500 | G | 50000 | KHZ | 2M40G7W-- | 14.6 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | | 0003 |
| | | (4) | 5.502 | | | | | TYPICAL | ST-2A | | 49.3 | 29-25LOG (FI) | |

| | | | | | | | | | | | |
|----------|---------------|-------|--------------|-----------|------|-----------|---------|-----------|-------|---------------|-------------------|
| 13.87500 | G | 50000 | KHZ | 36M0G7W-- | 28.4 | DBW (MIN) | 39.6 | DBW (MAX) | -36.0 | DBW/HZ | 0003 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | |
| 13.87500 | G | 50000 | KHZ | 36M0F3F-- | 23.0 | DBW (MIN) | 30.0 | DBW (MAX) | -36.0 | DBW/HZ | 0003 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | |
| 13.92500 | G | 50000 | KHZ | 64K0G7W-- | -1.1 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | 0004 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | |
| 13.92500 | G | 50000 | KHZ | 150KG7W-- | 2.6 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | 0004 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | |
| 13.92500 | G | 50000 | KHZ | 2M40G7W-- | 14.6 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | 0004 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | |
| 13.92500 | G | 50000 | KHZ | 36M0G7W-- | 28.4 | DBW (MIN) | 39.6 | DBW (MAX) | -36.0 | DBW/HZ | 0004 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | |
| 13.92500 | G | 50000 | KHZ | 36M0F3F-- | 23.0 | DBW (MIN) | 30.0 | DBW (MAX) | -36.0 | DBW/HZ | 0004 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | |
| 13.97500 | G | 50000 | KHZ | 64K0G7W-- | -1.1 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | 0005 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | |
| 13.97500 | G | 50000 | KHZ | 150KG7W-- | 2.6 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | 0005 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | |
| 13.97500 | G | 50000 | KHZ | 2M40G7W-- | 14.6 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | 0005 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | |
| 13.97500 | G | 50000 | KHZ | 36M0G7W-- | 28.4 | DBW (MIN) | 39.6 | DBW (MAX) | -36.0 | DBW/HZ | 0005 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | |
| 13.97500 | G | 50000 | KHZ | 36M0F3F-- | 23.0 | DBW (MIN) | 30.0 | DBW (MAX) | -36.0 | DBW/HZ | 0005 |
| | (4) | 5.502 | | | | | TYPICAL | ST-2A | 49.3 | 29-25LOG (FI) | |
| EC | G | 50000 | KHZ | 22.10.99 | | | | | | | 099.898149 |
| 13.77500 | G | 50000 | KHZ | 64K0G7W-- | -4.9 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | 0001 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| 13.77500 | G | 50000 | KHZ | 150KG7W-- | -1.2 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | 0001 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| | (5) | 5.503 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | OVERLAP 6.000 MHZ |
| | ALL WORLD | | | | | | | | 75.1 | 4.1 | 71.0 |
| 13.77500 | G | 50000 | KHZ | 2M40G7W-- | 10.8 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | 0001 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| | (5) | 5.503 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | OVERLAP 6.000 MHZ |
| | ALL WORLD | | | | | | | | 81.1 | 10.1 | 71.0 |
| 13.77500 | G | 50000 | KHZ | 36M0G7W-- | 24.6 | DBW (MIN) | 39.6 | DBW (MAX) | -36.0 | DBW/HZ | 0001 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| | (5) | 5.503 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | OVERLAP 6.000 MHZ |
| | ALL WORLD | | | | | | | | 85.1 | 14.1 | 71.0 |

| | | | | | | | | | | | |
|----------|---------------|-------|--------------|-----------|------|-----------|---------|-----------|-------|---------------|-------------------|
| 13.77500 | G | 50000 | KHZ | 36M0F3F-- | 23.0 | DBW (MIN) | 30.0 | DBW (MAX) | -36.0 | DBW/HZ | 0001 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| | (5) | 5.503 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | OVERLAP 6.000 MHZ |
| | ALL WORLD | | | | | | | | 83.3 | 12.3 71.0 | |
| 13.82500 | G | 50000 | KHZ | 64K0G7W-- | -4.9 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | 0002 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| 13.82500 | G | 50000 | KHZ | 150KG7W-- | -1.2 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | 0002 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| 13.82500 | G | 50000 | KHZ | 2M40G7W-- | 10.8 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | 0002 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| 13.82500 | G | 50000 | KHZ | 36M0G7W-- | 24.6 | DBW (MIN) | 39.6 | DBW (MAX) | -36.0 | DBW/HZ | 0002 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| 13.82500 | G | 50000 | KHZ | 36M0F3F-- | 23.0 | DBW (MIN) | 30.0 | DBW (MAX) | -36.0 | DBW/HZ | 0002 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| 13.87500 | G | 50000 | KHZ | 64K0G7W-- | -4.9 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | 0003 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| 13.87500 | G | 50000 | KHZ | 150KG7W-- | -1.2 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | 0003 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| 13.87500 | G | 50000 | KHZ | 2M40G7W-- | 10.8 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | 0003 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| 13.87500 | G | 50000 | KHZ | 36M0G7W-- | 24.6 | DBW (MIN) | 39.6 | DBW (MAX) | -36.0 | DBW/HZ | 0003 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| 13.87500 | G | 50000 | KHZ | 36M0F3F-- | 23.0 | DBW (MIN) | 30.0 | DBW (MAX) | -36.0 | DBW/HZ | 0003 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| 13.92500 | G | 50000 | KHZ | 64K0G7W-- | -4.9 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | 0004 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| 13.92500 | G | 50000 | KHZ | 150KG7W-- | -1.2 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | 0004 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| 13.92500 | G | 50000 | KHZ | 2M40G7W-- | 10.8 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | 0004 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| 13.92500 | G | 50000 | KHZ | 36M0G7W-- | 24.6 | DBW (MIN) | 39.6 | DBW (MAX) | -36.0 | DBW/HZ | 0004 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| 13.92500 | G | 50000 | KHZ | 36M0F3F-- | 23.0 | DBW (MIN) | 30.0 | DBW (MAX) | -36.0 | DBW/HZ | 0004 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| 13.97500 | G | 50000 | KHZ | 64K0G7W-- | -4.9 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | 0005 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |
| 13.97500 | G | 50000 | KHZ | 150KG7W-- | -1.2 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | 0005 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | 53.3 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | |
|----------|-------|---------------|-----|--------------|------|-----------|----------|-----------|--------------|--------|--|---------------|---------|-------|-----|--|--|--|--|--|--------------------|
| | | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | | | | | | | | | | |
| 13.97500 | G | 50000 | KHZ | 2M40G7W-- | 10.8 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | | | | | | | | | | | 0005 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | | 53.3 | | 29-25LOG (FI) | | | | | | | | | |
| | | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | | | | | | | | | | |
| 13.97500 | G | 50000 | KHZ | 36M0G7W-- | 24.6 | DBW (MIN) | 39.6 | DBW (MAX) | -36.0 | DBW/HZ | | | | | | | | | | | 0005 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | | 53.3 | | 29-25LOG (FI) | | | | | | | | | |
| | | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | | | | | | | | | | |
| 13.97500 | G | 50000 | KHZ | 36M0F3F-- | 23.0 | DBW (MIN) | 30.0 | DBW (MAX) | -36.0 | DBW/HZ | | | | | | | | | | | 0005 |
| | (4) | 5.502 | | | | | TYPICAL | ST-3A | | 53.3 | | 29-25LOG (FI) | | | | | | | | | |
| | | ANTENNA DIAM. | 4.1 | MIN. ALLOWED | 4.5 | | | | | | | | | | | | | | | | |
| 13.77500 | G | 50000 | KHZ | 64K0G7W-- | -9.9 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | | | | | | | | | | | 099.898150 0001 |
| | (4) | 5.502 | | | | | TYPICAL | ST-4A | | 58.2 | | 29-25LOG (FI) | | | | | | | | | |
| | | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | | E.I.R.P. | 48.2 | MIN. ALLOWED | 68.0 | | | | | | | | | | | |
| 13.77500 | G | 50000 | KHZ | 150KG7W-- | -6.2 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | | | | | | | | | | | 0001 |
| | (4) | 5.502 | | | | | TYPICAL | ST-4A | | 58.2 | | 29-25LOG (FI) | | | | | | | | | |
| | | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | | E.I.R.P. | 52.0 | MIN. ALLOWED | 68.0 | | | | | | | | | | | |
| | (5) | 5.503 | | | | | TYPICAL | ST-4A | | 58.2 | | 29-25LOG (FI) | OVERLAP | 6.000 | MHZ | | | | | | |
| | | ALL WORLD | | | | | | | | | | | | 74.0 | | | | | | | |
| | | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | | E.I.R.P. | 58.0 | MIN. ALLOWED | 68.0 | | | | | | | | | | | |
| | (5) | 5.503 | | | | | TYPICAL | ST-4A | | 58.2 | | 29-25LOG (FI) | OVERLAP | 6.000 | MHZ | | | | | | |
| | | ALL WORLD | | | | | | | | | | | | 80.0 | | | | | | | |
| 13.77500 | G | 50000 | KHZ | 2M40G7W-- | 5.8 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | | | | | | | | | | | 0001 |
| | (4) | 5.502 | | | | | TYPICAL | ST-4A | | 58.2 | | 29-25LOG (FI) | | | | | | | | | |
| | | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | | E.I.R.P. | 64.0 | MIN. ALLOWED | 68.0 | | | | | | | | | | | |
| | (5) | 5.503 | | | | | TYPICAL | ST-4A | | 58.2 | | 29-25LOG (FI) | OVERLAP | 6.000 | MHZ | | | | | | |
| | | ALL WORLD | | | | | | | | | | | | 86.0 | | | | | | | |
| 13.77500 | G | 50000 | KHZ | 36M0G7W-- | 19.6 | DBW (MIN) | 39.6 | DBW (MAX) | -36.0 | DBW/HZ | | | | | | | | | | | 0001 |
| | (5) | 5.503 | | | | | TYPICAL | ST-4A | | 58.2 | | 29-25LOG (FI) | OVERLAP | 6.000 | MHZ | | | | | | |
| | | ALL WORLD | | | | | | | | | | | | 90.0 | | | | | | | |
| 13.77500 | G | 50000 | KHZ | 36M0F3F-- | 23.0 | DBW (MIN) | 30.0 | DBW (MAX) | -36.0 | DBW/HZ | | | | | | | | | | | 0001 |
| | (5) | 5.503 | | | | | TYPICAL | ST-4A | | 58.2 | | 29-25LOG (FI) | OVERLAP | 6.000 | MHZ | | | | | | |
| | | ALL WORLD | | | | | | | | | | | | 88.2 | | | | | | | |
| 13.82500 | G | 50000 | KHZ | 64K0G7W-- | -9.9 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | | | | | | | | | | | 0002 |
| | (4) | 5.502 | | | | | TYPICAL | ST-4A | | 58.2 | | 29-25LOG (FI) | | | | | | | | | |
| | | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | | E.I.R.P. | 48.2 | MIN. ALLOWED | 68.0 | | | | | | | | | | | |
| 13.82500 | G | 50000 | KHZ | 150KG7W-- | -6.2 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | | | | | | | | | | | 0002 |
| | (4) | 5.502 | | | | | TYPICAL | ST-4A | | 58.2 | | 29-25LOG (FI) | | | | | | | | | |
| | | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | | E.I.R.P. | 52.0 | MIN. ALLOWED | 68.0 | | | | | | | | | | | |
| | | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | | E.I.R.P. | 58.0 | MIN. ALLOWED | 68.0 | | | | | | | | | | | |
| 13.82500 | G | 50000 | KHZ | 2M40G7W-- | 5.8 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | | | | | | | | | | | 0002 |
| | (4) | 5.502 | | | | | TYPICAL | ST-4A | | 58.2 | | 29-25LOG (FI) | | | | | | | | | |
| | | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | | E.I.R.P. | 64.0 | MIN. ALLOWED | 68.0 | | | | | | | | | | | |
| 13.87500 | G | 50000 | KHZ | 64K0G7W-- | -9.9 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | | | | | | | | | | | 0003 |
| | (4) | 5.502 | | | | | TYPICAL | ST-4A | | 58.2 | | 29-25LOG (FI) | | | | | | | | | |
| | | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | | E.I.R.P. | 48.2 | MIN. ALLOWED | 68.0 | | | | | | | | | | | |
| 13.87500 | G | 50000 | KHZ | 150KG7W-- | -6.2 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | | | | | | | | | | | 0003 |
| | (4) | 5.502 | | | | | TYPICAL | ST-4A | | 58.2 | | 29-25LOG (FI) | | | | | | | | | |
| | | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | | E.I.R.P. | 52.0 | MIN. ALLOWED | 68.0 | | | | | | | | | | | |
| | | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | | E.I.R.P. | 58.0 | MIN. ALLOWED | 68.0 | | | | | | | | | | | |
| 13.87500 | G | 50000 | KHZ | 2M40G7W-- | 5.8 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | | | | | | | | | | | 0003 |
| | (4) | 5.502 | | | | | TYPICAL | ST-4A | | 58.2 | | 29-25LOG (FI) | | | | | | | | | |
| | | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | | E.I.R.P. | 64.0 | MIN. ALLOWED | 68.0 | | | | | | | | | | | |
| 13.92500 | G | 50000 | KHZ | 64K0G7W-- | -9.9 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | | | | | | | | | | | 0004 |
| | (4) | 5.502 | | | | | TYPICAL | ST-4A | | 58.2 | | 29-25LOG (FI) | | | | | | | | | |
| | | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | | E.I.R.P. | 48.2 | MIN. ALLOWED | 68.0 | | | | | | | | | | | |
| 13.92500 | G | 50000 | KHZ | 150KG7W-- | -6.2 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | | | | | | | | | | | 0004 |
| | (4) | 5.502 | | | | | TYPICAL | ST-4A | | 58.2 | | 29-25LOG (FI) | | | | | | | | | |
| | | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | | E.I.R.P. | 52.0 | MIN. ALLOWED | 68.0 | | | | | | | | | | | |

| | | | | | | | | | | | |
|----------|---------------|-------|--------------|-----------|----------|-----------|--------------|-----------|-------|---------------|------|
| 13.92500 | G | 50000 | KHZ | 2M40G7W-- | 5.8 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | 0004 |
| | (4) | 5.502 | | | | | TYPICAL | ST-4A | 58.2 | 29-25LOG (FI) | |
| 13.97500 | G | 50000 | KHZ | 64K0G7W-- | -9.9 | DBW (MIN) | 12.1 | DBW (MAX) | -36.0 | DBW/HZ | 0005 |
| | (4) | 5.502 | | | | | TYPICAL | ST-4A | 58.2 | 29-25LOG (FI) | |
| 13.97500 | G | 50000 | KHZ | 150KG7W-- | -6.2 | DBW (MIN) | 15.8 | DBW (MAX) | -36.0 | DBW/HZ | 0005 |
| | (4) | 5.502 | | | | | TYPICAL | ST-4A | 58.2 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | E.I.R.P. | 58.0 | MIN. ALLOWED | 68.0 | | | |
| | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | E.I.R.P. | 52.0 | MIN. ALLOWED | 68.0 | | | |
| 13.97500 | G | 50000 | KHZ | 2M40G7W-- | 5.8 | DBW (MIN) | 27.8 | DBW (MAX) | -36.0 | DBW/HZ | 0005 |
| | (4) | 5.502 | | | | | TYPICAL | ST-4A | 58.2 | 29-25LOG (FI) | |
| | ANTENNA DIAM. | 7.3 | MIN. ALLOWED | 4.5 | E.I.R.P. | 64.0 | MIN. ALLOWED | 68.0 | | | |

□

PROGRAM SNSBPFD TERMINATED OK.