

Fixed-Satellite Service Plan (AP30B)

Mark Griffin
Space Services Department
ITU Radiocommunication Bureau
(BR)

Bangkok, Thailand
28 -30 September 2010

OUTLINE



History

Element of FSS Plan

Plan / List

Main Regulatory Aspects

Processing of Article 6/7 Submissions

Compatibility Criteria

Main changes at WRC-07

APPENDIX 30B - FSS PLAN



Adopted by **WARC ORB-88** (World Administrative Radio Conference on the Use of the Geostationary-Satellite Orbit and the Planning of Space Services Utilizing It)

Modified by **WRC-07** (World Radio Conference) to improve its efficiency and reflect the most recent technology development

Objective:

to **guarantee** in practice, for all countries, **equitable access** to the geostationary-satellite orbit in the frequency bands of the fixed-satellite service covered by Appendix 30B

FREQUENCY BANDS (1)



Plan and List frequency bands are identified in :

- Article 5 ([Allocation Table](#) & [Footnotes](#)) of the RR
- Footnote of Article 11 of the RR
- [Article 3 of Appendix 30B](#)

FREQUENCY BANDS (2)



6 / 4 GHz (300 MHz)

6725 - 7025 MHz (up)

4500 - 4800 MHz (down)

13 / 10-11 GHz (500 MHz)

12.75 - 13.25 GHz (up)

10.70 - 10.95 GHz (down)

11.20 - 11.45 GHz (down)

ELEMENT OF ALLOTMENT (1)



Nominal orbital position

Bandwidth of 800MHz × 2(uplink and downlink)

Service area for national coverage

ELEMENT OF ALLOTMENT (2)



National allotments are included in:

Article 10 of AP30B (the Plan)

- orbital position, power levels and ellipse parameters ...

More details like the test points associated to each beam are included in the 30B database

<http://www.itu.int/itu-r/space/plans/AP30B>

ELEMENT OF ALLOTMENT (2)



General basic technical characteristics are described in

Annex 1 of AP30B

- Type of modulation (any type), Polarization (any), C/N, Protection ratio, System noise, Antenna, reference bandwidth, pointing accuracy etc.
- Most of them are characteristics used for establishing the Plan at WARC-ORB-88 and subsequently updated by WRC-07
→ can be different for modifications


The FSS Plan

National Allotments->Assignments

Additional systems

- A system for which the assignments submitted by an administration are **not the result of conversion** of an allotment into assignments
- The **national allotment** of the administration submitting additional systems shall be **retained**

PROCEDURES OF AP30B




LIST OF ASSIGNMENTS



- Assignments derived from allotments (Plan)
- Assignments relating to additional systems
- Assignments relating to **former** existing systems in Part B
- Assignments relating to **former** sub-regional systems
- Assignments relating to **former** additional uses

COMPATIBILITY



Compatibility has to be established between allotments in the Plan (yellow) and assignments in the List (yellow)


COMPATIBILITY CRITERIA



**Compatibility among allotments in the Plan
and assignments in the List at WRC-07**

**Aggregate C/I ratio of 21 dB
with coordination arc concept
(26 dB at WARC-ORB-88)**

MAIN REGULATORY ASPECTS



CONVERSION AND AGREEMENT SEEKING

Article 6 of AP30B

Former Sections I (conversion), IA (conversion with modification), IB (existing system) II (sub-regional system), III (additional use) were combined into single procedure which is applicable for

- Conversion of an allotment into an assignment
- Introduction of an additional system
- Modification of an assignment in the List

8 years Regulatory period from receipt of Article 6 submission

- to complete Article 6 procedure (obtain agreement) to be included in the List
- to bring assignments into use (confirmation through notification procedure)
- to submit due diligence information (Res.49)



NEW ALLOTMENT FOR A NEW MEMBER STATE

Article 7 of AP30B

A new Member State can obtain a national allotment in the Plan

Required information:

- **Geographical coordinates of 20 test points (max.)**
- **Height above sea of each test point**
- **Any special requirement, other than a fixed orbital position**

The Bureau identifies the proposed orbital locations with associated technical parameters

Processing the request ahead of pending submissions for Article 6

In case of incompatibility the request will be placed ahead of pending submissions Article 6 and Article 6 procedure applies

NOTIFICATION OF ASSIGNMENTS

Article 8 of AP30B

Any assignment for which Article 6 procedure has been successfully applied shall be notified in accordance with Article 8 of AP30B

- Final characteristics for List assignments to be recorded in MIFR (not taken into account in subsequent technical examinations under Article 6, Article 7 and Article 8)
- Confirmation of the date of bringing into use

AP4 data should be submitted not earlier than 3 years but not later than 8 years after the submission under Article 6

Published in Part IS → Part IIS or Part IIIS

All assignment data in MIFR can be found on the BR IFIC & the ITU website at:
<http://www.itu.int/sns/>


ARTICLE 8 EXAMINATION




**Conformity with the Convention,
Table of Allocations,
other provisions (Art.21 of RR)**

Conformity with the List

PROCESSING OF ARTICLE 6 SUBMISSIONS (1)



PROCESSING OF ARTICLE 6 SUBMISSIONS (2)



Completeness examination and telefax



Reply must be sent within 30 days
(receivability RoP)


Regulatory/technical examination



Publication of Special Section (BR IFIC) that contains the filed satellite network characteristics and potentially affected administrations



PROCESSING OF ARTICLE 6 SUBMISSIONS (3)




Administrations should examine each BR IFIC to see if their assignments are affected and respond within 4 months

Affected administrations that do not comment within the 4 month period are deemed to have not agreed


Notifying administration can request assistance of the BR to receive replies from affected administrations

No response from Affected administrations to the BR's reminder is considered as agreement

The BR sends a reminder to the affected administration which has not replied



PROCESSING OF ARTICLE 6 SUBMISSIONS (4)



Submission of validated Appendix 4 data (final characteristics) with agreements (request for AP30B/A6B publication)

Fail

Validation Check



OK


Acknowledgement by telefax

Completeness examination

Reply must be sent within 30 days (receivability ROP)



PROCESSING OF ARTICLE 6 SUBMISSIONS (5)



Regulatory/technical examination



Publication of AP30B/A6B Special Section (BR IFIC) that contain the final characteristics



Submission of notification (confirmation of bringing into use), Res.49 due diligence information



The latest **reference situation** and the **characteristics of networks** are contained in the **30B database** distributed on the **BR IFIC** and posted on

<http://www.itu.int/ITU-R/space/plans/AP30B>

COMPATIBILITY CRITERIA (1)



Compatibility with Plan and List in application of Articles 6 and 7

Annex 3

Compatibility **outside** coordination arc

- Downlink PFD hard limit
on any portion of the surface of the Earth
- Uplink PFD hard limit
towards any location in the geostationary-satellite orbit
located beyond the coordination arc

Annex 4

Compatibility **Within** the coordination arc,
agreement is required when
at least one of the following three conditions is not satisfied

Uplink single-entry $C/I \geq 30\text{dB}$, or $(C/N)_{\text{up}} + 9\text{dB}$,
or accepted value

Downlink single-entry $C/I \geq 26.65\text{dB}$ or $(C/N)_{\text{down}} + 11.65\text{dB}$
or accepted value

Over all aggregate $C/I \geq 21\text{dB}$ or $(C/N)_{\text{total}} + 7\text{dB}$
or accepted value

- Computation precision is 0.05dB for all
Tolerance of 0.25dB for aggregate C/I criteria of assignments not stemming from conversion (within the envelop characteristics of the initial allotment)

OTHER RELATED ISSUES

The 1st **updated reference situations** after WRC-07 was published (**CR278** of 15 February 2008)

Implementation of Res.148 (WRC-07) and revised AP30B was explained (**CR280** of 4 March 2008)

Treatment of Article 7 submissions received before/after WRC-07 is completed

Treatment of pending Article 6 submissions started in 2009



USEFUL WEBSITE ADDRESSES FOR MORE INFORMATION

<http://www.itu.int/ITU-R/space/plans/index.html>

General information relating to space plan services

<http://www.itu.int/ITU-R/space/snl/index.html>

SNL On-Line; list of published networks, networks in the backlog


Any questions?

A large, faint, light gray graphic of a globe with latitude and longitude lines, centered on the page behind the text.

CHANGES AT WRC-07 (Procedure)




Deletion of existing system, subregional system and additional use and creation of additional system



CHANGES AT WRC-07 (Procedure)



Two-step approach like AP30/30A (non-sequential treatment)
 with deletion of PDA (predetermined arc)



CHANGES AT WRC-07 (Procedure)



- I. Requirement of **explicit agreement** in case of degradation below limit has been maintained but procedure of **BR assistance** in case of no response has been introduced (6.10 - 6.15)
- II. The provisions to allow **provisional entries** has been introduced in case of **no agreement with respect to assignments (not allotments)** (6.24-6.29)
- III. Requirement of **administrative agreement for inclusion of the territory** of other countries in the service area has been maintained but is requested at the end of agreement seeking process (6.19)
The provision to allow exclusion of its territory from the service area at any time has been introduced (6.16)
- IV. The provisions to allow processing of **Article 7 request ahead of pending submissions for Article 6** have been introduced (7.3-7.7)
- V. 0.05 computational precision has been maintained but **0.25 tolerance has been introduced for aggregate C/I of assignments** not stemming from the conversion of an allotment into assignment without modification (Annex 4)
- VI. The **protection based on downlink service area** using interpolation has been introduced (Annex 4)

CHANGES AT WRC-07 (Technical)



- I. **Coordination Arc Concept** has been introduced (± 10 degree 6/4GHz, ± 9 degrees 13/10-11GHz)
- II. **Reduced C/N objective (faded)** was used (23 \rightarrow 21dB feeder link, 17 \rightarrow 15dB downlink)
- III. **Reduced size of antenna** was used (7 \rightarrow 5.5m 6/4GHz, 3 \rightarrow 2.7m 13/10-11GHz)
- IV. **Reduced system noise temperature** was used (earth station 140 \rightarrow 95K 4GHz 200 \rightarrow 125K 10-11GHz, space station 1000 \rightarrow 500K 6GHz 1500 \rightarrow 550K 13GHz)
- V. **Reduced aggregate overall C/I criteria** was used (23 \rightarrow 21dB)
- VI. Deletion of general parameter
- VII. Deletion of macro segmentation

PREDETERMINED ARC (PDA)



- I. The PDA is a segment of the GSO about a nominal orbital position, associated to each satellite system
- II. The width of the PDA is reduced as the stage of development of the system progresses.
- III. An administration is not considered as affected if its nominal orbital position is moved within the corresponding PDA while keeping interference within the accepted levels
- IV. In other words, nominal orbital position can be moved by other administrations
 - ✓ Sequential treatment of the submissions

GENERALIZED PARAMETERS (1)



I. A & C

- ✓ Up & Down link interference-producing capability expressed by the respective off-axis e.i.r.p. density

II. B & D

- ✓ Up & Down link interference sensitivity expressed by the respective off-axis receiver sensitivity to interfering e.i.r.p. density

Macro segmentation



- II. The **macro segmentation concept*** was introduced as a means to avoid coordination during the implementation of an allotment
- III. When the macro segmentation scheme is not observed, the allotment can be implemented if compatibility with other systems is achieved
- ✓ * The **upper 60%** of each allotment band should be used for **high-density carriers** and the **lower 40%** for **low-density carriers**. The high density carriers are those whose ratio of power spectral density peak (4 kHz) to average (necessary bandwidth) is greater than 5 dB. The low density carriers are those for which this ratio is less than 5 dB.
 - ✓ * Applicable also sub-regional systems and additional uses (RoP)

EXISTING SYSTEM



- I. Recorded in the MIFR before the adoption of the Plan, or Coordination procedure has been initiated before the adoption of the Plan, or Advance publication information was received by the BR before 8 August 1985
- II. Included in Article 10 of AP30B (Part B of the Plan)
- III. Existing systems in Part B **expire after 20 years** from the entry into force of the Appendix 30B (16 March 1990) and have been either entered in the List, as well as notified and brought into use, or have been cancelled
- IV. PDA concept can be used

SUBREGIONAL SYSTEM



- I. Satellite system created by agreement among neighbouring countries
- II. Intended to provide domestic or subregional services within the geographical areas of the countries concerned
- III. All or part of the national allotments used by the subregional system **shall be suspended** for the life period of the subregional system **unless** it does not affect allotments or assignments
- III. PDA concept can be used

ADDITIONAL USE



- I. Allowed in case of a requirement whose characteristics differ from those used in Part A of the Plan
- II. Such requirement can be met only if:
 - ✓ the administration has already converted all or part of its allotment into an assignment, or
 - ✓ the requirement cannot be met by the conversion of the allotment into an assignment
- III. The procedures for additional uses may be applied provided that the proposed assignments have a maximum period of validity of 15 years
- IV. Limited to national coverage unless otherwise agreed
- V. PDA concept cannot be used

Article 5 Table of Frequency Allocations

Region 1	Region 2	Region 3
4 500-4 800	FIXED <u>FIXED-SATELLITE</u> (space-to-Earth) 5.441 MOBILE	
6 700-7 075	FIXED <u>FIXED-SATELLITE</u> (Earth-to-space) (space-to-Earth) 5.441 MOBILE 5.458 5.458A 5.458B 5.458C	
10.7-11.7 FIXED <u>FIXED-SATELLITE</u> (space-to-Earth) 5.441 5.484A (Earth-to-space) 5.484 MOBILE except aeronautical mobile	10.7-11.7 FIXED <u>FIXED-SATELLITE</u> (space-to-Earth) 5.441 5.484A MOBILE except aeronautical mobile	10.7-11.7 FIXED <u>FIXED-SATELLITE</u> (space-to-Earth) 5.441 5.484A MOBILE except aeronautical mobile
12.75-13.25	FIXED <u>FIXED-SATELLITE</u> (Earth-to-space) 5.441 MOBILE Space research (deep space) (space-to-Earth)	

[return](#)

5.441 The use of the bands 4 500-4 800 MHz (space-to-Earth), 6 725-7 025 MHz (Earth-to-space) by the fixed-satellite service shall be in accordance with the provisions of Appendix **30B**. The use of the bands 10.7-10.95 GHz (space-to-Earth), 11.2-11.45 GHz (space-to-Earth) and 12.75-13.25 GHz (Earth-to-space) by geostationary-satellite systems in the fixed-satellite service shall be in accordance with the provisions of Appendix **30B**. The use of the bands 10.7-10.95 GHz (space-to-Earth), 11.2-11.45 GHz (space-to-Earth) and 12.75-13.25 GHz (Earth-to-space) by a non-geostationary-satellite system in the fixed-satellite service is subject to application of the provisions of No. **9.12** for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellite systems in the fixed-satellite service shall not claim protection from geostationary-satellite networks in the fixed-satellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite networks, and No. **5.43A** does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated. (WRC-2000)

[return](#)

ARTICLE 3

Frequency bands

3.1 The provisions of this Appendix shall apply to the fixed-satellite service in the frequency bands between:

- 4 500 and 4 800 MHz (space-to-Earth);
- 6 725 and 7 025 MHz (Earth-to-space);
- 10.70 and 10.95 GHz (space-to-Earth);
- 11.20 and 11.45 GHz (space-to-Earth);
- 12.75 and 13.25 GHz (Earth-to-space).

[return](#)

4 500-4 800 MHz, 6 725-7 025 MHz

1	2	3	4	5	6	7	8	9	10
ABW00000	-98.20	-69.10	12.40	1.60	1.60	90.00	-9.6	-41.4	
ADL00000	113.00	140.00	-66.70	1.60	1.60	90.00	-9.6	-41.3	*/MB1
AFG00000	50.00	66.40	33.90	2.20	1.60	15.00	-9.6	-39.4	
AFS00000	71.00	27.20	-30.10	5.30	1.60	128.00	-7.8	-38.6	
AGL00000	-36.10	15.90	-12.40	2.40	1.60	78.00	-9.6	-39.1	
ALB00000	4.13	20.00	41.10	1.60	1.60	90.00	-9.6	-41.4	
ALG00000	-33.50	1.60	27.80	3.30	2.20	133.00	-8.6	-38.9	
ALS00000	-159.00	-158.60	57.50	6.30	1.60	1.00	-7.9	-38.8	*/MB2
AND00000	-41.00	1.50	42.50	1.60	1.60	90.00	-9.6	-41.4	
ARG00000	-51.00	-62.00	-33.60	4.80	2.90	93.00	-2.5	-38.1	*/MB3
ARGINSUL	-51.00	-60.00	-57.50	3.60	1.60	154.00	-9.6	-38.5	*/MB3
ARM00000	71.40	45.13	40.12	1.60	1.60	90.00	-9.6	-40.4	
ARS00000	51.90	45.70	23.10	3.70	2.60	153.00	-8.7	-39.3	
ASCSTHTC	-37.10	-11.80	-19.60	5.60	1.80	77.00	-8.0	-39.0	*/MB4
ATG00000	-77.70	-61.80	17.00	1.60	1.60	90.00	-9.6	-41.8	

[return](#)