



INTERNATIONAL TELECOMMUNICATION UNION

ITU-T

TELECOMMUNICATION
STANDARDIZATION SECTOR
OF ITU

Amendment 1
X.234
(11/95)

**DATA NETWORKS AND OPEN SYSTEM
COMMUNICATIONS**

**OPEN SYSTEMS INTERCONNECTION
CONNECTIONLESS-MODE PROTOCOL
SPECIFICATIONS**

**INFORMATION TECHNOLOGY –
PROTOCOL FOR PROVIDING
THE OSI CONNECTIONLESS-MODE
TRANSPORT SERVICE**

**AMENDMENT 1: ADDITION OF CONNECTIONLESS-
MODE MULTICAST CAPABILITY**

**Amendment 1 to
ITU-T Recommendation X.234**

(Previously “CCITT Recommendation”)

FOREWORD

ITU (International Telecommunication Union) is the United Nations Specialized Agency in the field of telecommunications. The ITU Telecommunication Standardization Sector (ITU-T) is a permanent organ of the ITU. Some 179 member countries, 84 telecom operating entities, 145 scientific and industrial organizations and 38 international organizations participate in ITU-T which is the body which sets world telecommunications standards (Recommendations).

The approval of Recommendations by the Members of ITU-T is covered by the procedure laid down in WTSC Resolution No. 1 (Helsinki, 1993). In addition, the World Telecommunication Standardization Conference (WTSC), which meets every four years, approves Recommendations submitted to it and establishes the study programme for the following period.

In some areas of information technology which fall within ITU-T's purview, the necessary standards are prepared on a collaborative basis with ISO and IEC. The text of ITU-T Recommendation X.234, Amendment 1, was approved on 21st of November 1995. The identical text is also published as ISO/IEC International Standard 8602.

NOTE

In this Recommendation, the expression "Administration" is used for conciseness to indicate both a telecommunication administration and a recognized private operating agency.

© ITU 1996

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the ITU.

ITU-T X-SERIES RECOMMENDATIONS

DATA NETWORKS AND OPEN SYSTEM COMMUNICATIONS

(February 1994)

ORGANIZATION OF X-SERIES RECOMMENDATIONS

Subject area	Recommendation Series
PUBLIC DATA NETWORKS	
Services and Facilities	X.1-X.19
Interfaces	X.20-X.49
Transmission, Signalling and Switching	X.50-X.89
Network Aspects	X.90-X.149
Maintenance	X.150-X.179
Administrative Arrangements	X.180-X.199
OPEN SYSTEMS INTERCONNECTION	
Model and Notation	X.200-X.209
Service Definitions	X.210-X.219
Connection-mode Protocol Specifications	X.220-X.229
Connectionless-mode Protocol Specifications	X.230-X.239
PICS Proformas	X.240-X.259
Protocol Identification	X.260-X.269
Security Protocols	X.270-X.279
Layer Managed Objects	X.280-X.289
Conformance Testing	X.290-X.299
INTERWORKING BETWEEN NETWORKS	
General	X.300-X.349
Mobile Data Transmission Systems	X.350-X.369
Management	X.370-X.399
MESSAGE HANDLING SYSTEMS	X.400-X.499
DIRECTORY	X.500-X.599
OSI NETWORKING AND SYSTEM ASPECTS	
Networking	X.600-X.649
Naming, Addressing and Registration	X.650-X.679
Abstract Syntax Notation One (ASN.1)	X.680-X.699
OSI MANAGEMENT	X.700-X.799
SECURITY	X.800-X.849
OSI APPLICATIONS	
Commitment, Concurrency and Recovery	X.850-X.859
Transaction Processing	X.860-X.879
Remote Operations	X.880-X.899
OPEN DISTRIBUTED PROCESSING	X.900-X.999

CONTENTS

	<i>Page</i>
Summary.....	ii
Introduction	ii
1) Clause 1	1
2) Subclause 3.3.2.....	1
3) Subclause 5.2.....	1
4) Subclause 5.3.1.....	1
5) Subclause 5.3.2.3.....	1
6) Subclause 6.2.4.1.....	2
7) Subclause 6.2.4.2.....	2
8) Subclause 6.2.4.3.....	2
9) Subclause 7.2.4.1.....	2
10) Annex B	2

Summary

ITU-T Rec. X.234 | ISO/IEC 8602 specifies the protocol for providing the OSI connectionless-mode Transport protocol. This amendment provides the capability for the connectionless-mode Transport protocol to support multicast PDU transfer when used in conjunction with the multicast services of the connectionless-mode Network service.

Introduction

This amendment to ITU-T Rec. X.234 (1994) | ISO/IEC 8602:1995 provides the capability to the connectionless-mode Transport protocol to support multicast PDU transfer when used in conjunction with the multicast services of the connectionless-mode Network service. The protocol for providing the connectionless-mode Transport service is contained entirely in ITU-T Rec. X.234 | ISO/IEC 8602.

ITU-T Rec. X.234 | ISO/IEC 8602 restricts the connectionless-mode Transport to the case of exchanging TPDU's between one sending TS-user and one receiving TS-user. Subnetwork standards exist which support the transfer of a SDU from one entity to a number of other entities in a single logical operation. Work is on-going to develop the capabilities for exchanging multicast PDU's at the Network layer. This amendment is directed at providing multicast Transport service via multicast capabilities of the Network service if they are available. With the current ITU-T Rec. X.234 | ISO/IEC 8602, no Transport layer capabilities are described to utilize such multicast Network services.

This amendment defines additional assumptions concerning the services optionally provided by the Network layer and adds no new functions of its own.

INTERNATIONAL STANDARD

ITU-T RECOMMENDATION

INFORMATION TECHNOLOGY – PROTOCOL FOR PROVIDING
THE OSI CONNECTIONLESS-MODE TRANSPORT SERVICE

AMENDMENT 1

Addition of connectionless-mode multicast capability

1) **Clause 1**

Change the end of item a) of the first paragraph from “to one peer transport entity;” to “to one or more peer transport entities;”.

2) **Subclause 3.3.2**

Add to the end of the paragraph:

“The destination-transport address may identify a group of transport service users connected to different network entities depending on the services used and provided by the network service provider.”

3) **Subclause 5.2**

Add a new sentence at the end of the last paragraph:

“Depending on the services provided by the network service, a transport user may be able to send data to a group of other transport users and receive PDUs intended for a group of transport users via the use of the destination address parameters in Table 3.”

4) **Subclause 5.3.1**

Change the last sentence from “towards one TS-user” to “towards one or more TS-users”.

5) **Subclause 5.3.2.3**

Change the start of the sentence from “This function determines the network address” to “For non-multicast transmission, this function determines the network address”.

Add a new sentence at the end of the paragraph:

“For multicast transmission, this function determines the group network address that will be used as a destination parameter in an N-UNITDATA request by examining the group transport address specified by the destination address parameter of a T-UNITDATA request.”

6) Subclause 6.2.4.1

Change the start of the first paragraph from “The source and” to “For non-multicast transmission, the source and”.

Add a new sentence at the end of the first paragraph:

“For multicast transmission, the source and destination address parameters of the T-UNITDATA request service primitive are used to determine the source network address, source TSAP-ID, destination group network address, and destination TSAP-ID.”

7) Subclause 6.2.4.2

Change the start of the fourth paragraph from “The destination” to “For non-multicast transmission, the destination”.

Add a new sentence at the end of the fourth paragraph:

“For multicast transmission, the destination group network address from the N-UNITDATA indication and the destination TSAP-ID from the UD TPDU will be used to determine the destination group transport address parameter for the T-UNITDATA indication.”

8) Subclause 6.2.4.3

Change the first sentence of the first paragraph from “a pair of NSAPs.” to “a pair of NSAPs or a sending NSAP and a group of receiving NSAPs.”

Add the following text to the end of 6.2.4.3:

“For multicast transmission, transport entities assume the multicast Network services optionally provided by the Network layer.”

9) Subclause 7.2.4.1

Change the second parameter code from “Destination TSAP” to “Destination TSAP or group Transport address”.

Replace the Parameter value text with “Identifier of the source TSAP and destination transport address, respectively”.

Add a note to the end of 7.2.4.1:

“NOTE – For non-multicast transfer, the destination TSAP-ID field is used to identify the destination TSAP address. For multicast transfer, the destination TSAP-ID field is used to identify the destination group transport address.”

10) Annex B

Add the following row to the end of B.7.3 table:

CLM	Connectionless-mode Multicast Network Service	6.2	O	Yes No
-----	---	-----	---	--------