



(+41 22 730 57 85)

2012 19

CACE/587

4

() 4 :

3

-

ITU-R 1-6

3.10

()

2012 28

4

(ITU-R 1-6 3.10) (PSAA)

3

.2012 19

.4

.(<http://www.itu.int/pub/R-REC>)

▪ <http://www.itu.int/ITU-T/dbase/patent/patent-policy.html> :

"ITU-T/ITU-R/ISO/IEC"

4/20(Rev.1) 4/18(Rev.1) 4/17(Rev.1) 4/12(Rev.1) 4/11(Rev.1) :

<http://www.itu.int/md/R12-SG04-C> :

4

4

4/11(Rev.1)

ITU-R M.[PULSE_EVAL]

MHz 1 610-1 559 MHz 1 300-1 215 MHz 1 215-1 164

RNSS

(RNSS)

.MHz 1 610-1 559 MHz 1 300-1 215 MHz 1 215-1 164

.RNSS

.

.

MHz 1 610-1 559

RNSS

.

4/20(Rev.1)

ITU-R S.[TIME_VAR_SMALL_E/S]

MF-TDMA

MF-TDMA

.

.

.

4/12(Rev.1)

ITU-R M.1850

(IMT-2000) 2000 -

G C A (SRI)

. SRI-G

SRI-G SRI-C

(ETSI)

.SRI-G SRI-C

SRI-G

SRI-A

4/17(Rev.1)

ITU-R BO.1898

3 1

GHz 22,0-21,4

/

ITU-R BO.1898

3 1

(WRC-12) 2012

WRC-12

4/18(Rev.1)

ITU-R S.732