











- [4] Zhao, Yanxiao, Zhiming Hong, Guodong Wang, and Jun Huang. "High-Order Hidden Bivariate Markov Model: A Novel Approach on Spectrum Prediction." In *Computer Communication and Networks (ICCCN)*, 2016 25th International Conference on, pp. 1-7. IEEE, 2016.
- [5] V. K. Tumuluru, P. Wang, and D. Niyato, "A neural network based spectrum prediction scheme for cognitive radio," in *2012 IEEE ICC con.*, pp. 32-57.
- [6] X. Xing, T. Jing, Y. Huo, H. Li and X. Cheng, "Channel quality prediction based on Bayesian inference in cognitive radio networks," in *Proc. 2013 IEEE INFOCOM*, pp. 1465-1473, 2013.
- [7] Zhang, Zhao, Kaiqing Zhang, Feifei Gao, and Shun Zhang. "Spectrum prediction and channel selection for sensing-based spectrum sharing scheme using online learning techniques." In *Personal, Indoor, and Mobile Radio Communications (PIMRC)*, 2015 IEEE 26th Annual International Symposium on, pp. 355-359. IEEE, 2015.
- [8] Adams, Ryan Prescott, and David JC MacKay. "Bayesian online change-point detection." *arXiv preprint arXiv:0710.3742* (2007).
- [9] Turner, Ryan Darby. *Gaussian processes for state space models and change point detection*. Diss. University of Cambridge, 2012.
- [10] Lau, Hon Fai, and Shigeru Yamamoto. "Bayesian online change-point detection to improve transparency in human-machine interaction systems." *Decision and Control (CDC)*, 2010 49th IEEE Conference on.IEEE, 2010.