

UNIÓN INTERNACIONAL DE TELECOMUNICACIONES
Oficina de Normalización de las Telecomunicaciones



Ginebra, 01 de marzo de 2008

Ref: **TSB AAP-77**
AAP/MJ

Tel: +41 22 730 5860

Fax: +41 22 730 5853

Correo-e: tsbdir@itu.int

- A las Administraciones de los Estados Miembros de la Unión;
- A los Miembros del Sector UIT-T;
- A los Asociados del UIT-T

Copia:

- A los Presidentes y a los Vicepresidentes de las Comisiones de Estudio del UIT-T;
- Al Director de la Oficina de Desarrollo de las Telecomunicaciones;
- Al Director de la Oficina de Radiocomunicaciones

Asunto: **Situación de las Recomendaciones sometidas al proceso de aprobación alternativo (AAP)**

Muy señora mía/Muy señor mío:

1. La Asamblea Mundial de Normalización de las Telecomunicaciones (AMNT-2004), que se celebró en Florianópolis (Brasil) del 5 al 14 de octubre de 2004, decidió mantener en vigor la Recomendación UIT-T A.8 "Proceso de aprobación alternativo (AAP, *Alternative Approval Process*)".

El AAP se aplica a las Recomendaciones que no tienen consecuencias en materia de política o reglamentación y que no necesitan, por lo tanto, la consulta formal de los Estados Miembros (véase el número 246B del Convenio de la UIT).

2. En el **anexo 1** se enumera la lista de los textos cuyo estado ha cambiado con respecto a los anuncios TSB AAP precedentes.

3. Puede encontrar un "formulario de presentación de comentarios" en la Comisión de Estudio correspondiente en la zona AAP del sitio web de la UIT en la dirección <http://www.itu.int/ITU-T/aap/>. (Véase también el **anexo 2**.)

Le saluda atentamente,

Malcolm Johnson
Director de la Oficina de
Normalización de las Telecomunicaciones

Anexos: 2

ANNEX 1
(to TSB AAP-77)

Status codes used in the AAP announcements:

LC = Last Call
LJ = Last Call Judgment
AR = Additional Review
AJ = Additional Review Judgment
SG = For Study Group approval
A = Approved
AT = Approved with typographic corrections
AC = Approved after Additional Review of Comments
NA = Not approved

ITU-T website entry page:

<http://www.itu.int/ITU-T/>

ITU-T website AAP page:

<http://www.itu.int/ITU-T/aap/>

Study Group web pages and contacts:

SG 2:	http://www.itu.int/ITU-T/studygroups/com02/index.asp	tsbsg2@itu.int
SG 3:	http://www.itu.int/ITU-T/studygroups/com03/index.asp	tsbsg3@itu.int
SG 4:	http://www.itu.int/ITU-T/studygroups/com04/index.asp	tsbsg4@itu.int
SG 5:	http://www.itu.int/ITU-T/studygroups/com05/index.asp	tsbsg5@itu.int
SG 6:	http://www.itu.int/ITU-T/studygroups/com06/index.asp	tsbsg6@itu.int
SG 9:	http://www.itu.int/ITU-T/studygroups/com09/index.asp	tsbsg9@itu.int
SG 11:	http://www.itu.int/ITU-T/studygroups/com11/index.asp	tsbsg11@itu.int
SG 12:	http://www.itu.int/ITU-T/studygroups/com12/index.asp	tsbsg12@itu.int
SG 13:	http://www.itu.int/ITU-T/studygroups/com13/index.asp	tsbsg13@itu.int
SG 15:	http://www.itu.int/ITU-T/studygroups/com15/index.asp	tsbsg15@itu.int
SG 16:	http://www.itu.int/ITU-T/studygroups/com16/index.asp	tsbsg16@itu.int
SG 17:	http://www.itu.int/ITU-T/studygroups/com17/index.asp	tsbsg17@itu.int
SG 19:	http://www.itu.int/ITU-T/studygroups/com19/index.asp	tsbsg19@itu.int

Situation concerning Study Group 5 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
K.60	Emission levels and test methods for wire-line telecommunication networks in case of radio interference	2007-06-01	2007-06-28	LJ	SG					AC
K.61	Guidance to measurement and numerical prediction of electromagnetic fields for compliance with human exposure limits for telecommunication installations	2007-06-01	2007-06-28	LJ	SG					AC

Situation concerning Study Group 9 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
J.700 (J.iptvfra)	IPTV Service Requirements and Framework for Secondary Distribution	2007-11-16	2007-12-13	LJ	AT					AT

Situation concerning Study Group 11 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
Q.3030 (Q.NGNSCPArch)	Signalling architecture for the NGN Service Control Plane	2008-02-01	2008-02-28	LJ						LJ
Q.3202.1 (Q.nacf.auth1)	Authentication Protocols based on EAP-AKA for Interworking among 3GPP, WiMax, and WLAN in NGN	2008-02-01	2008-02-28	LJ						LJ
Q.3303.3 (Q.rcp3.3 (Rw))	Protocol at the interface between the Policy Decision Physical Entity (PD-PE) and the Policy Enforcement Physical Entity (PE-PE) (Rw interface): Diameter	2008-02-01	2008-02-28	LJ						LJ
Q.3305.1 (Q.rcp5 (Rt))	Resource control protocol - Protocol at the Rt interface	2008-02-01	2008-02-28	LJ						LJ
Q.3401 (2007) Amd.1	Extensions of NGN NNI signalling profile including video and data services	2008-02-01	2008-02-28	LJ						LJ
Q.3402 (Q.UNI-Profile)	NGN UNI Signalling Profile(Protocol Set 1)	2008-02-01	2008-02-28	LJ						LJ

Situation concerning Study Group 13 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
Y.1401	Principles of interworking	2008-02-01	2008-02-28	LJ						LJ
Y.1418 (Y.pw, Y.gal, Y.gca)	Pseudowire layer network	2008-02-01	2008-02-28	LJ						LJ
Y.1731	OAM functions and mechanisms for Ethernet based networks	2008-02-01	2008-02-28	A						A
Y.2014 (Y.NACF R1)	Network attachment control functions in Next Generation Networks	2008-02-01	2008-02-28	LJ						LJ
Y.2041 (Y.NGN-R1)	Description of capability set 1 of NGN release 1	2008-02-01	2008-02-28	LJ						LJ
Y.2051 (Y.ipv6-ngn)	General overview of IPv6-based NGN	2008-02-01	2008-02-28	A						A
Y.2052 (Y.iptv6multi)	Framework of multi-homing in IPv6-based NGN	2008-02-01	2008-02-28	A						A
Y.2053 (Y.ipv6transit)	Functional requirements for IPv6 migration in NGN	2008-02-01	2008-02-28	A						A
Y.2054 (Y.ipv6sig)	Framework to support signalling for IPv6-based NGN	2008-02-01	2008-02-28	LJ						LJ
Y.2091	Terms and definitions for Next Generation Networks	2008-02-01	2008-02-28	A						A
Y.2212 (Y.MDS-req)	Requirements of managed delivery services	2008-02-01	2008-02-28	A						A

Situation concerning Study Group 15 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
G.650.3	Test methods for installed single-mode optical fibre cable links	2008-03-01	2008-03-28							LC
G.666	Characteristics of PMD compensators and PMD Compensating Receivers	2008-03-01	2008-03-28							LC
G.671 (2005) Amd.3	Modification of the parameter tables for the Passive (chromatic) dispersion compensator and the Single optical channel passive (chromatic) dispersion compensator	2008-03-01	2008-03-28							LC
G.703 (2001) Cor.1	Physical/Electrical characteristics of hierarchical digital interfaces	2008-03-01	2008-03-28							LC
G.780/Y.1351	Terms and definitions for Synchronous Digital Hierarchy (SDH) networks	2008-03-01	2008-03-28							LC
G.783 (2006) Amd.1	Characteristics of Synchronous Digital Hierarchy (SDH) Equipment Functional Blocks	2008-03-01	2008-03-28							LC
G.784	Management aspects of the Synchronous Digital Hierarchy (SDH) transport network element	2008-03-01	2008-03-28							LC
G.806 (2006) Amd.1	Characteristics of Transport Equipment - Description Methodology and Generic Functionality	2008-03-01	2008-03-28							LC
G.825 (2000) Amd.1	The control of jitter and wander within digital networks which are based on the synchronous digital hierarchy (SDH)	2008-03-01	2008-03-28							LC
G.870/Y.1352	Terms and definitions for Optical Transport Networks (OTN)	2008-03-01	2008-03-28							LC
G.874	Management aspects of the optical transport network element	2008-03-01	2008-03-28							LC

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
G.959.1	Optical transport networks physical layer interfaces	2008-03-01	2008-03-28							LC
G.972	Definition of terms relevant to optical fibre submarine systems	2008-03-01	2008-03-28							LC
G.984.1	Gigabit-capable Passive Optical Networks (GPON): General characteristics	2008-03-01	2008-03-28							LC
G.984.2 (2003) Amd.2	Gigabit-capable Passive Optical Networks (GPON): Physical Media Dependent (PMD) layer specification	2008-03-01	2008-03-28							LC
G.984.3	Gigabit-capable Passive Optical Networks (GPON): Transmission Convergence Layer Specification	2008-03-01	2008-03-28							LC
G.984.4	Gigabit-capable Passive Optical Networks (GPON): ONT management and control interface specification	2007-07-01	2007-07-28	LJ	AR	2007-12-16	2008-01-12	SG		AC
G.984.4 (2007) Cor.1	Gigabit-capable Passive Optical Networks (GPON): ONT Management and Control Interface specification	2008-03-01	2008-03-28							LC
G.984.4 (2007) Amd.1	Gigabit-capable Passive Optical Networks (GPON): ONT Management and Control Interface specification	2008-03-01	2008-03-28							LC
G.984.6	Gigabit-capable Passive Optical Networks (GPON): Reach extension	2008-03-01	2008-03-28							LC
G.992.3 (2005) Amd.5	Asymmetric digital subscriber line transceivers 2 (ADSL2)	2008-03-01	2008-03-28							LC
G.992.5 (2005) Amd.5	Asymmetric Digital Subscriber Line (ADSL) transceivers - Extended bandwidth ADSL2 (ADSL2plus)	2008-03-01	2008-03-28							LC
G.993.2 (2006) Amd.3	Very high speed digital subscriber line transceivers 2 (VDSL2)	2008-03-01	2008-03-28							LC
G.994.1 (2007) Amd.2	Handshake procedures for Digital Subscriber Line (DSL) transceivers	2008-03-01	2008-03-28							LC

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
G.997.1 (2006) Amd.3	Physical layer management for digital subscriber line (DSL) transceivers	2008-03-01	2008-03-28							LC
G.7712/Y.1703	Architecture and Specification of data communication network	2008-03-01	2008-03-28							LC
G.8001/Y.1354	Terms and definitions for Ethernet Frames over Transport	2008-03-01	2008-03-28							LC
G.8031/Y.1342 (2006) Cor.1	Ethernet linear protection switching	2008-03-01	2008-03-28							LC
G.8080/Y.1304 (2006) Amd.1	Automatic Switched Optical Networks	2008-03-01	2008-03-28							LC
G.8081/Y.1353	Terms and definitions for Automatically Switched Optical Networks (ASON)	2008-03-01	2008-03-28							LC
G.8251 (2001) Cor.2	The control of jitter and wander within the optical transport network (OTN)	2008-03-01	2008-03-28							LC

Situation concerning Study Group 17 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
X.1031 (X.805+)	Security architecture aspects of end users and networks in telecommunications	2007-10-16	2007-11-12	LJ	AR	2008-03-01	2008-03-21			AR

Situation concerning Study Group 19 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
Q.1707/Y.2804 (Q.MMF)	Generic Framework of Mobility Management for Next Generation Networks	2008-02-01	2008-02-28	A						A

ANNEX 2
(to TSB AAP-77)

Recommendations under LC/AR – Comment submission form
(Separate form for each Recommendation being commented upon)

ITU-T AAP Comments Submission Form for the period 2005-2008

Study Group:

Announcement number:

Recommendation number:

Recommendation under:

☐ **Last call (LC)**

☐ **Additional Review (AR)**

Country:

Administration/Company:

Name of AAP Contact Person:

Email of AAP Contact Person:

**Sender name (if different from
AAP Contact Person):**

Sender email address:

Telephone:

Comments:

(Choose as applicable)

☐ **We do not support this text. Reasons are given in the attachment.**

☐ **We support this text on the condition that it be modified as per
revision shown in the attachment.**

Observations:

To be returned to: email: tsbsg....@itu.int
[or fax +41 22 730 5853]

Comments or revised text should be sent as an attachment in RTF or WinWord format.
Revision marks must be shown relative to the text posted by TSB