

МЕЖДУНАРОДНЫЙ СОЮЗ ЭЛЕКТРОСВЯЗИ

Бюро стандартизации электросвязи



Женева, 16 декабря 2008

Осн.: **TSB AAP-4** – Администрациям Государств – Членов Союза;
AAP/MJ – Членам Сектора МСЭ-Т;
– Ассоциированным членам МСЭ-Т

Тел.: +41 22 730 5860 **Копии:**

Факс: +41 22 730 5853 – Председателям и заместителям председателей Исследовательских комиссий МСЭ-Т;

Эл. почта: tsbdir@itu.int – Директору Бюро Развития Электросвязи;
– Директору Бюро Радиосвязи

Предмет: **Положение относительно Рекомендаций, рассматриваемых в соответствии с альтернативным процессом утверждения (АПУ)**

Альтернативный процесс утверждения (АПУ), определенный в Рекомендации МСЭ-Т А.8, распространяется на Рекомендации, которые не имеют политических или регламентарных последствий и которые поэтому не требуют официальных консультаций с Государствами-Членами (см. п. 246В Конвенции МСЭ).

В **Приложении 1** содержится перечень текстов, статус которых изменился по сравнению с предыдущими объявлениями об АПУ БСЭ.

Если вы желаете представить замечания относительно какой-либо Рекомендации, рассматриваемой в соответствии с АПУ, рекомендуем Вам использовать онлайн-форму для представления замечаний по АПУ, которая размещена на странице этой Рекомендации в разделе веб-сайта МСЭ-Т, посвященном АПУ, по адресу: <http://www.itu.int/ITU-T/aap/> (см. **Приложение 2**). Замечания можно представить иным способом, заполнив приведенную в **Приложении 3** форму и направив ее в секретариат заинтересованной исследовательской комиссии.

Просим принять к сведению, что не рекомендуется представлять замечания, являющиеся не чем иным, как поддержкой рассматриваемого текста.

Поскольку в конце декабря МСЭ не работает, просьба иметь в виду, что 1 января 2009 года объявление АПУ не будет опубликовано. Поэтому предельный срок для некоторых текстов в порядке исключения продлен, поскольку он приходится на этот период.

С уважением,

Малколм Джонсон
Директор Бюро
стандартизации электросвязи

Приложения: 3

Place des Nations
CH-1211 Geneva 20
Switzerland

Telephone +41 22 730 51 11
Telefax Gr3: +41 22 733 72 56
Gr4: +41 22 730 65 00

Telex 421 000 uit ch
E-mail: itumail@itu.int
Telegram ITU GENEVE

Web page:
www.itu.int

Annex 1

(to TSB AAP-4)

Status codes used in the AAP announcements:

LC = Last Call

LJ = Last Call Judgment (includes comment resolution)

AR = Additional Review

AJ = Additional Review Judgment (includes comment resolution)

SG = For Study Group approval

A = Approved

AT = Approved with typographic corrections

AC = Approved after Additional Review of Comments

NA = Not approved

TAP = Moved to TAP (ITU-T A.8 / § 5.2)

ITU-T website entry page:

<http://www.itu.int/ITU-T>

Alternative approval process (AAP) welcome page:

<http://www.itu.int/ITU-T/aapinfo>

Note – A tutorial on the ITU-T AAP application is available under the AAP welcome page

ITU-T website AAP Recommendation search page:

<http://www.itu.int/ITU-T/aap/>

Study Group web pages and contacts:

| | | |
|-------|---|--|
| SG 2 | http://www.itu.int/ITU-T/studygroups/com02 | tsbsg2@itu.int |
| SG 3 | http://www.itu.int/ITU-T/studygroups/com03 | tsbsg3@itu.int |
| SG 5 | http://www.itu.int/ITU-T/studygroups/com05 | tsbsg5@itu.int |
| SG 9 | http://www.itu.int/ITU-T/studygroups/com09 | tsbsg9@itu.int |
| SG 11 | http://www.itu.int/ITU-T/studygroups/com11 | tsbsg11@itu.int |
| SG 12 | http://www.itu.int/ITU-T/studygroups/com12 | tsbsg12@itu.int |
| SG 13 | http://www.itu.int/ITU-T/studygroups/com13 | tsbsg13@itu.int |
| SG 15 | http://www.itu.int/ITU-T/studygroups/com15 | tsbsg15@itu.int |
| SG 16 | http://www.itu.int/ITU-T/studygroups/com16 | tsbsg16@itu.int |
| SG 17 | http://www.itu.int/ITU-T/studygroups/com17 | tsbsg17@itu.int |

Situation concerning Study Group 5 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|------------------------------|--|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| K.11 | Principles of protection against overvoltages and overcurrents | 2008-12-16 | 2009-01-12 | | | | | | | LC |
| K.77 (K.var) | Characteristics of Metal Oxide Varistors (MOVs) for the protection of telecommunications installations | 2008-12-16 | 2009-01-12 | | | | | | | LC |

Situation concerning Study Group 12 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|-------------------------------------|--|-----------------------|------------|-----------|-----------|-------------------------------|------------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| G.1080 (G.IPTV-QoE) | Quality of experience requirements for IPTV services | 2008-06-16 | 2008-07-13 | LJ | AR | 2008-11-16 | 2008-12-06 | AC | | AC |
| Y.1563 (Y.ETHperf) | Ethernet frame transfer and availability performance | 2008-06-16 | 2008-07-13 | LJ | AR | 2008-12-16 | 2009-01-12 | | | AR |

Situation concerning Study Group 13 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|--------------------------------------|---|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| Y.2015 (Y.ipsplit) | General requirements for ID/locator separation in NGN | 2008-10-16 | 2008-11-12 | LJ | SG | | | | | SG |
| Y.2111 (Y.RACF-R2) | Resource and admission control functions in Next Generation Networks | 2008-10-16 | 2008-11-12 | LJ | AT | | | | | AT |
| Y.2113 (Y.enet) | Ethernet QoS control for Next Generation Networks | 2008-10-16 | 2008-11-12 | LJ | SG | | | | | SG |
| Y.2235 (Y.cwbs) | Converged web-browsing service scenarios in NGN | 2008-10-16 | 2008-11-12 | LJ | AT | | | | | AT |
| Y.2612 (Y.FPBN-addr) | Generic requirements and framework of FPBN addressing, routing and forwarding | 2008-10-16 | 2008-11-12 | LJ | SG | | | | | SG |
| Y.2807 (Y.mpls-mob) | MPLS-based mobility capabilities for NGN services | 2008-10-16 | 2008-11-12 | LJ | SG | | | | | SG |

Situation concerning Study Group 15 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|--------------------------------------|---|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| G.671 | Transmission characteristics of optical components and subsystems | 2008-12-16 | 2009-01-12 | | | | | | | LC |
| G.709/Y.1331 Cor.2 | Interfaces for the Optical Transport Network (OTN) | 2008-12-16 | 2009-01-12 | | | | | | | LC |
| G.798 Cor.1 | Characteristics of optical transport network hierarchy equipment functional blocks | 2008-12-16 | 2009-01-12 | | | | | | | LC |
| G.800 Amd.1 | Unified functional architecture of transport networks | 2008-12-16 | 2009-01-12 | | | | | | | LC |
| G.806 | Characteristics of Transport Equipment - Description Methodology and Generic Functionality | 2008-12-16 | 2009-01-12 | | | | | | | LC |
| G.808.1 (2006) Amd.1 | Generic protection switching - Linear trail and subnetwork protection | 2008-12-16 | 2009-01-12 | | | | | | | LC |
| G.985 Amd.1 | 100 Mbit/s point-to-point Ethernet based optical access system | 2008-12-16 | 2009-01-12 | | | | | | | LC |
| G.992.3 | Asymmetric digital subscriber line transceivers 2 (ADSL2) | 2008-12-16 | 2009-01-12 | | | | | | | LC |
| G.992.5 | Asymmetric Digital subscriber Line (ASDL) transceivers - Extended bandwidth ADSL2 (ADSL2plus) | 2008-12-16 | 2009-01-12 | | | | | | | LC |
| G.993.2 (2006) Amd.4 | Very high speed Digital subscriber Line Transceivers 2 | 2008-12-16 | 2009-01-12 | | | | | | | LC |
| G.7041 Amd.1 | Generic framing procedure (GFP) | 2008-12-16 | 2009-01-12 | | | | | | | LC |
| G.8011.1/Y.1307.1 | Ethernet Private Line Service | 2008-12-16 | 2009-01-12 | | | | | | | LC |
| G.8011.2/Y.1307.2 | Ethernet Virtual Private Line Service | 2008-12-16 | 2009-01-12 | | | | | | | LC |

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|-------------------------------------|---|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| G.8011/Y.1307 | Ethernet over Transport – Ethernet Service Characteristics | 2008-12-16 | 2009-01-12 | | | | | | | LC |
| G.8021/Y.1341 Amd.1 | Characteristics of Ethernet Transport Network Equipment Functional Blocks | 2008-12-16 | 2009-01-12 | | | | | | | LC |
| G.9970 (G.hnta) | Generic Home Network Transport Architecture | 2008-12-16 | 2009-01-12 | | | | | | | LC |
| O.182 Amd.1 | Equipment to assess error performance on Optical Transport Network (OTN) interfaces | 2008-12-16 | 2009-01-12 | | | | | | | LC |
| X.85/Y.1321 Amd.2 | IP over SDH using LAPS | 2008-12-16 | 2009-01-12 | | | | | | | LC |
| Y.1714 | MPLS management and OAM Framework | 2008-12-16 | 2009-01-12 | | | | | | | LC |

Situation concerning Study Group 16 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|--------------------------------------|---|-----------------------|------------|-----------|-----------|-------------------------------|------------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| G.729.1 (2006) Amd.5 | G.729-based embedded variable bit-rate coder: An 8-32 kbit/s scalable wideband coder bitstream interoperable with G.729: New Annex D (Reference floating-point implementation for G.729.1 Annex C DTX/CNG) and corrections to the main body and Annex B | 2008-10-16 | 2008-11-12 | AR | | 2008-11-16 | 2008-12-06 | AC | | AC |
| H.264 (2007) Cor.1 | Advanced video coding for generic audiovisual services: corrections and updates | 2008-06-16 | 2008-07-13 | LJ | AR | 2008-12-16 | 2009-01-12 | | | AR |

Situation concerning Study Group 17 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|--------------------------------|---|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| X.1056 (X.sim) | Security incident management guidelines for telecommunications organizations | 2008-12-16 | 2009-01-12 | | | | | | | LC |
| Z.167 (Z.146) | Testing and Test Control Notation version 3 (TTCN-3): Using ASN.1 with TTCN-3 | 2008-11-01 | 2008-11-28 | A | | | | | | A |
| Z.169 | Testing and Test Control Notation version 3 (TTCN-3): TTCN-3 and the Use of XML | 2008-11-01 | 2008-11-28 | A | | | | | | A |

Annex 2

(to TSB AAP-4)

Using the on-line comment submission form

Comment submission

- Go to AAP search Web page at <http://www.itu.int/ITU-T/aap/>

- Select your Recommendation

| Recommendation_No | Title | Study_Group | State | Consent_Date | Approval_Date | Study_Period | Comment |
|--------------------------------------|---|-------------|-------|--------------|---------------|--------------|---------|
| G.711.1 (2008) Amd.1 | Wideband embedded extension for G.711 pulse code modulation; New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text | 16 | LC | 2008-10-03 | | 2005-2008 | |
| G.718 (2008) Cor.1 | Frame error robust narrowband and wideband embedded variable bit-rate coding of speech and audio from 8-32 kbit/s; Corrections to fixed-point C-code | 16 | LC | 2008-10-03 | | 2005-2008 | |
| G.719 (2008) Amd.1 | New Annex A on storage format definitions for G.719, and new Annex B on a reference floating-point implementation for G.719 | 16 | LC | 2008-10-03 | | 2005-2008 | |
| G.722.2 (2003) Cor.3 | Wideband coding of speech at around 16 kbit/s using Adaptive Multi-Rate Wideband (AMR-WB); Corrections to text and C source code in Annex C | 16 | LC | 2008-10-03 | | 2005-2008 | |
| G.729.1 (2006) Amd.5 | G.729-based embedded variable bit-rate coder; An 8-32 kbit/s scalable wideband coder bitstream interoperable with G.729; New Annex D (Reference floating-point implementation for G.729.1 Annex C DTX/CNG) and corrections to the main body and Annex B | 16 | LC | 2008-10-03 | | 2005-2008 | |
| H.264 (2007) Cor.1 | Advanced video coding for generic audiovisual services; corrections and updates | 16 | LJ | 2008-05-02 | | 2005-2008 | ★ |

Total 6 records match.

3) Click the "Submit Comment" button

AAP Recommendation: G.711.1 (2008) Amd.1

Work Programme: G.711.1 (2008) Amd.1

| Title | Study Group | Current Status | Consent Date | Approval Date | Study Period | Provisional Name | IPR | Input used for Consent |
|---|-------------|----------------|--------------|---------------|--------------|------------------|-----|------------------------|
| Wideband embedded extension for G.711 pulse code modulation: New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text | 16 | LC | 2008-10-03 | | 2005-2008 | G.711-WB-Float | ? | TD 381-WP3 |

Observation

AAP Process Details

| Last Call (LC) | | | | Additional Review (AR) | | | | Study Group (SG) | |
|----------------------------|------------|-----------|-----------|------------------------|--------|-----------|-----------|------------------|-----------|
| LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | SG Date | SG Result |
| 2008-10-16 | 2008-11-12 | | | | | | | | |
| [AAP-92] | | | | | | | | | |
| LC - Text / Summary | | | | AR - Text / Summary | | | | SG Documents | |
| LC Text | | | | | | | | | |
| LC Summary | | | | | | | | | |
| LC - Comments | | | | AR - Comments | | | | SG Decisions | |

4) Complete the on-line form and click on "Submit"

Study group*: SG16

Announcement number*: AAP 92

Recommendation number*: G.711.1 (2008) Amd.1

Recommendation under*: Last Call (LC) Additional Review (AR)

Country: Adelie Land

Administration or Company*: [Dropdown]

Email of contact (for AAP): [Dropdown]

Email of Administration or Company: [Text]

Technical contact email: [Text]

Sender name*: [Text]

Sender email address*: [Text]

Telephone: [Text]

Comments: (Choose as applicable)

We do not support this text. Reasons are given in the attachment.

We support this text on the condition that it be modified as per revision shown in the attachment.

Observation:

Comments or revised text should be sent as an attachment in reprocessable format such as RTF or Winword. Revision marks must be shown relative to the text posted by TSB.

Attach the file: [Text]

Note: Maximum file size is 10 Mb

No attachment Comments are given in the Observation field, no attachment needed

Please check your entries and click on Submit to confirm

If the submission is successful, you will get an acknowledgement report and receive an email containing this report.

For more information, read the AAP tutorial on:
<http://www.itu.int/ITU-T/aapinfo/files/AAPTutorial.pdf>

Annex 3

(to TSB AAP-4)

Recommendations under LC/AR – Comment submission form

(Separate form for each Recommendation being commented upon)

ITU-T AAP comment submission form for the period 2009-2012

Study Group: _____

Announcement number: _____

Recommendation number: _____

Recommendation under: Last call (LC)
 Additional Review (AR)

Country: _____

Administration/Company: _____

Name of AAP Contact Person: _____

Email of AAP Contact Person: _____

Sender name:
(if different from AAP Contact Person) _____

Sender email address: _____

Telephone: _____

Comments: We do not support this text. Reasons are given in the attachment.
(Choose as applicable) We support this text on the condition that it be modified as per
revision shown in the attachment.

Observations: _____

No attachment: Comments are given in the Observation field, no attachment needed

To be returned to: email: *tsbmsg...@itu.int*
[or fax +41 22 730 5853]

Comments or revised text should be sent as an attachment in RTF or WinWord format.
Revision marks must be shown relative to the text posted by TSB.