

INTERNATIONAL TELECOMMUNICATION UNION

Telecommunication Standardization Bureau



Geneva, 1 June 2009

Ref: **TSB AAP-14** – To Administrations of Member States of the Union;
AAP/MJ – To ITU-T Sector Members;
– To ITU-T Associates

Tel: +41 22 730 5860

Fax: +41 22 730 5853

E-mail: tsbdir@itu.int

Copy:

- To the ITU-T Study Group Chairmen and Vice-Chairmen;
- To the Director of the Telecommunication Development Bureau;
- To the Director of the Radiocommunication Bureau

Subject: **Situation concerning Recommendations under the Alternative Approval Process (AAP)**

Dear Sir/Madam,

The Alternative Approval Process (AAP) defined in Rec. ITU-T A.8 (2006) applies to Recommendations which do not have policy or regulatory implications and which, therefore, do not require formal consultation of Member States (see ITU Convention 246B).

Annex 1 lists those texts whose status has changed compared with previous TSB AAP Announcements.

If you wish to submit a comment relative to a Recommendation under AAP, you are encouraged to use the on-line AAP comment submission form available on the page of the Recommendation in the AAP area of the ITU-T website at <http://www.itu.int/ITU-T/aap> (see **Annex 2**). Alternatively, comments can be submitted by completing the form in **Annex 3** and sending it to the secretariat of the concerned study group.

Please note that comments that simply support adoption of the text in question are not encouraged.

Yours faithfully,

Malcolm Johnson
Director of the Telecommunication Standardization Bureau

Annexes: 3

Place des Nations
CH-1211 Geneva 20
Switzerland

Telephone +41 22 730 51 11
Telefax Gr3: +41 22 733 72 56
Gr4: +41 22 730 65 00

Telex 421 000 uit ch
E-mail: itumail@itu.int
Telegram ITU GENEVE

Web page:
www.itu.int

Annex 1

(to TSB AAP-14)

Status codes used in the AAP announcements:

LC = Last Call

LJ = Last Call Judgment (includes comment resolution)

AR = Additional Review

AJ = Additional Review Judgment (includes comment resolution)

SG = For Study Group approval

A = Approved

AT = Approved with typographic corrections

AC = Approved after Additional Review of Comments

NA = Not approved

TAP = Moved to TAP (ITU-T A.8 / § 5.2)

ITU-T website entry page:

<http://www.itu.int/ITU-T>

Alternative approval process (AAP) welcome page:

<http://www.itu.int/ITU-T/aapinfo>

Note – A tutorial on the ITU-T AAP application is available under the AAP welcome page

ITU-T website AAP Recommendation search page:

<http://www.itu.int/ITU-T/aap/>

Study Group web pages and contacts:

SG 2	http://www.itu.int/ITU-T/studygroups/com02	tsbsg2@itu.int
SG 3	http://www.itu.int/ITU-T/studygroups/com03	tsbsg3@itu.int
SG 5	http://www.itu.int/ITU-T/studygroups/com05	tsbsg5@itu.int
SG 9	http://www.itu.int/ITU-T/studygroups/com09	tsbsg9@itu.int
SG 11	http://www.itu.int/ITU-T/studygroups/com11	tsbsg11@itu.int
SG 12	http://www.itu.int/ITU-T/studygroups/com12	tsbsg12@itu.int
SG 13	http://www.itu.int/ITU-T/studygroups/com13	tsbsg13@itu.int
SG 15	http://www.itu.int/ITU-T/studygroups/com15	tsbsg15@itu.int
SG 16	http://www.itu.int/ITU-T/studygroups/com16	tsbsg16@itu.int
SG 17	http://www.itu.int/ITU-T/studygroups/com17	tsbsg17@itu.int

Situation concerning Study Group 2 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
M.3345 (M.ssm)	Requirements for self-service management	2009-05-01	2009-05-28	A						A

Situation concerning Study Group 5 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
K.78 (K.hemp)	HEMP immunity guide for telecommunication centres	2009-06-01	2009-06-28							LC

Situation concerning Study Group 11 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
Q.3223 (Q.nacp.Ru)	Requirements and protocol for the interface between a Transport Location Management PE (TLM-PE) and a Policy Decision PE (PD-PE) (Ru Interface) Requirements and protocol for the interface between a Transport Location Management PE (TLM-PE) and a Policy	2009-06-01	2009-06-28							LC
Q.3307.1 (Q.3307.1)	Resource control protocol No.7 (rcp7) - Protocol at the interface between inter-domain Policy Decision Physical Entities (PD-PEs) (Ri interface)	2009-06-01	2009-06-28							LC
Q.3611 (Q.CRT)	Signalling requirements and protocol profile for NGN Customized multimedia Ring Tone (CBT) service	2009-06-01	2009-06-28							LC

Situation concerning Study Group 12 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
P.310	Transmission characteristics for narrow-band digital handset and headset telephones	2009-04-01	2009-04-28	LJ	AR	2009-06-01	2009-06-21			AR
P.342	Transmission characteristics for narrow-band digital hands-free and loudspeaking telephony terminals	2009-04-01	2009-04-28	LJ	AR	2009-06-01	2009-06-21			AR

Situation concerning Study Group 13 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
Y.2016 (Y.idserv-arch)	Functional requirements and architecture of the NGN for applications and services using tag-based identification	2009-06-01	2009-06-28							LC
Y.2017 (Y.NGN-mcastfa)	Multicast Functions in Next Generation Networks	2009-06-01	2009-06-28							LC
Y.2018 (Y.MMCF)	Mobility management and control framework and architecture within the NGN transport stratum	2009-06-01	2009-06-28							LC
Y.2122 (Y.FAinX)	Flow aggregate information exchange functions in NGN	2009-06-01	2009-06-28							LC
Y.2214 (Y.cmr)	Service requirements and functional models for Customized Multimedia Ring services	2009-02-01	2009-02-28	LJ	AR	2009-05-01	2009-05-21	AC		AC
Y.2215 (Y.ngn-vpn)	Requirements and framework for the support of VPN services in NGN including mobile environment	2009-06-01	2009-06-28							LC
Y.2236 (Y.ngn-mcasts)	Framework for NGN support of multicast-based service	2009-06-01	2009-06-28							LC
Y.2808 (Y.FMC IMS)	Fixed mobile convergence with a common IMS session control domain	2009-06-01	2009-06-28							LC

Situation concerning Study Group 15 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
G.993.2 (2006) Cor.3	Very high speed Digital Subscriber Line Transceivers 2	2009-06-01	2009-06-28							LC
G.994.1 (2007) Amd.4	Handshake procedures for digital subscriber line (DSL) transceivers	2009-06-01	2009-06-28							LC
G.996.2 (2009) Amd.1 (G.lt Amd.1)	Line Testing for Digital Subscriber Lines (DSL)	2009-06-01	2009-06-28							LC
G.996.2 (G.lt)	Line testing for digital subscriber lines (DSL)	2009-01-16	2009-02-12	LJ	AR	2009-05-01	2009-05-21	AC		AC
G.999.1	LINK layer to PHY layer interface	2009-01-16	2009-02-12	LJ	AR	2009-06-01	2009-06-21			AR

Annex 2

(to TSB AAP-14)

Using the on-line comment submission form

Comment submission

- Go to AAP search Web page at <http://www.itu.int/ITU-T/aap/>

- Select your Recommendation

Recommendation_No	Title	Study_Group	State	Consent_Date	Approval_Date	Study_Period	Comment
G.711.1 (2008) Amd.1	Wideband embedded extension for G.711 pulse code modulation; New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text	16	LC	2008-10-03		2005-2008	
G.718 (2008) Cor.1	Frame error robust narrowband and wideband embedded variable bit-rate coding of speech and audio from 8-32 kbit/s; Corrections to fixed-point C-code	16	LC	2008-10-03		2005-2008	
G.719 (2008) Amd.1	New Annex A on storage format definitions for G.719, and new Annex B on a reference floating-point implementation for G.719	16	LC	2008-10-03		2005-2008	
G.722.2 (2003) Cor.3	Wideband coding of speech at around 16 kbit/s using Adaptive Multi-Rate Wideband (AMR-WB); Corrections to text and C source code in Annex C	16	LC	2008-10-03		2005-2008	
G.729.1 (2006) Amd.5	G.729-based embedded variable bit-rate coder; An 8-32 kbit/s scalable wideband coder bitstream interoperable with G.729; New Annex D (Reference floating-point implementation for G.729.1 Annex C DTX/CNG) and corrections to the main body and Annex B	16	LC	2008-10-03		2005-2008	
H.264 (2007) Cor.1	Advanced video coding for generic audiovisual services; corrections and updates	16	LJ	2008-05-02		2005-2008	★

Total 6 records match.

3) Click the "Submit Comment" button

AAP Recommendation: G.711.1 (2008) Amd.1

Work Programme: G.711.1 (2008) Amd.1

Title	Study Group	Current Status	Consent Date	Approval Date	Study Period	Provisional Name	IPR	Input used for Consent
Wideband embedded extension for G.711 pulse code modulation: New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text	16	LC	2008-10-03		2005-2008	G.711-WB-Float	?	TD 381-WP3

Observation

AAP Process Details

Last Call (LC)				Additional Review (AR)				Study Group (SG)	
LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	SG Date	SG Result
2008-10-16	2008-11-12								
[AAP-92]									
LC - Text / Summary				AR - Text / Summary				SG Documents	
LC Text LC Summary									
LC - Comments				AR - Comments				SG Decisions	

Submit Comment

4) Complete the on-line form and click on "Submit"

Study group*: SG16

Announcement number*: AAP 92

Recommendation number*: G.711.1 (2008) Amd.1

Recommendation under*: Last Call (LC) Additional Review (AR)

Country: Adelie Land

Administration or Company*: [Dropdown]

Email of contact (for AAP): [Dropdown]

Email of Administration or Company: [Text]

Technical contact email: [Text]

Sender name*: [Text]

Sender email address*: [Text]

Telephone: [Text]

Comments: (Choose as applicable)

We do not support this text. Reasons are given in the attachment.

We support this text on the condition that it be modified as per revision shown in the attachment.

Observation:

[Text Area]

Comments or revised text should be sent as an attachment in reprocessable format such as RTF or Winword. Revision marks must be shown relative to the text posted by TSB.

Attach the file: [Text]

Note: Maximum file size is 10 Mb

No attachment Comments are given in the Observation field, no attachment needed

Please check your entries and click on Submit to confirm

If the submission is successful, you will get an acknowledgement report and receive an email containing this report.

For more information, read the AAP tutorial on:
<http://www.itu.int/ITU-T/aapinfo/files/AAPTutorial.pdf>

Annex 3

(to TSB AAP-14)

Recommendations under LC/AR – Comment submission form

(Separate form for each Recommendation being commented upon)

ITU-T AAP comment submission form for the period 2009-2012

Study Group: _____

Announcement number: _____

Recommendation number: _____

Recommendation under: Last call (LC)
 Additional Review (AR)

Country: _____

Administration/Company: _____

Name of AAP Contact Person: _____

Email of AAP Contact Person: _____

Sender name:
(if different from AAP Contact Person) _____

Sender email address: _____

Telephone: _____

Comments: We do not support this text. Reasons are given in the attachment.
(Choose as applicable) We support this text on the condition that it be modified as per
revision shown in the attachment.

Observations: _____

No attachment: Comments are given in the Observation field, no attachment needed

To be returned to: email: *tsbgs...@itu.int*
[or fax +41 22 730 5853]

Comments or revised text should be sent as an attachment in RTF or WinWord format.
Revision marks must be shown relative to the text posted by TSB.