



1 يوليو 2009

- **TSB AAP-16** :  
- AAP/MJ  
-  
+41 22 730 5860 :  
+41 22 730 5853 :  
: tsbdir@itu.int :  
-  
-  
-  
(AAP) :

(AAP)  
ITU-T A.8  
(AAP)  
( 246B )

1

<http://www.itu.int/ITU-T/aap>

3

(2 )

3 :

Place des Nations  
CH-1211 Geneva 20  
Switzerland

Telephone +41 22 730 51 11  
Telefax Gr3: +41 22 733 72 56  
Gr4: +41 22 730 65 00

Telex 421 000 uit ch  
E-mail: [itumail@itu.int](mailto:itumail@itu.int)  
Telegram ITU GENEVE

Web page:  
[www.itu.int](http://www.itu.int)

## **Annex 1**

(to TSB AAP-16)

### **Status codes used in the AAP announcements:**

LC = Last Call

LJ = Last Call Judgment (includes comment resolution)

AR = Additional Review

AJ = Additional Review Judgment (includes comment resolution)

SG = For Study Group approval

A = Approved

AT = Approved with typographic corrections

AC = Approved after Additional Review of Comments

NA = Not approved

TAP = Moved to TAP (ITU-T A.8 / § 5.2)

### **ITU-T website entry page:**

<http://www.itu.int/ITU-T>

### **Alternative approval process (AAP) welcome page:**

<http://www.itu.int/ITU-T/aapinfo>

Note – A tutorial on the ITU-T AAP application is available under the AAP welcome page

### **ITU-T website AAP Recommendation search page:**

<http://www.itu.int/ITU-T/aap/>

### **Study Group web pages and contacts:**

SG 2	<a href="http://www.itu.int/ITU-T/studygroups/com02">http://www.itu.int/ITU-T/studygroups/com02</a>	<a href="mailto:tsbsg2@itu.int">tsbsg2@itu.int</a>
SG 3	<a href="http://www.itu.int/ITU-T/studygroups/com03">http://www.itu.int/ITU-T/studygroups/com03</a>	<a href="mailto:tsbsg3@itu.int">tsbsg3@itu.int</a>
SG 5	<a href="http://www.itu.int/ITU-T/studygroups/com05">http://www.itu.int/ITU-T/studygroups/com05</a>	<a href="mailto:tsbsg5@itu.int">tsbsg5@itu.int</a>
SG 9	<a href="http://www.itu.int/ITU-T/studygroups/com09">http://www.itu.int/ITU-T/studygroups/com09</a>	<a href="mailto:tsbsg9@itu.int">tsbsg9@itu.int</a>
SG 11	<a href="http://www.itu.int/ITU-T/studygroups/com11">http://www.itu.int/ITU-T/studygroups/com11</a>	<a href="mailto:tsbsg11@itu.int">tsbsg11@itu.int</a>
SG 12	<a href="http://www.itu.int/ITU-T/studygroups/com12">http://www.itu.int/ITU-T/studygroups/com12</a>	<a href="mailto:tsbsg12@itu.int">tsbsg12@itu.int</a>
SG 13	<a href="http://www.itu.int/ITU-T/studygroups/com13">http://www.itu.int/ITU-T/studygroups/com13</a>	<a href="mailto:tsbsg13@itu.int">tsbsg13@itu.int</a>
SG 15	<a href="http://www.itu.int/ITU-T/studygroups/com15">http://www.itu.int/ITU-T/studygroups/com15</a>	<a href="mailto:tsbsg15@itu.int">tsbsg15@itu.int</a>
SG 16	<a href="http://www.itu.int/ITU-T/studygroups/com16">http://www.itu.int/ITU-T/studygroups/com16</a>	<a href="mailto:tsbsg16@itu.int">tsbsg16@itu.int</a>
SG 17	<a href="http://www.itu.int/ITU-T/studygroups/com17">http://www.itu.int/ITU-T/studygroups/com17</a>	<a href="mailto:tsbsg17@itu.int">tsbsg17@itu.int</a>

**Situation concerning Study Group 5 Recommendations under AAP**

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
<a href="#">K.78 (K.hemp)</a>	HEMP immunity guide for telecommunication centres	2009-06-01	2009-06-28	AT						AT
<a href="#">K.79 (K.emc)</a>	Electromagnetic (EM) characterization of the radiated environment in the 2.4 GHz ISM band	2009-05-16	2009-06-12	LJ	AT					AT

**Situation concerning Study Group 11 Recommendations under AAP**

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
<a href="#">Q.3223 (Q.nacp.Ru)</a>	Protocol for Ru interface between NACF-RACF	2009-06-01	2009-06-28	A						A
<a href="#">Q.3307.1 (Q.3307.1)</a>	Resource control protocol No.7 (rcp7) - Protocol at the interface between inter-domain Policy Decision Physical Entities (PD-PEs) (Ri interface)	2009-06-01	2009-06-28	A						A
<a href="#">Q.3611 (Q.CRT)</a>	Signalling requirements and protocol profile for NGN Customized multimedia Ring Tone (CBT) service	2009-06-01	2009-06-28	A						A

**Situation concerning Study Group 12 Recommendations under AAP**

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
<a href="#">P.310</a>	Transmission characteristics for narrow-band digital handset and headset telephones	2009-04-01	2009-04-28	LJ	AR	2009-06-01	2009-06-21	AC		AC
<a href="#">P.342</a>	Transmission characteristics for narrow-band digital hands-free and loudspeaking telephony terminals	2009-04-01	2009-04-28	LJ	AR	2009-06-01	2009-06-21	AC		AC

**Situation concerning Study Group 13 Recommendations under AAP**

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
<a href="#">Y.2016 (Y.idserv-arch)</a>	Functional requirements and architecture of the NGN for applications and services using tag-based identification	2009-06-01	2009-06-28	LJ						LJ
<a href="#">Y.2017 (Y.NGN-mcastfa)</a>	Multicast Functions in Next Generation Networks	2009-06-01	2009-06-28	LJ						LJ
<a href="#">Y.2018 (Y.MMCF)</a>	Mobility management and control framework and architecture within the NGN transport stratum	2009-06-01	2009-06-28	LJ						LJ
<a href="#">Y.2122 (Y.FAinX)</a>	Flow aggregate information exchange functions in NGN	2009-06-01	2009-06-28	A						A
<a href="#">Y.2215 (Y.ngn-vpn)</a>	Requirements and framework for the support of VPN services in NGN including mobile environment	2009-06-01	2009-06-28	A						A
<a href="#">Y.2236 (Y.ngn-mcasts)</a>	Framework for NGN support of multicast-based service	2009-06-01	2009-06-28	LJ						LJ
<a href="#">Y.2808 (Y.FMC IMS)</a>	Fixed mobile convergence with a common IMS session control domain	2009-06-01	2009-06-28	A						A

**Situation concerning Study Group 15 Recommendations under AAP**

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
<a href="#">G.993.2 (2006) Cor.3</a>	Very high speed Digital Subscriber Line Transceivers 2	2009-06-01	2009-06-28	A						A
<a href="#">G.994.1 (2007) Amd.4</a>	Handshake procedures for digital subscriber line (DSL) transceivers	2009-06-01	2009-06-28	A						A
<a href="#">G.996.2 (2009) Amd.1 (G.lt Amd.1)</a>	Line Testing for Digital Subscriber Lines (DSL)	2009-06-01	2009-06-28	LJ						LJ
<a href="#">G.999.1</a>	LINK layer to PHY layer interface	2009-01-16	2009-02-12	LJ	AR	2009-06-01	2009-06-21	AJ		AJ

**Situation concerning Study Group 16 Recommendations under AAP**

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
<a href="#">H.770 (H.IPTV-SDC)</a>	Mechanisms for service discovery and selection for IPTV services	2009-07-01	2009-07-28							LC



## Annex 2

(to TSB AAP-16)

### Using the on-line comment submission form

#### Comment submission

- Go to AAP search Web page at <http://www.itu.int/ITU-T/aap/>

- Select your Recommendation

Recommendation_No	Title	Study_Group	State	Consent_Date	Approval_Date	Study_Period	Comment
<a href="#">G.711.1 (2008) Amd.1</a>	Wideband embedded extension for G.711 pulse code modulation; New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text	16	LC	2008-10-03		2005-2008	
<a href="#">G.718 (2008) Cor.1</a>	Frame error robust narrowband and wideband embedded variable bit-rate coding of speech and audio from 8-32 kbit/s; Corrections to fixed-point C-code	16	LC	2008-10-03		2005-2008	
<a href="#">G.719 (2008) Amd.1</a>	New Annex A on storage format definitions for G.719, and new Annex B on a reference floating-point implementation for G.719	16	LC	2008-10-03		2005-2008	
<a href="#">G.722.2 (2003) Cor.3</a>	Wideband coding of speech at around 16 kbit/s using Adaptive Multi-Rate Wideband (AMR-WB); Corrections to text and C source code in Annex C	16	LC	2008-10-03		2005-2008	
<a href="#">G.729.1 (2006) Amd.5</a>	G.729-based embedded variable bit-rate coder; An 8-32 kbit/s scalable wideband coder bitstream interoperable with G.729; New Annex D (Reference floating-point implementation for G.729.1 Annex C DTX/CNG) and corrections to the main body and Annex B	16	LC	2008-10-03		2005-2008	
<a href="#">H.264 (2007) Cor.1</a>	Advanced video coding for generic audiovisual services; corrections and updates	16	LJ	2008-05-02		2005-2008	★

Total 6 records match.

3) Click the "Submit Comment" button

**AAP Recommendation: G.711.1 (2008) Amd.1**

Work Programme: G.711.1 (2008) Amd.1

Title	Study Group	Current Status	Consent Date	Approval Date	Study Period	Provisional Name	IPR	Input used for Consent
Wideband embedded extension for G.711 pulse code modulation: New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text	16	LC	2008-10-03		2005-2008	G.711-WB-Float	?	TD 381-WP3

**Observation**

**AAP Process Details**

Last Call (LC)				Additional Review (AR)				Study Group (SG)	
LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	SG Date	SG Result
2008-10-16	2008-11-12								

[AAP-92]

LC - Text / Summary      AR - Text / Summary      SG Documents

LC Text      LC Summary

LC - Comments      AR - Comments      SG Decisions

Submit Comment

4) Complete the on-line form and click on "Submit"

Study group\*: SG16

Announcement number\*: AAP 92

Recommendation number\*: G.711.1 (2008) Amd.1

Recommendation under\*:  Last Call (LC)  Additional Review (AR)

Country: Adelie Land

Administration or Company\*: [Dropdown]

Email of contact (for AAP): [Dropdown]

Email of Administration or Company: [Text]

Technical contact email: [Text]

Sender name\*: [Text]

Sender email address\*: [Text]

Telephone: [Text]

**Comments: (Choose as applicable)**

We do not support this text. Reasons are given in the attachment.

We support this text on the condition that it be modified as per revision shown in the attachment.

**Observation:**

Comments or revised text should be sent as an attachment in reprocessable format such as RTF or Winword. Revision marks must be shown relative to the text posted by TSB.

Attach the file: [Text]

Note: Maximum file size is 10 Mb

No attachment      Comments are given in the Observation field, no attachment needed

Please check your entries and click on Submit to confirm

If the submission is successful, you will get an acknowledgement report and receive an email containing this report.

For more information, read the AAP tutorial on:  
<http://www.itu.int/ITU-T/aapinfo/files/AAPTutorial.pdf>

### Annex 3

(to TSB AAP-16)

#### Recommendations under LC/AR – Comment submission form

(Separate form for each Recommendation being commented upon)

#### ITU-T AAP comment submission form for the period 2009-2012

**Study Group:** \_\_\_\_\_

**Announcement number:** \_\_\_\_\_

**Recommendation number:** \_\_\_\_\_

**Recommendation under:**  Last call (LC)  
 Additional Review (AR)

**Country:** \_\_\_\_\_

**Administration/Company:** \_\_\_\_\_

**Name of AAP Contact Person:** \_\_\_\_\_

**Email of AAP Contact Person:** \_\_\_\_\_

**Sender name:**  
(if different from AAP Contact Person) \_\_\_\_\_

**Sender email address:** \_\_\_\_\_

**Telephone:** \_\_\_\_\_

**Comments:**  We do not support this text. Reasons are given in the attachment.  
(Choose as applicable)  We support this text on the condition that it be modified as per  
revision shown in the attachment.

**Observations:** \_\_\_\_\_

**No attachment:** Comments are given in the Observation field, no attachment needed

To be returned to: email: *tsbgs...@itu.int*  
[or fax +41 22 730 5853]

Comments or revised text should be sent as an attachment in RTF or WinWord format.  
Revision marks must be shown relative to the text posted by TSB.