

МЕЖДУНАРОДНЫЙ СОЮЗ ЭЛЕКТРОСВЯЗИ

Бюро стандартизации электросвязи



Женева, 16 февраля 2013

Осн.: **TSB AAP-5** – Администрациям Государств – Членов Союза;
AAP/MJ – Членам Сектора МСЭ-Т;
– Ассоциированным членам МСЭ-Т

Тел.: +41 22 730 5860 **Копии:**

Факс: +41 22 730 5853 – Председателям и заместителям председателей Исследовательских комиссий МСЭ-Т;

Эл. почта: tsbdir@itu.int – Директору Бюро Развития Электросвязи;
– Директору Бюро Радиосвязи

Предмет: **Положение относительно Рекомендаций, рассматриваемых в соответствии с альтернативным процессом утверждения (АПУ)**

Альтернативный процесс утверждения (АПУ), определенный в Рекомендации МСЭ-Т А.8, распространяется на Рекомендации, которые не имеют политических или регламентарных последствий и которые поэтому не требуют официальных консультаций с Государствами-Членами (см. п. 246В Конвенции МСЭ).

В **Приложении 1** содержится перечень текстов, статус которых изменился по сравнению с предыдущими объявлениями об АПУ БСЭ.

Если вы желаете представить замечания относительно какой-либо Рекомендации, рассматриваемой в соответствии с АПУ, рекомендуем Вам использовать онлайн-форму для представления замечаний по АПУ, которая размещена на странице этой Рекомендации в разделе веб-сайта МСЭ-Т, посвященном АПУ, по адресу: <http://www.itu.int/ITU-T/aap/> (см. **Приложение 2**). Замечания можно представить иным способом, заполнив приведенную в **Приложении 3** форму и направив ее в секретариат заинтересованной исследовательской комиссии.

Просим принять к сведению, что не рекомендуется представлять замечания, являющиеся не чем иным, как поддержкой рассматриваемого текста.

С уважением,

Малколм Джонсон
Директор Бюро
стандартизации электросвязи

Приложения: 3

Place des Nations
CH-1211 Geneva 20
Switzerland

Telephone +41 22 730 51 11
Telefax Gr3: +41 22 733 72 56
Gr4: +41 22 730 65 00

Telex 421 000 uit ch
E-mail: itumail@itu.int
Telegram ITU GENEVE

Web page:
www.itu.int

Annex 1

(to TSB AAP-5)

Status codes used in the AAP announcements:

LC = Last Call

LJ = Last Call Judgment (includes comment resolution)

AR = Additional Review

AJ = Additional Review Judgment (includes comment resolution)

SG = For Study Group approval

A = Approved

AT = Approved with typographic corrections

AC = Approved after Additional Review of Comments

NA = Not approved

TAP = Moved to TAP (ITU-T A.8 / § 5.2)

ITU-T website entry page:

<http://www.itu.int/ITU-T>

Alternative approval process (AAP) welcome page:

<http://www.itu.int/ITU-T/aapinfo>

Note – A tutorial on the ITU-T AAP application is available under the AAP welcome page

ITU-T website AAP Recommendation search page:

<http://www.itu.int/ITU-T/aap/>

Study Group web pages and contacts:

| | | |
|-------|---|--|
| SG 2 | http://www.itu.int/ITU-T/studygroups/com02 | tsbsg2@itu.int |
| SG 3 | http://www.itu.int/ITU-T/studygroups/com03 | tsbsg3@itu.int |
| SG 5 | http://www.itu.int/ITU-T/studygroups/com05 | tsbsg5@itu.int |
| SG 9 | http://www.itu.int/ITU-T/studygroups/com09 | tsbsg9@itu.int |
| SG 11 | http://www.itu.int/ITU-T/studygroups/com11 | tsbsg11@itu.int |
| SG 12 | http://www.itu.int/ITU-T/studygroups/com12 | tsbsg12@itu.int |
| SG 13 | http://www.itu.int/ITU-T/studygroups/com13 | tsbsg13@itu.int |
| SG 15 | http://www.itu.int/ITU-T/studygroups/com15 | tsbsg15@itu.int |
| SG 16 | http://www.itu.int/ITU-T/studygroups/com16 | tsbsg16@itu.int |
| SG 17 | http://www.itu.int/ITU-T/studygroups/com17 | tsbsg17@itu.int |

Situation concerning Study Group 2 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|--|--|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| M.1400 | Designations for interconnections among operators networks | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| M.3349 (M.sp-life-req) | Requirements for service and product lifecycle management across the business to business interfaces | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| M.3705 (M.log-neutral) | Common management services - Log Management - Requirements and Analysis - Protocol Neutral Requirements and Analysis | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| Q.818 Corrigendum 1 | Web-Services based Management Services - Corrigendum 1 | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| X.782 Corrigendum 1 | Guidelines for defining web services for managed objects and management interfaces - Corrigendum 1 | 2013-02-16 | 2013-03-15 | | | | | | | LC |

Situation concerning Study Group 5 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|--|---|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| K.44 (2012) Cor.1 (2013-02) (K.44 Corrigendum) | Resistibility tests for telecommunication equipment exposed to overvoltages and overcurrents – Basic Recommendation - Corrigendum 1 | 2013-02-16 | 2013-03-15 | | | | | | | LC |

Situation concerning Study Group 15 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|--|---|-----------------------|------------|-----------|-----------|-------------------------------|------------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| G.989.1 (G.ngpon2) | 40-Gigabit-capable passive optical networks (NG-PON2): General requirements | 2012-10-01 | 2012-10-28 | LJ | AR | 2013-02-16 | 2013-03-08 | | | AR |
| G.993.2 (2011) Amd.3 | Very high speed digital subscriber line transceivers 2 (VDSL2): Amendment 3 | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| G.993.5 (2010) Amd.3 | Self-FEXT cancellation (vectoring) for use with VDSL2 transceivers: Amendment 3 | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| G.996.2 (2009) Amd.3 | Line testing for digital subscriber lines (DSL): Amendment 3 | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| G.997.1 (2012) Amd.2 | Physical layer management for digital subscriber line transceivers: Amendment 2 | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| G.998.4 (2010) Cor.5 | Improved impulse noise protection for DSL transceivers: Corrigendum 5 | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| G.9902 (2012) Amd.1 | Narrow-band orthogonal frequency division multiplexing power line communication transceivers for ITU-T G.hnem networks: Amendment 1 | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| G.9903 (2012) Amd.1 | Narrow-band orthogonal frequency division multiplexing power line communication transceivers for G3-PLC networks: Amendment 1 | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| G.9961 (2010) Cor.2 (G.hn) | Unified high-speed wire-line based home networking transceivers - Data link layer specification: Corrigendum 2 | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| G.9962 (G.hn) | Unified high-speed wire-line based home networking transceivers - Management specification | 2013-02-16 | 2013-03-15 | | | | | | | LC |

Situation concerning Study Group 16 Recommendations under AAP

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|--|--|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| F.747.3 (F.USN-NRP) | Requirements and functional model for ubiquitous network robot platform to support USN applications and services | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| G.718 (2008) Amd.3 (G.718-SWB-Float) | Variable bit rate embedded coding of speech signals: New Annex C with an alternative floating-point implementation of the superwideband monaural extension | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| G.729.1 (2006) Amd.8 (G.729.1-SWB-Float) | G.729-based embedded variable bit-rate coder: An 8-32 kbit/s scalable wideband coder bitstream interoperable with G.729: New Annex G with an alternative floating-point implementation of the superwideband monaural extension | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.225.0 (2009) Amd.1 | Call signalling protocols and media stream packetization for packet-based multimedia communication systems: Use of FACILITY message to enable call transfer | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.248.1 (V3) | Gateway control protocol: Version 3 | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.248.11 | Gateway control protocol: Media gateway overload control package | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.248.15 | Gateway control protocol: SDP H.248 package attribute | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.248.16 | Gateway control protocol: Enhanced digit collection packages and procedures | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.248.17 | Gateway control protocol: Line test packages | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.248.18 | Gateway control protocol: Package for support of multiple profiles | 2013-02-16 | 2013-03-15 | | | | | | | LC |

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|--------------------------|---|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| H.248.19 | Gateway control protocol: Decomposed multipoint control unit, audio, video and data conferencing packages | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.248.2 | Gateway control protocol: Facsimile, text conversation and call discrimination packages | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.248.20 | Gateway control protocol: The use of local and remote descriptors with H.221 and H.223 multiplexing | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.248.22 | Gateway control protocol: Shared Risk Group package | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.248.23 | Gateway control protocol: Enhanced Alerting packages | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.248.25 | Gateway control protocol: Basic CAS packages | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.248.26 | Gateway control protocol: Enhanced analogue lines packages | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.248.29 | Gateway control protocol: International CAS compelled register signalling packages | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.248.3 | Gateway control protocol: User interface elements and actions packages | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.248.32 | Gateway control protocol: Detailed congestion reporting package | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.248.36 | Gateway control protocol: Hanging Termination Detection package | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.248.40 | Gateway control protocol: Application data inactivity detection package | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.248.41 | Gateway control protocol: IP domain connection package | 2013-02-16 | 2013-03-15 | | | | | | | LC |

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|--|--|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| H.248.57 | Gateway control protocol: RTP control protocol package | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.248.61 | Gateway control protocol: Packages for network level H.248 statistics | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.248.64 | Gateway control protocol: IP router packages | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.248.78 | Gateway control protocol: Bearer-level application level gateway | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.248.8 | Gateway control protocol: Error code and service change reason description | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.248.81 (2011) Amd.1 | Gateway control protocol: Guidelines on the use of the international emergency preference scheme (IEPS) call indicator and priority indicator in ITU-T H.248 profiles: New Appendix II, plus additions and corrections | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.248.82 (H.248.ECN) | Gateway control protocol: Explicit congestion notification support | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.248.85 (H.248.LOOPB) | Gateway control protocol: Usage of loopback in H.248 | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.262 (2012) Amd.1 | Information technology - Generic coding of moving pictures and associated audio information: Video: Frame packing arrangement signalling for quincunx pattern | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.323 (2009) Amd.1 | Packet-based multimedia communications systems: Use of FACILITY message to enable call transfer | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.450.4 | Call hold supplementary service for H.323 | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.450.5 | Call park and call pickup supplementary services for H.323 | 2013-02-16 | 2013-03-15 | | | | | | | LC |

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|--|---|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| H.450.7 | Message waiting indication supplementary service for H.323 | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.450.8 | Name identification supplementary service for H.323 | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.460.1 | Guidelines for the use of the generic extensible framework | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.460.18 | Traversal of H.323 signalling across network address translators and firewalls | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.460.19 | Traversal of H.323 media across network address translators and firewalls | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.460.2 | Number portability interworking between H.323 and SCN network | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.460.24 (2009) Amd.2 | Point-to-point media through network address translators and firewalls within ITU-T H.323 systems: Support for ITU-T H.460.19 multiplex media mode for point-to-point media | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.460.6 | Extended fast connect feature | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.460.7 | Digit maps within H.323 systems | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.626.1 (H.VSMarch) | Architecture for mobile visual surveillance | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| H.751 (H.IPTV-RIM, ex HSTP.IPTV-RIM) | Metadata for rights information interoperability in IPTV services | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| T.800 (2002) Amd.6 | Information technology - JPEG 2000 image coding system: Core coding system: Updated ICC profile support, bit depth and resolution clarifications | 2013-02-16 | 2013-03-15 | | | | | | | LC |

| Rec # | Title | Last Call (LC) Period | | | | Additional Review (AR) Period | | | | Status |
|------------------------------------|--|-----------------------|------------|-----------|-----------|-------------------------------|--------|-----------|-----------|--------|
| | | LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | |
| T.801 (2002) Amd.3 | Information technology - JPEG 2000 image coding system: Extensions: Box-based file format for JPEG XR, extended ROI boxes, XML boxing, compressed channel definition boxes, and representation of floating point | 2013-02-16 | 2013-03-15 | | | | | | | LC |
| T.808 (2005) Amd.5 | Information technology - JPEG 2000 image coding system: Interactivity tools, APIs and protocols: UDP transport and additional enhancements to JPIP | 2013-02-16 | 2013-03-15 | | | | | | | LC |

Annex 2

(to TSB AAP-5)

Using the on-line comment submission form

Comment submission

- 1) Go to AAP search Web page at <http://www.itu.int/ITU-T/aap/>

- 2) Select your Recommendation

| Recommendation_No | Title | Study_Group | State | Consent_Date | Approval_Date | Study_Period | Comment |
|--------------------------------------|---|-------------|-------|--------------|---------------|--------------|---------|
| G.711.1 (2008) Amd.1 | Wideband embedded extension for G.711 pulse code modulation: New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text | 16 | LC | 2008-10-03 | | 2005-2008 | |
| G.718 (2008) Cor.1 | Frame error robust narrowband and wideband embedded variable bit-rate coding of speech and audio from 8-32 kbit/s: Corrections to fixed-point C-code | 16 | LC | 2008-10-03 | | 2005-2008 | |
| G.719 (2008) Amd.1 | New Annex A on storage format definitions for G.719, and new Annex B on a reference floating-point implementation for G.719 | 16 | LC | 2008-10-03 | | 2005-2008 | |
| G.722.2 (2003) Cor.3 | Wideband coding of speech at around 16 kbit/s using Adaptive Multi-Rate Wideband (AMR-WB): Corrections to text and C source code in Annex C | 16 | LC | 2008-10-03 | | 2005-2008 | |
| G.729.1 (2006) Amd.5 | G.729-based embedded variable bit-rate coder: An 8-32 kbit/s scalable wideband coder bitstream interoperable with G.729: New Annex D (Reference floating-point implementation for G.729.1 Annex C DTX/CNG) and corrections to the main body and Annex B | 16 | LC | 2008-10-03 | | 2005-2008 | |
| H.264 (2007) Cor.1 | Advanced video coding for generic audiovisual services: corrections and updates | 16 | LJ | 2008-05-02 | | 2005-2008 | ★ |

Total 6 records match.

3) Click the "Submit Comment" button

AAP Recommendation: G.711.1 (2008) Amd.1

Work Programme: G.7.11.1 (2008) Amd.1

| Title | Study Group | Current Status | Consent Date | Approval Date | Study Period | Provisional Name | IPR | Input used for Consent |
|---|-------------|----------------|--------------|---------------|--------------|------------------|-----|------------------------|
| Wideband embedded extension for G.711 pulse code modulation: New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text | 16 | LC | 2008-10-03 | | 2005-2008 | G.711-WB-Float | ? | TD 381-WP3 |

Observation

AAP Process Details

| Last Call (LC) | | | | Additional Review (AR) | | | | Study Group (SG) | |
|----------------------------|------------|-----------|-----------|------------------------|--------|-----------|-----------|------------------|-----------|
| LC Start | LC End | LC Result | LJ Result | AR Start | AR End | AR Result | AJ Result | SG Date | SG Result |
| 2008-10-16 | 2008-11-12 | | | | | | | | |
| [AAP-92] | | | | | | | | | |
| LC - Text / Summary | | | | AR - Text / Summary | | | | SG Documents | |
| LC Text | | | | | | | | | |
| LC Summary | | | | | | | | | |
| LC - Comments | | | | AR - Comments | | | | SG Decisions | |

4) Complete the on-line form and click on "Submit"

Study group*: SG16

Announcement number*: AAP 92

Recommendation number*: G.711.1 (2008) Amd.1

Recommendation under*: Last Call (LC) Additional Review (AR)

Country: Adelie Land

Administration or Company*:

Email of contact (for AAP):

Email of Administration or Company:

Technical contact email:

Sender name*:

Sender email address*:

Telephone:

Comments: (Choose as applicable)

We do not support this text. Reasons are given in the attachment.

We support this text on the condition that it be modified as per revision shown in the attachment.

Observation:

Comments or revised text should be sent as an attachment in reprocessable format such as RTF or Winword. Revision marks must be shown relative to the text posted by TSB.

Attach the file:

Note: Maximum file size is 10 Mb

No attachment Comments are given in the Observation field, no attachment needed

Please check your entries and click on Submit to confirm

If the submission is successful, you will get an acknowledgement report and receive an email containing this report.

For more information, read the AAP tutorial on:
<http://www.itu.int/ITU-T/aapinfo/files/AAPTutorial.pdf>

Annex 3

(to TSB AAP-5)

Recommendations under LC/AR – Comment submission form

(Separate form for each Recommendation being commented upon)

ITU-T AAP comment submission form for the period 2009-2012

Study Group: _____

Announcement number: _____

Recommendation number: _____

Recommendation under:

Last call (LC)

Additional Review (AR)

Country: _____

Administration/Company: _____

Name of AAP Contact Person: _____

Email of AAP Contact Person: _____

Sender name:

(if different from AAP Contact Person) _____

Sender email address: _____

Telephone: _____

Comments:

(Choose as applicable)

We do not support this text. Reasons are given in the attachment.

We support this text on the condition that it be modified as per revision shown in the attachment.

Observations: _____

No attachment: Comments are given in the Observation field, no attachment needed

To be returned to: email: *tsbmsg...@itu.int*
[or fax +41 22 730 5853]

Comments or revised text should be sent as an attachment in RTF or WinWord format.
Revision marks must be shown relative to the text posted by TSB.