



Genève, le 1 août 2013

Réf: **TSB AAP-16** – Aux administrations des Etats Membres de l'Union;
AAP/MJ – Aux Membres du Secteur UIT-T;
– Aux Associés de l'UIT-T

Tél: +41 22 730 5860 **Copie:**
Fax: +41 22 730 5853 – Aux Présidents et Vice-Présidents des Commissions d'études de l'UIT-T;
E-mail: tsbdir@itu.int – Au Directeur du Bureau de développement des télécommunications;
– Au Directeur du Bureau des radiocommunications

Objet: **Etat des Recommandations auxquelles s'applique la variante de la procédure d'approbation (AAP)**

Madame, Monsieur,

La variante de la procédure d'approbation (AAP), définie dans la Recommandation UIT-T A.8, s'applique aux Recommandations qui n'ont pas d'incidence politique ou réglementaire et ne nécessitent donc pas une consultation formelle des Etats Membres (voir le numéro 246B de la Convention de l'UIT).

L'**Annexe 1** énumère les textes dont le statut a changé par rapport aux annonces TSB AAP antérieures.

Si vous souhaitez soumettre des observations sur une Recommandation ayant fait l'objet de la procédure AAP, vous êtes encouragés à utiliser le formulaire en ligne de soumission des observations AAP, disponible dans l'espace AAP du site web de l'UIT-T à l'adresse <http://www.itu.int/ITU-T/aap/>, à la page de la Recommandation concernée (voir l'**Annexe 2**). Vous pouvez aussi soumettre vos observations en remplissant le formulaire figurant à l'**Annexe 3** et en l'envoyant au secrétariat de la Commission d'études concernée.

Veillez noter que les observations ayant simplement pour objet d'appuyer l'adoption du texte en question ne sont pas encouragées.

Veillez agréer, Madame, Monsieur, l'assurance de ma considération distinguée.

Malcolm Johnson
Directeur du Bureau de la normalisation des télécommunications

Annexes: 3

Annex 1

(to TSB AAP-16)

Status codes used in the AAP announcements:

LC = Last Call

LJ = Last Call Judgment (includes comment resolution)

AR = Additional Review

AJ = Additional Review Judgment (includes comment resolution)

SG = For Study Group approval

A = Approved

AT = Approved with typographic corrections

AC = Approved after Additional Review of Comments

NA = Not approved

TAP = Moved to TAP (ITU-T A.8 / § 5.2)

ITU-T website entry page:

<http://www.itu.int/ITU-T>

Alternative approval process (AAP) welcome page:

<http://www.itu.int/ITU-T/aapinfo>

Note – A tutorial on the ITU-T AAP application is available under the AAP welcome page

ITU-T website AAP Recommendation search page:

<http://www.itu.int/ITU-T/aap/>

Study Group web pages and contacts:

SG 2	http://www.itu.int/ITU-T/studygroups/com02	tsbsg2@itu.int
SG 3	http://www.itu.int/ITU-T/studygroups/com03	tsbsg3@itu.int
SG 5	http://www.itu.int/ITU-T/studygroups/com05	tsbsg5@itu.int
SG 9	http://www.itu.int/ITU-T/studygroups/com09	tsbsg9@itu.int
SG 11	http://www.itu.int/ITU-T/studygroups/com11	tsbsg11@itu.int
SG 12	http://www.itu.int/ITU-T/studygroups/com12	tsbsg12@itu.int
SG 13	http://www.itu.int/ITU-T/studygroups/com13	tsbsg13@itu.int
SG 15	http://www.itu.int/ITU-T/studygroups/com15	tsbsg15@itu.int
SG 16	http://www.itu.int/ITU-T/studygroups/com16	tsbsg16@itu.int
SG 17	http://www.itu.int/ITU-T/studygroups/com17	tsbsg17@itu.int

Situation concerning Study Group 15 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
G.650.1 (2010) Cor.1	Definitions and test methods for linear, deterministic attributes of single-mode fibre and cable: Corrigendum 1	2013-08-01	2013-08-28							LC
G.703 (2001) Amd.1	Physical/electrical characteristics of hierarchical digital interfaces: Amendment 1	2013-08-01	2013-08-28							LC
G.709/Y.1331 (2012) Amd.2	Interfaces for the Optical Transport Network (OTN): Amendment 2	2013-08-01	2013-08-28							LC
G.783 (2006) Amd.4	Characteristics of synchronous digital hierarchy (SDH) equipment functional blocks : Amendment 4	2013-08-01	2013-08-28							LC
G.798.1 (2013) Amd.1	Types and characteristics of optical transport network equipment: Amendment 1	2013-08-01	2013-08-28							LC
G.870/Y.1352 (2012) Cor.1	Terms and definitions for Optical Transport Networks (OTN): Corrigendum 1	2013-08-01	2013-08-28							LC
G.872 (2012) Amd.1	Architecture of optical transport networks: Amendment 1	2013-08-01	2013-08-28							LC
G.874	Management aspects of optical transport network elements	2013-08-01	2013-08-28							LC
G.874.1 (2012) Amd.1	Optical transport network (OTN): Protocol-neutral management information model for the network element view: Amendment 1	2013-08-01	2013-08-28							LC
G.992.3 (2009) Cor.3	Asymmetric digital subscriber line transceivers 2 (ADSL2): Corrigendum 3	2013-08-01	2013-08-28							LC
G.993.2 (2011) Amd.4	Very high speed digital subscriber line transceivers 2 (VDSL2): Amendment 4	2013-08-01	2013-08-28							LC

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
G.993.5 (2010) Amd.4	Self-FEXT cancellation (vectoring) for use with VDSL2 transceivers: Amendment 4	2013-08-01	2013-08-28							LC
G.994.1 (2012) Amd.2	Handshake procedures for digital subscriber line (DSL) transceivers: Amendment 2	2013-08-01	2013-08-28							LC
G.996.2 (2009) Amd.4	Single-ended line testing for digital subscriber lines (DSL): Amendment 4	2013-08-01	2013-08-28							LC
G.997.1 (2012) Amd.3	Physical layer management for digital subscriber line transceivers: Amendment 3	2013-08-01	2013-08-28							LC
G.998.1 (2005) Amd.1	ATM-based multi-pair bonding: Amendment 1	2013-08-01	2013-08-28							LC
G.998.2 (2005) Amd.3	Ethernet-based multi-pair bonding: Amendment 3	2013-08-01	2013-08-28							LC
G.998.3 (2005) Amd.1	Multi-pair bonding using time-division inverse multiplexing: Amendment 1	2013-08-01	2013-08-28							LC
G.7712/Y.1703 (2010) Amd.1	Architecture and specification of data communication network: Amendment 1	2013-08-01	2013-08-28							LC
G.8011.1/Y.1307.1	Ethernet private line service	2013-08-01	2013-08-28							LC
G.8011.2/Y.1307.2	Ethernet virtual private line service	2013-08-01	2013-08-28							LC
G.8011.3/Y.1307.3	Ethernet virtual private LAN service	2013-08-01	2013-08-28							LC
G.8011.4/Y.1307.4	Ethernet private tree and Ethernet virtual private Tree services	2013-08-01	2013-08-28							LC
G.8011.5/Y.1307.5	Ethernet private LAN service	2013-08-01	2013-08-28							LC
G.8011/Y.1307 (2012) Cor.1	Ethernet over Transport – Ethernet service characteristics: Corrigendum 1	2013-08-01	2013-08-28							LC
G.8013/Y.1731	OAM functions and mechanisms for Ethernet-based networks	2013-08-01	2013-08-28							LC
G.8021/Y.1341 (2012) Amd.2	Characteristics of Ethernet Transport network equipment functional blocks: Amendment 1	2013-08-01	2013-08-28							LC

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
G.8031/Y.1342 (2011) Amd.1	Ethernet linear protection switching: Amendment 1	2013-08-01	2013-08-28							LC
G.8051/Y.1345 (G.eot-mgmt)	Management aspects of the Ethernet Transport (ET) capable network element	2013-08-01	2013-08-28							LC
G.8052/Y.1346 (G.eot-mgmt-info)	Protocol-neutral management information model for the Ethernet Transport capable network element	2013-08-01	2013-08-28							LC
G.8113.1/Y.1372.1 (2012) Amd.1	Operations, administration and maintenance mechanism for MPLS-TP in packet transport network (PTN): Amendment 1	2013-08-01	2013-08-28							LC
G.8113.2/Y.1372.2 (2012) Amd.1	Operations, administration and maintenance mechanisms for MPLS-TP networks using the tools defined for MPLS: Amendment 1	2013-08-01	2013-08-28							LC
G.8121.1/Y.1381.1	Characteristics of MPLS-TP equipment functional blocks supporting ITU-T G.8113.1/Y.1372.1	2013-08-01	2013-08-28							LC
G.8121.2/Y.1381.2	Characteristics of MPLS-TP equipment functional blocks supporting ITU-T G.8113.2/Y.1372.2	2013-08-01	2013-08-28							LC
G.8121/Y.1381	Characteristics of MPLS-TP equipment functional blocks	2013-08-01	2013-08-28							LC
G.8151/Y.1374 (2012) Amd.2	Management aspects of the MPLS-TP network element: Amendment 2	2013-08-01	2013-08-28							LC
G.8260 (2012) Amd.1	Definitions and terminology for synchronization in packet networks: Amendment 1	2013-08-01	2013-08-28							LC
G.8261/Y.1361	Timing and synchronization aspects in packet networks	2013-08-01	2013-08-28							LC
G.8263/Y.1363 (2012) Amd.1 (G.paclock-bis)	Timing characteristics of packet-based equipment clocks: Amendment 1	2013-08-01	2013-08-28							LC

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
G.8271.1/Y.1366.1 (G.pactiming-bis)	Network Limits for Time Synchronization in Packet Networks	2013-08-01	2013-08-28							LC
G.8271/Y.1366 (2012) Amd.1	Time and phase synchronization aspects of Packet Networks: Amendment 1	2013-08-01	2013-08-28							LC
G.8272/Y.1367 (2012) Amd.1	Timing characteristics of primary reference time clock: Amendment 1	2013-08-01	2013-08-28							LC
G.8273/Y.1368	Framework of phase and time clocks	2013-08-01	2013-08-28							LC
G.9801 (G.epon)	Ethernet passive optical networks using OMCI	2013-08-01	2013-08-28							LC
G.9902 (2012) Amd.2	Narrow-band orthogonal frequency division multiplexing power line communication transceivers for ITU-T G.hnem networks: Amendment 2	2013-08-01	2013-08-28							LC
G.9905 (G.cmsr)	Centralized metric-based source routing	2013-08-01	2013-08-28							LC
G.9959 (2012) Amd.1	Short range narrowband digital radiocommunication transceivers – PHY and MAC layer specifications: Amendment 1	2013-08-01	2013-08-28							LC
G.9962 (2013) Amd.1 (G.hn)	Unified high-speed wire-line based home networking transceivers - Management specification: Amendment 1	2013-08-01	2013-08-28							LC

Annex 2

(to TSB AAP-16)

Using the on-line comment submission form

Comment submission

- Go to AAP search Web page at <http://www.itu.int/ITU-T/aap/>

The screenshot shows the ITU AAP Search interface. At the top, there is the ITU logo and navigation links: AAP Info | AAP Search | Rec. Under AAP | AAP Announcements. The main heading is "Search for Recommendation(s)". Below this is a search form with the following fields:

- Status:** Under AAP, Approved, No: Approved
- Study Period:** 2005-2008 (dropdown menu)
- Study Group:** All (dropdown menu) with a red arrow pointing to it and the text "a) Select study group"
- Recommendation No.:** (input field) with a note "(e.g. G.993 or G.993.2 or G.vdsl2)" and an "Advanced Search" link.

At the bottom of the form are "Search" and "Reset" buttons, with a red arrow pointing to the "Reset" button and the text "b) Click here".

- Select your Recommendation

The screenshot shows the ITU AAP Recommendations page. At the top, there is the ITU logo and navigation links: AAP Info | AAP Search | Rec. Under AAP | AAP Announcements. Below this is a search criteria summary: "SEARCH CRITERIA: Status: Under AAP Study Period: 2005-2008 Study Group: 16". The main heading is "AAP Recommendations". Below this is a table with the following columns: Recommendation_No, Title, Study_Group, State, Consent_Date, Approval_Date, Study_Period, and Comment.

Recommendation_No	Title	Study_Group	State	Consent_Date	Approval_Date	Study_Period	Comment
G.711.1 (2008) Amd.1	Wideband embedded extension for G.711 pulse code modulation: New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text	16	LC	2008-10-03		2005-2008	
G.718 (2008) Cor.1	Frame error robust narrowband and wideband embedded variable bit-rate coding of speech and audio from 8-32 kbit/s: Corrections to fixed-point C-code	16	LC	2008-10-03		2005-2008	
G.719 (2008) Amd.1	New Annex A on storage format definitions for G.719, and new Annex B on a reference floating-point implementation for G.719	16	LC	2008-10-03		2005-2008	
G.722.2 (2003) Cor.3	Wideband coding of speech at around 16 kbit/s using Adaptive Multi-Rate Wideband (AMR-WB): Corrections to text and C source code in Annex C	16	LC	2008-10-03		2005-2008	
G.729.1 (2006) Amd.5	G.729-based embedded variable bit-rate coder: An 8-32 kbit/s scalable wideband coder bitstream interoperable with G.729: New Annex D (Reference floating-point implementation for G.729.1 Annex C DTX/CNG) and corrections to the main body and Annex B	16	LC	2008-10-03		2005-2008	
H.264 (2007) Cor.1	Advanced video coding for generic audiovisual services: corrections and updates	16	LJ	2008-05-02		2005-2008	★

Total 6 records match.

3) Click the "Submit Comment" button

AAP Recommendation: G.711.1 (2008) Amd.1

Work Programme: G.7.11.1 (2008) Amd.1

Title	Study Group	Current Status	Consent Date	Approval Date	Study Period	Provisional Name	IPR	Input used for Consent
Wideband embedded extension for G.711 pulse code modulation: New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text	16	LC	2008-10-03		2005-2008	G.711-WB-Float	?	TD 381-WP3

Observation

AAP Process Details

Last Call (LC)				Additional Review (AR)				Study Group (SG)	
LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	SG Date	SG Result
2008-10-16	2008-11-12								
[AAP-92]									
LC - Text / Summary				AR - Text / Summary				SG Documents	
LC Text									
LC Summary									
LC - Comments				AR - Comments				SG Decisions	

4) Complete the on-line form and click on "Submit"

Study group*: SG16

Announcement number*: AAP 92

Recommendation number*: G.711.1 (2008) Amd.1

Recommendation under*: Last Call (LC) Additional Review (AR)

Country: Adelie Land

Administration or Company*:

Email of contact (for AAP):

Email of Administration or Company:

Technical contact email:

Sender name*:

Sender email address*:

Telephone:

Comments: (Choose as applicable)

We do not support this text. Reasons are given in the attachment.

We support this text on the condition that it be modified as per revision shown in the attachment.

Observation:

Comments or revised text should be sent as an attachment in reprocessable format such as RTF or Winword. Revision marks must be shown relative to the text posted by TSB.

Attach the file:

Note: Maximum file size is 10 Mb

No attachment Comments are given in the Observation field, no attachment needed

Please check your entries and click on Submit to confirm

If the submission is successful, you will get an acknowledgement report and receive an email containing this report.

For more information, read the AAP tutorial on:
<http://www.itu.int/ITU-T/aapinfo/files/AAPTutorial.pdf>

Annex 3

(to TSB AAP-16)

Recommendations under LC/AR – Comment submission form

(Separate form for each Recommendation being commented upon)

ITU-T AAP comment submission form for the period 2009-2012

Study Group: _____

Announcement number: _____

Recommendation number: _____

Recommendation under: Last call (LC)
 Additional Review (AR)

Country: _____

Administration/Company: _____

Name of AAP Contact Person: _____

Email of AAP Contact Person: _____

Sender name:
(if different from AAP Contact Person) _____

Sender email address: _____

Telephone: _____

Comments: We do not support this text. Reasons are given in the attachment.
(Choose as applicable) We support this text on the condition that it be modified as per
revision shown in the attachment.

Observations: _____

No attachment: Comments are given in the Observation field, no attachment needed

*To be returned to: email: tsbmsg...@itu.int
[or fax +41 22 730 5853]*

*Comments or revised text should be sent as an attachment in RTF or WinWord format.
Revision marks must be shown relative to the text posted by TSB.*