



国际电信联盟

电信标准化局

2020年1月6日, 日内瓦

参考号: 电信标准化局AAP-93
AAP/CL

电话: +41 22 730 5860

传真: +41 22 730 5853

电子邮件: tsbdir@itu.int

– 致国际电联成员国各主管部门;

– 致ITU-T各部门成员;

– 致ITU-T 部门准成员;

– 国际电联学术成员

抄送:

– 电信标准化局研究组主席和副主席;

– 电信发展局主任;

– 无线电通信局主任

事由: 有关采用替换批准程序 (AAP) 处理的建议书的情况

先生/女士,

ITU-T A.8 建议书中规定的建议书替换批准程序 (AAP) 适用于那些不会产生政策或 监管影响、因而不需与成员国正式协商的建议书 (见国际电联《公约》第246B款)。

附件1列出了那些在以往电信标准化局AAP预告后地位发生变化的案文。

如您希望针对某个适用AAP的建议书提出意见, 请使用可在ITU-T网站AAP区域 (<https://www.itu.int/ITU-T/aap>) 的“建议书”网页上获取的《AAP意见在线提交表格》(见附件2)。或者, 可填妥附件3中的表格并将意见发送给相关研究组的秘书处。

敬请留意, 我们不鼓励提交仅支持通过所涉案文而没有实质内容的意见。

顺致敬意!

李在摄

电信标准化局主任

附件: 3件

Place des Nations
CH-1211 Geneva 20
Switzerland

Telephone +41 22 730 51 11
Telefax Gr3: +41 22 733 72 56
Gr4: +41 22 730 65 00

Telex 421 000 uit ch
E-mail: itumail@itu.int
Telegram ITU GENEVE

Web page:
www.itu.int

Annex 1

(to TSB AAP-93)

Status codes used in the AAP announcements:

LC = Last Call

LJ = Last Call Judgment (includes comment resolution)

AR = Additional Review

AJ = Additional Review Judgment (includes comment resolution)

SG = For Study Group approval

A = Approved

AT = Approved with typographic corrections

AC = Approved after Additional Review of Comments

NA = Not approved

TAP = Moved to TAP (ITU-T A.8 / § 5.2)

ITU-T website entry page:

<https://www.itu.int/ITU-T>

Alternative approval process (AAP) welcome page:

<https://www.itu.int/ITU-T/aapinfo>

Note – A tutorial on the ITU-T AAP application is available under the AAP welcome page

ITU-T website AAP Recommendation search page:

<https://www.itu.int/ITU-T/aap/>

Study Group web pages and contacts:

SG 2	https://www.itu.int/ITU-T/studygroups/com02	tsbsg2@itu.int
SG 3	https://www.itu.int/ITU-T/studygroups/com03	tsbsg3@itu.int
SG 5	https://www.itu.int/ITU-T/studygroups/com05	tsbsg5@itu.int
SG 9	https://www.itu.int/ITU-T/studygroups/com09	tsbsg9@itu.int
SG 11	https://www.itu.int/ITU-T/studygroups/com11	tsbsg11@itu.int
SG 12	https://www.itu.int/ITU-T/studygroups/com12	tsbsg12@itu.int
SG 13	https://www.itu.int/ITU-T/studygroups/com13	tsbsg13@itu.int
SG 15	https://www.itu.int/ITU-T/studygroups/com15	tsbsg15@itu.int
SG 16	https://www.itu.int/ITU-T/studygroups/com16	tsbsg16@itu.int
SG 17	https://www.itu.int/ITU-T/studygroups/com17	tsbsg17@itu.int
SG 20	https://www.itu.int/ITU-T/studygroups/com20	tsbsg20@itu.int

Situation concerning Study Group 5 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
K.34	Classification of electromagnetic environmental conditions for telecommunication equipment - Basic EMC Recommendation (Summary)	2020-11-16	2020-12-13							LC
K.35	Bonding configurations and earthing at remote electronic sites (Summary)	2020-11-16	2020-12-13							LC
K.44 (2019) Cor.1	Resistibility tests for telecommunication equipment exposed to overvoltages and overcurrents - Basic Recommendation - Corrigendum 1 (Summary)	2020-11-16	2020-12-13							LC
K.50 (2018) Cor.1	Safe limits for operating voltages and currents in telecommunication systems powered over the network-Corrigendum 1 (Summary)	2020-11-16	2020-12-13							LC
K.70	Mitigation techniques to limit human exposure to EMFs in the vicinity of radiocommunication stations (Summary)	2020-11-16	2020-12-13							LC
K.78	High altitude electromagnetic pulse immunity guide for telecommunication centres (Summary)	2020-11-16	2020-12-13							LC
K.91	Guidance for assessment, evaluation and monitoring of human exposure to radio frequency electromagnetic fields (Summary)	2020-11-16	2020-12-13							LC

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
K.145	Assessment and management of compliance with radio frequency electromagnetic field exposure limits for workers at radiocommunication sites and facilities (Summary)	2020-11-16	2020-12-13							LC
K.148 (K.appmspd)	Multiservice surge protective device application guide (Summary)	2020-11-16	2020-12-13							LC
K.149 (K.pim)	Passive intermodulation test methods of array antenna systems in mobile communication systems (Summary)	2020-11-16	2020-12-13							LC
K.150 (K.soft dev)	Information of semiconductor devices required for design of telecommunication equipment applying soft error mitigation measures (Summary)	2020-11-16	2020-12-13							LC
L.1031	Guideline for achieving the e-waste targets of the Connect 2030 Agenda (Summary)	2020-11-16	2020-12-13							LC
L.1304 (L.Proc DC)	Procurement Criteria for Sustainable Data Centres (Summary)	2020-11-16	2020-12-13							LC

Situation concerning Study Group 11 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
Q.3060 (Q.ETN-DS)	Signalling architecture of the fast deployment emergency telecommunication network to be used in a natural disaster (Summary)	2020-09-01	2020-09-28	LJ	AR	2020-11-16	2020-12-06			AR

Situation concerning Study Group 13 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
Y.3802 (Y.QKDN Arch)	Quantum key distribution networks - Functional architecture (Summary)	2020-09-01	2020-09-28	LJ	AR	2020-11-16	2020-12-06			AR
Y.3803 (Y.QKDN KM)	Quantum key distribution networks – Key management (Summary)	2020-09-01	2020-09-28	LJ	AR	2020-11-16	2020-12-06			AR

Situation concerning Study Group 15 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
G.8051/Y.1345	Management aspects of the Ethernet Transport (ET) capable network element (Summary)	2020-10-01	2020-10-28	LJ	AR	2020-11-16	2020-12-06			AR
G.8275.1/Y.1369.1 (2020) Amd.1	Precision time protocol telecom profile for phase/time synchronization with full timing support from the network - Amendment 1 (Summary)	2020-10-16	2020-11-12	A						A
G.8275.2/Y.1369.2 (2020) Amd.1	Precision time protocol telecom profile for phase/time synchronization with partial timing support from the network - Amendment 1 (Summary)	2020-10-16	2020-11-12	A						A

Situation concerning Study Group 17 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
X.1046 (X.SDSec)	Framework of software-defined security in software-defined networks/network functions virtualization networks (Summary)	2020-11-16	2020-12-13							LC

Situation concerning Study Group 20 Recommendations under AAP

Rec #	Title	Last Call (LC) Period				Additional Review (AR) Period				Status
		LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	
Y.4211 (Y.ACC-PTS)	Accessibility requirements for smart public transportation services (Summary)	2020-11-16	2020-12-13							LC
Y.4476 (Y.IoT-rf-dlt)	OID-based resolution framework for transaction of distributed ledger assigned to IoT resources (Summary)	2020-11-16	2020-12-13							LC

Annex 2

(to TSB AAP-93)

Using the on-line comment submission form

Comment submission


- 1) Go to AAP search Web page at <https://www.itu.int/ITU-T/aap/>

- 2) Select your Recommendation

Recommendation_No	Title	Study_Group	State	Consent_Date	Approval_Date	Study_Period	Comment
G.711.1 (2008) Amd.1	Wideband embedded extension for G.711 pulse code modulation: New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text	16	LC	2008-10-03		2005-2008	
G.718 (2008) Cor.1	Frame error robust narrowband and wideband embedded variable bit-rate coding of speech and audio from 8-32 kbit/s: Corrections to fixed-point C-code	16	LC	2008-10-03		2005-2008	
G.719 (2008) Amd.1	New Annex A on storage format definitions for G.719, and new Annex B on a reference floating-point implementation for G.719	16	LC	2008-10-03		2005-2008	
G.722.2 (2003) Cor.3	Wideband coding of speech at around 16 kbit/s using Adaptive Multi-Rate Wideband (AMR-WB): Corrections to text and C source code in Annex C	16	LC	2008-10-03		2005-2008	
G.729.1 (2006) Amd.5	G.729-based embedded variable bit-rate coder: An 8-32 kbit/s scalable wideband coder bitstream interoperable with G.729: New Annex D (Reference floating-point implementation for G.729.1 Annex C DTX/CNG) and corrections to the main body and Annex B	16	LC	2008-10-03		2005-2008	
H.264 (2007) Cor.1	Advanced video coding for generic audiovisual services: corrections and updates	16	LJ	2008-05-02		2005-2008	★

Total 6 records match.

- 3) Click the "Submit Comment" button



ITU International Telecommunication Union

AAP Recommendation: G.711.1 (2008) Amd.1

Work Programme: G.711.1 (2008) Amd.1

Basic Information									
Title	Study Group	Current Status	Consent Date	Approval Date	Study Period	Provisional Name	IPR	Input used for Consent	
Wideband embedded extension for G.711 pulse code modulation: New Annex A on a reference floating-point implementation for G.711.1 and editorial corrections to the main body text	16	LC	2008-10-03		2005-2008	G.711-WB-Float	?	TD 381-WP3	

Observation

AAP Process Details

Last Call (LC)				Additional Review (AR)				Study Group (SG)	
LC Start	LC End	LC Result	LJ Result	AR Start	AR End	AR Result	AJ Result	SG Date	SG Result
2008-10-16	2008-11-12								
[AAP-92]									
LC - Text / Summary				AR - Text / Summary				SG Documents	
LC Text LC Summary									
LC - Comments				AR - Comments				SG Decisions	

Submit Comment

- 4) Complete the on-line form and click on "Submit"

Study group*: SG16

Announcement number*: AAP 92

Recommendation number*: G.711.1 (2008) Amd.1

Recommendation under*: ☒ Last Call (LC) ☐ Additional Review (AR)

Country: Adelie Land

Administration or Company*:

Email of contact (for AAP):

Email of Administration or Company:

Technical contact email:

Sender name*:

Sender email address*:

Telephone:

Comments: (Choose as applicable)

☐ We do not support this text. Reasons are given in the attachment.

☐ We support this text on the condition that it be modified as per revision shown in the attachment.

Observation:

Comments or revised text should be sent as an attachment in reprocessable format such as RTF or Winword. Revision marks must be shown relative to the text posted by TS8.

Attach the file: **Browse...**

Note: Maximum file size is 10 Mb

☐ **No attachment** Comments are given in the Observation field, no attachment needed

Please check your entries and click on Submit to confirm **Submit**

If the submission is successful, you will get an acknowledgement report and receive an email containing this report.

For more information, read the AAP tutorial on:

<https://www.itu.int/ITU-T/aapinfo/files/AAPTutorial.pdf>

(to TSB AAP-93)

Recommendations under LC/AR – Comment submission form

(Separate form for each Recommendation being commented upon)

ITU-T AAP comment submission form

Study Group:

Announcement number:

Recommendation number:

Date consented:

Recommendation under:

☐ Last call (LC)

☐ Additional Review (AR)

Country:

Administration/Company:

Name of AAP Contact Person:

Email of AAP Contact Person:

Sender name:

(if different from AAP Contact Person)

Sender email address:

Telephone:

Comments:

(Choose as applicable)

☐ We do not support this text. Reasons are given in the attachment.

☐ We support this text on the condition that it be modified as per revision shown in the attachment.

Observations:

☐ **No attachment:** Comments are given in the Observation field, no attachment needed

To be returned to: email: *tsbsg....@itu.int*
[or fax +41 22 730 5853]

Comments or revised text should be sent as an attachment in RTF or WinWord format.

Revision marks must be shown relative to the text posted by TSB.