

International Telecommunication Union

ITU-R
Radiocommunication Sector of ITU

Recommendation ITU-R P.676-10
(09/2013)

Attenuation by atmospheric gases

P Series
Radiowave propagation

Foreword

The role of the Radiocommunication Sector is to ensure the rational, equitable, efficient and economical use of the radio-frequency spectrum by all radiocommunication services, including satellite services, and carry out studies without limit of frequency range on the basis of which Recommendations are adopted.

The regulatory and policy functions of the Radiocommunication Sector are performed by World and Regional Radiocommunication Conferences and Radiocommunication Assemblies supported by Study Groups.

Policy on Intellectual Property Right (IPR)

ITU-R policy on IPR is described in the Common Patent Policy for ITU-T/ITU-R/ISO/IEC referenced in Annex 1 of Resolution ITU-R 1. Forms to be used for the submission of patent statements and licensing declarations by patent holders are available from <http://www.itu.int/ITU-R/go/patents/en> where the Guidelines for Implementation of the Common Patent Policy for ITU-T/ITU-R/ISO/IEC and the ITU-R patent information database can also be found.

Series of ITU-R Recommendations

(Also available online at <http://www.itu.int/publ/R-REC/en>)

Series	Title
BO	Satellite delivery
BR	Recording for production, archival and play-out; film for television
BS	Broadcasting service (sound)
BT	Broadcasting service (television)
F	Fixed service
M	Mobile, radiodetermination, amateur and related satellite services
P	Radiowave propagation
RA	Radio astronomy
RS	Remote sensing systems
S	Fixed-satellite service
SA	Space applications and meteorology
SF	Frequency sharing and coordination between fixed-satellite and fixed service systems
SM	Spectrum management
SNG	Satellite news gathering
TF	Time signals and frequency standards emissions
V	Vocabulary and related subjects

Note: This ITU-R Recommendation was approved in English under the procedure detailed in Resolution ITU-R 1.

Electronic Publication
Geneva, 2013

© ITU 2013

All rights reserved. No part of this publication may be reproduced, by any means whatsoever, without written permission of ITU.

RECOMMENDATION ITU-R P.676-10

Attenuation by atmospheric gases

(Question ITU-R 201/3)

(1990-1992-1995-1997-1999-2001-2005-2007-2009-2012-2013)

Scope

This Recommendation provides methods to estimate the attenuation of atmospheric gases on terrestrial and slant paths using:

- a) an estimate of gaseous attenuation computed by summation of individual absorption lines that is valid for the frequency range 1-1 000 GHz; and
- b) a simplified approximate method to estimate gaseous attenuation that is applicable in the frequency range 1-350 GHz.

The ITU Radiocommunication Assembly,

considering

- a) the necessity of estimating the attenuation by atmospheric gases on terrestrial and slant paths,

recommends

- 1** that, for general application, the procedures in Annex 1 be used to calculate gaseous attenuation at frequencies up to 1 000 GHz;
- 2** that, for approximate estimates of gaseous attenuation in the frequency range 1 to 350 GHz, the computationally less intensive procedure given in Annex 2 be used.

Annex 1**Line-by-line calculation of gaseous attenuation****1 Specific attenuation**

The specific attenuation at frequencies up to 1 000 GHz due to dry air and water vapour, can be evaluated most accurately at any value of pressure, temperature and humidity by means of a summation of the individual resonance lines from oxygen and water vapour, together with small additional factors for the non-resonant Debye spectrum of oxygen below 10 GHz, pressure-induced nitrogen attenuation above 100 GHz and a wet continuum to account for the excess water vapour-absorption found experimentally. Figure 1 shows the specific attenuation using the model, calculated from 0 to 1 000 GHz at 1 GHz intervals, for a pressure of 1 013 hPa, temperature of 15° C for the cases of a water-vapour density of 7.5 g/m³ (Curve A) and a dry atmosphere (Curve B).

Near 60 GHz, many oxygen absorption lines merge together, at sea-level pressures, to form a single, broad absorption band, which is shown in more detail in Fig. 2. This figure also shows the oxygen attenuation at higher altitudes, with the individual lines becoming resolved at lower pressures. Some additional molecular species (e.g. oxygen isotopic species, oxygen vibrationally excited species, ozone, ozone isotopic species, and ozone vibrationally excited species, and other minor species) are not included in the line-by-line prediction method. These additional lines are insignificant for typical atmospheres, but may be important for a dry atmosphere.

For quick and approximate estimates of specific attenuation at frequencies up to 350 GHz, in cases where high accuracy is not required, simplified algorithms are given in Annex 2 for restricted ranges of meteorological conditions.

The specific gaseous attenuation is given by:

$$\gamma = \gamma_o + \gamma_w = 0.1820 f N''(f) \quad \text{dB/km} \quad (1)$$

where γ_o and γ_w are the specific attenuations (dB/km) due to dry air (oxygen, pressure-induced nitrogen and non-resonant Debye attenuation) and water vapour, respectively, and where f is the frequency (GHz) and $N''(f)$ is the imaginary part of the frequency-dependent complex refractivity:

$$N''(f) = \sum_i S_i F_i + N''_D(f) \quad (2)$$

S_i is the strength of the i -th line, F_i is the line shape factor and the sum extends over all the lines (for frequencies, f , above 118.750343 GHz oxygen line, only the oxygen lines above 60 GHz complex should be included in the summation; the summation should begin at $i = 38$ rather than at $i = 1$); $N''_D(f)$ is the dry continuum due to pressure-induced nitrogen absorption and the Debye spectrum.

The line strength is given by:

$$\begin{aligned} S_i &= a_1 \times 10^{-7} p \theta^3 \exp[a_2(1 - \theta)] && \text{for oxygen} \\ &= b_1 \times 10^{-1} e \theta^{3.5} \exp[b_2(1 - \theta)] && \text{for water vapour} \end{aligned} \quad (3)$$

where:

p : dry air pressure (hPa)


e : water vapour partial pressure in hPa (total barometric pressure $p_{tot} = p + e$)

$\theta = 300/T$

T : temperature (K).


FIGURE 1

Specific attenuation due to atmospheric gases, calculated at 1 GHz intervals, including line centres



P.0676-01

FIGURE 2
Specific attenuation in the range 50-70 GHz at the altitudes indicated



P.0676-02

Local values of p , e and T measured profiles (e.g. using radiosondes) should be used; however, in the absence of local information, the reference standard atmospheres described in Recommendation ITU-R P.835 should be used. (Note that where total atmospheric attenuation is being calculated, the same-water vapour partial pressure is used for both dry-air and water-vapour attenuations.)

The water-vapour partial pressure, e , may be obtained from the water-vapour density ρ using the expression:

$$e = \frac{\rho T}{216.7} \quad (4)$$

The coefficients a_1, a_2 are given in Table 1 for oxygen, those for water vapour, b_1 and b_2 , are given in Table 2.

The line-shape factor is given by:

$$F_i = \frac{f}{f_i} \left[\frac{\Delta f - \delta (f_i - f)}{(f_i - f)^2 + \Delta f^2} + \frac{\Delta f - \delta (f_i + f)}{(f_i + f)^2 + \Delta f^2} \right] \quad (5)$$

where f_i is the line frequency and Δf is the width of the line:

$$\begin{aligned} \Delta f &= a_3 \times 10^{-4} (p \theta^{(0.8 - a_4)} + 1.1 e \theta) && \text{for oxygen} \\ &= b_3 \times 10^{-4} (p \theta^{b_4} + b_5 e \theta^{b_6}) && \text{for water vapour} \end{aligned} \quad (6a)$$

The line width Δf is modified to account for Doppler broadening:

$$\begin{aligned} \Delta f &= \sqrt{\Delta f^2 + 2.25 \times 10^{-6}} && \text{for oxygen} \\ &= 0.535 \Delta f + \sqrt{0.217 \Delta f^2 + \frac{2.1316 \times 10^{-12} f_i^2}{\theta}} && \text{for water vapour} \end{aligned} \quad (6b)$$

δ is a correction factor which arises due to interference effects in oxygen lines:

$$\begin{aligned} \delta &= (a_5 + a_6 \theta) \times 10^{-4} (p + e) \theta^{0.8} && \text{for oxygen} \\ &= 0 && \text{for water vapour} \end{aligned} \quad (7)$$

The spectroscopic coefficients are given in Tables 1 and 2.

TABLE 1
Spectroscopic data for oxygen attenuation

f_0	a_1	a_2	a_3	a_4	a_5	a_6
50.474214	0.975	9.651	6.690	0.0	2.566	6.850
50.987745	2.529	8.653	7.170	0.0	2.246	6.800
51.503360	6.193	7.709	7.640	0.0	1.947	6.729
52.021429	14.320	6.819	8.110	0.0	1.667	6.640
52.542418	31.240	5.983	8.580	0.0	1.388	6.526
53.066934	64.290	5.201	9.060	0.0	1.349	6.206
53.595775	124.600	4.474	9.550	0.0	2.227	5.085
54.130025	227.300	3.800	9.960	0.0	3.170	3.750
54.671180	389.700	3.182	10.370	0.0	3.558	2.654
55.221384	627.100	2.618	10.890	0.0	2.560	2.952
55.783815	945.300	2.109	11.340	0.0	-1.172	6.135
56.264774	543.400	0.014	17.030	0.0	3.525	-0.978
56.363399	1331.800	1.654	11.890	0.0	-2.378	6.547
56.968211	1746.600	1.255	12.230	0.0	-3.545	6.451
57.612486	2120.100	0.910	12.620	0.0	-5.416	6.056
58.323877	2363.700	0.621	12.950	0.0	-1.932	0.436
58.446588	1442.100	0.083	14.910	0.0	6.768	-1.273
59.164204	2379.900	0.387	13.530	0.0	-6.561	2.309
59.590983	2090.700	0.207	14.080	0.0	6.957	-0.776
60.306056	2103.400	0.207	14.150	0.0	-6.395	0.699
60.434778	2438.000	0.386	13.390	0.0	6.342	-2.825
61.150562	2479.500	0.621	12.920	0.0	1.014	-0.584
61.800158	2275.900	0.910	12.630	0.0	5.014	-6.619
62.411220	1915.400	1.255	12.170	0.0	3.029	-6.759
62.486253	1503.000	0.083	15.130	0.0	-4.499	0.844
62.997984	1490.200	1.654	11.740	0.0	1.856	-6.675
63.568526	1078.000	2.108	11.340	0.0	0.658	-6.139
64.127775	728.700	2.617	10.880	0.0	-3.036	-2.895
64.678910	461.300	3.181	10.380	0.0	-3.968	-2.590
65.224078	274.000	3.800	9.960	0.0	-3.528	-3.680
65.764779	153.000	4.473	9.550	0.0	-2.548	-5.002
66.302096	80.400	5.200	9.060	0.0	-1.660	-6.091
66.836834	39.800	5.982	8.580	0.0	-1.680	-6.393
67.369601	18.560	6.818	8.110	0.0	-1.956	-6.475
67.900868	8.172	7.708	7.640	0.0	-2.216	-6.545
68.431006	3.397	8.652	7.170	0.0	-2.492	-6.600
68.960312	1.334	9.650	6.690	0.0	-2.773	-6.650
118.750334	940.300	0.010	16.640	0.0	-0.439	0.079

TABLE 1 (end)

f_0	a_1	a_2	a_3	a_4	a_5	a_6
368.498246	67.400	0.048	16.400	0.0	0.000	0.000
424.763020	637.700	0.044	16.400	0.0	0.000	0.000
487.249273	237.400	0.049	16.000	0.0	0.000	0.000
715.392902	98.100	0.145	16.000	0.0	0.000	0.000
773.839490	572.300	0.141	16.200	0.0	0.000	0.000
834.145546	183.100	0.145	14.700	0.0	0.000	0.000

TABLE 2

Spectroscopic data for water-vapour attenuation

f_0	b_1	b_2	b_3	b_4	b_5	b_6
22.235080	0.1130	2.143	28.11	.69	4.800	1.00
67.803960	0.0012	8.735	28.58	.69	4.930	.82
119.995940	0.0008	8.356	29.48	.70	4.780	.79
183.310091	2.4200	.668	30.50	.64	5.300	.85
321.225644	0.0483	6.181	23.03	.67	4.690	.54
325.152919	1.4990	1.540	27.83	.68	4.850	.74
336.222601	0.0011	9.829	26.93	.69	4.740	.61
380.197372	11.5200	1.048	28.73	.54	5.380	.89
390.134508	0.0046	7.350	21.52	.63	4.810	.55
437.346667	0.0650	5.050	18.45	.60	4.230	.48
439.150812	0.9218	3.596	21.00	.63	4.290	.52
443.018295	0.1976	5.050	18.60	.60	4.230	.50
448.001075	10.3200	1.405	26.32	.66	4.840	.67
470.888947	0.3297	3.599	21.52	.66	4.570	.65
474.689127	1.2620	2.381	23.55	.65	4.650	.64
488.491133	0.2520	2.853	26.02	.69	5.040	.72
503.568532	0.0390	6.733	16.12	.61	3.980	.43
504.482692	0.0130	6.733	16.12	.61	4.010	.45
547.676440	9.7010	.114	26.00	.70	4.500	1.00
552.020960	14.7700	.114	26.00	.70	4.500	1.00
556.936002	487.4000	.159	32.10	.69	4.110	1.00
620.700807	5.0120	2.200	24.38	.71	4.680	.68
645.866155	0.0713	8.580	18.00	.60	4.000	.50
658.005280	0.3022	7.820	32.10	.69	4.140	1.00
752.033227	239.6000	.396	30.60	.68	4.090	.84
841.053973	0.0140	8.180	15.90	.33	5.760	.45
859.962313	0.1472	7.989	30.60	.68	4.090	.84

TABLE 2 (end)

f_0	b_1	b_2	b_3	b_4	b_5	b_6
899.306675	0.0605	7.917	29.85	.68	4.530	.90
902.616173	0.0426	8.432	28.65	.70	5.100	.95
906.207325	0.1876	5.111	24.08	.70	4.700	.53
916.171582	8.3400	1.442	26.70	.70	4.780	.78
923.118427	0.0869	10.220	29.00	.70	5.000	.80
970.315022	8.9720	1.920	25.50	.64	4.940	.67
987.926764	132.1000	.258	29.85	.68	4.550	.90
1 780.000000	22 300.0000	.952	176.20	.50	30.500	5.00

The dry air continuum arises from the non-resonant Debye spectrum of oxygen below 10 GHz and a pressure-induced nitrogen attenuation above 100 GHz.

$$N_D''(f) = f p \theta^2 \left[\frac{6.14 \times 10^{-5}}{d \left[1 + \left(\frac{f}{d} \right)^2 \right]} + \frac{1.4 \times 10^{-12} p \theta^{1.5}}{1 + 1.9 \times 10^{-5} f^{1.5}} \right] \quad (8)$$

where d is the width parameter for the Debye spectrum:

$$d = 5.6 \times 10^{-4} (p + e) \theta^{0.8} \quad (9)$$

2 Path attenuation

2.1 Terrestrial paths

For a terrestrial path, or for slightly inclined paths close to the ground, the path attenuation, A , may be written as:

$$A = \gamma r_0 = (\gamma_o + \gamma_w) r_0 \quad \text{dB} \quad (10)$$

where r_0 is path length (km).

2.2 Slant paths

This section gives a method to integrate the specific attenuation calculated using the line-by-line model given above, at different pressures, temperatures and humidities through the atmosphere. By this means, the path attenuation for communications systems with any geometrical configuration within and external to the Earth's atmosphere may be accurately determined simply by dividing the atmosphere into horizontal layers, specifying the profile of the meteorological parameters pressure, temperature and humidity along the path. In the absence of local profiles, from radiosonde data, for example, the reference standard atmospheres in Recommendation ITU-R P.835 may be used, either

for global application or for low (annual), mid (summer and winter) and high latitude (summer and winter) sites.

Figure 3 shows the zenith attenuation calculated at 1 GHz intervals with this model for the global reference standard atmosphere in Recommendation ITU-R P.835, with horizontal layers 1 km thick and summing the attenuations for each layer, for the cases of a moist atmosphere (Curve A) and a dry atmosphere (Curve B).

The total slant path attenuation, $A(h, \varphi)$, from a station with altitude, h , and elevation angle, φ , can be calculated as follows when $\varphi \geq 0$:

$$A(h, \varphi) = \int_h^\infty \frac{\gamma(H)}{\sin \Phi} dH \quad (11)$$

where the value of Φ can be determined as follows based on Snell's law in polar coordinates:

$$\Phi = \arccos \left(\frac{c}{(r+H) \times n(H)} \right) \quad (12)$$

where:

$$c = (r+h) \times n(h) \times \cos \varphi \quad (13)$$

where $n(h)$ is the atmospheric radio refractive index, calculated from pressure, temperature and water-vapour pressure along the path (see Recommendation ITU-R P.835) using Recommendation ITU-R P.453.

On the other hand, when $\varphi < 0$, there is a minimum height, h_{min} , at which the radio beam becomes parallel with the Earth's surface. The value of h_{min} can be determined by solving the following transcendental equation:

$$(r+h_{min}) \times n(h_{min}) = c \quad (14)$$

This can be easily solved by repeating the following calculation, using $h_{min} = h$ as an initial value:

$$h'_{min} = \frac{c}{n(h_{min})} - r \quad (15)$$

Therefore, $A(h, \varphi)$ can be calculated as follows:

$$A(h, \varphi) = \int_{h_{min}}^\infty \frac{\gamma(H)}{\sin \Phi} dH + \int_{h_{min}}^h \frac{\gamma(H)}{\sin \Phi} dH \quad (16)$$

In carrying out the integration of equations (11) and (16), care should be exercised in that the integrand becomes infinite at $\Phi = 0$. However, this singularity can be eliminated by an appropriate variable conversion, for example, by using $u^4 = H - h$ in equation (11) and $u^4 = H - h_{min}$ in equation (16).

A numerical solution for the attenuation due to atmospheric gases can be implemented with the following algorithm.

To calculate the total attenuation for a satellite link, it is necessary to know not only the specific attenuation at each point of the link but also the length of path that has that specific attenuation. To derive the path length it is also necessary to consider the ray bending that occurs in a spherical Earth.

Using Fig. 4 as a reference, a_n is the path length through layer n with thickness δ_n that has refractive index n_n . α_n and β_n are the entry and exiting incidence angles. r_n are the radii from the centre of the Earth to the beginning of layer n . a_n can then be expressed as:

$$a_n = -r_n \cos \beta_n + \frac{1}{2} \sqrt{4 r_n^2 \cos^2 \beta_n + 8 r_n \delta_n + 4 \delta_n^2} \quad (17)$$

The angle α_n can be calculated from:

$$\alpha_n = \pi - \arccos \left(\frac{-a_n^2 - 2 r_n \delta_n - \delta_n^2}{2 a_n r_n + 2 a_n \delta_n} \right) \quad (18)$$

β_1 is the incidence angle at the ground station (the complement of the elevation angle φ). β_{n+1} can be calculated from α_n using Snell's law that in this case becomes:


$$\beta_{n+1} = \arcsin \left(\frac{n_n}{n_{n+1}} \sin \alpha_n \right) \quad (19)$$

where n_n and n_{n+1} are the refractive indexes of layers n and $n + 1$.

Equation (19) may become invalid at very low elevation angles ($\varphi < 1^\circ$) when radiosonde data from certain regions of the world susceptible to ducting conditions are used as input. In such cases, air layers with radio refractivity gradients smaller in magnitude than -157 N/km are present and the ray-tracing algorithm (equations (17) to (19)), based on geometrical optics, is no longer applicable. The arcsine function in equation (19) becomes complex under these anomalous conditions since its argument is then slightly larger than 1. It should be noted that equation (19) is valid for all elevation angles when the reference standard atmospheres described in Recommendation ITU-R P.835 are used as input, since these idealized atmospheres – clearly without strong negative refractivity gradients – do not support such anomalous propagation conditions.

FIGURE 3

Zenith attenuation due to atmospheric gases, calculated at 1 GHz intervals, including line centres



P.0676-03

The remaining frequency dependent (dispersive) term has a marginal influence on the result (around 1%) but can be calculated from the method shown in the ITU-R Handbook on Radiometeorology.

The total attenuation can be derived using:

$$A_{gas} = \sum_{n=1}^k a_n \gamma_n \quad \text{dB} \quad (20)$$

where γ_n is the specific attenuation derived from equation (1).


To ensure an accurate estimate of the path attenuation, the thickness of the layers should increase exponentially, from 10 cm at the lowest layer (ground level) to 1 km at an altitude of 100 km, according to the following equation:

$$\delta_i = 0.0001 \exp \left\{ \frac{i-1}{100} \right\} \quad \text{km} \quad (21)$$

from $i = 1$ to 922, noting that $\delta_{922} \cong 1.0$ km and $\sum_{i=1}^{922} \delta_i \cong 100$ km.

For Earth-to-space applications, the integration should be performed at least up to 30 km, and up to 100 km at the oxygen line-centre frequencies.

FIGURE 4



P.0676-04

3 Dispersive effects

The effects of dispersion are discussed in the ITU-R Handbook on Radiometeorology, which contains a model for calculating dispersion based on the line-by-line calculation. For practical purposes, dispersive effects should not impose serious limitations on millimetric terrestrial

communication systems operating with bandwidths of up to a few hundred MHz over short ranges (for example, less than about 20 km), especially in the window regions of the spectrum, at frequencies removed from the centres of major absorption lines. For satellite communication systems, the longer path lengths through the atmosphere will constrain operating frequencies further to the window regions, where both atmospheric attenuation and the corresponding dispersion are low.

Annex 2

Approximate estimation of gaseous attenuation in the frequency range 1-350 GHz

This Annex contains simplified algorithms for quick, approximate estimation of gaseous attenuation for a limited range of meteorological conditions and a limited variety of geometrical configurations.

1 Specific attenuation

The specific attenuation due to dry air and water vapour, from sea level to an altitude of 10 km, can be estimated using the following simplified algorithms, which are based on curve-fitting to the line-by-line calculation, and agree with the more accurate calculations to within an average of about $\pm 10\%$ at frequencies removed from the centres of major absorption lines. The absolute difference between the results from these algorithms and the line-by-line calculation is generally less than 0.1 dB/km and reaches a maximum of 0.7 dB/km near 60 GHz. For altitudes higher than 10 km, and in cases where higher accuracy is required, the line-by-line calculation should be used.

For dry air, the attenuation γ_o (dB/km) is given by the following equations:

For $f \leq 54$ GHz:

$$\gamma_o = \left[\frac{7.2 r_t^{2.8}}{f^2 + 0.34 r_p^2 r_t^{1.6}} + \frac{0.62 \xi_3}{(54 - f)^{1.16 \xi_1} + 0.83 \xi_2} \right] f^2 r_p^2 \times 10^{-3} \quad (22a)$$

For $54 \text{ GHz} < f \leq 60 \text{ GHz}$:

$$\gamma_o = \exp \left[\frac{\ln \gamma_{54}}{24} (f - 58)(f - 60) - \frac{\ln \gamma_{58}}{8} (f - 54)(f - 60) + \frac{\ln \gamma_{60}}{12} (f - 54)(f - 58) \right] \quad (22b)$$

For $60 \text{ GHz} < f \leq 62 \text{ GHz}$:

$$\gamma_o = \gamma_{60} + (\gamma_{62} - \gamma_{60}) \frac{f - 60}{2} \quad (22c)$$

For $62 \text{ GHz} < f \leq 66 \text{ GHz}$:

$$\gamma_o = \exp \left[\frac{\ln \gamma_{62}}{8} (f - 64)(f - 66) - \frac{\ln \gamma_{64}}{4} (f - 62)(f - 66) + \frac{\ln \gamma_{66}}{8} (f - 62)(f - 64) \right] \quad (22d)$$

For 66 GHz < $f \leq 120$ GHz:

$$\gamma_o = \left\{ 3.02 \times 10^{-4} r_t^{3.5} + \frac{0.283 r_t^{3.8}}{(f - 118.75)^2 + 2.91 r_p^2 r_t^{1.6}} + \frac{0.502 \xi_6 [1 - 0.0163 \xi_7 (f - 66)]}{(f - 66)^{1.4346 \xi_4} + 1.15 \xi_5} \right\} f^2 r_p^2 \times 10^{-3} \quad (22e)$$

For 120 GHz < $f \leq 350$ GHz:

$$\gamma_o = \left[\frac{3.02 \times 10^{-4}}{1 + 1.9 \times 10^{-5} f^{1.5}} + \frac{0.283 r_t^{0.3}}{(f - 118.75)^2 + 2.91 r_p^2 r_t^{1.6}} \right] f^2 r_p^2 r_t^{3.5} \times 10^{-3} + \delta \quad (22f)$$

with:

$$\xi_1 = \varphi(r_p, r_t, 0.0717, -1.8132, 0.0156, -1.6515) \quad (22g)$$

$$\xi_2 = \varphi(r_p, r_t, 0.5146, -4.6368, -0.1921, -5.7416) \quad (22h)$$

$$\xi_3 = \varphi(r_p, r_t, 0.3414, -6.5851, 0.2130, -8.5854) \quad (22i)$$

$$\xi_4 = \varphi(r_p, r_t, -0.0112, 0.0092, -0.1033, -0.0009) \quad (22j)$$

$$\xi_5 = \varphi(r_p, r_t, 0.2705, -2.7192, -0.3016, -4.1033) \quad (22k)$$

$$\xi_6 = \varphi(r_p, r_t, 0.2445, -5.9191, 0.0422, -8.0719) \quad (22l)$$

$$\xi_7 = \varphi(r_p, r_t, -0.1833, 6.5589, -0.2402, 6.131) \quad (22m)$$

$$\gamma_{54} = 2.192 \varphi(r_p, r_t, 1.8286, -1.9487, 0.4051, -2.8509) \quad (22n)$$

$$\gamma_{58} = 12.59 \varphi(r_p, r_t, 1.0045, 3.5610, 0.1588, 1.2834) \quad (22o)$$

$$\gamma_{60} = 15.0 \varphi(r_p, r_t, 0.9003, 4.1335, 0.0427, 1.6088) \quad (22p)$$

$$\gamma_{62} = 14.28 \varphi(r_p, r_t, 0.9886, 3.4176, 0.1827, 1.3429) \quad (22q)$$

$$\gamma_{64} = 6.819 \varphi(r_p, r_t, 1.4320, 0.6258, 0.3177, -0.5914) \quad (22r)$$

$$\gamma_{66} = 1.908 \varphi(r_p, r_t, 2.0717, -4.1404, 0.4910, -4.8718) \quad (22s)$$

$$\delta = -0.00306 \varphi(r_p, r_t, 3.211, -14.94, 1.583, -16.37) \quad (22t)$$

$$\varphi(r_p, r_t, a, b, c, d) = r_p^a r_t^b \exp[c(1 - r_p) + d(1 - r_t)] \quad (22u)$$

where:

f : frequency (GHz)

$r_p = p_{tot}/1013$, where p_{tot} represents total air pressure

$r_t = 288/(273 + t)$

p : pressure (hPa)

t : temperature (°C), where mean temperature values can be obtained from maps given in Recommendation ITU-R P.1510, when no adequate temperature data are available.

For water vapour, the attenuation γ_w (dB/km) is given by:

$$\begin{aligned} \gamma_w = & \left\{ \frac{3.98\eta_1 \exp[2.23(1-r_t)]}{(f-22.235)^2 + 9.42\eta_1^2} g(f,22) + \frac{11.96\eta_1 \exp[0.7(1-r_t)]}{(f-183.31)^2 + 11.14\eta_1^2} \right. \\ & + \frac{0.081\eta_1 \exp[6.44(1-r_t)]}{(f-321.226)^2 + 6.29\eta_1^2} + \frac{3.66\eta_1 \exp[1.6(1-r_t)]}{(f-325.153)^2 + 9.22\eta_1^2} \\ & + \frac{25.37\eta_1 \exp[1.09(1-r_t)]}{(f-380)^2} + \frac{17.4\eta_1 \exp[1.46(1-r_t)]}{(f-448)^2} \\ & + \frac{844.6\eta_1 \exp[0.17(1-r_t)]}{(f-557)^2} g(f,557) + \frac{290\eta_1 \exp[0.41(1-r_t)]}{(f-752)^2} g(f,752) \\ & \left. + \frac{8.3328 \times 10^4 \eta_2 \exp[0.99(1-r_t)]}{(f-1780)^2} g(f,1780) \right\} f^2 r_t^{2.5} \rho \times 10^{-4} \end{aligned} \quad (23a)$$

with:

$$\eta_1 = 0.955 r_p r_t^{0.68} + 0.006 \rho \quad (23b)$$

$$\eta_2 = 0.735 r_p r_t^{0.5} + 0.0353 r_t^4 \rho \quad (23c)$$

$$g(f, f_i) = 1 + \left(\frac{f - f_i}{f + f_i} \right)^2 \quad (23d)$$

where ρ is the water-vapour density (g/m³).

Figure 5 shows the specific attenuation from 1 to 350 GHz at sea-level for dry air and water vapour with a density of 7.5 g/m³.

2 Path attenuation


2.1 Terrestrial paths

For a horizontal path, or for slightly inclined paths close to the ground, the path attenuation, A , may be written as:

$$A = \gamma r_0 = (\gamma_o + \gamma_w) r_0 \quad \text{dB} \quad (24)$$

where r_0 is the path length (km).

FIGURE 5
Specific attenuation due to atmospheric gases



Pressure: 1 013 hPa
 Temperature: 15° C
 Water vapour density: 7.5 g/m³

2.2 Slant paths

This section contains simple algorithms for estimating the gaseous attenuation along slant paths through the Earth's atmosphere, by defining an equivalent height by which the specific attenuation calculated in § 1 may be multiplied to obtain the zenith attenuation. The equivalent heights are dependent on pressure, and can hence be employed for determining the zenith attenuation from sea level up to an altitude of about 10 km. The resulting zenith attenuations are accurate to within $\pm 10\%$ for dry air and $\pm 5\%$ for water vapour from sea level up to altitudes of about 10 km, using the pressure, temperature and water-vapour density appropriate to the altitude of interest. For altitudes higher than 10 km, and particularly for frequencies within 0.5 GHz of the centres of resonance lines at any altitude, the procedure in Annex 1 should be used. Note that the Gaussian function in equation (25b) describing the oxygen equivalent height in the 60 GHz band can yield errors higher than 10% at certain frequencies, since this procedure cannot reproduce the structure shown in Fig. 7. The expressions below were derived from zenith attenuations calculated with the procedure in Annex 1, integrating the attenuations numerically over a bandwidth of 500 MHz; the resultant attenuations hence effectively represent approximate minimum values in the 50-70 GHz band. The path attenuation at elevation angles other than the zenith may then be determined using the procedures described later in this section.

For dry air, the equivalent height is given by:

$$h_o = \frac{6.1}{1 + 0.17 r_p^{-1.1}} (1 + t_1 + t_2 + t_3) \quad (25a)$$

where:

$$t_1 = \frac{4.64}{1 + 0.066 r_p^{-2.3}} \exp \left[- \left(\frac{f - 59.7}{2.87 + 12.4 \exp(-7.9 r_p)} \right)^2 \right] \quad (25b)$$

$$t_2 = \frac{0.14 \exp(2.12 r_p)}{(f - 118.75)^2 + 0.031 \exp(2.2 r_p)} \quad (25c)$$

$$t_3 = \frac{0.0114}{1 + 0.14 r_p^{-2.6}} f \frac{-0.0247 + 0.0001f + 1.61 \times 10^{-6} f^2}{1 - 0.0169f + 4.1 \times 10^{-5} f^2 + 3.2 \times 10^{-7} f^3} \quad (25d)$$

with the constraint that:

$$h_o \leq 10.7 r_p^{0.3} \quad \text{when } f < 70 \text{ GHz} \quad (25e)$$

and for water vapour, the equivalent height is:

$$h_w = 1.66 \left(1 + \frac{1.39\sigma_w}{(f - 22.235)^2 + 2.56\sigma_w} + \frac{3.37\sigma_w}{(f - 183.31)^2 + 4.69\sigma_w} + \frac{1.58\sigma_w}{(f - 325.1)^2 + 2.89\sigma_w} \right) \quad (26a)$$

for $f \leq 350$ GHz

$$\sigma_w = \frac{1.013}{1 + \exp[-8.6 (r_p - 0.57)]} \quad (26b)$$

The zenith attenuation between 50 to 70 GHz is a complicated function of frequency, as shown in Fig. 7, and the above algorithms for equivalent height can provide only an approximate estimate, in general, of the minimum levels of attenuation likely to be encountered in this frequency range. For greater accuracy, the procedure in Annex 1 should be used.

The concept of equivalent height is based on the assumption of an exponential atmosphere specified by a scale height to describe the decay in density with altitude. Note that scale heights for both dry air and water vapour may vary with latitude, season and/or climate, and that water vapour distributions in the real atmosphere may deviate considerably from the exponential, with corresponding changes in equivalent heights. The values given above are applicable up to altitudes of about 10 km.

The total zenith attenuation is then:

$$A = \gamma_o h_o + \gamma_w h_w \quad \text{dB} \quad (27)$$

Figure 6 shows the total zenith attenuation at sea level, as well as the attenuation due to dry air and water vapour, using the mean annual global reference atmosphere given in Recommendation ITU-R P.835. Between 50 and 70 GHz greater accuracy can be obtained from the 0 km curve in Fig. 7 which was derived using the line-by-line calculation as described in Annex 1.

2.2.1 Elevation angles between 5° and 90°

2.2.1.1 Earth-space paths

For an elevation angle, φ , between 5° and 90°, the path attenuation is obtained using the cosecant law, as follows:

For path attenuation based on surface meteorological data:

$$A = \frac{A_o + A_w}{\sin \varphi} \quad \text{dB} \quad (28)$$

where $A_o = h_o \gamma_o$ and $A_w = h_w \gamma_w$

and for path attenuation based on integrated water vapour content:

$$A(P) = \frac{A_o + A_w(P)}{\sin \varphi} \quad \text{dB} \quad (29)$$

where $A_w(P)$ is given in § 2.3.

2.2.1.2 Inclined paths

To determine the attenuation values on an inclined path between a station situated at altitude h_1 and another at a higher altitude h_2 , where both altitudes are less than 10 km above mean sea level, the values h_o and h_w in equation (28) must be replaced by the following h'_o and h'_w values:

$$h'_o = h_o \left[e^{-h_1/h_o} - e^{-h_2/h_o} \right] \quad \text{km} \quad (30)$$

$$h'_w = h_w \left[e^{-h_1/h_w} - e^{-h_2/h_w} \right] \quad \text{km} \quad (31)$$

it being understood that the value ρ of the water-vapour density used in equation (23) is the hypothetical value at sea level calculated as follows:

$$\rho = \rho_1 \times \exp(h_1/2) \quad (32)$$

where ρ_1 is the value corresponding to altitude h_1 of the station in question, and the equivalent height of water vapour density is assumed as 2 km (see Recommendation ITU-R P.835).

Equations (30), (31) and (32) use different normalizations for the dry air and water-vapour equivalent heights. While the mean air pressure referred to sea level can be considered constant around the world (equal to 1013 hPa), the water-vapour density not only has a wide range of

climatic variability but is measured at the surface (i.e. at the height of the ground station). For values of surface water-vapour density, see Recommendation ITU-R P.836.

2.2.2 Elevation angles between 0° and 5°

2.2.2.1 Earth-space paths

In this case, Annex 1 of this Recommendation should be used. The same Annex should also be used for elevations less than zero.

2.2.2.2 Inclined paths

The attenuation on an inclined path between a station situated at altitude h_1 and a higher altitude h_2 (where both altitudes are less than 10 km above mean sea level), can be determined from the following:

$$A = \gamma_o \sqrt{h_o} \left[\frac{\sqrt{R_e + h_1} \cdot F(x_1) e^{-h_1/h_o}}{\cos \varphi_1} - \frac{\sqrt{R_e + h_2} \cdot F(x_2) e^{-h_2/h_o}}{\cos \varphi_2} \right] + \gamma_w \sqrt{h_w} \left[\frac{\sqrt{R_e + h_1} \cdot F(x'_1) e^{-h_1/h_w}}{\cos \varphi_1} - \frac{\sqrt{R_e + h_2} \cdot F(x'_2) e^{-h_2/h_w}}{\cos \varphi_2} \right] \quad \text{dB} \quad (33)$$

where:

R_e : effective Earth radius including refraction, given in Recommendation ITU-R P.834, expressed in km (a value of 8 500 km is generally acceptable for the immediate vicinity of the Earth's surface)

φ_1 : elevation angle at altitude h_1

F: function defined by:

$$F(x) = \frac{1}{0.661 x + 0.339 \sqrt{x^2 + 5.51}} \quad (34)$$

$$\varphi_2 = \arccos \left(\frac{R_e + h_1}{R_e + h_2} \cos \varphi_1 \right) \quad (35a)$$

$$x_i = \tan \varphi_i \sqrt{\frac{R_e + h_i}{h_o}} \quad \text{for } i = 1, 2 \quad (35b)$$

$$x'_i = \tan \varphi_i \sqrt{\frac{R_e + h_i}{h_w}} \quad \text{for } i = 1, 2 \quad (35c)$$

it being understood that the value ρ of the water vapour density used in equation (23) is the hypothetical value at sea level calculated as follows:


$$\rho = \rho_1 \cdot \exp(h_1/2) \quad (36)$$

where ρ_1 is the value corresponding to altitude h_1 of the station in question, and the equivalent height of water vapour density is assumed as 2 km (see Recommendation ITU-R P.835).

Values for ρ_1 at the surface can be found in Recommendation ITU-R P.836. The different formulation for dry air and water vapour is explained at the end of § 2.2.

FIGURE 6


Total, dry air and water-vapour zenith attenuation from sea level



Surface pressure: 1 013 hPa
Surface temperature: 15° C
Surface water-vapour density: 7.5 g/m³

FIGURE 7

Zenith oxygen attenuation from the altitudes indicated, calculated at intervals of 50 MHz, including line centres (0 km, 5 km, 10 km, 15 km and 20 km)



P0676-07

2.3 Zenith path water-vapour attenuation

The above method for calculating slant path attenuation by water vapour relies on the knowledge of the profile of water-vapour pressure (or density) along the path. In cases where the integrated water vapour content along the path, V_t , is known, an alternative method may be used. The total water-vapour attenuation can be estimated as:

$$A_w(P) = \frac{0.0173 V_t(P) \gamma_w(f, p_{ref}, \rho_{v,ref}, t_{ref})}{\gamma_w(f_{ref}, p_{ref}, \rho_{v,ref}, t_{ref})} \quad \text{dB} \quad (37)$$

where:

f : frequency (GHz)

f_{ref} : 20.6 (GHz)

p_{ref} = 780 (hPa)

$\rho_{v,ref}$ = $\frac{V_t(P)}{4}$ (g/m³)

t_{ref} = $14 \ln \left(\frac{0.22 V_t(P)}{4} \right) + 3$ (°C)

$V_t(P)$: integrated water vapour content at the required percentage of time (kg/m² or mm), which can be obtained either from radiosonde profiles, radiometric measurements, or Recommendation ITU-R P.836 (kg/m² or mm)

$\gamma_w(f, p, \rho, t)$: specific attenuation as a function of frequency, pressure, water-vapour density, and temperature calculated from equation (23a) (dB/km).
