



ITU Asia-Pacific Centre of Excellence Training
On
“Distributed Ledger Technologies
(Blockchain) Ecosystem and Decentralization”
3-6 September 2018,
Bangkok, Thailand

Dr. Jean-Marc Seigneur, jean-marc.seigneur@reputation.com



Dr. Jean-Marc Seigneur

- 100+ Scientific Publications Worldwide
 - Online Reputation Management (ORM)
 - Computational Trust Expert
 - Attack-resistant Consensus Algorithms
- Academic Member of the ITU
- Director of the Certificate of Advanced Studies (CAS) in Decentralized App Development with Blockchain & DLT at University of Geneva
 - <https://www.cas-blockchain-certification.com>
- President of Reputaction SAS
- Google Award of Excellent Research in Academia received in 2016



UNIVERSITÉ
DE GENÈVE




Bibliography

- “The Age of Cryptocurrency: How Bitcoin and the Blockchain Are Challenging the Global Economic Order”, Paul Vigna and Michael J. Casey
- “Blockchain: Blueprint for a New Economy”, Melanie Swan
- “Blockchain: Ultimate guide to understanding blockchain, bitcoin, cryptocurrencies, smart contracts and the future of money”, Mark Gates
- “Blockchain Technology Explained: The Ultimate Beginner’s Guide About Blockchain Wallet, Mining, Bitcoin, Ethereum, Litecoin, Zcash, Monero, Ripple, Dash, IOTA and Smart Contracts”, Alan T. Norman
- “Mastering Bitcoin: Programming the Open Blockchain”, Andreas M. Antonopoulos
- “Introducing Ethereum and Solidity: Foundations of Cryptocurrency and Blockchain Programming for Beginners”, Chris Dannen
- “Hasgraph vs Blockchain: The Future of Cryptocurrency”, Stephen Keller

Agenda

- Understanding the technology behind DLT
- Overview of current DLT development platforms
- How to select the most appropriate DLT for a specific dApp
- Overview of current cryptocurrencies and tools
- Initial Coin Offering (ICO), Token Generation Event (TGE) and tokenomics
- DLT trends

Byzantine Generals Consensus Problem



[Mike Maloney,
Hidden Secrets of Money]

Exercise with 2 Generals



[Pixabay,
Bungie]

Byzantine Generals Solutions

- Lamport et al.'s Byzantine Generals Problem publication, 1982
- Solutions may exist under various assumptions but they are expensive in amount of time and messages required
 - Oral messages: No solution with fewer than $3f+1$ generals can cope with more than f traitors (no solution for 3 generals including 1 traitor)
 - Signed message: No solution with fewer than $f+2$ generals can cope with more than f traitors
- One potential implemented solution is called Practical Byzantine Fault Tolerance (PBFT) by Castro et Likov in 1999. It requires to have a membership list and selection of a leader in a round-robin fashion, thus it isn't fully permissionless. Each party maintains an internal state. When a party receives a message, they use the message with their internal state to run a computation. This computation will lead to this party's decision about the message. Then, the party will share the decision with all other parties in the network. The final decision is determined based on the total decisions from all parties. A high hashrate is not required in this process because PBFT relies on the number of nodes to confirm trust. Once enough responses are reached, e.g., more than two-third, the transaction is verified to be a valid transaction: there is no need to wait for confirmations.

Asymmetric Cryptography


- 1973: Cocks' Implementation of Asymmetric Cryptography
- Random generation of a key pair:
 - The private must be kept secret
 - The public key can be released publicly to verify a message signed by the private key or to encrypt a message that only the owner of the private key can decrypt
- A crypto wallet can be used to easily create key pairs
 - Be careful of not losing the generated files and keep them secure as well as your recovery passwords
 - Hardware wallets are better against unmaintained daily used computers
 - Exercise with <https://www.myetherwallet.com/>
- Usually a cryptocurrency account address is derived from hashing the public key

Hash

- A hash function is any function that can be used to map data of arbitrary size to data of a fixed size.
- Some hash function are said to be secure when they are collision-resistant, which means that it is very hard to find data that will generate the same hash value.
- Secure Hash Algorithms (SHA) are a family of cryptographic hash functions published by the National Institute of Standards and Technology (NIST) as a U.S. Federal Information Processing Standard (FIPS)
 - SHA-0: A retronym applied to the original version of the 160-bit hash function published in 1993 under the name "SHA". It was withdrawn shortly after publication due to an undisclosed "significant flaw" and replaced by the slightly revised version SHA-1.
 - SHA-1: A 160-bit hash function which resembles the earlier MD5 algorithm. This was designed by the National Security Agency (NSA) to be part of the Digital Signature Algorithm. Cryptographic weaknesses were discovered in SHA-1, and the standard was no longer approved for most cryptographic uses after 2010.
 - SHA-2: A family of two similar hash functions, with different block sizes, known as *SHA-256* and *SHA-512*. They differ in the word size; SHA-256 uses 32-bit words where SHA-512 uses 64-bit words.
- The SHA-256 hash function is used within the Bitcoin network in two main ways: mining and creation of Bitcoin addresses

Relation between Bitcoin Keys and Address

Bitcoin Keys



[Ken Shirriff]

Proof-Of-Work (PoW)

- 1993: Cynthia Dwork and Moni Naor's Proof-of-Work against SPAM
- Given some data, find a nonce that will generate a hash starting with X zeros
- The higher X is, the higher difficulty
- Many combinations must be tried before the nonce is found and it requires computing power, also known as hash power
- Bitcoin tries to maintain a difficulty leading to a solution found in around 10 minutes

Peer-to-Peer (P2P)

- 1999: Napster music sharing application
- P2P system is a distributed system where tasks or workloads are provided by peers or nodes.
- An attack-resistant incentive mechanism must exist to avoid the “tragedy of the commons”, a situation in a shared-resource system where individual users acting independently according to their own self-interest behave contrary to the common good of all users by depleting or spoiling that resource through their collective action.
- There are different types of P2P systems.
- BitTorrent has been acquired by TRON cryptocurrency and DLT



Bitcoin Main Building Blocks

- The first combination of existing building blocks to solve distributed consensus and double-spending without a central authority thanks to a blockchain with PoW
- 31/10/2008, Satoshi Nakamoto's Bitcoin solution publication using several major building blocks:
 - 1973: Cocks' Implementation of Asymmetric Cryptography
 - 1982: Leslie Lamport et al.'s Byzantine Generals Problem
 - 1991: Linked cryptographic timestamps
 - 1993: Cynthia Dwork and Moni Naor's Proof-of-Work against SPAM
 - 1994: Nick Szabo's Smart Contract
 - 1997: Adam Back's HashCash
 - 1998: Nick Szabo's BitGold and Wei Dai's B-Money
 - 1999: Peer-to-Peer Networks (Shawn Fanning's Napster)
 - 2001: SHA-256
- January 12th 2009, first Bitcoin transaction from Satoshi Nakamoto to Hal Finney



Bitcoin Whitepaper

Bitcoin: A Peer-to-Peer Electronic Cash System

Satoshi Nakamoto
satoshin@gmx.com
www.bitcoin.org

Abstract. A purely peer-to-peer version of electronic cash would allow online payments to be sent directly from one party to another without going through a financial institution. Digital signatures provide part of the solution, but the main benefits are lost if a trusted third party is still required to prevent double-spending. We propose a solution to the double-spending problem using a peer-to-peer network. The network timestamps transactions by hashing them into an ongoing chain of hash-based proof-of-work, forming a record that cannot be changed without redoing the proof-of-work. The longest chain not only serves as proof of the sequence of events witnessed, but proof that it came from the largest pool of CPU power. As long as a majority of CPU power is controlled by nodes that are not cooperating to attack the network, they'll generate the longest chain and outpace attackers. The network itself requires minimal structure. Messages are broadcast on a best effort basis, and nodes can leave and rejoin the network at will, accepting the longest

[bitcoin.org, 10/31/2008]

Bitcoin “Ideology”

- Born in 2008 amid the turmoil of the 2008 financial crisis
- Satoshi Nakamoto (unknown identity)
 - “The central bank must be trusted not to debase the currency, but the history of fiat currencies is full of breaches of that trust. Banks must be trusted to hold our money and transfer it electronically, but they lend it out in waves of credit bubbles with barely a fraction in reserve.”

[Satoshi Nakamoto, Feb. 2009]



[Mashable.com]

Satoshi Solution Vision


- “What if I could turn a bank inside out? Instead of one central party controlling the ledger, what if every user were recruited to maintain a constantly updated copy?”
- Copy *instantly* the ledger on all participating nodes and exclude the one that doesn't agree with the masses



[Pixabay]

Double Spending Problem of Digital Currencies


- Digital resources are easy to copy
- Networks are noisy and transmission across networks is far from instantaneous
- Fraudsters may give several times the same digital coin before all ledgers are updated



Blockchain

- A block usually contains several signed transactions
- The block also contains the hash of the previous block
- The miner or validator must check that the transactions signatures are valid as well as their content, e.g., the payer signer has still enough cryptocurrencies to pay
- When PoW is used, as in Bitcoin, the miner has to spend resources to find the nonce that will generate a hash of the current difficulty required by the distributed system
 - When the nonce is found, the block is submitted to other peers for inclusion in the blockchain after their validation and usually considered confirmed after a number of future blocks have been added, e.g., usually 6 blocks for Bitcoin
 - Several computers may find valid nonces at similar times and may propagate their new block to other peers. Thus, some peers may end up with different new blocks due to network delays creating a so called “soft fork” of the blockchain. The hash difficulty helps slowing down the number of potential soft forks and gives time for the peers to reach a consensus on the blockchain with most blocks.
 - The miner may be rewarded by an agreed number of cryptocurrencies and/or fees specified in the transactions
- Other consensus algorithms may be used such as Proof-of-Stake (PoS) or ones based on Byzantine Fault Tolerance (BFT)...
 - All have their own advantages and disadvantages: faster but more centralized, prone to some attacks...

Bitcoin Blockchain Overview



Hardfork Overview



Bitcoin protocol



New protocol



Blockchain

Blockchain Exercise with <https://anders.com/>

Blockchain Demo

Hash

Block

Blockchain

Distributed

Tokens

Coinbase

Blockchain

Block: # 1

Nonce: 11316

Data:

Prev: 00000000000000000000000000000000

Hash: 000015783b764259d382017d91a36d206d01

Mine

Block: # 2

Nonce: 35230

Data:

Prev: 000015783b764259d382017d91a36d206d01

Hash: 000012fa9b916eb9078f8d98a7864e697ae83

Mine

Block: # 3

Nonce: 12937

Data:

Prev: 000012fa9b916eb9078f8d98a7864e697ae83

Hash: 0000b9015ce2a08b61216ba

Mine




Bitcoin Theoretical 51% Attack

- “A majority attack (usually labeled 51% attack or >50% attack) is an attack on the network. This attack has a chance to work even if the merchant waits for some confirmations, but requires extremely high relative hashrate.
- The attacker submits to the merchant/network a transaction which pays the merchant, while privately mining a blockchain fork in which a double-spending transaction is included instead. After waiting for n confirmations, the merchant sends the product. If the attacker happened to find more than n blocks at this point, he releases his fork and regains his coins; otherwise, he can try to continue extending his fork with the hope of being able to catch up with the network. If he never manages to do this, the attack fails, the payment to the merchant will go through, and the work done mining will also go to waste, as any new bitcoins would be overwritten by the longest chain.
- The probability of success is a function of the attacker's hashrate (as a proportion of the total network hashrate) and the number of confirmations the merchant waits for. For example, if the attacker controls 10% of the network hashrate but the merchant waits for 6 confirmations, the success probability is on the order of 0.1%. If the attacker controls more than half of the network hashrate, this has a probability of 100% to succeed. Since the attacker can generate blocks faster than the rest of the network, he can simply persevere with his private fork until it becomes longer than the branch built by the honest network, from whatever disadvantage.
- No amount of confirmations can prevent this attack; however, waiting for confirmations does increase the aggregate resource cost of performing the attack, which could make it unprofitable or delay it long enough for the circumstances to change or slower-acting synchronization methods to kick in. A majority attack was more feasible in the past when most transactions were worth significantly more than the block reward and when the network hashrate was much lower and prone to reorganization with the advent of new mining technologies.
- A majority attack has never been successfully executed on the Bitcoin network, but it has been demonstrated to work on some small altcoins.”

[<https://en.bitcoin.it>]

Other Public Blockchain Attack-Resistance

- The following altcoins are known to have been successfully attacked with the 51% attack: NEM, Verge, Bitcoin Gold, ZenCash...
- As we have seen, with a Byzantine Fault Tolerance (BFT) approach, no more than 33% of the network participants can be malevolent to maintain the system's integrity.
 - NEO, which uses delegated BFT, has been down several times




Bitcoin Issues (at time of writing)

- Fears that Bitmain may be close to approach 51% of total Bitcoin hashrate
- Risk of other hardforks due to divergence in the Bitcoin developers community
- Consensus is only confirmed probabilistically with increased probability as new blocks are added
- Concentration of wealth
 - 97% Bitcoins are only held by 4% of addresses
 - Satoshi Nakamoto may have at time of writing 1 million Bitcoins (6 billion \$) over the maximum 21 million Bitcoins
- No enforced Know Your Customer (KYC) for Anti-Money Laundering (AML) and Counter-Terrorist Financing (CTF) (although not anonymous)
- Used at best as store of value or worse as a speculation tool instead of “electronic cash”
- Performance doesn’t scale as its use increases in contrast to (theoretically) IOTA and Cardano
 - Only around 7 transactions per second and it has already been congested
 - Lightning networks (offchain sidechains) help in this regard
- Alex de Vries’ study found that Bitcoin mining uses roughly the same amount of electricity as the entire nation of Ireland

Proof-of-Stake (PoS) and Delegated PoS

- Alternative consensus to Proof-of-Work (PoW) without mining.
- In PoS, users may stake some of their coins to be able to become the peer who will be selected as next block validator and potentially earn the transaction fees
- Selection by account balance would result in undesirable centralization because the single richest member would have a permanent advantage as it gets richer.
- Different versions: random selection, stake age-based selection (number of coins stake multiply by the time they have been staked, when selected, time reset to 0)...
- PoS alternatives consume less energy and reach higher TPS but they have also still to prove their attack-resistance in real open public settings like PoW so far.
 - Ethereum is trying to move from PoW to PoS with its Casper protocol.
- In Delegated PoS (DPOS), as in EOS, token holders don't vote on the validity of the blocks themselves, but vote to elect delegates to do the validation on their behalf.

Proof of Stake (PoS) vs. Proof of Work (PoW)



Agenda

- Understanding the technology behind DLT
- **Overview of current DLT development platforms**
- How to select the most appropriate DLT for a specific dApp
- Overview of current cryptocurrencies and tools
- Initial Coin Offering (ICO), Token Generation Event (TGE) and tokenomics
- DLT trends

Chinese Permissionless Blockchain Ranking

- CCID is a research institute working for the Chinese Ministry of Industry and Information Technology
- Ranking based on:
 - Technology
 - Application
 - Innovation
- August 2018 example:

| 中文名 | 英文名 | 分项指数 | | | 总指数 | 综合排名 |
|------|----------|-------|------|------|-------|------|
| | | 基础技术 | 应用性 | 创新力 | | |
| EOS | EOS | 104.3 | 17.6 | 36.7 | 158.7 | 1 |
| 以太坊 | Ethereum | 82.0 | 27.4 | 29.6 | 139.0 | 2 |
| 科莫多 | Komodo | 75.9 | 16.5 | 18.9 | 111.3 | 3 |
| 星云链 | Nebulas | 75.0 | 26.1 | 9.4 | 110.6 | 4 |
| NEO | NEO | 72.9 | 27.3 | 7.2 | 107.4 | 5 |
| 恒星链 | Stellar | 76.7 | 19.9 | 9.5 | 106.1 | 6 |
| 应用链 | Lisk | 66.5 | 18.6 | 20.7 | 105.9 | 7 |
| 公信链 | GXChain | 71.8 | 17.9 | 14.7 | 104.5 | 8 |
| 斯蒂姆链 | Steem | 87.8 | 6.6 | 9.1 | 103.4 | 9 |
| 比特币 | Bitcoin | 46.0 | 15.4 | 40.3 | 101.7 | 10 |

Stellar vs. Ripple

- Both oriented towards payment/financial transactions
 - Limited set of methods possible compared to Ethereum but less chance for bugs with limited possibilities
- Ripple, more centralized with chosen validators and coins controlled by a company looking for profit, 1500 TPS to upgraded to Visa 50000 TPS (although much use under 2000 TPS)
- Stellar, more decentralized validators and non-profit vision to end poverty , still 1000 TPS
 - Its consensus is based on federated BFT



STELLAR



Stellar consensus



Smart contracts beyond payments: Ethereum

- Although Bitcoin has some possibilities for scripts, it has been focused on payment transactions smart contracts and are Turing-incomplete
- A Turing-complete language means that it can approximately simulate the computational aspects of any other real-world general-purpose computer or computer language.
- In 1994, Nick Szabo coined the term “smart contract”, a computer protocol intended to digitally facilitate, verify, or enforce the negotiation or performance of a contract, with the aim to provide superior security to traditional contract law and to reduce other transaction costs associated with contracting: “code is law” (although it is not true because smart contracts aren’t part of current laws and the cost of lawyers with knowledge in DLT is pretty high)
- In 2013, Vitalik Buterin et al.’s Ethereum has been the first DLT to propose a new DLT for Turing-complete smart contracts and any decentralized applications beyond payments. A co-founder of Ethereum, Charles Hoskinson created later Cardano.
- Although it is generally assumed that transactions and smart contracts once deployed in the blockchain are immutable, other DLTs like EOS keep the option to mutate them and hardforks may happen even in Ethereum because current Ethereum is a fork of Ethereum Classic that reversed the results of the DAO hack.


DAO

- A decentralized autonomous organization (DAO) is an organization that is run through rules encoded as computer programs called smart contracts.
 - For example, token holders may vote to influence the decisions made by the computer program.
- The DAO, which launched with \$150 million in crowdfunding in June 2016, and was immediately hacked and drained of US\$50 million in cryptocurrency. This hack was reversed in the following weeks, and the money restored, via a hardfork of the Ethereum blockchain. This decentralized bailout was made possible by a majority vote of the blockchain's hash rate.
- The precise legal status of this type of business organization is unclear, which means potentially unlimited legal liability for participants, even if the smart contract code or the DAO's promoters say otherwise.
- Malta is the first country that has voted laws in 2018 to give a legal personality to DAO but other countries, e.g., the USA, have considered DAO tokens as illegal offers of unregistered securities.

Tokens


- There are 3 main types of crypto tokens.
- Payment token: cryptocurrencies as means of payments such as Bitcoin, although it has become a store of value or means of speculation, as stablecoins or as digital version of fiat money (inconvertible paper money made legal tender by a government decree)
- Utility token: tokens that are needed to use the functionalities of a DLT or dApp (decentralized application) such as Ether
- Security token: tokens that represent assets such as participations in real physical underlyings (stock, commodity, financial product...), companies, or earnings streams, or an entitlement to dividends or interest payments. In terms of their economic function, the tokens are analogous to equities, bonds or derivatives.

Smart Contracts Overview



Directed Acyclic Graph (DAG)

- Blockchains are only a subset of Distributed Ledger Technologies (DLT).
- Another type of DLT are solutions relying on DAG rather than blockchain: IOTA, Hashgraph, Constellation, Fantom...





IOTA



- Launched via an ICO in 2015, IOTA DAG is called tangle
- Advantages:
 - No transaction fee but a new transaction must verify two older transactions (checking there is no conflict and finding the right hash)
 - Performance improves as more transactions are added: it scales with the number of nodes in the network (in contrast to Bitcoin)
- Same as in Bitcoin, there is confirmation confidence as the branch confirming the transaction grows
- Remaining issues:
 - Closed source coordinator to prevent subtangle generation but unknown when the network will be big enough and if it will be resistant to
 - Have used proprietary cryptography rather than peer-reviewed ones
 - Small Internet of Things (IoT) nodes may not be able to hash although IOTA initial targeted IoT
 - Turing-incomplete
 - Low probability of accepting dishonest transaction, which may be an issue, especially for payment use-cases

- Exercise with Vaibhav Saini's simulator here: <https://hackernoon.com/a-beginners-ultimate-guide-to-dags-7fc0dd7f39a2>



IOTA Overview

Directed **A**cyclic **G**raph




Hashgraph



- Hashgraph is a DAG approach relying on a “gossip about gossip” protocol patented by Swirlds and invented by Leemon Baird
 - Every node can spread signed information, called events, on new owned transactions and transactions received from others to its randomly chosen neighbors.
 - Neighbors aggregate received events with information received from other nodes (including when and from whom) into a new event, and then send it on to other randomly chosen neighbors. This process continues until all the nodes are aware of the information created or received at the beginning. Due to the rapid convergence property of the gossip protocol, every piece of new information can reach each node in the network in a fast manner.
 - The history of the gossip protocol can be illustrated by a directed graph, i.e., each node maintains a graph representing sequences of forwarders/witnesses for each transaction.
 - By performing virtual voting, each node can determine if a transaction is valid based on whether it has over two-thirds of nodes in the network as witnesses. The assumption is that less than a third of nodes are Byzantine (nodes that can behave badly by forging, delaying, replaying and dropping incoming/outgoing messages).
 - Advantages: It works well in permissioned settings reaching over 100000 TPS with mathematically-proven fairness via consensus time stamping instead of blockchain consensus, whose confirmation probability only increases as blocks are added
 - Disadvantages: Its attack-resistance in permissionless settings based on PoS has still to be proven.
- 38 • It has successfully done its ICO in 2018 in order to move to permissionless use-cases with a platform called Hedera.

Hashgraph Overview

It's called 'gossip about gossip' and it lets everyone know what everyone else knows and exactly when they knew it in just fractions of a second.



[Mike Maloney,
Hidden Secrets of Money]

Agenda


- Understanding the technology behind DLT
- Overview of current DLT development platforms
- **How to select the most appropriate DLT for a specific dApp**
- Overview of current cryptocurrencies and tools
- Initial Coin Offering (ICO), Token Generation Event (TGE) and tokenomics
- DLT trends

Decentralize Applications (dApp) Requirements

- As presented previously, different DLT platforms have different advantages and disadvantages for dApp development and production:
 - Peer-reviewed
 - Transaction per seconds (TPS)
 - Attack-resistance
 - Turing completeness
 - Permissioned or permissionless
 - Programmability
 - Popularity
 - Sustainability
 - Interoperability
- However, the first requirement to check is to know whether a DLT is needed or not!


DLT Business Ecosystem

- [[Blackmooncrypto.com](https://blackmooncrypto.com)]



Non-financial Use-Cases of Blockchain

• [Medici]




Blockchain versus Database

| | Permissionless Blockchain | Permissioned Blockchain | Central Database |
|-----------------------------|---------------------------|-------------------------------|------------------|
| Throughput | Low | High | Very High |
| Latency | Slow | Medium | Fast |
| Number of readers | High | High | High |
| Number of writers | High | Low | High |
| Number of untrusted writers | High | Low | 0 |
| Consensus mechanism | Mainly PoW, some PoS | BFT protocols (e.g. PBFT [5]) | None |
| Centrally managed | No | Yes | Yes |


[Wüst and Gervais]

DLT Decision Flowchart Exercise


- There are several flowcharts to help deciding if the use-case under consideration would benefit from a blockchain. Although we have already seen above that blockchain is only a subset of DLT, we assume that the following blockchain decision flowcharts can also be mainly applied to DLT.
- Which one seems the most appropriate to you?



US DHS DLT Decision Flow Chart



WEF DLT Decision Flow Chart



Programmability

- The following questions may be asked when selecting a DLT:
 - Does the DLT uses a well-known programming level with high-level bug and security checks?
 - Does the DLT provides an Integrated Development Environment (IDE)?
 - How big is the developers community?
 - Are all the DLT components open-source?
 - Are there any restricting patents?
 - Does the DLT use peer-reviewed cryptography?
 - How many other projects/dApp have successfully used the DLT?
 - How many projects/dApps built with the DLT have been successfully attacked due to bugs or security holes?
 - Does the DLT have a testnet separated from the mainnet?
 - Is it easy to use the testnet?
 - Does the DLT have a detailed blocks/transactions explorer?
 - Does the DLT provide an open-source wallet?
 - Is it possible to create privatenets for testing purposes?
 - Does the DLT have an emulator?
 - Does the DLT have an active open-source repository?
 - Including a test suite (unit tests...)?
 - Including active bugs treatments?
 - Including detailed documentation, at least in English?
 - Including tested templates, e.g., ICO smart contracts or tokens generation templates (ERC20, NEP-5...)?

ERC20 Overview


ERC20

- totalSupply
- balanceOf
- transfer
- transferFrom
- approve
- allowance

Required



Cardano Overview



Main DLT Overall Comparison

- Checkout the table in the Excel file annex

| Name | Paypal | Visa | Bitcoin | Bitcoin Cash | Ethereum | NEO | EOS | Stratis | Komodo | ICON | Cardano | Hyperledger Fabric | Ripple | Stellar | IOTA | Hashgraph Hedera |
|---------------------------------------|------------------------|------------------------|------------|----------------------|-----------------------|---|------------|--------------|--------------|----------------------|------------------------------|---|-----------------------------|----------------------------|-----------------------------------|------------------|
| Type | Private | Private | Blockchain | Blockchain | Blockchain | Blockchain | Blockchain | Blockchain | Blockchain | Blockchain | Blockchain | Blockchain | Blockchain | Blockchain | DAG | DAG |
| Consensus | n/a | n/a | PoW | PoW | PoW | dBFT | DPoS | PoS | dPoW | LFT | PoS | Different types possible | 80% of approved validators | FBFT/FBA/SCP | Tangle | Hashgraph + PoS |
| Current decentralization | none | none | Medium | Medium | High | Low (OnChain) | Medium | Low | Medium | Low (LoopChain) | Planned | Possible but more for private | Very low | Medium | Low (until coordinator-less) | Planned (Swirls) |
| Public attack-resistance | n/a | n/a | High | Medium | High | Low (until more use) | Medium | Medium | Medium | Low (until more use) | Medium (until full release) | Possible but more for private | Medium | Medium | Low (until coordinator-less) | Planned |
| Liveness or safety | n/a | n/a | Liveness | Liveness | Liveness | Safety | Safety | Liveness | Liveness | Safety | Liveness | Depending on the chosen type | Safety | Safety | Liveness | Liveness |
| Own tokens | n/a | n/a | Mining | Mining | ICO/Mining | ICO | ICO | ICO | ICO/Mining | ICO | ICO | n/a | Company allocation | Company allocation (until) | ICO | ICO |
| TPS (Visa usual needs 2000 TPS) | 200 | 50000 | 7 | 61 | 15 | 1000+ | 3000+ | 20000 | 20000 | 3000+ | 10 (planned for thousands) | Depending on the chosen type (max. 700) | 1500 | 1000 | 1500 (real-time stress much) | 100000 |
| Sidechain | n/a | n/a | Lightning | n/a | Raiden, Liquidity | n/a | n/a | Yes | Planned | n/a | Planned | n/a | n/a | n/a | n/a | n/a |
| Crosschain | n/a | n/a | n/a | n/a | n/a | Planned | n/a | n/a | Planned | Planned | Planned | n/a | n/a | n/a | n/a | n/a |
| Open-source | No | No | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Planned | Yes | Yes | Yes | Yes | Yes | Yes but patented |
| Programming language | n/a | n/a | C++ | C++ | Solidity | C#, Python... | C++ | C# | C++ | Python | Haskell, Plutus, Solidity... | Golang | Javascript | Javascript, Java, Go... | Java, Javascript, Python | Java, Solidity |
| Coding difficulty given available IDE | n/a | n/a | Medium | High | Medium | Easy | Medium | Easy | Medium | Low | Medium | Medium | Easy | Easy | Easy | Medium |
| Permission | Private | Private | Public | Public | Public | Public | Public | Public | Public | Public | Public | Private (and public in theory) | Private | Public | Public | Public |
| Smart contract | n/a | n/a | Limited | Limited | Yes | Yes (500 GAS to deploy) | Yes | Yes | Not yet | Planned | Yes | Yes | Limited to finance | Limited to finance | Yes | Yes |
| Transaction cost | e.g., 2,9% + fixed fee | e.g., 1,5% + fixed fee | Medium | Low | Medium | Low (if below 10GAS) | Low (may) | Low | Low | Planned (Low) | Planned (Medium) | Depending on the chosen type | Planned (Low) | Low | None | Medium |
| KYC/AML for its own currencies | Yes | Yes | No | No | No | No | No | No | No | KYC & AML | KYC | n/a | Yes | No | No | KYC & AML |
| KYC/AML for other created tokens | n/a | n/a | n/a | n/a | Not yet | Planned | Not yet | Helpers | Helpers | Planned | Not yet | Not yet | Not yet | Helpers | Not planned | Not yet |
| Privacy | n/a | n/a | n/a | n/a | n/a | n/a | n/a | Yes (option) | Yes (option) | n/a | n/a | n/a | n/a | n/a | n/a | n/a |
| Community | Private | Private | Big | Small (but influent) | Big | Medium | Big | Small | Small | Small | Medium | Medium (backed by IBM...) | Medium (backed by banks...) | Medium | Medium | Medium |
| Peer-reviewed | Private | Private | Yes | No | Yes | No | No | No | No | Yes | No | No | Yes | No | No | Yes |
| Number of dApps/tokens/use-cases | n/a | n/a | Medium | Not planned | High | Low | Medium | Low | Low | Very low | Planned | Medium | Low | Low | Medium | Medium |
| Upgrades | n/a | n/a | | | PoS, sharding, plasma | Decentralization, refactoring, zero-knowledge proof | | | | | | | | | Coordinator-less, smart contracts | |

DLT Recommendation Summary

- Permission-based
 - If to be tied to a company isn't an issue:
 - If relations with legacy banks is important: Ripple
 - else: Hashgraph
 - else for an open-source customized blockchain: Hyperledger Fabric
- Permission-less
 - If it concerns payment transactions: Stellar
 - For Turing-complete smart contracts:
 - If Transactions Per Second (TPS) matter now: EOS
 - If own tokens generation and ecosystem matter more than TPS: Ethereum
 - Good candidates when ready:
 - Cardano
 - Hashgraph Hedera (if its attack-resistance get scientific peer-review and its patent constraints are non-blocking)
 - If it concerns rapid prototyping: NEO
 - If privacy features are needed: Stratis or Komodo

DLT Evaluation Exercise

- Pick a token that hasn't been evaluated in the slides and prepare a short evaluation presentation

dApp/project Exercise

- Think of a project that would benefit from be being built with a DLT
- Prepare a presentation arguing why the project would benefit form being built with a DLT and which DLT development platform would be the most appropriate
- Depict the overall technical architecture of the project and its main Application Programming Interface (API)

Agenda

- Understanding the technology behind DLT
- Overview of current DLT development platforms
- How to select the most appropriate DLT for a specific dApp
- **Overview of current cryptocurrencies and tools**
- Initial Coin Offering (ICO), Token Generation Event (TGE) and tokenomics
- DLT trends




CoinMarketCap Top Exchanges

| # | Name | Adj. Vol (24h)* | Volume (24h) | Volume (7d) | Volume (30d) | No. Markets | Change (24h) | Vol Graph (7d) | Launched |
|----|--------------|-----------------|-----------------|-----------------|------------------|-------------|--------------|----------------|----------|
| 1 | Binance | \$1,259,917,838 | \$1,259,917,838 | \$5,989,365,952 | \$31,698,476,288 | 379 | 28.70% | | Jul 2017 |
| 2 | OKEx | \$765,188,042 | \$765,188,042 | \$4,261,976,192 | \$29,464,940,864 | 506 | 22.84% | | Jan 2014 |
| 3 | Bittfinex | \$604,761,741 | \$604,761,741 | \$2,308,098,224 | \$13,841,144,288 | 76 | 156.06% | | Oct 2012 |
| 4 | Huobi | \$545,075,391 | \$545,075,391 | \$3,482,422,528 | \$23,020,678,752 | 273 | 3.42% | | Sep 2013 |
| 5 | ZB.COM | \$366,677,507 | \$366,677,507 | \$1,851,667,840 | \$9,904,165,184 | 78 | 39.38% | | Nov 2017 |
| 6 | Bithumb | \$334,034,337 | \$334,034,337 | \$1,164,732,248 | \$4,551,967,000 | 36 | 54.53% | | Jun 2016 |
| 7 | HitBTC | \$238,541,546 | \$238,541,546 | \$1,535,531,808 | \$7,597,366,384 | 764 | -7.76% | | Feb 2014 |
| 8 | Bibox | \$215,620,749 | \$215,620,749 | \$1,021,982,024 | \$5,442,517,144 | 194 | 12.05% | | Nov 2017 |
| 9 | Bit-Z | \$212,612,393 | \$212,612,393 | \$1,104,187,872 | \$4,408,896,608 | 141 | 11.75% | | Jun 2016 |
| 10 | LBank | \$200,179,924 | \$200,179,924 | \$1,094,618,432 | \$5,657,052,296 | 85 | 13.85% | | Oct 2017 |
| 11 | Upbit | \$163,049,450 | \$163,524,396 | \$705,608,024 | \$5,076,565,952 | 269 | 31.77% | | Oct 2017 |
| 12 | BCEX | \$156,979,469 | \$156,979,469 | \$889,996,288 | \$4,375,064,968 | 54 | 9.50% | | Aug 2017 |
| 13 | Coinbase Pro | \$112,710,313 | \$112,710,313 | \$585,370,396 | \$4,197,403,932 | 15 | 94.50% | | May 2014 |
| 14 | DigiFinex | \$112,281,165 | \$112,281,165 | \$756,434,840 | \$3,873,979,616 | 30 | 17.00% | | Apr 2018 |
| 15 | Simex | \$92,633,457 | \$92,633,457 | \$518,764,960 | \$2,781,211,920 | 4 | 0.97% | | Feb 2015 |
| 16 | Kraken | \$91,068,748 | \$91,068,748 | \$454,763,100 | \$3,465,207,396 | 56 | 121.83% | | Jul 2011 |
| 17 | Bitstamp | \$70,132,178 | \$70,132,178 | \$345,046,878 | \$2,531,280,590 | 14 | 106.95% | | Jul 2011 |



Crypto Exchanges Trading Revenues Per Day



* Daily revenue estimated with CoinMarketCap reported 24Hr volume and fees listed on exchanges' websites.

** Percent of visitors estimated by Alexa.com. It does not necessarily represents the % of revenue but only the % of web visitors.

Article & Sources:

<https://howmuch.net/articles/crypto-exchanges-revenue>

<https://www.bloomberg.com>

<https://www.alexacom>


CoinMarketCap 2013-2017



CoinMarketCap 2014-2018



CoinMarketCap Bitcoin Dominance





CoinMarketCap Top Tokens

| Cryptocurrencies ▾ | | Exchanges ▾ | Watchlist | | USD ▾ | | Next 100 → | View All |
|--------------------|------------------|-------------------|------------|-----------------|-----------------------|--------------|------------------|----------|
| # | Name | Market Cap | Price | Volume (24h) | Circulating Supply | Change (24h) | Price Graph (7d) | |
| 1 | Bitcoin | \$119,433,264,043 | \$6,929.37 | \$4,236,892,374 | 17,235,800 BTC | 2.88% | | ... |
| 2 | Ethereum | \$29,040,076,592 | \$285.82 | \$1,382,753,542 | 101,601,275 ETH | 2.56% | | ... |
| 3 | XRP | \$13,489,761,061 | \$0.340494 | \$245,879,927 | 39,618,209,087 XRP * | 3.30% | | ... |
| 4 | Bitcoin Cash | \$9,471,266,698 | \$546.93 | \$313,834,831 | 17,317,038 BCH | 3.43% | | ... |
| 5 | EOS | \$4,844,857,495 | \$5.35 | \$471,926,447 | 906,245,118 EOS * | 3.72% | | ... |
| 6 | Stellar | \$4,251,799,363 | \$0.226481 | \$50,861,905 | 18,773,304,408 XLM * | 3.13% | | ... |
| 7 | Litecoin | \$3,483,975,242 | \$60.03 | \$227,574,478 | 58,038,980 LTC | 3.69% | | ... |
| 8 | Tether | \$2,808,307,995 | \$0.998637 | \$2,707,236,597 | 2,812,140,336 USDT * | -0.24% | | ... |
| 9 | Cardano | \$2,634,574,858 | \$0.101615 | \$59,446,988 | 25,927,070,538 ADA * | 6.42% | | ... |
| 10 | IOTA | \$1,962,621,069 | \$0.706098 | \$91,687,935 | 2,779,530,283 MIOTA * | 15.72% | | ... |
| 11 | Monero | \$1,710,308,365 | \$104.57 | \$26,555,131 | 16,356,413 XMR | 9.01% | | ... |
| 12 | TRON | \$1,665,530,072 | \$0.025332 | \$126,499,164 | 65,748,111,645 TRX * | 9.17% | | ... |
| 13 | Dash | \$1,459,907,402 | \$176.27 | \$333,897,426 | 8,282,086 DASH | 21.43% | | ... |
| 14 | Ethereum Classic | \$1,334,702,147 | \$12.82 | \$216,171,602 | 104,113,363 ETC | 1.80% | | ... |
| 15 | NEO | \$1,312,498,604 | \$20.19 | \$89,415,821 | 65,000,000 NEO * | 9.82% | | ... |
| 16 | Binance Coin | \$1,061,339,023 | \$11.11 | \$45,898,950 | 95,512,523 BNB * | 5.93% | | ... |

BitScreener Crypto Market Heatmap




Cryptocurrencies Search Volume and Traffic

- Bitscreener Top Searches

Top searches

aidos-kuneen aion binance-coin bitcoin cardano dash
dent digibyte electroneum eos ethereum gochain icon
infinity-economics iota kin litecoin nano neo ontology pundi-x
ravencoin ripple stellar substratum tokenpay tron
vechain verge zilliqa


- Google Trends



- SimilarWeb





Crypto Wallets



[Bitcoin.org]

Exercise with My Ether Wallet (MEW)


DON'T GET PHISHED, please! 🙏 Thank you! 😊
1. BOOKMARK [MYETHERWALLET.COM](https://myetherwallet.com) 2. INSTALL [EAL](#) or [MetaMask](#) or [Cryptonite](#)

 **MyEtherWallet** 3.21.22 English ▾  Gas Price: 50 Gwei ▾ Network ETH (myetherwallet.com) ▾
The network is really full right now. Check [Eth Gas Station](#) for gas price to use.

[New Wallet](#) [Send Ether & Tokens](#) [Swap](#) [Send Offline](#) [Contracts](#) [ENS](#) [DomainSale](#) [Check TX Status](#) [View Wallet Info](#) [Help](#)

Create New Wallet

Enter a password

Do NOT forget to save this! 

Create New Wallet

This password *encrypts* your private key. This does not act as a seed to generate your keys. You will need this password + your private key to unlock your wallet.

[How to Create a Wallet](#) • [Getting Started](#)

Already have a wallet somewhere?

- **Ledger / TREZOR / Digital Bitbox / Secalot** : Use your **hardware wallet** . Your device *is* your wallet.
- **MetaMask** Connect via your **MetaMask Extension** . So easy! Keys stay in MetaMask, not on a phishing site! Try it today.
- **Jaxx / imToken** Use your **Mnemonic Phrase** to access your account.
- **Mist / Geth / Parity**: Use your **Keystore File (UTC / JSON)** to access your account.


Blockchain/DLT Explorers

- Each DLT should have has its own explorer to:
 - Watch the block/transaction feed
 - See transaction history of a given address
 - See input and output of transactions
 - Check the current utility token fee for transactions
 - ...
- Bitcoin Explorers:
 - <https://live.blockcypher.com/btc/> with current fees estimates
 - <https://www.blocktrail.com/BTC>
- Ethereum Explorers:
 - <https://etherscan.io/>
 - <https://ethplorer.io/> especially if interested by the ERC20 tokens of an address
- Other explorers:
 - <https://neotracker.io/> NEO
 - <https://eostracker.io/> EOS
 - <https://www.coinfirm.io/> risk explorer for Bitcoin and Ethereum addresses

Blockchain.com Bitcoin Hashrate Distribution


The graph below shows the market share of the most popular bitcoin mining pools. It should only be used as a rough estimate and for various reasons will not be 100% accurate. A large portion of Unknown blocks does not mean an attack on the network, it simply means we have been unable to determine the origin.

24 hours - 48 hours - 4 Days



Risks of Crypto Trading

- Centralized exchanges own the private keys and may be hacked or disappear (it has happened several times)
 - They have to carry out KYC and AML on your profile and the identity information that you give them may be used for identity theft
- Person-to-person trading, also known as Over The Counter (OTC), is risky because the trader may try to cheat or steal you
 - <https://localbitcoins.com/> may help regarding OTC
- In some countries, such trading may involve high and complicated taxes or may even be forbidden.
- Cryptocurrencies are highly volatile and periods of large gains have already happened
- ICOs are even riskier because there have been lots of scams and a lot of marketing is spent to make them appealing
- Due to lack of regulations, laws and use of remote locations for exchanges and ICOs, legal recourses may be impossible.

[illegible]

howmuch net

Agenda


- Understanding the technology behind DLT
- Overview of current DLT development platforms
- How to select the most appropriate DLT for a specific dApp
- Overview of current cryptocurrencies and tools
- **Initial Coin Offering (ICO), Token Generation Event (TGE) and tokenomics**
- DLT trends

Difference between ICO and TGE

- Initial Coin Offerings (ICO) are associated to projects proposing a way to profit to the tokens buyers who are therefore more considered as investors
 - The generated tokens are most likely considered as security tokens
 - In many countries, selling securities require to comply to laws and regulations, sometime including how it should be publicly communicated
- Token Generation Events (TGE) concern tokens that are generated to use the functionalities of the system
 - The generated tokens are most likely considered as utility tokens, especially if the system where they can be used already exists at time of the TGE
 - There are many legal aspects to take into account to minimize the risks of having a TGE be reclassified as an illegal sale of securities and in each country where the tokens are sold.
- Thus, having legal advice from lawyers specialized in ICOs/TGEs is mandatory anyway



Cumulative ICOs Funding




Article & Sources:
<https://howmuch.net/articles/the-ico-explosion-in-the-past-5-years>
<https://www.coindesk.com/ico-tracker/>

Token Sales Evolution

Number of Token Sales by Month

Count of token sales, Jan16-Mar18 (min raise \$100k)





Tokenomics

- The tokenomics concern the economics of the generated tokens.
 - What will they be used for (utility, voting rights, shares...)?
 - What will be their initial price?
 - Are there any discounts based on time, quantity bought...?
 - How many will be generated?
 - Is there a maxcap (maximum money raised when the event is stopped)? a softcap (minimum money raised for the project to continue, otherwise refund)?
 - Depending on whether or not the maxcap will be reached at the end of the generation event, what will happen to the remaining tokens (burnt, reallocated proportionally to the existing token buyers, kept for another TGE...)?
 - How and when will they be generated (auction type, by smart contract...)?
 - Are there any fees kept (for account creation, transaction fees in case of refund...)?
 - What will be their distribution?
 - How many for the team? Any vesting periods? How many reserved for the company, private sale, pre-sale, crowdsale...?
 - How many given as bounty (online marketing tasks, security holes...) and airdrop (sent to a selection of crypto addresses)?
 - Are there interests or more tokens generated via mining, staking, masternodes or other contributions to the system?
 - What will be the use of proceeds of the TGE and roadmap?

Main Steps of an ICO/TGE


- Definition of the tokenomics including team and advisors allocation
- Legal aspects validated by a legal partner specialized in ICO/TGE (selection of appropriate countries and nationalities, drafting contracts, legal aid throughout the project...)
- Creation of the whitepaper, other marketing documents, Website and specific online channels
- Selection of the ICO/TGE and smart contract platform most suited to the project according to:
 - functionalities envisaged by the potential decentralized application (dApp) or project
 - clients and investors targeted by the ICO/TGE
- Creation, validation and audit of the smart contract in collaboration with expert DLT developers
- Specialized digital marketing that will attract and convince token buyers with the help of online reputation management (ORM) to select the most influential media whilst respecting regulations communication constraints
 - If allowed, management of the bounty program: from translations to buzz and paid advertising
- Pre-ICO/TGE to contact and convince important investors (private sale, pre-sale...)
- Opening of the ICO/TGE smart contract to the crowdsale with required KYC and AML checks
- Safety and good practices during the ICO/TGE (beware of phishing, denial of service...)
- ICO/TGE ongoing e-reputation monitoring and optimization of investment visits conversions
- After ICO/TGE (release of the tokens, connection with exchanges if allowed...)

ORM applied to ICO/TGE

- ICO/TGE and cryptocurrencies value are strongly impacted by the news
 - « Buy the rumor, sell the news »
 - Fear, Uncertainty and Doubt (FUD)
 - SCAM
 - Bounty
 - Fear Of Missing Out (FOMO)
 - Pump & Dump (<https://pumpdump.coincheckup.com/>)
- Therefore it is an advantage to use Online Reputation Management (ORM) to
 - Know important news before the others in order to buy or sell at the best time
 - Identify fake news
 - Optimize ICO/TGE and cryptocurrencies digital marketing


ORM Monitoring Example

SHARE OF TOPICS




2.73K% Spectiv
 14.19K% KickICO
 8.03K% Filecoin
 73.26K% Crystal Clear ICO
 13.5K% Monetha
 Protostarr
 Authorship ICO
 WWAM

REACH VS ENGAGEMENT



SHARE OF VOICE OVER TIME




[Seigneur]



Litecoin ORM Sentiment Analysis Example

RESULTS OVER TIME

by Sentiment



SHARE OF SENTIMENT




[Seigneur]

Exchanges ORM Sentiment Analysis

SENTIMENT


by Topics

Results **1.3M**




IOTA Breakout Reason?

IOTA Charts



NEO Value Evolution Reason?

NEO Charts



ICOBench Pricing

Premium Pick

Special offer

1 BTC

- ✓ 3 days
- ✓ Priority updates
- ✓ Your ICO on top of all assigned categories
- ✓ Your ICO on top of the browse section
- ✓ Increased visibility on the competitors' ICO profiles
- ✓ Featured in ICO Show Time page
- ✓ Competitors removed from your ICO profile

Order now



Premium Deluxe

10 BTC

- ✓ 7 days
- ✓ Exclusive featuring at the main page
- ✓ Priority updates of your profile
- ✓ Your ICO on top of all assigned categories
- ✓ Increased visibility on the competitors' ICO profiles
- ✓ Competitors removed from your ICO profile
- ✓ Special featuring in weekly newsletter

Order now

Premium Hit

41 BTC


- ✓ 30 days
- ✓ Priority updates
- ✓ Your ICO on top of all assigned categories
- ✓ Your ICO on top of the browse section
- ✓ Increased visibility on the competitors' ICO profiles
- ✓ Featured in ICO Show Time page
- ✓ Competitors removed from your ICO profile
- ✓ Featured in one weekly newsletter
- ✓ Full analytical review

TERMS OF HITBTC


- ✓ Listing on HitBTC
- ✓ Retweet of your listing announcement by HitBTC

Order now

Significant ICO/TGE Marketing Budgets



Overall ICO/TGE Budget (without dApp/MVP)




ICOBench Success Score (ISS)

- The more the user has participated to successful ICOs in the past, the higher score
- Example <https://icobench.com/u/marcelo+garcia+casil>

Marcelo Garcia Casil


Create profile

Associated with



Maecenas - Team member
Co-Founder & CEO

ICO Success Score




4.0

[Learn about ISS](#)

ICO Listing Case Study:




- Non-attack resistant score algorithm based on the following criteria and if available manual score by experts evaluators



ICO Listing Case Study: SMITH + CROWN

- “Smith + Crown is an independent research firm, not a marketing platform. We do not offer any token sale marketing services. Projects cannot buy their way onto our curated list or pay for published content.”
- Criteria:
 - “Primary team member identity. We are looking for projects that have transparent and verifiable identities.
 - The state of development. We are looking for projects that have public project code or working minimal viable projects. We will also consider pre-product stage projects with detailed white papers and modest raise amounts.
 - The quality of the white paper. We are looking for white papers that provide detailed information about the business plan and the proposed technology. White papers that are primarily marketing or crowdsale documents will likely not qualify.
 - The presence of existing development expertise.”



ICO Listing Case Study:

- Paid service, e.g., Basic Review (20 pages for around 7000\$)
- Apparently quite unbiased even if paid given the negative aspects found in the reports

The project has an extensive bounty program.

The project has a team of more than 30 people. The main team indicates its affiliation with the project, which will increase the credibility of the project for the blockchain community. The team members are mostly from Russia. Unfortunately, not all team members were found on LinkedIn. Only a consultant on public relations and marketing in the Asian market and an assistant editor of HOQU did not specify their affiliation with

According to the available data, it can be concluded that users are interested in the project. The team is published in the press, conducts an active advertising campaign on social media, uploads videos on YouTube regularly and actively communicates with users on Telegram.

In the repository one can get acquainted with the platform code and the API. Unfortunately, there is no additional development underway.



Token ORM on GitHub

neo-project / neo

Watch 269 Star 1,220 Fork 392

Code Issues 15 Pull requests 5 Wiki Insights

NEO Smart Economy

331 commits 2 branches 0 releases 17 contributors MIT

ethereum / solidity

Watch 293 Star 2,506 Fork 738

Code Issues 398 Pull requests 57 Projects 0 Insights























The Solidity Contract-Oriented Programming Language

cpp ethereum smartcontracts language solidity blockchain

9,083 commits 48 branches 40 releases 165 contributors GPL-3.0



CoinGecko.com

| # | COIN | PRICE | 24H | MKT CAP | LIQUIDITY | DEVELOPER ↓ | COMMUNITY | TOTAL | LAST 7 DAYS |
|----|---|--------------|-------|-------------------|-----------------|-------------|-----------|-------|---|
| 1 |  Bitcoin BTC | \$7,053.07 | 5.0% | \$121,573,727,028 | \$6,340,654,848 | 98% ⓘ | 90% ⓘ | 92% |  |
| 2 |  Ethereum ETH | \$288.90 | 3.9% | \$29,426,003,831 | \$2,369,848,248 | 95% ⓘ | 75% ⓘ | 84% |  |
| 3 |  EOS EOS | \$5.44 | 4.5% | \$4,929,947,832 | \$632,723,050 | 93% ⓘ | 64% ⓘ | 77% |  |
| 4 |  Monero XMR | \$103.21 | 5.6% | \$1,688,599,427 | \$26,043,538 | 90% ⓘ | 65% ⓘ | 71% |  |
| 5 |  Zcash ZEC | \$150.33 | 10.0% | \$703,084,918 | \$115,412,670 | 88% ⓘ | 51% ⓘ | 68% |  |
| 6 |  Lisk LSK | \$5.04 | 0.3% | \$625,146,916 | \$11,096,979 | 88% ⓘ | 56% ⓘ | 66% |  |
| 7 |  Status SNT | \$0.04268659 | 6.7% | \$148,890,452 | \$4,227,167 | 87% ⓘ | 47% ⓘ | 62% |  |
| 8 |  Steem STEEM | \$0.985594 | 6.1% | \$271,027,230 | \$1,886,733 | 87% ⓘ | 51% ⓘ | 63% |  |
| 9 |  Steem Dollars SBD | \$1.02 | 3.2% | \$15,896,846 | \$386,245 | 87% ⓘ | 51% ⓘ | 58% |  |
| 10 |  Cardano ADA | \$0.102568 | 5.4% | \$3,191,044,997 | \$81,375,447 | 87% ⓘ | 58% ⓘ | 70% |  |
| 11 |  Tron TRX | \$0.02694165 | 13.3% | \$1,772,578,988 | \$169,548,754 | 87% ⓘ | 52% ⓘ | 69% |  |

ICO Listing Case Study:



- Interesting scorecard: <https://goo.gl/ssKWT6>

| Whitepaper | 3.0 |
|--|-----|
| Comprehensiveness | 1 |
| Readability | 2 |
| Transparency | 3 |
| Business Plan Presentation | 4 |
| Technology Presentation | 5 |
| Product | 3.0 |
| Readiness | 1 |
| Appeal | 2 |
| Target User Base | 3 |
| Competition | 4 |
| Innovation | 5 |
| Use of Blockchain | 3.0 |
| Blockchain Development | 1 |
| Disruptive Blockchain Advantage | 2 |
| Need for a Custom Token (vs. BTC or ETH) | 3 |
| System Decentralization (besides token) | 4 |
| Contribution to Blockchain Ecosystem | 5 |

| Development Roadmap (Biz & Tech Combined) | 3.0 |
|--|-----|
| Concreteness | 1 |
| Feasibility | 2 |
| Vision | 3 |
| Dependencies (other services or capabilities required) | 4 |
| Current Position | 5 |
| Company and Team | 3.0 |
| Company Stage and Foundation | 1 |
| Background of Lead Team Members | 2 |
| Team Assembly and Commitment | 3 |
| Team Skill Set Relevance | 4 |
| Team Skill Set Balance (biz / tech / blockchain) | 5 |
| Compliance | 3.0 |
| Token Utility (intrinsic value through usage) | 1 |
| Token as Security (tradable financial instrument) | 2 |
| Token / Smart-Contract Infrastructure Readiness | 3 |
| Attention to Compliance Issues | 4 |
| Legal Review / Agreement or Risk Assessment | 5 |
| Token Sale | 3.0 |
| Raise Amount Max | 1 |
| Raise Amount Min | 2 |
| Fund Allocation | 3 |
| Token Allocation | 4 |
| Media Presence and Following | 5 |

ICO Listing Case Study:



- No clear indication on their Website that their badges (Platinum, Gold...) are only paid features without further evaluation
- Their first Platinum badge was given to the Monkey Capital ICO considered as “SCAM”

Quote from: 2Swav on July 09, 2017, 02:25:22 PM

1) Coin schedule are listing Monkey Capital as the first ever Platinum Level ICO. Has any real appraisal taken place or is this a paid for marketing package/gimmick? Be honest...



koning · 7 days ago

Hi. Is this project not a platinum project anymore? A few days or weeks ago it was a platinum project for sure. Why its not a platinum ?

greetz

^ | v · Reply · Share ›



Coinschedule - Maj **Mod** → koning · 7 days ago

Hi koning. Our platinum slot is a essentially **a paid** promotion and their initial platinum period is over. There are many projects bidding for this slot, including Monkey Capital, this will be filled soon.

^ | v · Reply · Share ›

Monkey Capital ICO SCAM

- <https://steemit.com/cryptocurrency/@goldseek/beware-of-monkey-capital-and-its-monkey-daniel-harrison>



DANIEL M. HARRISON

Chairman & CEO of DMH&CO, a global investment company based in Singapore and Hong Kong.



MARCELO GARCIA-CASIL

Founder and CEO of DX Markets, a Digital Currency and Blockchain development company.




DARSHAN VYAS

Co-founder and Managing Director of LOUD Capital, a venture capital firm based in Columbus, OH.

If you go to 2015, you can find Daniel interviewing the ONE COIN (scam: <http://kusetukset.blogspot.cz/2017/05/onecoin-white-paper.html>) .. Marcelo Garcia Casil. He was also part of the monkey team until people noticed and then he "disappeared"

Archive.org

- Tool used to retrieve old versions of Websites



THE TEAM

Monkey Capital brings together more professional expertise and accomplishment than any other offering to date, comprising elite managers in multiple industries. Monkey Capital's transparent auditing schedule also means that every individual is accountable to a completely independent third party auditing process. The team is comprised of one executive management committee, an independent audit manager, a consulting committee and three panels.

EXECUTIVE MANAGEMENT COMMITTEE



Always double-check team and advisor profiles

NOV 1, 2017 @ 04:02 PM
25,674
EDITOR'S PICK

The Little Black Book of Billionaire Secrets

Alex Tapscott's Crypto VC Firm Going Public With \$100M CAD Falsely Touted 4 Blockchain Stars As Advisors

Laura Shin, FORBES STAFF
FULL BIO

SOME OF OUR BLOCKCHAIN ADVISORS

| | |
|---|--|
| <p>Dimitry Buterin Co-founder of Blockgeeks and BlockGeeksLab.com Founder of three multi-million dollar businesses</p> | <p>Joseph Weinberg CEO and Founder of Paycase Founding Member, OSC Launchpad Fintech advisory board</p> |
| <p>Dino Angaritis CEO of SmartWallet Early Ethereum investor and developer Profitic angel investor, advisor and serial entrepreneur</p> | <p>Kathryn Haun Former U.S. Prosecutor and Head of DOJ Fintech and Blockchain task force Board Member, Coinbase</p> |
| <p>Don Tapscott Author or co-author of 15 books Founder and Executive Director of The Blockchain Research Institute Chancellor of Trent University</p> | <p>Vinny Lingham Founder and CEO of Civic Completed \$100MM token sale Shark on Shark Tank South Africa</p> |
| <p>Ethan Buchman Co-Founder, Cosmos Completed \$16.8MM token sale Creator, Tendermint Protocol</p> | <p>Karen Gifford Special Advisor Global Regulatory Affairs, Ripple</p> |


NextBlock Global investor deck
The page of the NextBlock Global deck listing four advisors who never agreed to be advisors.

Summary of influential sources listing ICO/TGE

- In-depth reports that seem unbiased
 - Smith + Crown
 - CryptoBriefing
 - CoinCheckup
 - CoinGecko
 - Picolo Research (Astronaut.Capital)
 - Hacked.com
 - ICORating (even if paid reports)
- On YouTube:
 - Crush Crypto
 - The Crypto Lark
 - Chico Crypto
- Sources that cover more ICO/TGEs but less reliable than the above ones
 - Listing sites: TokenMarket, ICOBench, ICOAlert, CoinSchedule
 - On YouTube: Ian Balina

Traditional Media for ICO/TGE/Cryptocurrencies

- The well-known traditional media (Forbes, The Wall Street Journal, The New York Times, Bloomberg Technology, Huffington Post...) or digital media (Twitter, YouTube, Medium, The Verge, TechCrunch...) are important for ICO/TGE online reputation but the application domain has its own specific media
- Not all traditional media mention "Sponsored Article"
- For example, 100\$ may be paid to get an article posted on the Huffington Post




The screenshot shows the 'Press Mentions' section of the CoinSchedule website. It lists four media mentions with their logos, dates, and headlines:

| Media Outlet | Date | Headline |
|----------------------|-----------------|--|
| Bloomberg Technology | July 25th, 2017 | Bankers Ditch Fat Salaries to Chase Digital Currency Riches |
| Inc. | July 14th, 2017 | ICO Bubble? Startups Are Raising Hundreds of Millions of Dollars Via Initial Coin Offerings |
| cryptocoins™ news | July 7th, 2017 | British Money Printing Heir Turns to Printing Digital Money in ICO with Blockchain Developer and US VC |
| HUFFPOST | July 4th, 2017 | Bitcoin's Billion Dollar Baboon: An Initial Coin Offering (ICO) Attracts Big Time Talent |

A blue arrow points from the left towards the HuffPost entry.

« Monkey Capital » Huffington Post Article



The ICO doesn't just begin and end at the company's website, however. Coinschedule, a site that carries out due diligence on potential offerings and picks the best 10 or 20 out of more than a thousand monthly applicants, has given Monkey Capital its first ever Platinum accreditation.

“Monkey Capital has all the key elements of a successful crypto project: a bold but realistic plan, strong team with a delivery track record and transparency in terms of who they are and how they plan to deliver results,” Alex Michaelis, co-founder of Coinschedule.com said in an e-mail response to questions about the Monkey Capital platinum listing status. “We at Coinschedule have been waiting for the right partner to offer the first Platinum level sponsorship and after meeting Daniel and Monkey Capital it became clear that they were the ideal project.”

Other Influential ICO/Crypto Media

- Short news articles
 - CoinDesk, CoinTelegraph, CryptoCoinsNews
- Exchanges
 - Ascending influence for the occidental market:
 - EtherDelta, HitBTC, Binance (paid marketing options available), Bittrex, Coinbase (GDAX)
- Blogs platforms
 - Steemit (with its own blockchain and cryptocurrencies: STEEM...)
- Messengers
 - Telegram
 - Discord
- Full magazine
 - ICOCrowd
- Forums and social networks
 - BitcoinTalk
 - Reddit (subreddits specialized on cryptocurrencies)
 - Github

CoinBase Security Law Framework for Tokens



- Coinbase lists few tokens but gives high visibility to them being the most well-known exchange in the USA
- Being based in the USA, Coinbase doesn't want to list illegal securities tokens and provide interesting resources to assess the likelihood of a coin to be considered as a security (although legally outdated because written in 2016)
 - An online form: <https://goo.gl/WhKn1x>
 - and a recommendation report: <https://www.coinbase.com/legal/securities-law-framework.pdf>

CoinBase ICO/TGE Recommendations

Principle 1: Publish a detailed white paper

How?

- Describe the protocol and the network
- Identify a clear and compelling reason for the token to exist
- Provide a detailed technical description of the proposed implementation
- Set clear expectations for total token supply and distribution
- Have an independent expert review the white paper

Why?

A white paper defines the network and its use cases. It is critical for buyers to be able to understand the characteristics and functionality of the token they are buying, the challenges and risks of development, and the benefits of using the network.



CoinBase ICO/TGE Recommendations (2)

Principle 2: For a presale, commit to a development roadmap

How?

- Provide a detailed development roadmap
- Include estimates of time and costs for each stage of the project
- Include a breakdown of estimated expenses by category
- Allocate funding for each stage of development and consider restricting access to funding until milestones are achieved
- List the names of key members of the development team and advisors
- Be transparent about remuneration paid to key members of the development team and advisors
- Quantify early contributions of members of the development team and advisors
- Between sale and launch of the network, report back to token holders periodically on progress against the development roadmap
- Set aside funds for independent security audits and a bug bounty program

Why?

A clear development roadmap gives buyers confidence that the proceeds of the sale will be properly used for the project and that the network will be launched, meaning that they will be able to use the tokens as intended.

Setting aside funding for each stage of the project helps establish structure and allows buyers to assess the likelihood of success. Using blockchain features to restrict the development team's access to funding can deliver more transparency.

Members of the development team and advisors should be paid full and fair value for their services, through a combination of money and tokens. Quantifying the value of contributions, especially early contributions (pre-crowdsale) provides transparency.

Identifying the development team and advisors helps potential buyers assess the credibility of the project and its potential for success. It reduces the likelihood of fraud.

Note: Many aspects of Principle 2 only apply to token sales which occur before there is a live network using the token

CoinBase ICO/TGE Recommendations (3)

Principle 3: Use an open, public blockchain and publish all code

How?

- Use an open and transparent blockchain
- Use open source software
- Where possible, commit to using standard or well-known token contracts (e.g. ERC20)
- Do not use a private or unintelligible blockchain, or one for which the developer is the sole or primary transaction validator
- Commit to undertake an independent security audit before launch

Why?

Building with open source software and using an open, public blockchain provides transparency, enables real participation from token holders and independent developers, allows for auditing, and helps prevent fraud.

Enabling real and meaningful participation in the network from a diverse set of independent parties may also strengthen the arguments against the second and third criteria of the *Howey* test, because participants are less reliant on the initial developers.

CoinBase ICO/TGE Recommendations (4)

Principle 4: Use clear, logical and fair pricing in the token sale

How?

- Set a maximum number of tokens to be sold in the crowdsale
- Use a pricing mechanism which does not increase over time. Consider a Dutch Auction or similar mechanism to price tokens fairly
- Set a cap for the amount to be raised
- Set a minimum amount and refund buyers if the minimum amount is not met
- Denominate the price in one currency (e.g. ETH or BTC)

Why?

The total proceeds from a crowdsale should not exceed the estimated costs of development. A crowdsale should be capped at the number and price of tokens required to raise this amount.

Pricing mechanisms which increase over time can encourage irrational behavior (e.g. FOMO) and do not treat buyers equally. Setting the price in a single currency reduces the potential for confusion and arbitrage.

CoinBase ICO/TGE Recommendations (5)

Principle 5: Determine the percentage of tokens set aside for the development team

How?

Decide on the percentage of the total token supply that represents a fair reward for the work of the development team and advisors.

Release those tokens to the development team incrementally over time (contingent on their continued work on the project).

Why?

Concentrating too many tokens in the hands of the development team and other contributors increases the risk of centralization of control of the network. On the other hand, setting aside too few tokens does not align the interests of the development team with the interests of other token holders.

Releasing tokens to the development team over time aligns their interests with other users over a longer period.

Releasing tokens to the development team over time also reduces the risk of affecting the market - it prevents large numbers of tokens from flooding the market at one time.

CoinBase ICO/TGE Recommendations (6)

Principle 6: Avoid marketing the token as an investment

How?

- Do not promote the token as an investment that will increase in value
- Promote the token based on its functionality and the use case for the network
- Avoid analogies with existing investment language and processes - e.g. 'ICO'
- Provide appropriate disclaimers about the token as a product, not as an investment.

Why?

Marketing a token as a speculative investment, or drawing comparisons to existing investment processes, may mislead or confuse potential buyers. It may also increase the likelihood that the token is a security.

Using a short, relevant disclaimer which accurately describes the risks of the tokens, protocols and network is useful. Long, legalistic disclaimers about the risks of investment are not helpful to buyers and may provide the impression that the token is an investment.

ICO/TGE Exercise

- Prepare a presentation highlighting the main steps of your ICO/TGE
 - Budget and planning
 - Tokenomics
 - Main whitepaper sections
 - Main marketing selling points
 - ...

Agenda


- Understanding the technology behind DLT
- Overview of current DLT development platforms
- How to select the most appropriate DLT for a specific dApp
- Overview of current cryptocurrencies and tools
- Initial Coin Offering (ICO), Token Generation Event (TGE) and tokenomics
- **DLT trends**

Security Tokens ICOs

- Security tokens and SAFT agreements are growing in popularity

Crypto-Security Registrations

SEC Form D filings for tokens or token convertibles, Apr17-Mar18




Platforms to Tokenize Assets

- They argue to help compliance with existing regulatory frameworks.



Lightning Networks



Lightning Network

Off-chain approach

Other Trends To Be Presented

- Sidechains
- Crosschains
- Hardened crypto wallets
- Privacy regulations (EU GDPR...) and their impact on immutable ledgers
- Privacy coins: Monero, Zcash, Verge, Enigma...
- Zero-knowledge proof
- Quantum computers attacks
- Decentralized exchanges
- ...



Thanks for your attention!

Jean-Marc.Seigneur@reputaction.com