

AMENDMENTS TO SERVICE PUBLICATIONS

Abbreviations used

ADD	Insert	PAR	paragraph
COL	Column	REP	replace
LIR	Read	SUP	Delete
P	page(s)		

**List of International
Monitoring Stations
(List VIII)
Edition of 2013**

PART I

STATIONS IN THE TERRESTRIAL RADIOCOMMUNICATION SERVICES

AUT Austria

P 74-75 REP

AUT - Austria			
Centralizing office	Postal address	Telephone, Telefax, Electronic-mail	Remarks
Federal Ministry for Transport Innovation and Technology Section III Centralizing Office for Monitoring	Radetzkystrasse 2 1030 Wien	TF : +43 1 71162 654224 FAX : +43 1 71162 654209 EMAIL : ernst.cerny@bmvit.gv.at EMAIL : zdf@bmvit.gv.at	

Name of the station	Postal address	Telephone, Telefax, Electronic-mail
Klagenfurt	FMD-Wien Krapfenwaldl 1190 Wien Austria	TF : +43 1 3201051-30 FAX : +43 1 3201051-36

Geographical coordinates	Types of measurements	Ranges of frequencies for each measurement	Hours of service	Remarks
46°38'07"N 014°29'43"E	Frequency measurements	9 kHz - 30 MHz	HX	Monitoring station primary for activities in the HF range.
46°38'07"N 014°29'43"E	Field strength or power flux-density measurements	9 kHz - 30 MHz	HX	Monitoring station primary for activities in the HF range.
46°38'07"N 014°29'43"E	Direction-finding measurements	(100) 300 kHz - 30 MHz	HX	Monitoring station primary for activities in the HF range. Correlation.
46°38'07"N 014°29'43"E	Automatic spectrum occupancy surveys	9 kHz - 30 MHz	HX	Monitoring station primary for activities in the HF range.

(cont.)

AUT Austria (cont.)

Name of the station	Postal address	Telephone, Telefax, Electronic-mail		
Wien (IMS)	FMB/KMB-Wien Krapfenwaldl 1190 Wien Austria	TF : +43 1 3201051-0 FAX : +43 1 3201051-36		
Geographical coordinates	Types of measurements	Ranges of frequencies for each measurement	Hours of service	Remarks
48°15'45"N 016°20'08"E	Frequency measurements	9 kHz - 90 GHz	H24	Monitoring station primary for activities in the VHF/UHF range.
48°15'45"N 016°20'08"E	Field strength or power flux-density measurements	9 kHz - 90 GHz	H24	Monitoring station primary for activities in the VHF/UHF range. If necessary, measurements are carried out by mobile monitoring stations (van).
48°15'45"N 016°20'08"E	Direction-finding measurements	(100) 500 kHz - 30 MHz	HX	Doppler.
48°15'45"N 016°20'08"E	Direction-finding measurements	30 MHz - 3 GHz	H24	Monitoring station primary for activities in the VHF/UHF range. If necessary, direction-finding measurements are carried out by mobile monitoring stations (van). Correlation.
48°15'45"N 016°20'08"E	Bandwidth measurements	9 kHz - 90 GHz	H24	Monitoring station primary for activities in the VHF/UHF range. If necessary, measurements are carried out by mobile monitoring stations (van).
48°15'45"N 016°20'08"E	Automatic spectrum occupancy surveys	9 kHz - 90 GHz	H24	Monitoring station primary for activities in the VHF/UHF range.