



INTERNATIONAL TELECOMMUNICATION UNION

# ITU-T

TELECOMMUNICATION  
STANDARDIZATION SECTOR  
OF ITU

# G.8040/Y.1340

**Corrigendum 1**  
(01/2005)

SERIES G: TRANSMISSION SYSTEMS AND MEDIA,  
DIGITAL SYSTEMS AND NETWORKS

Digital networks – General aspects

SERIES Y: GLOBAL INFORMATION  
INFRASTRUCTURE, INTERNET PROTOCOL ASPECTS  
AND NEXT-GENERATION NETWORKS

Internet protocol aspects – Transport

---

GFP frame mapping into Plesiochronous Digital  
Hierarchy (PDH)

**Corrigendum 1**

ITU-T Recommendation G.8040/Y.1340 (2004) –  
Corrigendum 1

---

ITU-T G-SERIES RECOMMENDATIONS  
TRANSMISSION SYSTEMS AND MEDIA, DIGITAL SYSTEMS AND NETWORKS

|  |                      |
|--|----------------------|
| INTERNATIONAL TELEPHONE CONNECTIONS AND CIRCUITS   | G.100–G.199          |
| GENERAL CHARACTERISTICS COMMON TO ALL ANALOGUE CARRIER-TRANSMISSION SYSTEMS  | G.200–G.299          |
| INDIVIDUAL CHARACTERISTICS OF INTERNATIONAL CARRIER TELEPHONE SYSTEMS ON METALLIC LINES  | G.300–G.399          |
| GENERAL CHARACTERISTICS OF INTERNATIONAL CARRIER TELEPHONE SYSTEMS ON RADIO-RELAY OR SATELLITE LINKS AND INTERCONNECTION WITH METALLIC LINES | G.400–G.449          |
| COORDINATION OF RADIOTELEPHONY AND LINE TELEPHONY  | G.450–G.499          |
| TRANSMISSION MEDIA CHARACTERISTICS   | G.600–G.699          |
| DIGITAL TERMINAL EQUIPMENTS  | G.700–G.799          |
| DIGITAL NETWORKS   | G.800–G.899          |
| DIGITAL SECTIONS AND DIGITAL LINE SYSTEM   | G.900–G.999          |
| QUALITY OF SERVICE AND PERFORMANCE – GENERIC AND USER-RELATED ASPECTS  | G.1000–G.1999        |
| TRANSMISSION MEDIA CHARACTERISTICS   | G.6000–G.6999        |
| DIGITAL TERMINAL EQUIPMENTS  | G.7000–G.7999        |
| DIGITAL NETWORKS   | G.8000–G.8999        |
| <b>General aspects</b>   | <b>G.8000–G.8099</b> |
| Design objectives for digital networks   | G.8100–G.8199        |
| Quality and availability targets   | G.8200–G.8299        |
| Network capabilities and functions   | G.8300–G.8399        |
| SDH network characteristics  | G.8400–G.8499        |
| Management of transport network  | G.8500–G.8599        |
| SDH radio and satellite systems integration  | G.8600–G.8699        |
| Optical transport networks   | G.8700–G.8799        |

*For further details, please refer to the list of ITU-T Recommendations.*

# **ITU-T Recommendation G.8040/Y.1340**

## **GFP frame mapping into Plesiochronous Digital Hierarchy (PDH)**

### **Corrigendum 1**

#### **Summary**

This corrigendum corrects errors in frame formats.

#### **Source**

Corrigendum 1 to ITU-T Recommendation G.8040/Y.1340 (2004) was approved on 13 January 2005 by ITU-T Study Group 15 (2005-2008) under the ITU-T Recommendation A.8 procedure.

## FOREWORD

The International Telecommunication Union (ITU) is the United Nations specialized agency in the field of telecommunications. The ITU Telecommunication Standardization Sector (ITU-T) is a permanent organ of ITU. ITU-T is responsible for studying technical, operating and tariff questions and issuing Recommendations on them with a view to standardizing telecommunications on a worldwide basis.

The World Telecommunication Standardization Assembly (WTSA), which meets every four years, establishes the topics for study by the ITU-T study groups which, in turn, produce Recommendations on these topics.

The approval of ITU-T Recommendations is covered by the procedure laid down in WTSA Resolution 1.

In some areas of information technology which fall within ITU-T's purview, the necessary standards are prepared on a collaborative basis with ISO and IEC.

## NOTE

In this Recommendation, the expression "Administration" is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

Compliance with this Recommendation is voluntary. However, the Recommendation may contain certain mandatory provisions (to ensure e.g. interoperability or applicability) and compliance with the Recommendation is achieved when all of these mandatory provisions are met. The words "shall" or some other obligatory language such as "must" and the negative equivalents are used to express requirements. The use of such words does not suggest that compliance with the Recommendation is required of any party.

## INTELLECTUAL PROPERTY RIGHTS

ITU draws attention to the possibility that the practice or implementation of this Recommendation may involve the use of a claimed Intellectual Property Right. ITU takes no position concerning the evidence, validity or applicability of claimed Intellectual Property Rights, whether asserted by ITU members or others outside of the Recommendation development process.

As of the date of approval of this Recommendation, ITU had not received notice of intellectual property, protected by patents, which may be required to implement this Recommendation. However, implementors are cautioned that this may not represent the latest information and are therefore strongly urged to consult the TSB patent database.

© ITU 2005

All rights reserved. No part of this publication may be reproduced, by any means whatsoever, without the prior written permission of ITU.

**GFP frame mapping into Plesiochronous Digital Hierarchy (PDH)**

**Corrigendum 1**

**Clause 6.3.1, Frame format**

*Replace the last sentence of the first paragraph:*

This octet is reserved for all values of  $N$ , ( $N = 1 \dots 16$ ).

*By:*

This octet is reserved for all values of  $N$ , ( $N = 1 \dots 8$ ).

**Clause 6.4.1, Frame format**

*Replace the last sentence:*

This octet is reserved for all values of  $N$ , ( $N = 1 \dots 16$ ).

*By:*

This octet is reserved for all values of  $N$ , ( $N = 1 \dots 8$ ).



ITU-T Y-SERIES RECOMMENDATIONS

**GLOBAL INFORMATION INFRASTRUCTURE, INTERNET PROTOCOL ASPECTS AND NEXT-  
GENERATION NETWORKS**

|  |                      |
|--|----------------------|
| <b>GLOBAL INFORMATION INFRASTRUCTURE</b>                           |                      |
| General  | Y.100–Y.199          |
| Services, applications and middleware                              | Y.200–Y.299          |
| Network aspects  | Y.300–Y.399          |
| Interfaces and protocols   | Y.400–Y.499          |
| Numbering, addressing and naming                                   | Y.500–Y.599          |
| Operation, administration and maintenance                          | Y.600–Y.699          |
| Security   | Y.700–Y.799          |
| Performances   | Y.800–Y.899          |
| <b>INTERNET PROTOCOL ASPECTS</b>                                   |                      |
| General  | Y.1000–Y.1099        |
| Services and applications  | Y.1100–Y.1199        |
| Architecture, access, network capabilities and resource management | Y.1200–Y.1299        |
| <b>Transport</b>   | <b>Y.1300–Y.1399</b> |
| Interworking   | Y.1400–Y.1499        |
| Quality of service and network performance                         | Y.1500–Y.1599        |
| Signalling   | Y.1600–Y.1699        |
| Operation, administration and maintenance                          | Y.1700–Y.1799        |
| Charging   | Y.1800–Y.1899        |
| <b>NEXT GENERATION NETWORKS</b>                                    |                      |
| Frameworks and functional architecture models                      | Y.2000–Y.2099        |
| Quality of Service and performance                                 | Y.2100–Y.2199        |
| Service aspects: Service capabilities and service architecture     | Y.2200–Y.2249        |
| Service aspects: Interoperability of services and networks in NGN  | Y.2250–Y.2299        |
| Numbering, naming and addressing                                   | Y.2300–Y.2399        |
| Network management   | Y.2400–Y.2499        |
| Network control architectures and protocols                        | Y.2500–Y.2599        |
| Security   | Y.2700–Y.2799        |
| Generalized mobility   | Y.2800–Y.2899        |

*For further details, please refer to the list of ITU-T Recommendations.*

## SERIES OF ITU-T RECOMMENDATIONS

|                 |  |
|-----------------|--|
| Series A        | Organization of the work of ITU-T  |
| Series D        | General tariff principles  |
| Series E        | Overall network operation, telephone service, service operation and human factors                |
| Series F        | Non-telephone telecommunication services   |
| <b>Series G</b> | <b>Transmission systems and media, digital systems and networks</b>                              |
| Series H        | Audiovisual and multimedia systems   |
| Series I        | Integrated services digital network  |
| Series J        | Cable networks and transmission of television, sound programme and other multimedia signals      |
| Series K        | Protection against interference  |
| Series L        | Construction, installation and protection of cables and other elements of outside plant          |
| Series M        | Telecommunication management, including TMN and network maintenance                              |
| Series N        | Maintenance: international sound programme and television transmission circuits                  |
| Series O        | Specifications of measuring equipment  |
| Series P        | Telephone transmission quality, telephone installations, local line networks                     |
| Series Q        | Switching and signalling   |
| Series R        | Telegraph transmission   |
| Series S        | Telegraph services terminal equipment  |
| Series T        | Terminals for telematic services   |
| Series U        | Telegraph switching  |
| Series V        | Data communication over the telephone network  |
| Series X        | Data networks, open system communications and security   |
| <b>Series Y</b> | <b>Global information infrastructure, Internet protocol aspects and next-generation networks</b> |
| Series Z        | Languages and general software aspects for telecommunication systems                             |