



INTERNATIONAL TELECOMMUNICATION UNION

ITU-T

TELECOMMUNICATION
STANDARDIZATION SECTOR
OF ITU

X.520

Corrigendum 1

(04/2002)

SERIES X: DATA NETWORKS AND OPEN SYSTEM
COMMUNICATIONS

Directory

Information technology – Open Systems
Interconnection – The Directory: Selected attribute
types

Technical Corrigendum 1

ITU-T Recommendation X.520 (2001) – Corrigendum 1

ITU-T X-SERIES RECOMMENDATIONS
DATA NETWORKS AND OPEN SYSTEM COMMUNICATIONS

PUBLIC DATA NETWORKS	
Services and facilities	X.1–X.19
Interfaces	X.20–X.49
Transmission, signalling and switching	X.50–X.89
Network aspects	X.90–X.149
Maintenance	X.150–X.179
Administrative arrangements	X.180–X.199
OPEN SYSTEMS INTERCONNECTION	
Model and notation	X.200–X.209
Service definitions	X.210–X.219
Connection-mode protocol specifications	X.220–X.229
Connectionless-mode protocol specifications	X.230–X.239
PICS proformas	X.240–X.259
Protocol Identification	X.260–X.269
Security Protocols	X.270–X.279
Layer Managed Objects	X.280–X.289
Conformance testing	X.290–X.299
INTERWORKING BETWEEN NETWORKS	
General	X.300–X.349
Satellite data transmission systems	X.350–X.369
IP-based networks	X.370–X.399
MESSAGE HANDLING SYSTEMS	X.400–X.499
DIRECTORY	X.500–X.599
OSI NETWORKING AND SYSTEM ASPECTS	
Networking	X.600–X.629
Efficiency	X.630–X.639
Quality of service	X.640–X.649
Naming, Addressing and Registration	X.650–X.679
Abstract Syntax Notation One (ASN.1)	X.680–X.699
OSI MANAGEMENT	
Systems Management framework and architecture	X.700–X.709
Management Communication Service and Protocol	X.710–X.719
Structure of Management Information	X.720–X.729
Management functions and ODMA functions	X.730–X.799
SECURITY	X.800–X.849
OSI APPLICATIONS	
Commitment, Concurrency and Recovery	X.850–X.859
Transaction processing	X.860–X.879
Remote operations	X.880–X.899
OPEN DISTRIBUTED PROCESSING	X.900–X.999

For further details, please refer to the list of ITU-T Recommendations.

**Information technology – Open Systems Interconnection –
The Directory: Selected attribute types**

Technical Corrigendum 1

Source

Corrigendum 1 to ITU-T Recommendation X.520 (2001) was prepared by ITU-T Study Group 17 (2001-2004) and approved on 13 April 2002. An identical text is also published as Technical Corrigendum 1 to ISO/IEC 9594-6.

FOREWORD

The International Telecommunication Union (ITU) is the United Nations specialized agency in the field of telecommunications. The ITU Telecommunication Standardization Sector (ITU-T) is a permanent organ of ITU. ITU-T is responsible for studying technical, operating and tariff questions and issuing Recommendations on them with a view to standardizing telecommunications on a worldwide basis.

The World Telecommunication Standardization Assembly (WTSA), which meets every four years, establishes the topics for study by the ITU-T study groups which, in turn, produce Recommendations on these topics.

The approval of ITU-T Recommendations is covered by the procedure laid down in WTSA Resolution 1.

In some areas of information technology which fall within ITU-T's purview, the necessary standards are prepared on a collaborative basis with ISO and IEC.

NOTE

In this Recommendation, the expression "Administration" is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

INTELLECTUAL PROPERTY RIGHTS

ITU draws attention to the possibility that the practice or implementation of this Recommendation may involve the use of a claimed Intellectual Property Right. ITU takes no position concerning the evidence, validity or applicability of claimed Intellectual Property Rights, whether asserted by ITU members or others outside of the Recommendation development process.

As of the date of approval of this Recommendation, ITU had not received notice of intellectual property, protected by patents, which may be required to implement this Recommendation. However, implementors are cautioned that this may not represent the latest information and are therefore strongly urged to consult the TSB patent database.

© ITU 2002

All rights reserved. No part of this publication may be reproduced, by any means whatsoever, without the prior written permission of ITU.

CONTENTS

	<i>Page</i>
1) This corrects the defects reported in defect report 287.....	1
2) This corrects the defects reported in defect report 288.....	1

INTERNATIONAL STANDARD
ITU-T RECOMMENDATIONInformation technology – Open Systems Interconnection –
The Directory: Selected attribute

Technical Corrigendum 1

(Covering resolutions to defect reports 287 and 288)

1) This corrects the defects reported in defect report 287

In subclause 6.2.4 add the following sentence to the end of the last paragraph:

If the attribute syntax is defined with a NamedBitList, trailing zero bits in the attribute value and presented value are ignored.

2) This corrects the defects reported in defect report 288

In subclause 5.7.4 insert the following ASN.1 before the ID element in the ATTRIBUTE definition:

EQUALITY MATCHING RULE	facsimileNumberMatch
SUBSTRINGS MATCHING RULE	facsimileNumberSubstringsMatch

Modify subclause 6.2.8 to replace the two instances of PrintableString with TelephoneNumber.

Add the following subclauses. Add the ASN.1 definitions to Annex A.

6.2.13 Facsimile Number Match

The *Facsimile Number Match* rule compares for equality a presented value with the first element of the attribute value sequence. That element, **telephoneNumber**, is of type **TelephoneNumber** and is a telephone number. The **parameters** element of the facsimile number sequence is not evaluated.

```
facsimileNumberMatch MATCHING-RULE ::= {
  SYNTAX  TelephoneNumber
  ID      id-mr-facsimileNumberMatch }
```

The rules for matching are identical to those for **telephoneNumberMatch**.

6.2.14 Facsimile Number Substrings Match

The *Facsimile Number Substrings Match* rule determines if a presented substring is a substring of the first element of the attribute value sequence. That element, **telephoneNumber**, is of type **TelephoneNumber** and is a telephone number. The **parameters** element of the facsimile number sequence is not evaluated.

```
facsimileNumberSubstringsMatch MATCHING-RULE ::= {
  SYNTAX  SubstringAssertion
  ID      id-mr-facsimileNumberSubstringsMatch }
```

The rules for matching are identical to those for **telephoneNumberMatch**.

Add the following ASN.1 definitions to Annex A:

id-mr-facsimileNumberMatch	OBJECT IDENTIFIER	::=	{id-mr 63}
id-mr-facsimileNumberSubstringsMatch	OBJECT IDENTIFIER	::=	{id-mr 64}

SERIES OF ITU-T RECOMMENDATIONS

Series A	Organization of the work of ITU-T
Series B	Means of expression: definitions, symbols, classification
Series C	General telecommunication statistics
Series D	General tariff principles
Series E	Overall network operation, telephone service, service operation and human factors
Series F	Non-telephone telecommunication services
Series G	Transmission systems and media, digital systems and networks
Series H	Audiovisual and multimedia systems
Series I	Integrated services digital network
Series J	Cable networks and transmission of television, sound programme and other multimedia signals
Series K	Protection against interference
Series L	Construction, installation and protection of cables and other elements of outside plant
Series M	TMN and network maintenance: international transmission systems, telephone circuits, telegraphy, facsimile and leased circuits
Series N	Maintenance: international sound programme and television transmission circuits
Series O	Specifications of measuring equipment
Series P	Telephone transmission quality, telephone installations, local line networks
Series Q	Switching and signalling
Series R	Telegraph transmission
Series S	Telegraph services terminal equipment
Series T	Terminals for telematic services
Series U	Telegraph switching
Series V	Data communication over the telephone network
Series X	Data networks and open system communications
Series Y	Global information infrastructure and Internet protocol aspects
Series Z	Languages and general software aspects for telecommunication systems