



INTERNATIONAL TELECOMMUNICATION UNION

ITU-T

TELECOMMUNICATION
STANDARDIZATION SECTOR
OF ITU

X.721

Corrigendum 2
(10/96)

SERIES X: DATA NETWORKS AND OPEN SYSTEM
COMMUNICATION

OSI management

Information technology - Open Systems
Interconnection - Structure of management
information: Definition of management information

Technical Corrigendum 2

ITU-T Recommendation X.721 - Corrigendum 2

(Previously "CCITT Recommendation")

ITU-T X-SERIES RECOMMENDATIONS
DATA NETWORKS AND OPEN SYSTEM COMMUNICATION

DATA TRANSMISSION	X.1-X.199
Services and facilities	X.1-X.19
Interfaces	X.20-X.49
Transmission, signalling and switching	X.50-X.89
Network aspects	X.90-X.149
Maintenance	X.150-X.179
Administrative arrangements	X.180-X.199
OPEN SYSTEM INTERCONNECTION	X.200-X.299
Model and notation	X.200-X.209
Service definitions	X.210-X.219
Connection-mode protocol specifications	X.220-X.229
Connectionless-mode protocol specification	X.230-X.239
PICS proformas	X.240-X.259
Protocol Identification	X.260-X.269
Security Protocols	X.270-X.279
Layer Managed Objects	X.280-X.289
Conformance testing	X.290-X.299
INTERWORKING BETWEEN NETWORKS	X.300-X.399
General	X.300-X.349
Satellite data transmission networks	X.350-X.369
Management	X.370-X.399
MESSAGE HANDLING SYSTEMS	X.400-X.499
THE DIRECTORY	X.500-X.599
OSI NETWORKING AND SYSTEM ASPECTS	X.600-X.699
Networking	X.610-X.649
Naming, Addressing and Registration	X.650-X.679
Abstract Syntax Notation One (ASN.1)	X.680-X.699
OSI MANAGEMENT	X.700-X.799
SECURITY	X.800-X.849
OSI APPLICATIONS	X.850-X.899
Commitment, Concurrency and Recovery	X.850-X.859
Transaction processing	X.860-X.879
Remote operations	X.880-X.899
OPEN DISTRIBUTED PROCESSING	X.900-X.999

For further details, please refer to ITU-T List of Recommendations.

FOREWORD

ITU (International Telecommunication Union) is the United Nations Specialized Agency in the field of telecommunications. The ITU Telecommunication Standardization Sector (ITU-T) is a permanent organ of the ITU. Some 179 member countries, 84 telecom operating entities, 145 scientific and industrial organizations and 38 international organizations participate in ITU-T which is the body which sets world telecommunications standards (Recommendations).

The approval of Recommendations by the Members of ITU-T is covered by the procedure laid down in WTSC Resolution No. 1 (Helsinki, 1993). In addition, the World Telecommunication Standardization Conference (WTSC), which meets every four years, approves Recommendations submitted to it and establishes the study programme for the following period.

In some areas of information technology which fall within ITU-T's purview, the necessary standards are prepared on a collaborative basis with ISO and IEC. The text of ITU-T Recommendation X.721, Corrigendum 2 was approved on 5th of October 1996. The identical text is also published as ISO/IEC International Standard 10165-2.

NOTE

In this Recommendation, the expression "Administration" is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

© ITU 1996

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the ITU.

CONTENTS

	<i>Page</i>
1) Subclause 6.1.....	1
2) Subclause 6.2.....	1
3) Subclause 6.3.....	1
4) Subclause 6.4.....	1
5) Subclause 6.5.....	2
6) Subclause 6.6.....	2
7) Subclause 6.7.....	2
8) Subclause 6.8.....	2
9) Subclause 6.9.....	2
10) Subclause 6.10.....	2
11) Subclause 6.11.....	2
12) Subclause 6.12.....	2
13) Subclause 6.13.....	3
14) Subclause 6.14.....	3
15) Subclause 7.1.....	3
16) Subclause 7.2.....	3
17) Subclause 7.3.....	3
18) Subclause 8.1.....	3
19) Subclause 8.2.....	3
20) Subclause 8.3.....	3
21) Subclause 8.4.....	4
22) Subclause 8.5.....	4
23) Subclause 8.6.....	4
24) Subclause 8.7.....	4
25) Subclause 8.8.....	4
26) Subclause 8.9.....	4
27) Subclause 8.10.....	4
28) Subclause 8.11.....	4
29) Subclause 8.12.....	5
30) Subclause 10.1.1.....	5
31) Subclause 10.1.2.....	5
32) Subclause 10.1.3.....	5
33) Subclause 10.1.4.....	5
34) Subclause 10.1.5.....	5
35) Subclause 10.7.1.1.....	5
36) Subclause 10.7.1.2.....	6
37) Subclause 10.7.1.3.....	6
38) Subclause 10.7.1.4.....	6
39) Subclause 10.7.1.5.....	6
40) Subclause 10.7.1.6.....	6
41) Subclause 10.7.1.7.....	6
42) Subclause 10.7.1.8.....	6

	<i>Page</i>
43) Subclause 10.7.1.9.....	6
44) Subclause 10.7.1.10.....	6
45) Subclause 10.7.1.11.....	7
46) Subclause 10.7.1.12.....	7
47) Subclause 10.7.1.13.....	7
48) Subclause 10.7.1.14.....	7
49) Subclause 10.7.1.15.....	7
50) Subclause 10.7.1.16.....	7
51) Subclause 10.7.1.17.....	7
52) Subclause 10.7.1.18.....	7
53) Subclause 10.7.1.19.....	7
54) Subclause 10.7.1.20.....	7
55) Subclause 10.7.1.21.....	8
56) Subclause 10.7.1.22.....	8
57) Subclause 10.7.1.23.....	8
58) Subclause 10.7.1.24.....	8
59) Subclause 10.7.1.25.....	8
60) Subclause 10.7.2.1.....	8
61) Subclause 10.7.2.2.....	8
62) Subclause 10.7.2.3.....	8
63) Subclause 10.7.2.4.....	8
64) Subclause 10.7.2.5.....	9
65) Subclause 10.7.2.6.....	9
66) Subclause 10.7.2.7.....	9
67) Subclause 10.7.2.8.....	9
68) Subclause 10.7.2.9.....	9
69) Subclause 10.7.2.10.....	9
70) Subclause 10.7.3.1.....	9
71) Subclause 10.7.3.2.....	9
72) Subclause 10.7.3.3.....	9
73) Subclause 10.7.3.4.....	9
74) Subclause 10.7.3.5.....	10
75) Subclause 10.7.3.6.....	10
76) Subclause 10.7.3.7.....	10
77) Subclause 10.7.3.8.....	10
78) Subclause 10.7.3.9.....	10
79) Subclause 10.7.3.10.....	10
80) Subclause 10.7.4.1.....	10
81) Subclause 10.7.4.2.....	10
82) Subclause 10.7.4.3.....	11
83) Subclause 10.7.4.4.....	11
84) Subclause 10.7.4.5.....	11
85) Subclause 10.7.4.6.....	11
86) Subclause 10.7.4.7.....	11

	<i>Page</i>
87) Subclause 10.7.4.8.....	11
88) Subclause 10.7.4.9.....	11
89) Subclause 10.7.4.10.....	11
90) Subclause 10.7.4.11.....	11
91) Subclause 10.7.4.12.....	12
92) Subclause 10.7.4.13.....	12
93) Subclause 10.7.4.14.....	12
94) Subclause 10.7.4.15.....	12
95) Subclause 10.7.4.16.....	12
96) Subclause 10.7.4.17.....	12
97) Subclause 10.7.4.18.....	12
98) Subclause 10.7.4.19.....	12
99) Subclause 10.7.4.20.....	12
100) Subclause 10.7.4.21.....	13
101) Subclause 10.7.4.22.....	13
102) Subclause 10.7.4.23.....	13
103) Subclause 12.....	13
104) Subclause 13.1.....	13
105) Subclause 13.2.....	13
106) Subclause 13.3.....	13
107) Subclause 13.4.....	13
108) Subclause 13.5.....	13
109) Subclause 13.6.....	14
110) Subclause 13.7.....	14
111) Subclause 13.8.....	14
112) Subclause 13.9.....	14
113) Subclause 13.10.....	14
114) Subclause 13.11.....	14
115) Subclause 13.12.....	14
116) Subclause 13.13.....	14
117) Subclause 13.14.....	14
118) Subclause 13.15.....	15
119) Subclause 14.2.....	15
120) Subclause 14.3.....	15
121) Annex A, Subclause A.1.1	16
122) Subclause A.1.2.....	16
123) Subclause A.1.3.....	16
124) Subclause A.1.4.....	16
125) Subclause A.1.5.....	16
126) Subclause A.1.6.....	16
127) Subclause A.1.7.....	16
128) Subclause A.1.8.....	16
129) Subclause A.1.9.....	16
130) Subclause A.1.10.....	16

	<i>Page</i>
131) Subclause A.1.11.....	17
132) Subclause A.1.12.....	17
133) Subclause A.1.13.....	17
134) Subclause A.1.14.....	17
135) Subclause A.1.15.....	17
136) Subclause A.1.16.....	17
137) Subclause A.1.17.....	17
138) Subclause A.2.1.....	17
139) Subclause A.2.2.....	17
140) Subclause A.2.3.....	18
141) Subclause A.2.4.....	18
142) Subclause A.2.5.....	18
143) Subclause A.2.6.....	18
144) Subclause A.2.7.....	18
145) Subclause A.2.8.....	18
146) Subclause A.2.9.....	18
147) Subclause A.2.10.....	18
148) Subclause A.2.11.....	18
149) Subclause A.2.12.....	18
150) Subclause A.2.13.....	19
151) Subclause A.2.14.....	19
152) Subclause A.2.15.....	19

Summary

This Technical corrigendum corrects errors that can cause an Operations Systems (OS) implementor to develop software that will not work correctly with another vendor's OS product.

INTERNATIONAL STANDARD

ITU-T RECOMMENDATION

INFORMATION TECHNOLOGY – OPEN SYSTEMS INTERCONNECTION –
STRUCTURE OF MANAGEMENT INFORMATION:
DEFINITION OF MANAGEMENT INFORMATION

TECHNICAL CORRIGENDUM 2

1) Subclause 6.1

Apply the following changes:

Replace “{smi2Package 1}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 1}”.

Replace “{smi2Package 2}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 2}”.

Replace “{smi2Package 3}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 3}”.

Replace “{smi2Package 4}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 4}”.

Replace “{smi2Package 5}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 5}”.

Replace “{smi2Package 6}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 6}”.

Replace “{smi2Package 7}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 7}”.

Replace “{smi2Package 8}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 8}”.

Replace “{smi2MObjectClass 1}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) managedObjectClass(3) 1}”.

2) Subclause 6.2

Apply the following change:

Replace “{smi2MObjectClass 2}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) managedObjectClass(3) 2}”.

3) Subclause 6.3

Apply the following change:

Replace “{smi2MObjectClass 3}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) managedObjectClass(3) 3}”.

4) Subclause 6.4

Apply the following changes:

Replace “{smi2Package 9}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 9}”.

Replace “{smi2Package 10}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 10}”.

Replace “{smi2MObjectClass 4}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) managedObjectClass(3) 4}”.

5) Subclause 6.5

Apply the following changes:

Replace “{smi2Package 11}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 11}”.

Replace “{smi2MObjectClass 5}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) managedObjectClass(3) 5}”.

6) Subclause 6.6

Apply the following changes:

Replace “{smi2Package 12}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 12}”.

Replace “{smi2Package 13}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 13}”.

Replace “{smi2MObjectClass 6}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) managedObjectClass(3) 6}”.

7) Subclause 6.7

Apply the following change:

Replace “{smi2MObjectClass 7}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) managedObjectClass(3) 7}”.

8) Subclause 6.8

Apply the following change:

Replace “{smi2MObjectClass 8}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) managedObjectClass(3) 8}”.

9) Subclause 6.9

Apply the following change:

Replace “{smi2MObjectClass 9}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) managedObjectClass(3) 9}”.

10) Subclause 6.10

Apply the following change:

Replace “{smi2MObjectClass 10}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) managedObjectClass(3) 10}”.

11) Subclause 6.11

Apply the following change:

Replace “{smi2MObjectClass 11}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) managedObjectClass(3) 11}”.

12) Subclause 6.12

Apply the following change:

Replace “{smi2MObjectClass 12}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) managedObjectClass(3) 12}”.

13) Subclause 6.13*Apply the following changes:**Replace “{smi2Package 14}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 14}”.**Replace “{smi2Package 15}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 15}”.**Replace “{smi2MObjectClass 13}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) managedObjectClass(3) 13}”.***14) Subclause 6.14***Apply the following changes:**Replace “{smi2Package 16}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 16}”.**Replace “{smi2Package 17}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 17}”.**Replace “{smi2MObjectClass 14}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) managedObjectClass(3) 14}”.***15) Subclause 7.1***Apply the following change:**Replace “{smi2NameBinding 1}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) nameBinding(6) 1}”.***16) Subclause 7.2***Apply the following change:**Replace “{smi2NameBinding 2}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) nameBinding(6) 2}”.***17) Subclause 7.3***Apply the following change:**Replace “{smi2NameBinding 3}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) nameBinding(6) 3}”.***18) Subclause 8.1***Apply the following change:**Replace “{smi2Package 18}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 18}”.***19) Subclause 8.2***Apply the following change:**Replace “{smi2Package 19}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 19}”.***20) Subclause 8.3***Apply the following change:**Replace “{smi2Package 20}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 20}”.*

21) Subclause 8.4

Apply the following change:

Replace “{smi2Package 21}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 21}”.

22) Subclause 8.5

Apply the following change:

Replace “{smi2Package 22}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 22}”.

23) Subclause 8.6

Apply the following change:

Replace “{smi2Package 23}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 23}”.

24) Subclause 8.7

Apply the following change:

Replace “{smi2Package 24}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 24}”.

25) Subclause 8.8

Add the following after “dailyScheduling PACKAGE”:

“BEHAVIOUR dailySchedulingBehaviour;”.

Replace “{smi2Package 25}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 25}”.

Add the following at the end of 8.8:

“dailySchedulingBehaviour BEHAVIOUR

DEFINED AS !Unless otherwise specified in a managed object behaviour definition, the values of the intervalStart and intervalEnd components of IntervalsOfDay are interpreted as local time.!”

26) Subclause 8.9

Apply the following change:

Replace “{smi2Package 26}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 26}”.

27) Subclause 8.10

Apply the following change:

Replace “{smi2Package 27}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 27}”.

28) Subclause 8.11

Apply the following change:

Replace “{smi2Package 28}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 28}”.

29) Subclause 8.12

Add the following after “weeklyScheduling PACKAGE”:

BEHAVIOUR weeklySchedulingBehaviour;

Replace “{smi2Package 29}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 29}”.

Add the following at the end of 8.12:

weeklySchedulingBehaviour **BEHAVIOUR**

DEFINED AS!Unless otherwise specified in a managed object behaviour definition, the values of the intervalStart and intervalEnd components of IntervalsOfDay component of WeekMask, and the daysOfWeek component of WeekMask are interpreted as local time.!

30) Subclause 10.1.1

Apply the following change:

Replace “{smi2AttributeID 1}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 1}”.

31) Subclause 10.1.2

Apply the following change:

Replace “{smi2AttributeID 2}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 2}”.

32) Subclause 10.1.3

Apply the following change:

Replace “{smi2AttributeID 3}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 3}”.

33) Subclause 10.1.4

Apply the following change:

Replace “{smi2AttributeID 4}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 4}”.

34) Subclause 10.1.5

Apply the following change:

Replace “{smi2AttributeID 5}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 5}”.

35) Subclause 10.7.1.1

Apply the following change:

Replace “{smi2AttributeID 6}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 6}”.

36) Subclause 10.7.1.2

Apply the following change:

Replace “{smi2AttributeID 7}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 7}”.

37) Subclause 10.7.1.3

Apply the following change:

Replace “{smi2AttributeID 8}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 8}”.

38) Subclause 10.7.1.4

Apply the following change:

Replace “{smi2AttributeID 9}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 9}”.

39) Subclause 10.7.1.5

Apply the following change:

Replace “{smi2AttributeID 10}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 10}”.

40) Subclause 10.7.1.6

Apply the following change:

Replace “{smi2AttributeID 11}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 11}”.

41) Subclause 10.7.1.7

Apply the following change:

Replace “{smi2AttributeID 12}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 12}”.

42) Subclause 10.7.1.8

Apply the following change:

Replace “{smi2AttributeID 13}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 13}”.

43) Subclause 10.7.1.9

Apply the following change:

Replace “{smi2AttributeID 14}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 14}”.

44) Subclause 10.7.1.10

Apply the following change:

Replace “{smi2AttributeID 15}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 15}”.

45) Subclause 10.7.1.11*Apply the following change:**Replace “{smi2AttributeID 16}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 16}”.***46) Subclause 10.7.1.12***Apply the following change:**Replace “{smi2AttributeID 17}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 17}”.***47) Subclause 10.7.1.13***Apply the following change:**Replace “{smi2AttributeID 18}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 18}”.***48) Subclause 10.7.1.14***Apply the following change:**Replace “{smi2AttributeID 19}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 19}”.***49) Subclause 10.7.1.15***Apply the following change:**Replace “{smi2AttributeID 20}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 20}”.***50) Subclause 10.7.1.16***Apply the following change:**Replace “{smi2AttributeID 21}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 21}”.***51) Subclause 10.7.1.17***Apply the following change:**Replace “{smi2AttributeID 22}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 22}”.***52) Subclause 10.7.1.18***Apply the following change:**Replace “{smi2AttributeID 23}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 23}”.***53) Subclause 10.7.1.19***Apply the following change:**Replace “{smi2AttributeID 24}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 24}”.***54) Subclause 10.7.1.20***Apply the following change:**Replace “{smi2AttributeID 25}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 25}”.*

55) Subclause 10.7.1.21

Apply the following change:

Replace “{smi2AttributeID 26}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 26}”.

56) Subclause 10.7.1.22

Apply the following change:

Replace “{smi2AttributeID 27}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 27}”.

57) Subclause 10.7.1.23

Apply the following change:

Replace “{smi2AttributeID 28}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 28}”.

58) Subclause 10.7.1.24

Apply the following change:

Replace “{smi2AttributeID 29}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 29}”.

59) Subclause 10.7.1.25

Apply the following change:

Replace “{smi2AttributeID 30}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 30}”.

60) Subclause 10.7.2.1

Apply the following change:

Replace “{smi2AttributeID 31}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 31}”.

61) Subclause 10.7.2.2

Apply the following change:

Replace “{smi2AttributeID 32}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 32}”.

62) Subclause 10.7.2.3

Apply the following change:

Replace “{smi2AttributeID 33}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 33}”.

63) Subclause 10.7.2.4

Apply the following change:

Replace “{smi2AttributeID 34}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 34}”.

64) Subclause 10.7.2.5

Apply the following change:

Replace “{smi2AttributeID 35}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 35}”.

65) Subclause 10.7.2.6

Apply the following change:

Replace “{smi2AttributeID 36}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 36}”.

66) Subclause 10.7.2.7

Apply the following change:

Replace “{smi2AttributeID 37}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 37}”.

67) Subclause 10.7.2.8

Apply the following change:

Replace “{smi2AttributeID 38}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 38}”.

68) Subclause 10.7.2.9

Apply the following change:

Replace “{smi2AttributeID 39}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 39}”.

69) Subclause 10.7.2.10

Apply the following change:

Replace “{smi2AttributeGroup 1}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attributeGroup(8) 1}”.

70) Subclause 10.7.3.1

Apply the following change:

Replace “{smi2AttributeID 40}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 40}”.

71) Subclause 10.7.3.2

Apply the following change:

Replace “{smi2AttributeID 41}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 41}”.

72) Subclause 10.7.3.3

Apply the following change:

Replace “{smi2AttributeID 42}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 42}”.

73) Subclause 10.7.3.4

Apply the following change:

Replace “{smi2AttributeID 43}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 43}”.

74) Subclause 10.7.3.5

Apply the following change:

Replace “{smi2AttributeID 44}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 44}”.

75) Subclause 10.7.3.6

Apply the following change:

Replace “{smi2AttributeID 45}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 45}”.

76) Subclause 10.7.3.7

Apply the following change:

Replace “{smi2AttributeID 46}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 46}”.

77) Subclause 10.7.3.8

Apply the following change:

Replace “{smi2AttributeGroup 2}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attributeGroup(8) 2}”.

78) Subclause 10.7.3.9

Apply the following change:

Replace “{smi2AttributeID 47}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 47}”.

79) Subclause 10.7.3.10

Apply the following change:

Replace “{smi2AttributeID 48}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 48}”.

80) Subclause 10.7.4.1

Apply the following change:

Replace “{smi2AttributeID 49}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 49}”.

81) Subclause 10.7.4.2

Apply the following change:

Replace “{smi2AttributeID 50}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 50}”.

82) Subclause 10.7.4.3

Apply the following change:

Replace “{smi2AttributeID 51}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 51}”.

83) Subclause 10.7.4.4

Apply the following change:

Replace “{smi2AttributeID 52}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 52}”.

84) Subclause 10.7.4.5

Apply the following change:

Replace “{smi2AttributeID 53}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 53}”.

85) Subclause 10.7.4.6

Apply the following change:

Replace “{smi2AttributeID 54}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 54}”.

86) Subclause 10.7.4.7

Apply the following change:

Replace “{smi2AttributeID 55}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 55}”.

87) Subclause 10.7.4.8

Apply the following change:

Replace “{smi2AttributeID 56}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 56}”.

88) Subclause 10.7.4.9

Apply the following change:

Replace “{smi2AttributeID 57}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 57}”.

89) Subclause 10.7.4.10

Apply the following change:

Replace “{smi2AttributeID 58}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 58}”.

90) Subclause 10.7.4.11

Apply the following change:

Replace “{smi2AttributeID 59}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 59}”.

91) Subclause 10.7.4.12

Apply the following change:

Replace “{smi2AttributeID 60}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 60}”.

92) Subclause 10.7.4.13

Apply the following change:

Replace “{smi2AttributeID 61}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 61}”.

93) Subclause 10.7.4.14

Apply the following change:

Replace “{smi2AttributeID 62}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 62}”.

94) Subclause 10.7.4.15

Apply the following change:

Replace “{smi2AttributeID 63}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 63}”.

95) Subclause 10.7.4.16

Apply the following change:

Replace “{smi2AttributeID 64}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 64}”.

96) Subclause 10.7.4.17

Apply the following change:

Replace “{smi2AttributeID 65}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 65}”.

97) Subclause 10.7.4.18

Apply the following change:

Replace “{smi2AttributeID 66}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 66}”.

98) Subclause 10.7.4.19

Apply the following change:

Replace “{smi2AttributeID 67}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 67}”.

99) Subclause 10.7.4.20

Apply the following changes:

Replace “Weekly Scheduling” with “Duration”.

Replace “{smi2AttributeID 68}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 68}”.

100) Subclause 10.7.4.21

Apply the following changes:

Replace “Weekly Scheduling” with “Duration”.

Replace “{smi2AttributeID 69}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 69}”.

101) Subclause 10.7.4.22

Apply the following change:

Replace “{smi2AttributeID 70}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 70}”.

102) Subclause 10.7.4.23

Apply the following change:

Replace “{smi2AttributeID 71}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 71}”.

103) Subclause 12

Apply the following change:

Replace “{smi2Parameter 1}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) parameter(5) 1}”.

104) Subclause 13.1

Apply the following change:

Replace “{smi2Notification 1}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) notification(10) 1}”.

105) Subclause 13.2

Apply the following change:

Replace “{smi2Notification 2}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) notification(10) 2}”.

106) Subclause 13.3

Apply the following change:

Replace “{smi2Notification 3}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) notification(10) 3}”.

107) Subclause 13.4

Apply the following change:

Replace “{smi2Notification 4}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) notification(10) 4}”.

108) Subclause 13.5

Apply the following change:

Replace “{smi2Notification 5}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) notification(10) 5}”.

109) Subclause 13.6

Apply the following change:

Replace “{smi2Notification 6}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) notification(10) 6}”.

110) Subclause 13.7

Apply the following change:

Replace “{smi2Notification 7}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) notification(10) 7}”.

111) Subclause 13.8

Apply the following change:

Replace “{smi2Notification 8}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) notification(10) 8}”.

112) Subclause 13.9

Apply the following change:

Replace “{smi2Notification 9}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) notification(10) 9}”.

113) Subclause 13.10

Apply the following change:

Replace “{smi2Notification 10}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) notification(10) 10}”.

114) Subclause 13.11

Apply the following change:

Replace “{smi2Notification 11}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) notification(10) 11}”.

115) Subclause 13.12

Apply the following change:

Replace “{smi2Notification 12}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) notification(10) 12}”.

116) Subclause 13.13

Apply the following change:

Replace “{smi2Notification 13}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) notification(10) 13}”.

117) Subclause 13.14

Apply the following change:

Replace “{smi2Notification 14}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) notification(10) 14}”.

118) Subclause 13.15

Apply the following change:

Replace “{smi2Notification 15}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) notification(10) 15}”.

119) Subclause 14.2

In the definition for **IntervalsOfDay**, in page 43 (of CCITT Rec. X.721 | ISO/IEC 10165-2), add comments replacing

```
IntervalsOfDay ::= SET OF SEQUENCE{
    intervalStart Time24,
    intervalEnd Time24}
```

with

```
IntervalsOfDay ::= SET OF SEQUENCE{
    intervalStart Time24, -- start at the beginning of this minute
    intervalEnd Time24} -- stop at the end of this minute
```

In the definition for **PrioritisedObject**, in page 43 (of CCITT Rec. X.721 | ISO/IEC 10165-2), replace

```
priority      INTEGER {lowest(0), highest(127)}
```

with

```
priority      INTEGER {highest(0), lowest(127)}
```

Add labels for the choice in the definition for **SpecificIdentifierPrioritisedObject** in page 44 (of CCITT Rec. X.721 | ISO/IEC 10165-2), replacing

```
SpecificIdentifier ::= CHOICE { OBJECT IDENTIFIER,
                                INTEGER}
```

with

```
SpecificIdentifier ::= CHOICE { oi OBJECT IDENTIFIER,
                                int INTEGER}
```

120) Subclause 14.3

In the **imports** clause, in page 45 (of CCITT Rec. X.721 | ISO/IEC 10165-2), replace

```
FROM Attribute-ASN1Module
    ObjectClass,AttributeId,ObjectInstance FROM CMIP-1 {joint-iso-ccitt ms(9) cmip(1) version1 (1)
    protocol(3)} ;
```

with

```
FROM Attribute-ASN1Module
    ObjectClass,AttributeId,ObjectInstance FROM CMIP-1 {joint-iso-ccitt ms(9) cmip(1) modules(0)
    protocol(3)};
```

and also add the following after the definition of **AlarmInfo**:

-- backUpObject attribute -- (except in log record	backedUpStatus component	backUpObject component	backUpObject attribute in log record

-- ObjectInstance	T	ObjectInstance	ObjectInstance
-- NULL	F	< absent >	< absent >
-- < absent >	< absent >	< absent >	< absent >

121) Annex A, Subclause A.1.1

Apply the following change:

Replace “{smi2AttributeID 72}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 72}”.

122) Subclause A.1.2

Apply the following change:

Replace “{smi2AttributeID 73}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 73}”.

123) Subclause A.1.3

Apply the following change:

Replace “{smi2AttributeID 74}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 74}”.

124) Subclause A.1.4

Apply the following change:

Replace “{smi2AttributeID 75}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 75}”.

125) Subclause A.1.5

Apply the following change:

Replace “{smi2AttributeID 76}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 76}”.

126) Subclause A.1.6

Apply the following change:

Replace “{smi2AttributeID 77}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 77}”.

127) Subclause A.1.7

Apply the following change:

Replace “{smi2AttributeID 78}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 78}”.

128) Subclause A.1.8

Apply the following change:

Replace “{smi2AttributeID 79}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 79}”.

129) Subclause A.1.9

Apply the following change:

Replace “{smi2AttributeID 80}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 80}”.

130) Subclause A.1.10

Apply the following change:

Replace “{smi2AttributeID 81}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 81}”.

131) Subclause A.1.11

Apply the following change:

Replace “{smi2AttributeID 82}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 82}”.

132) Subclause A.1.12

Apply the following change:

Replace “{smi2AttributeID 83}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 83}”.

133) Subclause A.1.13

Apply the following change:

Replace “{smi2AttributeID 84}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 84}”.

134) Subclause A.1.14

Apply the following change:

Replace “{smi2AttributeID 85}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 85}”.

135) Subclause A.1.15

Apply the following change:

Replace “{smi2AttributeID 86}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 86}”.

136) Subclause A.1.16

Apply the following change:

Replace “{smi2AttributeID 87}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 87}”.

137) Subclause A.1.17

Apply the following change:

Replace “{smi2AttributeID 88}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 88}”.

138) Subclause A.2.1

Apply the following change:

Replace “{smi2AttributeID 89}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 89}”.

139) Subclause A.2.2

Apply the following change:

Replace “{smi2AttributeID 90}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 90}”.

140) Subclause A.2.3

Apply the following change:

Replace “{smi2AttributeID 91}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 91}”.

141) Subclause A.2.4

Apply the following change:

Replace “{smi2AttributeID 92}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 92}”.

142) Subclause A.2.5

Apply the following change:

Replace “{smi2AttributeID 93}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 93}”.

143) Subclause A.2.6

Apply the following change:

Replace “{smi2AttributeID 94}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 94}”.

144) Subclause A.2.7

Apply the following change:

Replace “{smi2AttributeID 95}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 95}”.

145) Subclause A.2.8

Apply the following change:

Replace “{smi2AttributeID 96}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 96}”.

146) Subclause A.2.9

Apply the following change:

Replace “{smi2AttributeID 97}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 97}”.

147) Subclause A.2.10

Apply the following change:

Replace “{smi2AttributeID 98}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 98}”.

148) Subclause A.2.11

Apply the following change:

Replace “{smi2AttributeID 99}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 99}”.

149) Subclause A.2.12

Apply the following change:

Replace “{smi2AttributeID 100}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 100}”.

150) Subclause A.2.13

Apply the following change:

Replace “{smi2AttributeID 101}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 101}”.

151) Subclause A.2.14

Apply the following change:

Replace “{smi2AttributeID 102}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 102}”.

152) Subclause A.2.15

Apply the following change:

Replace “{smi2AttributeID 103}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 103}”.

ITU-T RECOMMENDATIONS SERIES

Series A	Organization of the work of the ITU-T
Series B	Means of expression
Series C	General telecommunication statistics
Series D	General tariff principles
Series E	Telephone network and ISDN
Series F	Non-telephone telecommunication services
Series G	Transmission systems and media
Series H	Transmission of non-telephone signals
Series I	Integrated services digital network
Series J	Transmission of sound-programme and television signals
Series K	Protection against interference
Series L	Construction, installation and protection of cables and other elements of outside plant
Series M	Maintenance: international transmission systems, telephone circuits, telegraphy, facsimile and leased circuits
Series N	Maintenance: international sound-programme and television transmission circuits
Series O	Specifications of measuring equipment
Series P	Telephone transmission quality
Series Q	Switching and signalling
Series R	Telegraph transmission
Series S	Telegraph services terminal equipment
Series T	Terminal equipments and protocols for telematic services
Series U	Telegraph switching
Series V	Data communication over the telephone network
Series X	Data networks and open system communication
Series Z	Programming languages