



INTERNATIONAL TELECOMMUNICATION UNION

**CCITT**

THE INTERNATIONAL  
TELEGRAPH AND TELEPHONE  
CONSULTATIVE COMMITTEE

**E.410**

(11/1988)

SERIES E: OVERALL NETWORK OPERATION,  
TELEPHONE SERVICE, SERVICE OPERATION AND  
HUMAN FACTORS

International telephone network management and  
checking of service quality – International network  
management

---

**INTERNATIONAL NETWORK MANAGEMENT –  
GENERAL INFORMATION**

Reedition of CCITT Recommendation E.410 published in  
the Blue Book, Fascicle II.3 (1988)

---

## NOTES

1 CCITT Recommendation E.410 was published in Fascicle II.3 of the *Blue Book*. This file is an extract from the *Blue Book*. While the presentation and layout of the text might be slightly different from the *Blue Book* version, the contents of the file are identical to the *Blue Book* version and copyright conditions remain unchanged (see below).

2 In this Recommendation, the expression “Administration” is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

## Recommendation E.410

### INTERNATIONAL NETWORK MANAGEMENT — GENERAL INFORMATION

#### 1 Introduction

The demand for international telephone service continues to increase substantially. This increasing demand has been met by advances in both technology and operational techniques. The growth of traffic has also required the development of larger transmission systems and exchanges to provide the capacity to meet the required grade of service. With the continued growth of the international automatic service, direct supervision and control over traffic has decreased since operators are no longer involved in establishing most calls.

In addition to the above, the introduction of larger digital transmission and switching systems, along with common channel signalling, has resulted in an international telephone network which is highly interconnected and interactive, and which has become increasingly vulnerable to overload and congestion. This overload and congestion can occur with little or no advance warning.

A number of events may arise which can have a serious effect on the international telephone service. Among these events are:

- failures of international or national transmission systems;
- failures of international or national exchanges;
- planned outages of transmission systems and exchanges;
- abnormal increases in traffic demand. The events which give rise to such traffic demand may be foreseen (e.g., national or religious holidays, international sporting events) or unforeseen (e.g., natural disasters, political crises);
- focussed overloads, and in particular, mass-calling;
- difficulties in meeting the requirements of international traffic resulting (for example) from delays in the provision of additional circuits or equipment;
- congestion in connected networks.

These events can lead to congestion which, if uncontrolled, may spread and thus seriously degrade the service in other parts of the international network. Considerable benefits can be derived for the international network as a whole if prompt action is taken to control the effect on service of such events.

In addition, as the telephone network migrates toward ISDN, interworking with other networks will develop. With interworking, failure or congestion in one network, or in the interface between networks, can have an adverse impact on the performance of the connected network(s).

The above considerations have led to the development of "international network management", which encompasses all the activities necessary to reduce the effect on service of any situation affecting unfavourably the international telephone network, and in the future, the ISDN.

*Note* – Much of the guidance on international network management may be applicable in national networks.

#### 2 Definition of international network management

**international network management** is the function of supervising the international network and taking action when necessary to control the flow of traffic.

Network management requires real-time monitoring and measurement of current network status and performance, and the ability to take prompt action to control the flow of traffic.

### **3 Objective of network management**

The objective of network management is to enable as many calls as possible to be successfully completed. This objective is met by maximizing the use of all available equipment and facilities in any situation through the application of the principles given below.

### **4 Principles of international network management**

#### *4.1 Utilize all available circuits*

There are periods when, due to changing traffic patterns, the demand for service cannot be met by the available circuits in the normal routing. At the same time, many circuits to other locations may be idle due to differences in calling patterns caused by time zones, local calling habits, or busy season variations. After negotiation and agreement amongst the Administrations affected, some or all of the unusually heavy traffic can be redirected to this idle capacity for completion.

#### *4.2 Keep all available circuits filled with traffic which has a high probability of resulting in effective calls*

The telephone network is generally circuit-limited; therefore the number of simultaneous effective calls is strongly influenced by the number of available circuits. However, ineffective calls can occupy circuit capacity which would otherwise be available for effective calls. Therefore identifying those call attempts which are likely to be ineffective because of a situation in the network (e.g., a failure), and reducing them as close to their source as possible, will allow circuit capacity to be available for call attempts which have a higher probability of being effective.

#### *4.3 When all available circuits are in use, give priority to calls requiring a minimum number of circuits to form a connection*

When telephone networks are designed using automatic alternate routing of calls, efficient operation occurs when traffic loads are at or below engineered values. However, as traffic loads increase above the engineered value, the ability of the network to carry effective calls decreases since an increased number of calls require two or more circuits to form a connection. Such calls increase the possibility of one multi-link call blocking several potential calls.

Thus automatic alternate routing should be restricted to give preference to direct routed traffic during periods of abnormally high demand.

#### *4.4 Inhibit switching congestion and prevent its spread*

A large increase in switching attempts can result in switching congestion when the switching capacity of an exchange is exceeded. If the switching congestion is left uncontrolled, it can spread to connected exchanges or networks and cause a further degradation of network performance. Controls should be applied which inhibit switching congestion by removing attempts from the congested exchange which have a low chance of resulting in a successful call.

*Note* – Network management assumes that the network is adequately engineered to meet the normal levels of traffic, the requirement for which is described in Recommendations E.171, E.510, E.520, E.522, E.540 and E.541.

### **5 Benefits derived from international network management**

Among the benefits to be derived from international network management are:

5.1 Increased revenue which is derived from an increase in successful calls.

5.2 Improved service to the customer. This can lead, in turn, to:

- improved customer relations;
- stimulation of customer calling rate;
- increased customer acceptance of new services.

- 5.3 More efficient use of the network. This can result in:
- an increased return on the capital invested in the network;
  - an improvement in the ratio of effective to ineffective calls.
- 5.4 Greater awareness of the actual status and performance of the network. Such awareness can lead to:
- a basis by which network management and maintenance priorities can be established;
  - improved network planning information;
  - improved information on which future capital investment in the network can be decided;
  - improved public relations.
- 5.5 Protection of revenue and important services, particularly during severe network situations.

## **6 Network management functions**

Network management encompasses all of the activities necessary to identify conditions which may adversely affect network performance and service to the customer, and the application of network controls to minimize their impact. This includes the following functions:

- a) monitoring the status and performance of the network on a real-time basis, which includes collecting and analyzing relevant data;
- b) detecting abnormal network conditions;
- c) investigating and identifying the reasons for abnormal network conditions;
- d) initiating corrective action and/or control;
- e) cooperating and coordinating actions with other network management centres, both domestic and international, on matters concerned with international network management and service restoration;
- f) cooperating and coordinating with other work areas (e.g., maintenance, operator services or planning) on matters which affect service;
- g) issuing reports of abnormal network situations, actions taken and results obtained to higher authority and other involved departments and Administrations, as required;
- h) providing advance planning for known or predictable network situations.

## **7 Cooperation and coordination**

Effective network management depends on the prompt availability of information indicating when and where a problem is occurring, and a trained group working in cooperation with all parts of the telecommunications organization. Just as there is a need for coordination in planning and building the network, there also is a need for coordination in managing it. The network is such that equipment malfunctions or overloads frequently produce unacceptable performance at a distance from the physical location of the problem. Therefore, those who monitor and manage the network, both nationally and internationally, must cooperate to ensure satisfactory service.

Network management is highly technical in nature, and depends on the skill and creativity of those who share an understanding of network management philosophy, objectives, terminology, tools and techniques. These items are specified in Recommendations E.410 through E.414, and provide a basis for the cooperation and coordination which are a vital part of network management.

## **8 Further Recommendations on network management**

- 8.1 Recommendation E.411 provides operational guidance for network management including:
- status and performance parameters;
  - expansive and protective traffic controls;
  - criteria for application of controls.

- 8.2 Recommendation E.412 provides information on network management controls:
- traffic to be controlled;
  - exchange controls;
  - automatic controls;
  - status of controls;
  - operator controls.
- 8.3 Recommendation E.413 provides guidance on planning for events such as:
- peak calling days;
  - failures of transmission systems;
  - failures of exchanges;
  - failures of common channel signalling systems;
  - mass-calling situations;
  - disasters;
  - introduction of new services.
- 8.4 Recommendation E.414 provides guidance on the functional elements of a network management organization which need to be identified internationally as contact points. These comprise:
- planning and liaison;
  - implementation and control;
  - development.
- 8.5 It is emphasized that it is not necessary to meet the full scope of these Recommendations to achieve some benefit from the application of network management, particularly when getting started. However, the Recommendations do provide detailed information over a wide range of techniques, some of which can be implemented readily, whilst others may require considerable planning and design effort. Additional information may also be found in the handbook on Quality of service, network management and maintenance [1].

#### **Reference**

- [1] CCITT Manual *Quality of service, network management and maintenance*, ITU, Geneva, 1984.

ITU-T E-SERIES RECOMMENDATIONS  
**OVERALL NETWORK OPERATION, TELEPHONE SERVICE,  
SERVICE OPERATION AND HUMAN FACTORS**

***OPERATION, NUMBERING, ROUTING AND MOBILE SERVICES***

**INTERNATIONAL OPERATION**

Definitions	E.100–E.103
General provisions concerning Administrations	E.104–E.119
General provisions concerning users	E.120–E.139
Operation of international telephone services	E.140–E.159
Numbering plan of the international telephone service	E.160–E.169
International routing plan	E.170–E.179
Tones in national signalling systems	E.180–E.189
Numbering plan of the international telephone service	E.190–E.199
Maritime mobile service and public land mobile service	E.200–E.229

**OPERATIONAL PROVISIONS RELATING TO CHARGING AND ACCOUNTING IN THE INTERNATIONAL TELEPHONE SERVICE**

Charging in the international telephone service	E.230–E.249
Measuring and recording call durations for accounting purposes	E.260–E.269

**UTILIZATION OF THE INTERNATIONAL TELEPHONE NETWORK FOR NON-TELEPHONY APPLICATIONS**

General	E.300–E.319
Phototelegraphy	E.320–E.329

**ISDN PROVISIONS CONCERNING USERS**

International routing plan	E.350–E.399
----------------------------	-------------

***QUALITY OF SERVICE, NETWORK MANAGEMENT AND TRAFFIC ENGINEERING***

**NETWORK MANAGEMENT**

International service statistics	E.400–E.409
----------------------------------	-------------

**International network management** **E.410–E.419**

Checking the quality of the international telephone service	E.420–E.489
---	-------------

**TRAFFIC ENGINEERING**

Measurement and recording of traffic	E.490–E.505
Forecasting of traffic	E.506–E.509
Determination of the number of circuits in manual operation	E.510–E.519
Determination of the number of circuits in automatic and semi-automatic operation	E.520–E.539
Grade of service	E.540–E.599
Definitions	E.600–E.649
ISDN traffic engineering	E.700–E.749
Mobile network traffic engineering	E.750–E.799

**QUALITY OF TELECOMMUNICATION SERVICES: CONCEPTS, MODELS, OBJECTIVES AND DEPENDABILITY PLANNING**

Terms and definitions related to the quality of telecommunication services	E.800–E.809
Models for telecommunication services	E.810–E.844
Objectives for quality of service and related concepts of telecommunication services	E.845–E.859
Use of quality of service objectives for planning of telecommunication networks	E.860–E.879
Field data collection and evaluation on the performance of equipment, networks and services	E.880–E.899

## ITU-T RECOMMENDATIONS SERIES

Series A	Organization of the work of the ITU-T
Series B	Means of expression: definitions, symbols, classification
Series C	General telecommunication statistics
Series D	General tariff principles
<b>Series E</b>	<b>Overall network operation, telephone service, service operation and human factors</b>
Series F	Non-telephone telecommunication services
Series G	Transmission systems and media, digital systems and networks
Series H	Audiovisual and multimedia systems
Series I	Integrated services digital network
Series J	Transmission of television, sound programme and other multimedia signals
Series K	Protection against interference
Series L	Construction, installation and protection of cables and other elements of outside plant
Series M	TMN and network maintenance: international transmission systems, telephone circuits, telegraphy, facsimile and leased circuits
Series N	Maintenance: international sound programme and television transmission circuits
Series O	Specifications of measuring equipment
Series P	Telephone transmission quality, telephone installations, local line networks
Series Q	Switching and signalling
Series R	Telegraph transmission
Series S	Telegraph services terminal equipment
Series T	Terminals for telematic services
Series U	Telegraph switching
Series V	Data communication over the telephone network
Series X	Data networks and open system communications
Series Y	Global information infrastructure and Internet protocol aspects
Series Z	Languages and general software aspects for telecommunication systems