



INTERNATIONAL TELECOMMUNICATION UNION

CCITT

THE INTERNATIONAL
TELEGRAPH AND TELEPHONE
CONSULTATIVE COMMITTEE

G.433

(11/1988)

SERIES G: TRANSMISSION SYSTEMS AND MEDIA,
DIGITAL SYSTEMS AND NETWORKS

International telephone connections and circuits – General
definitions

**HYPOTHETICAL REFERENCE CIRCUIT FOR
TRANS-HORIZON RADIO-RELAY SYSTEMS FOR
TELEPHONY USING FREQUENCY-DIVISION
MULTIPLEX**

Reedition of CCITT Recommendation G.100 published in
the Blue Book, Fascicle III.2 (1988)

NOTES

- 1 CCITT Recommendation G.433 was published in Fascicle III.2 of the *Blue Book*. This file is an extract from the *Blue Book*. While the presentation and layout of the text might be slightly different from the *Blue Book* version, the contents of the file are identical to the *Blue Book* version and copyright conditions remain unchanged (see below).
- 2 In this Recommendation, the expression “Administration” is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

Recommendation G.433

**HYPOTHETICAL REFERENCE CIRCUIT FOR TRANS-HORIZON
RADIO-RELAY SYSTEMS FOR TELEPHONY USING FREQUENCY-DIVISION MULTIPLEX**

(Geneva, 1964)

(See CCIR Recommendation 396, Volume IX, Dubrovnik, 1986.)

ITU-T G-SERIES RECOMMENDATIONS
TRANSMISSION SYSTEMS AND MEDIA, DIGITAL SYSTEMS AND NETWORKS

INTERNATIONAL TELEPHONE CONNECTIONS AND CIRCUITS

| | |
|--|--------------------|
| General definitions | G.100–G.109 |
| General Recommendations on the transmission quality for an entire international telephone connection | G.110–G.119 |
| General characteristics of national systems forming part of international connections | G.120–G.129 |
| General characteristics of the 4-wire chain formed by the international circuits and national extension circuits | G.130–G.139 |
| General characteristics of the 4-wire chain of international circuits; international transit | G.140–G.149 |
| General characteristics of international telephone circuits and national extension circuits | G.150–G.159 |
| Apparatus associated with long-distance telephone circuits | G.160–G.169 |
| Transmission plan aspects of special circuits and connections using the international telephone connection network | G.170–G.179 |
| Protection and restoration of transmission systems | G.180–G.189 |
| Software tools for transmission systems | G.190–G.199 |

INTERNATIONAL ANALOGUE CARRIER SYSTEM

GENERAL CHARACTERISTICS COMMON TO ALL ANALOGUE CARRIER-TRANSMISSION SYSTEMS

| | |
|--|-------------|
| Definitions and general considerations | G.210–G.219 |
| General Recommendations | G.220–G.229 |
| Translating equipment used on various carrier-transmission systems | G.230–G.239 |
| Utilization of groups, supergroups, etc. | G.240–G.299 |

INDIVIDUAL CHARACTERISTICS OF INTERNATIONAL CARRIER TELEPHONE SYSTEMS ON METALLIC LINES

| | |
|--|-------------|
| Carrier telephone systems on unloaded symmetric cable pairs, providing groups or supergroups | G.320–G.329 |
| Carrier systems on 2.6/9.5 mm coaxial cable pairs | G.330–G.339 |
| Carrier systems on 1.2/4.4 mm coaxial cable pairs | G.340–G.349 |
| Additional Recommendations on cable systems | G.350–G.399 |

GENERAL CHARACTERISTICS OF INTERNATIONAL CARRIER TELEPHONE SYSTEMS ON RADIO-RELAY OR SATELLITE LINKS AND INTERCONNECTION WITH METALLIC LINES

| | |
|---|-------------|
| General Recommendations | G.400–G.419 |
| Interconnection of radio-relay links with carrier systems on metallic lines | G.420–G.429 |

| | |
|---------------------------------|-------------|
| Hypothetical reference circuits | G.430–G.439 |
|---------------------------------|-------------|

| | |
|---------------|-------------|
| Circuit noise | G.440–G.449 |
|---------------|-------------|

COORDINATION OF RADIOTELEPHONY AND LINE TELEPHONY

| | |
|----------------------------|-------------|
| Radiotelephone circuits | G.450–G.469 |
| Links with mobile stations | G.470–G.499 |

TESTING EQUIPMENTS

TRANSMISSION MEDIA CHARACTERISTICS

| | |
|--|-------------|
| General | G.600–G.609 |
| Symmetric cable pairs | G.610–G.619 |
| Land coaxial cable pairs | G.620–G.629 |
| Submarine cables | G.630–G.649 |
| Optical fibre cables | G.650–G.659 |
| Characteristics of optical components and subsystems | G.660–G.699 |

For further details, please refer to ITU-T List of Recommendations.

ITU-T RECOMMENDATIONS SERIES

| | |
|-----------------|--|
| Series A | Organization of the work of the ITU-T |
| Series B | Means of expression: definitions, symbols, classification |
| Series C | General telecommunication statistics |
| Series D | General tariff principles |
| Series E | Overall network operation, telephone service, service operation and human factors |
| Series F | Non-telephone telecommunication services |
| Series G | Transmission systems and media, digital systems and networks |
| Series H | Audiovisual and multimedia systems |
| Series I | Integrated services digital network |
| Series J | Transmission of television, sound programme and other multimedia signals |
| Series K | Protection against interference |
| Series L | Construction, installation and protection of cables and other elements of outside plant |
| Series M | TMN and network maintenance: international transmission systems, telephone circuits, telegraphy, facsimile and leased circuits |
| Series N | Maintenance: international sound programme and television transmission circuits |
| Series O | Specifications of measuring equipment |
| Series P | Telephone transmission quality, telephone installations, local line networks |
| Series Q | Switching and signalling |
| Series R | Telegraph transmission |
| Series S | Telegraph services terminal equipment |
| Series T | Terminals for telematic services |
| Series U | Telegraph switching |
| Series V | Data communication over the telephone network |
| Series X | Data networks and open system communications |
| Series Y | Global information infrastructure and Internet protocol aspects |
| Series Z | Languages and general software aspects for telecommunication systems |