



INTERNATIONAL TELECOMMUNICATION UNION

ITU-T

M.340

TELECOMMUNICATION
STANDARDIZATION SECTOR
OF ITU

MAINTENANCE:

**INTERNATIONAL TRANSMISSION SYSTEMS
(ANALOGUE)**

**NUMBERING OF SUPERGROUPS
WITHIN A MASTERSGROUP**

ITU-T Recommendation M.340

(Extract from the *Blue Book*)

NOTES

1 ITU-T Recommendation M.340 was published in Fascicle IV.1 of the *Blue Book*. This file is an extract from the *Blue Book*. While the presentation and layout of the text might be slightly different from the *Blue Book* version, the contents of the file are identical to the *Blue Book* version and copyright conditions remain unchanged (see below).

2 In this Recommendation, the expression “Administration” is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

© ITU 1988, 1993

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the ITU.

Recommendation M.340

NUMBERING OF SUPERGROUPS WITHIN A MASTERGROUP

The position of a supergroup within a mastergroup is identified by a number in the series from 4 to 8 which refers to one of the numbers of the supergroups constituting the basic mastergroup in the supergroup arrangement of the standard 4-MHz coaxial system.

The numbering is shown in Figure 1/M.340.




FIGURE 1/M.340

Numbering of supergroups within the basic mastergroup

CCITT - 36700
d01-sc