



INTERNATIONAL TELECOMMUNICATION UNION

CCITT

THE INTERNATIONAL
TELEGRAPH AND TELEPHONE
CONSULTATIVE COMMITTEE

U.10

(11/1988)

SERIES U: TELEGRAPH SWITCHING

General

**EQUIPMENT OF AN INTERNATIONAL TELEX
POSITION**

Reedition of CCITT Recommendation U.10 published in
the Blue Book, Fascicle VII.2 (1988)

NOTES

- 1 CCITT Recommendation U.10 was published in Fascicle VII.2 of the *Blue Book*. This file is an extract from the *Blue Book*. While the presentation and layout of the text might be slightly different from the *Blue Book* version, the contents of the file are identical to the *Blue Book* version and copyright conditions remain unchanged (see below).
- 2 In this Recommendation, the expression “Administration” is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

Recommendation U.10

EQUIPMENT OF AN INTERNATIONAL TELEX POSITION

(former CCIT Recommendation F.60; modified at New Delhi, 1960)

The CCITT,

considering

that an international telex position that is a manual position in an international telex exchange and is used to set up international telex calls should be so equipped as to permit satisfactory operation in conformity with Recommendation F.60 [1],

unanimously declares the following view

(1) An international telex position must be equipped in such a way as to receive the clearing signal from both sides.

(2) It should not be possible to recall the operator of that position by a signal to an established connection, except if Recommendation U.21 is applied.

(3) Precaution must be taken that, in the event of the operator of the international telex position's delaying to remove the plug on reception of the clearing signals, a new call from a subscriber on one network cannot pass to the other network.

(4) When the call has been established, the answer-back signals of equipment used at the intermediate telex positions must not be sent to line when figure-shift D is received.

(5) The international telex position must be provided with equipment to determine the chargeable time of calls controlled by these positions, this timing equipment to be brought into operation in accordance with the Recommendation cited in [2] but to be stopped on receipt of the first clearing signal.

References

[1] CCITT Recommendation *Operational provisions for the international telex service*, Rec. F.60.

[2] *Ibid.*, § 3.3.

ITU-T RECOMMENDATIONS SERIES

Series A	Organization of the work of the ITU-T
Series B	Means of expression: definitions, symbols, classification
Series C	General telecommunication statistics
Series D	General tariff principles
Series E	Overall network operation, telephone service, service operation and human factors
Series F	Non-telephone telecommunication services
Series G	Transmission systems and media, digital systems and networks
Series H	Audiovisual and multimedia systems
Series I	Integrated services digital network
Series J	Transmission of television, sound programme and other multimedia signals
Series K	Protection against interference
Series L	Construction, installation and protection of cables and other elements of outside plant
Series M	TMN and network maintenance: international transmission systems, telephone circuits, telegraphy, facsimile and leased circuits
Series N	Maintenance: international sound programme and television transmission circuits
Series O	Specifications of measuring equipment
Series P	Telephone transmission quality, telephone installations, local line networks
Series Q	Switching and signalling
Series R	Telegraph transmission
Series S	Telegraph services terminal equipment
Series T	Terminals for telematic services
Series U	Telegraph switching
Series V	Data communication over the telephone network
Series X	Data networks and open system communications
Series Y	Global information infrastructure and Internet protocol aspects
Series Z	Languages and general software aspects for telecommunication systems