

Reemplazada por una versión más reciente



UNIÓN INTERNACIONAL DE TELECOMUNICACIONES

UIT-T

SECTOR DE NORMALIZACIÓN
DE LAS TELECOMUNICACIONES
DE LA UIT

X.284

Enmienda 2
(10/96)

SERIE X: REDES DE DATOS Y COMUNICACIÓN
ENTRE SISTEMAS ABIERTOS

Interconexión de sistemas abiertos - Objetos gestionados
de capa

Elementos de información de gestión relacionados
con la capa de transporte de interconexión de
sistemas abiertos

**Enmienda 2: Formularios de declaración de
conformidad de implementación**

Recomendación UIT-T X.284 - Enmienda 2
Reemplazada por una versión más reciente

(Anteriormente «Recomendación del CCITT»)

Reemplazada por una versión más reciente

RECOMENDACIONES UIT-T DE LA SERIE X

REDES DE DATOS Y COMUNICACIÓN ENTRE SISTEMAS ABIERTOS

REDES PÚBLICAS DE DATOS	X.1-X.199
Servicios y facilidades	X.1-X.19
Interfaces	X.20-X.49
Transmisión, señalización y conmutación	X.50-X.89
Aspectos de redes	X.90-X.149
Mantenimiento	X.150-X.179
Disposiciones administrativas	X.180-X.199
INTERCONEXIÓN DE SISTEMAS ABIERTOS	X.200-X.299
Modelo y notación	X.200-X.209
Definiciones de los servicios	X.210-X.219
Especificaciones de los protocolos en modo conexión	X.220-X.229
Especificación de los protocolos en modo sin conexión	X.230-X.239
Formularios para declaraciones de conformidad de implementación de protocolo	X.240-X.259
Identificación de protocolos	X.260-X.269
Protocolos de seguridad	X.270-X.279
Objetos gestionados de capa	X.280-X.289
Pruebas de conformidad	X.290-X.299
INTERFUNCIONAMIENTO ENTRE REDES	X.300-X.399
Generalidades	X.300-X.349
Sistemas por satélite de transmisión de datos	X.350-X.399
SISTEMAS DE TRATAMIENTO DE MENSAJES	X.400-X.499
DIRECTORIO	X.500-X.599
GESTIÓN DE REDES DE INTERCONEXIÓN DE SISTEMAS ABIERTOS Y ASPECTOS DE SISTEMAS	X.600-X.699
Gestión de redes	X.600-X.629
Eficacia	X.630-X.649
Denominación, direccionamiento y registro	X.650-X.679
Notación de sintaxis abstracta uno	X.680-X.699
GESTIÓN DE INTERCONEXIÓN DE SISTEMAS ABIERTOS	X.700-X.799
Marco y arquitectura de la gestión de sistemas	X.700-X.709
Servicio y protocolo de comunicación de gestión	X.710-X.719
Estructura de la información de gestión	X.720-X.729
Funciones de gestión	X.730-X.799
SEGURIDAD	X.800-X.849
APLICACIONES DE INTERCONEXIÓN DE SISTEMAS ABIERTOS	X.850-X.899
Cometimiento, concurrencia y recuperación	X.850-X.859
Tratamiento de transacciones	X.860-X.879
Operaciones a distancia	X.880-X.899
TRATAMIENTO ABIERTO DISTRIBUIDO	X.900-X.999

Para más información, véase la Lista de Recomendaciones del UIT-T.

Reemplazada por una versión más reciente

PREFACIO

El UIT-T (Sector de Normalización de las Telecomunicaciones) es un órgano permanente de la Unión Internacional de Telecomunicaciones (UIT). Este órgano estudia los aspectos técnicos, de explotación y tarifarios y publica Recomendaciones sobre los mismos, con miras a la normalización de las telecomunicaciones en el plano mundial.

La Conferencia Mundial de Normalización de las Telecomunicaciones (CMNT), que se celebra cada cuatro años, establece los temas que han de estudiar las Comisiones de Estudio del UIT-T, que a su vez producen Recomendaciones sobre dichos temas.

La aprobación de Recomendaciones por los Miembros del UIT-T es el objeto del procedimiento establecido en la Resolución N.º 1 de la CMNT (Helsinki, 1 al 12 de marzo de 1993).

La Recomendación UIT-T X.284, enmienda 2, ha sido preparada por la Comisión de Estudio 7 (1993-1996) del UIT-T y fue aprobada por el procedimiento de la Resolución N.º 1 de la CMNT el 5 de octubre de 1996.

NOTA

En esta Recomendación, la expresión «Administración» se utiliza para designar, en forma abreviada, tanto una administración de telecomunicaciones como una empresa de explotación reconocida de telecomunicaciones.

© UIT 1997

Es propiedad. Ninguna parte de esta publicación puede reproducirse o utilizarse, de ninguna forma o por ningún medio, sea éste electrónico o mecánico, de fotocopia o de microfilm, sin previa autorización escrita por parte de la UIT, excepto en los casos indicados en las notas de pie de página 1) a 7) de los Anexos D a G, respectivamente.

Reemplazada por una versión más reciente

ÍNDICE

	<i>Página</i>
7 Conformidad	2
Anexo D – Formulario de MCS	3
Anexo E – Formulario de MICS	9
Anexo F – Formulario de MOCS	40
Anexo G – Formulario de MRCS para vinculación de nombres	108

Reemplazada por una versión más reciente

SUMARIO

Esta enmienda contiene las declaraciones de conformidad de implementación que han de utilizarse junto con elementos de información de gestión relacionada con la capa de transporte OSI.

Reemplazada por una versión más reciente

Enmienda 2 a la Recomendación X.284

ELEMENTOS DE INFORMACIÓN DE GESTIÓN RELACIONADOS CON LA CAPA DE TRANSPORTE DE INTERCONEXIÓN DE SISTEMAS ABIERTOS

ENMIENDA 2

Formularios de declaración de conformidad de implementación

(Ginebra, 1996)

1) *Añádase lo siguiente como último párrafo a la cláusula 1, «Alcance».*

Los anexos D, E, F y G, que forman parte integrante de la presente Recomendación contienen formularios ICS asociados con información de gestión de la capa de transporte.

2) *Insértese en orden numérico la siguiente referencia al 2.1:*

- Recomendación UIT-T X.724 (1993) | ISO/CEI 10165-6: 1994, *Tecnología de la información – Interconexión de sistemas abiertos – Estructura de la información de gestión: Requisitos y directrices para los formularios de declaración de conformidad de realización asociados con la gestión de interconexión de sistemas abiertos.*

3) *Insértense en orden numérico las siguientes referencias al 2.2:*

- Recomendación X.209 del CCITT (1988), *Especificación de las reglas básicas de codificación de la notación de sintaxis abstracta 1.*

ISO/CEI 8825:1990, *Information technology – Open Systems Interconnection – Specification of Basic Encoding Rules for Abstract Syntax Notation One (ASN.1).*

- Recomendación UIT-T X.290 (1995), *Metodología y marco de las pruebas de conformidad de interconexión de sistemas abiertos de las Recomendaciones sobre protocolos para aplicaciones del UIT-T – Conceptos generales.*

ISO/CEI 9646-1:1994, *Information technology – Open Systems Interconnection – Conformance testing methodology and framework – Part 1: General concepts.*

- Recomendación UIT-T X.291 (1995), *Metodología y marco de las pruebas de conformidad de interconexión de sistemas abiertos de las Recomendaciones sobre los protocolos para aplicaciones del UIT-T – Especificación de sucesiones de pruebas abstractas.*

ISO/CEI 9646-2:1994, *Information technology – Open Systems Interconnection – Conformance testing methodology and framework – Part 2: Abstract Test Suite specification.*

- Recomendación UIT-T X.296 (1995), *Metodología y marco de las pruebas de conformidad de interconexión de sistemas abiertos de las Recomendaciones sobre los protocolos para aplicaciones del UIT-T – Declaraciones de conformidad de implementación.*

ISO/CEI 9646-7:1995, *Information technology – Open Systems Interconnection – Conformance testing methodology and framework – Part 7: Implementation Conformance Statements.*

4) *Añádanse las abreviaturas siguientes en la cláusula 4:*

- | | |
|------|--|
| MCS | Resumen de conformidad de gestión (<i>management conformance summary</i>) |
| MICS | Declaración de conformidad de información de gestión (<i>management information conformance statement</i>) |
| MOCS | Declaración de conformidad de objeto gestionado (<i>managed object conformance statement</i>) |
| MRCS | Declaración de conformidad de relación gestionada (<i>managed relationship conformance statement</i>) |
| NCMS | Subprotocolo de gestión de conexión de red (<i>network connection management subprotocol</i>) |

5) *Sustitúyase la cláusula 7 por lo siguiente:*

Reemplazada por una versión más reciente

7 Conformidad

Una implementación de la que se alegue conformidad con esta Recomendación cumplirá los requisitos de conformidad definidos en las subcláusulas siguientes.

7.1 Requisitos de conformidad con la presente Recomendación

7.1.1 Conformidad estática

La implementación se conformará a los requisitos de la presente Recomendación en la función de gestor, la función de agente o ambas funciones. Una alegación de conformidad con al menos una función se efectuará en el Cuadro D.1.

Si una alegación de conformidad se efectúa para apoyar la función de gestor, la implementación sustentará por lo menos una operación o notificación o acción de gestión de los objetos gestionados especificados en la presente Recomendación. Los requisitos de conformidad en la función de gestor para las operaciones, notificaciones y acciones de gestión se identifican en el Cuadro D.3 y otros cuadros referenciados en el Anexo D.

Si una alegación de conformidad se efectúa para el sustento en la función de agente, la implementación sustentará una o varias ocurrencias de la clase de objeto gestionado de subsistema de transporte, la clase de objeto gestionado de entidad de transporte y la clase de objeto gestionado TSAP identificados en el Cuadro D.4 y otros cuadros referenciados en el Anexo D.

Si una alegación de conformidad se efectúa para el sustento en la función de agente, la implementación sustentará por lo menos una vinculación de nombre identificada en el Cuadro D.7 para cada objeto gestionado sustentado.

La implementación sustentará la sintaxis de transferencia derivada de las reglas de codificación especificadas en la Rec. X.209 del CCITT y en ISO/CEI 8825 denominada {joint-iso-ccitt asn1(1) basicEncoding(1)} para los tipos de datos abstractos referenciados por las definiciones para las cuales se alega sustentación.

7.1.2 Conformidad dinámica

Las implementaciones que aleguen conformidad con la presente Recomendación sustentarán los elementos de procedimiento y las definiciones de semántica correspondientes a las definiciones para las cuales se alega sustentación.

7.1.3 Requisitos de la declaración de conformidad de implementación de gestión

Cualquier formulario de MCS, formulario de MICS, formulario de MOCS y formulario de MRCS que sea conforme a la presente Recomendación será técnicamente idéntico a los formularios especificados en los Anexos D, E, F y G, manteniéndose la numeración de los cuadros y la numeración de los puntos en el índice, y siendo diferente únicamente la paginación y los encabezamientos y pie de página.

El proveedor de una implementación que alegue conformidad con la presente Recomendación completará un ejemplar del resumen de conformidad de gestión (MCS) proporcionado en el Anexo D como parte de los requisitos de conformidad, junto con cualesquiera otros formularios ICS considerados aplicables en ese MCS. Cualquier MCS, MICS, MOCS y MRCS que sea conforme a la presente Recomendación:

- describirá una implementación que sea conforme a la presente Recomendación;
- será completado conforme a las instrucciones de la Rec. UIT-T X.724 | ISO/CEI 10165-6;
- comprenderá la información necesaria para identificar unívocamente el proveedor y la implementación.

7.2 Requisitos de conformidad específicos del protocolo

El proveedor de una implementación que alegue conformidad con la presente Recomendación sustentará por lo menos un protocolo identificado en el Cuadro D.2.

7.2.1 Conformidad con la Rec. UIT-T X.224 y la ISO/CEI 8073

Una implementación que alegue conformidad con la Rec. UIT-T X.224 y la ISO/CEI 8073 en la función de agente como implementación gestionada:

- a) será conforme a la Rec. UIT-T X.284 y a la ISO/CEI 10737, según se indica en 7.1;
- b) sustentará comodeTPM MO, transportConnection MO y transportConnectionIVMO MO;
- c) soportará ncmsPM MO, ncc MO y nccIVMO MO, si el proveedor de una implementación sustenta un subprotocolo de gestión de conexión de red.

Reemplazada por una versión más reciente

7.2.2 Conformidad con ISO 8602

Una implementación que alegue conformidad con ISO 8602 en la función de agente como implementación gestionada:

- a) será conforme a la Rec. UIT-T X.284 y a la ISO/CEI 10737, según se indica en 7.1;
 - b) soportará clmodeTPM MO.
- 6) *Añádanse los siguientes anexos después del Anexo C.*

Anexo D¹⁾

Formulario de MCS

D.1 Introduction

D.1.1 Purpose and structure

The Management Conformance Summary (MCS) is a statement by a supplier that identifies an implementation and provides information on whether the implementation claims conformance to any of the listed set of documents that specify conformance requirements to OSI management.

The MCS proforma is a document, in the form of a questionnaire, that when completed by the supplier of an implementation becomes the MCS.

D.1.2 Instructions for completing the MCS proforma to produce an MCS²⁾

The supplier of the implementation shall enter an explicit statement in each of the boxes provided. Specific instruction is provided in the text which precedes each table.

D.1.3 Symbols, abbreviations and terms

For all annexes of this Recommendation, the following common notations, defined in CCITT Rec. X.291 and ISO/IEC 9646-2 and ITU-T Rec. X.296 and ISO/IEC 9646-7, are used for the Status column:

- m Mandatory
- o Optional
- c Conditional
- x Prohibited
- Not applicable or out of scope

NOTE 1 – “c”, “m”, and “o” are prefixed by a “c:” when nested under a conditional or optional item of the same table.

NOTE 2 – “o” may be suffixed by “.N” (where N is a unique number) for mutually exclusive or selectable options among a set of status values. Support of at least one of the choices (from the items with the same values of N) is required.

For all annexes of this Recommendation, the following common notations, defined in CCITT Rec. X.291 and ISO/IEC 9646-2 and ITU-T Rec. X.296 and ISO/IEC 9646-7 are used for the Support column:

- Y Implemented
- N Not implemented
- No answer required
- Ig The item is ignored (i.e. processed syntactically but not semantically)

¹⁾ **Comunicado sobre derechos de autor del formulario de MCS**

Los usuarios de esta Recomendación pueden producir libremente el formulario de MCS de este anexo a fin de que pueda ser utilizado para los fines previstos, y pueden además publicar el MCS cumplimentado.

²⁾ Instructions for completing the MCS proforma are specified in ITU-T Rec. X.724 | ISO/IEC 10165-6.

Reemplazada por una versión más reciente

D.2 Identification of the implementation

D.2.1 Date of statement

The supplier of the implementation shall enter the date of this statement in the box below. Use the format DD-MM-YYYY.

Date of statement

D.2.2 Identification of the implementation

The supplier of the implementation shall enter information necessary to uniquely identify the implementation and the system(s) in which it may reside, in the box below.

D.2.3 Contact

The supplier of the implementation shall provide information on whom to contact if there are any queries concerning the content of the MCS, in the box below.

D.3 Identification of the Recommendation in which the management information is defined

The supplier of the implementation shall enter the title, reference number and date of the publication of the Recommendation which specifies the management information to which conformance is claimed, in the box below.

Recommendation to which conformance is claimed

D.3.1 Technical corrigenda implemented

The supplier of the implementation shall enter the reference numbers of implemented technical corrigenda which modify the identified Recommendation, in the box below.

Reemplazada por una versión más reciente

D.3.2 Amendments implemented

The supplier of the implementation shall state the titles and reference numbers of implemented amendments to the identified Recommendation, in the box below.

--

D.4 Management conformance summary

The supplier of implementation shall state the capabilities and features supported and provide summary of conformance claims to Recommendations using the tables in this annex.

The supplier of the implementation shall specify the roles that are supported in Table D.1.

TABLE D.1/X.284

Roles

Index	Roles supported	Status	Support	Additional information
1	Manager role support	o.1		
2	Agent role support	o.1		

The supplier of the implementation shall specify the protocols that are supported in Table D.2.

TABLE D.2/X.284

Protocol

Index	Protocol supported	Status	Support	Additional information
1	Connection-mode support	o.2		
2	Connectionless-mode support	o.2		

The supplier of the implementation shall specify support for management information in the manager role in Table D.3.

TABLE D.3/X.284

Manager role minimum conformance requirement

Index	Item	Status	Support	Additional information
1	Operations on managed objects	c1		
2	Object creation notification for Transport entity managed object	c1		
3	Object deletion notification for Transport entity managed object	c1		
4	Communications Alarm notification for Transport entity managed object	c1		
5	Object creation notification for Connectionless-mode transport protocol machine managed object	c2		
6	Object deletion notification for Connectionless-mode transport protocol machine managed object	c2		
7	State change notification for Connectionless-mode transport protocol machine managed object	c2		
8	Communications Alarm notification for Connectionless-mode transport protocol machine managed object	c2		
9	Activate action for Connectionless-mode transport protocol machine managed object	c2		

Reemplazada por una versión más reciente

TABLE D.3/X.284 (concluded)

Manager role minimum conformance requirement

Index	Item	Status	Support	Additional information
10	Deactivate action for Connectionless-mode transport protocol machine managed object	c2		
11	Communications information notification for Connection-oriented transport protocol machine managed object	c3		
12	Object creation notification for Connection-oriented transport protocol machine managed object	c3		
13	Object deletion notification for Connection-oriented transport protocol machine managed object	c3		
14	State change notification for Connection-oriented transport protocol machine managed object	c3		
15	Activate action for Connection-oriented transport protocol machine managed object	c3		
16	Deactivate action for Connection-oriented transport protocol machine managed object	c3		
17	Object creation notification for TSAP managed object	c1		
18	Object deletion notification for TSAP managed object	c1		
19	Communications information notification for Transport connection managed object	c3		
20	Object creation notification for Transport connection managed object	c3		
21	Object deletion notification for Transport connection managed object	c3		
22	Communications information notification for NCMS protocol machine managed object	c4		
23	Object creation notification for NCMS protocol machine managed object	c4		
24	Object deletion notification for NCMS protocol machine managed object	c4		
25	State change notification for NCMS protocol machine managed object	c4		
26	Activate action for NCMS protocol machine managed object	c4		
27	Deactivate action for NCMS protocol machine managed object	c4		
28	Object creation notification for Network connection control managed object	c4		
29	Object deletion notification for Network connection control managed object	c4		
c1: if D.1/1a then o.3 else – c2: if D.1/1a and D.2/2a then o.3 else – c3: if D.1/1a and D.2/1a then o.3 else – c4: if D.1/1a and D.2/1a then o else –				

The supplier of the implementation shall specify support for management information in the agent role, in Table D.4.

TABLE D.4/X.284

Agent role minimum conformance requirement

Index	Item	Status	Support	Additional information
1	Transport subsystem managed object	m		
2	Transport entity managed object	m		
3	Connectionless transport protocol machine managed object	c5		
4	Connection oriented transport protocol machine managed object	c6		
5	Transport SAP managed object	m		
6	Transport connection managed object	c6		
7	Transport connection initial values managed object	c6		
8	NCMS protocol machine managed object	c7		
9	Network connection control managed object	c7		
10	Network connection control initial values managed object	c7		
c5: if D.1/2a and D.2/2a then m else – c6: if D.1/2a and D.2/1a then m else – c7: if D.1/2a and D.2/1a then o else –				

Reemplazada por una versión más reciente

TABLE D.5/X.284

Logging of event records

Index		Status	Support	Additional information
1	Does the implementation support logging of event records in agent role?	c8		
c8: if D.1/2a then o else –				

NOTE – Conformance to this Recommendation does not require conformance to CCITT Rec. X.735 | ISO/IEC 10164-6.

The supplier of the implementation shall provide information on claims of conformance to any of the Recommendations | International Standards summarized in the following tables. For each Recommendation | International Standard that the supplier of the implementation claims conformance to, the corresponding conformance statement(s) shall be completed, or referenced by, the MCS. The supplier of the implementation shall complete the Support, Table numbers and Additional information columns.

In Tables D.6 to D.8, the Status column is used to indicate whether the supplier of the implementation is required to complete the referenced tables or referenced items. Conformance requirements are as specified in the referenced tables or referenced items and are not changed by the value of the MCS Status column. Similarly, the Support column is used by the supplier of the implementation to indicate completion of the referenced tables or referenced items.

TABLE D.6/X.284

MOCS support summary

Index	Identification of the document that includes the MOCS proforma	Table numbers of MOCS proforma	Description	Con-straints and values	Status	Support	Table numbers of MOCS	Additional information
1	"ISO/IEC 10737"	Table F.1 – F.4	transportSubsystem	–	m			
2	"ISO/IEC 10737"	Table F.5 – F.11	transportEntity	–	m			
3	"ISO/IEC 10737"	Table F.12 – F.19	clmodeTPM	–	c9			
4	"ISO/IEC 10737"	Table F.20 – F.27	comodeTPM	–	c10			
5	"ISO/IEC 10737"	Table F.28 – F.32	tSAP	–	m			
6	"ISO/IEC 10737"	Table F.33 – F.39	transportConnection	–	c11			
7	"ISO/IEC 10737"	Table F.40 – F.43	transportConnectionIVMO	–	c12			
8	"ISO/IEC 10737"	Table F.44 – F.47	communicationInformationRecord	–	c13			
9	"ISO/IEC 10737"	Table F.48 – F.54	ncmsPM	–	c14			
10	"ISO/IEC 10737"	Table F.55 – F.59	ncc	–	c15			
11	"ISO/IEC 10737"	Table F.60 – F.63	nccIVMO	–	c16			
12	"ISO/IEC 10164-1"	Table C.1 – C.4	objectCreationRecord	–	c17			
13	"ISO/IEC 10164-1"	Table C.5 – C.8	objectDeletionRecord	–	c17			
14	"ISO/IEC 10164-2"	Table C.1 – C.4	stateChangeRecord	–	c17			
15	"ISO/IEC 10164-4"	Table C.1 – C.4	alarmRecord	–	c17			
c9: if D.4/3a then m else – c10: if D.4/4a then m else – c11: if D.4/6a then m else – c12: if D.4/7a then m else – c13: if (D.4/4a or D.4/6a or D.4/8a) and D.5/1a then m else – c14: if D.4/8a then m else – c15: if D.4/9a then m else – c16: if D.4/10a then m else – c17: if D.5/1a then m else –								

Reemplazada por una versión más reciente

TABLE D.7/X.284

MRCS support summary

Index	Identification of the document that includes the MRCS proforma	Table numbers of MRCS proforma	Description	Con-straints and values	Status	Support	Table numbers of MRCS	Additional information
1	"ISO/IEC 10737"	Table G.1/1	transportSubsystem-system	–	o.4			
2	"ISO/IEC 10737"	Table G.1/2	"ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994": subsystem-system	–	o.4			
3	"ISO/IEC 10737"	Table G.1/3	transportEntity-transportSubsystem-Automatic	–	o.5			
4	"ISO/IEC 10737"	Table G.1/4	transportEntity-transportSubsystem-Management	–	o.5			
5	"ISO/IEC 10737"	Table G.1/5	"ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994": communicationsEntity-subsystems	–	o.5			
6	"ISO/IEC 10737"	Table G.1/6	clmodeTPM-transportEntity-Automatic	–	c18			
7	"ISO/IEC 10737"	Table G.1/7	clmodeTPM-transportEntity-Management	–	c18			
8	"ISO/IEC 10737"	Table G.1/8	"ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994": clProtocolMachine-entity	–	c18			
9	"ISO/IEC 10737"	Table G.1/9	comodeTPM-transportEntity-Automatic	–	c19			
10	"ISO/IEC 10737"	Table G.1/10	comodeTPM-transportEntity-Management	–	c19			
11	"ISO/IEC 10737"	Table G.1/11	"ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994": coProtocolMachine-entity	–	c19			
12	"ISO/IEC 10737"	Table G.1/12	tSAP-transportEntity-Automatic	–	o.8			
13	"ISO/IEC 10737"	Table G.1/13	tSAP-transportEntity-Management	–	o.8			
14	"ISO/IEC 10737"	Table G.1/14	"ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994": sap1-communicationsEntity	–	o.8			
15	"ISO/IEC 10737"	Table G.1/15	transportConnection-comodeTPM	–	c20			
16	"ISO/IEC 10737"	Table G.1/16	"ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994": singlePeerConnection-coProtocolMachine	–	c20			
17	"ISO/IEC 10737"	Table G.1/17	transportConnectionIVMO-comodeTPM	–	c21			
18	"ISO/IEC 10737"	Table G.1/18	ncmsPM-transportEntity-Automatic	–	c22			
19	"ISO/IEC 10737"	Table G.1/19	ncmsPM-transportEntity-Management	–	c22			
20	"ISO/IEC 10737"	Table G.1/20	ncc-ncmsPM	–	c23			
21	"ISO/IEC 10737"	Table G.1/21	nccIVMO-ncmsPM	–	c24			
22	"ISO/IEC 10164-6"	Table D.1/1	logRecord-log	–	c25			
c18: if D.6/3a then o.6 else – c19: if D.6/4a then o.7 else – c20: if D.6/6a then o.9 else – c21: if D.6/7a then m else – c22: if D.6/8a then o.10 else – c23: if D.6/9a then m else – c24: if D.6/10a then m else – c25: if D.6/8a or D.6/12a or D.6/13a or D.6/14a or D.6/15a then o else –								

Reemplazada por una versión más reciente

TABLE D.8/X.284

MICS support summary

Index	Identification of the document that includes the MICS proforma	Table numbers of MICS proforma	Description	Con-straints and values	Status	Support	Table numbers of MICS	Addi-tional infor-mation
1	"ISO/IEC 10737"	Table E.1 – E.23	Management operations	–	c26			
2	"ISO/IEC 10737"	Table E.24	Notifications	–	c27			
3	"ISO/IEC 10737"	Table E.25	Actions	–	c28			
c26: if D.3/1a then m else – c27: if D.3/2a or D.3/3a or D.3/4a or D.3/5a or D.3/6a or D.3/7a or D.3/8a or D.3/11a or D.3/12a or D.3/13a or D.3/14a or D.3/17a or D.3/18a or D.3/19a or D.3/20a or D.3/21a or D.3/22a or D.3/23a or D.3/24a or D.3/25a or D.3/28a or D.3/29a then m else – c28: if D.3/9a or D.3/10a or D.3/15a or D.3/16a or D.3/26a or D.3/27a then m else –								

Anexo E³⁾

Formulario de MICS

E.1 Introduction

The purpose of this MICS proforma is to provide a mechanism for a supplier of an implementation which claims conformance, in the manager role, to management information specified in this Recommendation, to provide conformance information in a standard form.

E.2 Instructions for completing the MICS proforma to produce a MICS

The MICS proforma contained in this annex is comprised of information in tabular form, in accordance with ITU-T Rec. X.724 | ISO/IEC 10165-6, in addition to the general guidance given in ITU-T Rec. X.724 | ISO/IEC 10165-6. The supplier of the implementation shall state which items are supported in the tables below and, if necessary, provide additional information.

E.3 Symbols, abbreviations and terms

The MICS proforma contained in this annex is comprised of information in tabular form, in accordance with CCITT Rec. X.291 and ISO/IEC 9646-2.

The notations used in the Status and Support columns are specified in D.1.3.

E.4 Statement of conformance to the management information

E.4.1 Attributes

The specifier of a manager role implementation that claims to support management operations on the attributes specified in this Recommendation shall import a copy of the following tables and complete them.

³⁾ **Comunicado sobre derechos de autor del formulario de MICS**

Los usuarios de esta Recomendación pueden producir libremente el formulario de MICS de este anexo a fin de que pueda ser utilizado para los fines previstos, y pueden además publicar el MICS cumplimentado.

Reemplazada por una versión más reciente

E.4.1.1 The transport subsystem managed object

TABLE E.1/X.284

transportSubsystem Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace		Add		Remove		Set to default		Additional information
				Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphs	{2 9 3 2 7 50}	SET OF ObjectClass	–		o.11		–		–		–		–		
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: nameBinding	{2 9 3 2 7 63}	OBJECT IDENTIFIER	–		o.11		–		–		–		–		
3	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectClass	{2 9 3 2 7 65}	ObjectClass	–		o.11		–		–		–		–		
4	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packages	{2 9 3 2 7 66}	SET OF OBJECT IDENTIFIER	–		o.11		–		–		–		–		
5	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: subsystemId	{2 9 3 5 7 11}	GraphicString	–		o.11		–		–		–		–		

Reemplazada por una versión más reciente

E.4.1.2 The transport entity managed object

TABLE E.2/X.284

transportEntity Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace		Add		Remove		Set to default		Additional information
				Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	
1	actualNSAP	{2 14 0 7 4}	SET OF other	–		o.11		–		–		–		–		
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphs	{2 9 3 2 7 50}	SET OF ObjectClass	c1		o.11		–		–		–		–		
3	checksumErrorsDeleted	{2 14 0 7 6}	INTEGER	–		o.11		–		–		–		–		
4	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: communicationsEntityId	{2 9 3 5 7 0}	GraphicString	c1		o.11		–		–		–		–		
5	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: localSapNames	{2 9 3 5 7 6}	SET OF ObjectInstance	–		o.11		–		–		–		–		
6	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: nameBinding	{2 9 3 2 7 63}	OBJECT IDENTIFIER	c1		o.11		–		–		–		–		
7	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectClass	{2 9 3 2 7 65}	ObjectClass	c1		o.11		–		–		–		–		
8	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: operationalState	{2 9 3 2 7 35}	ENUMERATED	–		o.11		–		–		–		–		
9	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packages	{2 9 3 2 7 66}	SET OF OBJECT IDENTIFIER	c1		o.11		–		–		–		–		
10	protocolErrors	{2 14 0 7 7}	INTEGER	–		o.11		–		–		–		–		
11	targetNSAP	{2 14 0 7 3}	SET OF other	c1		o.11		o.11		o.11		o.11		–		
12	undecodedNSDUs	{2 14 0 7 5}	INTEGER	–		o.11		–		–		–		–		
c1: if E.16/1a then o.11 else –																

Reemplazada por una versión más reciente

E.4.1.3 The connectionless-mode transport protocol machine managed object

TABLE E.3/X.284

clmodeTPM Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace		Add		Remove		Set to default		Additional information
				Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: administrativeState	{2 9 3 2 7 31}	ENUMERATED	c2		o.11		o.11		–		–		–		
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphs	{2 9 3 2 7 50}	SET OF ObjectClass	c2		o.11		–		–		–		–		
3	clChecksumOption	{2 14 0 7 9}	BOOLEAN	c2		o.11		o.11		–		–		o.11		
4	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: clProtocolMachineId	{2 9 3 5 7 2}	GraphicString	c2		o.11		–		–		–		–		
5	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: nameBinding	{2 9 3 2 7 63}	OBJECT IDENTIFIER	c2		o.11		–		–		–		–		
6	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectClass	{2 9 3 2 7 65}	ObjectClass	c2		o.11		–		–		–		–		
7	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: octetsReceivedCounter	{2 9 3 2 7 78}	INTEGER	–		o.11		–		–		–		–		
8	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: octetsSentCounter	{2 9 3 2 7 80}	INTEGER	–		o.11		–		–		–		–		
9	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: operationalState	{2 9 3 2 7 35}	ENUMERATED	–		o.11		–		–		–		–		
10	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packages	{2 9 3 2 7 66}	SET OF OBJECT IDENTIFIER	c2		o.11		–		–		–		–		

Reemplazada por una versión más reciente

TABLE E.3/X.284 (concluded)

clmodeTPM Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace		Add		Remove		Set to default		Additional information
				Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	
11	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: pdusReceivedCounter	{2 9 3 2 7 86}	INTEGER	–		o.11		–		–		–		–		
12	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: pdusSentCounter	{2 9 3 2 7 88}	INTEGER	–		o.11		–		–		–		–		
13	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: totalRemoteSAPs	{2 9 3 5 7 13}	INTEGER	–		o.11		–		–		–		–		
14	undeliverablePDUsCounter	{2 14 0 7 10}	INTEGER	–		o.11		–		–		–		–		
c2: if E.17/1a then o.11 else –																

Reemplazada por una versión más reciente

E.4.1.4 The connection-oriented transport protocol machine managed object

TABLE E.4/X.284

comodeTPM Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace		Add		Remove		Set to default		Additional information
				Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: administrativeState	{2 9 3 2 7 31}	ENUMERATED	c3		o.11		o.11		–		–		–		
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphs	{2 9 3 2 7 50}	SET OF ObjectClass	c3		o.11		–		–		–		–		
3	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: coProtocolMachineId	{2 9 3 5 7 3}	GraphicString	c3		o.11		–		–		–		–		
4	localErrorDisconnects	{2 14 0 7 18}	INTEGER	–		o.11		–		–		–		–		
5	localSuccessfulConnections	{2 14 0 7 14}	INTEGER	–		o.11		–		–		–		–		
6	localUnsuccessfulConnections	{2 14 0 7 16}	INTEGER	–		o.11		–		–		–		–		
7	maxConnections	{2 14 0 7 13}	INTEGER	c3		o.11		o.11		–		–		o.11		
8	maxOpenConnections	{2 14 0 7 21}	INTEGER	–		o.11		–		–		–		o.11		
9	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: nameBinding	{2 9 3 2 7 63}	OBJECT IDENTIFIER	c3		o.11		–		–		–		–		
10	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectClass	{2 9 3 2 7 65}	ObjectClass	c3		o.11		–		–		–		–		
11	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: octetsReceivedCounter	{2 9 3 2 7 78}	INTEGER	–		o.11		–		–		–		–		
12	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: octetsSentCounter	{2 9 3 2 7 80}	INTEGER	–		o.11		–		–		–		–		
13	openConnections	{2 14 0 7 12}	INTEGER	–		o.11		–		–		–		–		
14	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: operationalState	{2 9 3 2 7 35}	ENUMERATED	–		o.11		–		–		–		–		

Reemplazada por una versión más reciente

TABLE E.4/X.284 (concluded)

comodeTPM Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace		Add		Remove		Set to default		Additional information
				Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	
15	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packages	{2 9 3 2 7 66}	SET OF OBJECT IDENTIFIER	o.11		o.11		–		–		–		–		
16	remoteErrorDisconnects	{2 14 0 7 19}	INTEGER	–		o.11		–		–		–		–		
17	remoteSuccessfulConnections	{2 14 0 7 15}	INTEGER	–		o.11		–		–		–		–		
18	remoteUnsuccessfulConnections	{2 14 0 7 17}	INTEGER	–		o.11		–		–		–		–		
19	unassociatedTPDUs	{2 14 0 7 20}	INTEGER	–		o.11		–		–		–		–		
c3: if E.18/1a then o.11 else –																

Reemplazada por una versión más reciente

E.4.1.5 The TSAP managed object

TABLE E.5/X.284

tSAP Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace		Add		Remove		Set to default		Additional information
				Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphs	{2 9 3 2 7 50}	SET OF ObjectClass	c4		o.11		–		–		–		–		
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: nameBinding	{2 9 3 2 7 63}	OBJECT IDENTIFIER	c4		o.11		–		–		–		–		
3	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectClass	{2 9 3 2 7 65}	ObjectClass	c4		o.11		–		–		–		–		
4	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packages	{2 9 3 2 7 66}	SET OF OBJECT IDENTIFIER	c4		o.11		–		–		–		–		
5	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: sap1Address	{2 9 3 5 7 8}	INTEGER	–		o.11		–		–		–		–		
6	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: sapId	{2 9 3 5 7 10}	GraphicString	c4		o.11		–		–		–		–		
7	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: userEntityNames	{2 9 3 5 7 15}	SET OF ObjectInstance	–		o.11		–		–		–		–		
c4: if E.19/1a then o.11 else –																

Reemplazada por una versión más reciente

E.4.1.6 The transport connection managed object

TABLE E.6/X.284

transportConnection Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace		Add		Remove		Set to default		Additional information
				Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	
1	acknowledgeTime	{2 14 0 7 47}	SEQUENCE	–		o.11		–		–		–		–		
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphs	{2 9 3 2 7 50}	SET OF ObjectClass	–		o.11		–		–		–		–		
3	calledNSAPAddress	{2 14 0 7 58}	OCTET STRING	–		o.11		–		–		–		–		
4	calledTSelector	{2 14 0 7 56}	OCTET STRING	–		o.11		–		–		–		–		
5	callingNSAPAddress	{2 14 0 7 57}	OCTET STRING	–		o.11		–		–		–		–		
6	callingTSelector	{2 14 0 7 55}	OCTET STRING	–		o.11		–		–		–		–		
7	checksumNonuse	{2 14 0 7 43}	BOOLEAN	–		o.11		–		–		–		–		
8	connectionDirection	{2 14 0 7 60}	ENUMERATED	–		o.11		–		–		–		–		
9	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: connectionId	{2 9 3 5 7 1}	GraphicString	–		o.11		–		–		–		–		
10	explicitFlowControl	{2 14 0 7 45}	BOOLEAN	–		o.11		–		–		–		–		
11	extendedFormat	{2 14 0 7 41}	BOOLEAN	–		o.11		–		–		–		–		
12	inactivityTime	{2 14 0 7 46}	SEQUENCE	–		o.11		–		–		–		–		
13	localReference	{2 14 0 7 53}	INTEGER	–		o.11		–		–		–		–		
14	maxTPDUSize	{2 14 0 7 51}	INTEGER	–		o.11		–		–		–		–		
15	maxTransmissions	{2 14 0 7 52}	INTEGER	–		o.11		–		–		–		–		
16	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: nameBinding	{2 9 3 2 7 63}	OBJECT IDENTIFIER	–		o.11		–		–		–		–		
17	networkConnectionIDs	{2 14 0 7 61}	SET OF other	–		o.11		–		–		–		–		
18	networkExpeditedData	{2 14 0 7 42}	BOOLEAN	–		o.11		–		–		–		–		
19	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectClass	{2 9 3 2 7 65}	ObjectClass	–		o.11		–		–		–		–		
20	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: octetsReceivedCounter	{2 9 3 2 7 78}	INTEGER	–		o.11		–		–		–		–		
21	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: octetsSentCounter	{2 9 3 2 7 80}	INTEGER	–		o.11		–		–		–		–		

Reemplazada por una versión más reciente

TABLE E.6/X.284 (concluded)

transportConnection Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace		Add		Remove		Set to default		Additional information
				Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	
22	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packages	{2 9 3 2 7 66}	SET OF OBJECT IDENTIFIER	–		o.11		–		–		–		–		
23	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: pdusReceivedCounter	{2 9 3 2 7 86}	INTEGER	–		o.11		–		–		–		–		
24	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: pdusRetransmittedErrorCounter	{2 9 3 2 7 87}	INTEGER	–		o.11		–		–		–		–		
25	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: pdusSentCounter	{2 9 3 2 7 88}	INTEGER	–		o.11		–		–		–		–		
26	protocolClass	{2 14 0 7 40}	ENUMERATED	–		o.11		–		–		–		–		
27	protocolErrors	{2 14 0 7 7}	INTEGER	–		o.11		–		–		–		–		
28	reassignmentTime	{2 14 0 7 48}	SEQUENCE	–		o.11		–		–		–		–		
29	reassignmentsAfterFailure	{2 14 0 7 62}	INTEGER	–		o.11		–		–		–		–		
30	receiptConfirmation	{2 14 0 7 44}	BOOLEAN	–		o.11		–		–		–		–		
31	relatingNCCMONames	{2 14 0 7 66}	SET OF other	–		o.11		–		–		–		–		
32	remoteReference	{2 14 0 7 54}	INTEGER	–		o.11		–		–		–		–		
33	respondingNSAPAddress	{2 14 0 7 59}	OCTET STRING	–		o.11		–		–		–		–		
34	retransmissionTime	{2 14 0 7 49}	SEQUENCE	–		o.11		–		–		–		–		
35	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: supportedConnectionNames	{2 9 3 5 7 12}	SET OF ObjectInstance	–		o.11		–		–		–		–		
36	transportExpeditedService	{2 14 0 7 65}	BOOLEAN	–		o.11		–		–		–		–		
37	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: underlyingConnectionNames	{2 9 3 5 7 14}	SET OF ObjectInstance	–		o.11		–		–		–		–		
38	windowTimer	{2 14 0 7 50}	SEQUENCE	–		o.11		–		–		–		–		

Reemplazada por una versión más reciente

E.4.1.7 The transport connection IVMO

TABLE E.7/X.284

transportConnectionIVMO Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace		Add		Remove		Set to default		Additional information
				Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphs	{2 9 3 2 7 50}	SET OF ObjectClass	o.11		o.11		–		–		–		–		
2	checksumNonuse	{2 14 0 7 43}	BOOLEAN	o.11		o.11		o.11		–		–		o.11		
3	explicitFlowControl	{2 14 0 7 45}	BOOLEAN	o.11		o.11		o.11		–		–		o.11		
4	extendedFormat	{2 14 0 7 41}	BOOLEAN	o.11		o.11		o.11		–		–		o.11		
5	inactivityTime	{2 14 0 7 46}	SEQUENCE	o.11		o.11		o.11		–		–		o.11		
6	maxTPDUSize	{2 14 0 7 51}	INTEGER	o.11		o.11		o.11		–		–		o.11		
7	maxTransmissions	{2 14 0 7 52}	INTEGER	o.11		o.11		o.11		–		–		o.11		
8	maximumWindow	{2 14 0 7 36}	INTEGER	o.11		o.11		o.11		–		–		o.11		
9	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: nameBinding	{2 9 3 2 7 63}	OBJECT IDENTIFIER	o.11		o.11		–		–		–		–		
10	networkExpeditedData	{2 14 0 7 42}	BOOLEAN	o.11		o.11		o.11		–		–		o.11		
11	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectClass	{2 9 3 2 7 65}	ObjectClass	o.11		o.11		–		–		–		–		
12	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packages	{2 9 3 2 7 66}	SET OF OBJECT IDENTIFIER	o.11		o.11		–		–		–		–		
13	protocolClasses	{2 14 0 7 26}	SET OF ENUMERATED	o.11		o.11		o.11		–		–		o.11		
14	reassignmentTime	{2 14 0 7 48}	SEQUENCE	o.11		o.11		o.11		–		–		o.11		
15	receiptConfirmation	{2 14 0 7 44}	BOOLEAN	o.11		o.11		o.11		–		–		o.11		
16	retransmissionTime	{2 14 0 7 49}	SEQUENCE	o.11		o.11		o.11		–		–		o.11		
17	transportConnectionIVMOId	{2 14 0 7 25}	GraphicString	–		o.11		–		–		–		–		
18	transportExpeditedService	{2 14 0 7 65}	BOOLEAN	o.11		o.11		o.11		–		–		o.11		
19	windowTimer	{2 14 0 7 50}	SEQUENCE	o.11		o.11		o.11		–		–		o.11		

Reemplazada por una versión más reciente

E.4.1.8 The communication information record managed object ["ISO/IEC 10165-5:1994"]

TABLE E.8/X.284

communicationInformationRecord Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace		Add		Remove		Set to default		Additional information
				Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphs	{2 9 3 2 7 50}	SET OF ObjectClass	–		o.11		–		–		–		–		
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: nameBinding	{2 9 3 2 7 63}	OBJECT IDENTIFIER	–		o.11		–		–		–		–		
3	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectClass	{2 9 3 2 7 65}	ObjectClass	–		o.11		–		–		–		–		
4	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packages	{2 9 3 2 7 66}	SET OF OBJECT IDENTIFIER	–		o.11		–		–		–		–		
5	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: logRecordId	{2 9 3 2 7 3}		–		o.11		–		–		–		–		
6	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: loggingTime	{2 9 3 2 7 59}		–		o.11		–		–		–		–		
7	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: managedObjectClass	{2 9 3 2 7 60}		–		o.11		–		–		–		–		
8	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: managedObjectInstance	{2 9 3 2 7 61}		–		o.11		–		–		–		–		
9	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: eventType	{2 9 3 2 7 14}		–		o.11		–		–		–		–		
10	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: eventTime	{2 9 3 2 7 13}		–		o.11		–		–		–		–		
11	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: notificationIdentifier	{2 9 3 2 7 16}		–		o.11		–		–		–		–		

Reemplazada por una versión más reciente

TABLE E.8/X.284 (concluded)

communicationInformationRecord Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace		Add		Remove		Set to default		Additional information
				Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	
12	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: correlatedNotifications	{2 9 3 2 7 12}		–		o.11		–		–		–		–		
13	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: additionalText	{2 9 3 2 7 7}		–		o.11		–		–		–		–		
14	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: additionalInformation	{2 9 3 2 7 6}		–		o.11		–		–		–		–		
15	informationType	{2 14 0 7 43}		–		o.11		–		–		–		–		
16	informationData	{2 14 0 7 45}		–		o.11		–		–		–		–		

Reemplazada por una versión más reciente

E.4.1.9 The NCMS Protocol Machine managed object

TABLE E.9/X.284

ncmsPM Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace		Add		Remove		Set to default		Additional information
				Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: administrativeState	{2 9 3 2 7 31}	ENUMERATED	c5		o.11		o.11		–		–		–		
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphs	{2 9 3 2 7 50}	SET OF ObjectClass	c5		o.11		–		–		–		–		
3	ncmsPMId	{2 14 0 7 67}	GraphicString	c5		o.11		–		–		–		–		
4	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: nameBinding	{2 9 3 2 7 63}	OBJECT IDENTIFIER	c5		o.11		–		–		–		–		
5	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: ObjectClass	{2 9 3 2 7 65}	ObjectClass	c5		o.11		–		–		–		–		
6	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: operationalState	{2 9 3 2 7 35}	ENUMERATED	–		o.11		–		–		–		–		
7	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packages	{2 9 3 2 7 66}	SET OF OBJECT IDENTIFIER	c5		o.11		–		–		–		–		
c5: if E.21/1a then o.11 else –																

Reemplazada por una versión más reciente

E.4.1.10 The Network Connection Control managed object

TABLE E.10/X.284

ncc Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace		Add		Remove		Set to default		Additional information
				Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphs	{2 9 3 2 7 50}	SET OF ObjectClass	o.11		o.11		–		–		–		–		
2	nccId	{2 14 0 7 68}	GraphicString	o.11		o.11		–		–		–		–		
3	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: nameBinding	{2 9 3 2 7 63}	OBJECT IDENTIFIER	o.11		o.11		–		–		–		–		
4	ncc-COL	{2 14 0 7 70}	ENUMERATED	–		o.11		–		–		–		–		
5	nc-REC	{2 14 0 7 72}	ENUMERATED	–		o.11		–		–		–		–		
6	nc-REF	{2 14 0 7 73}	INTEGER	–		o.11		–		–		–		–		
7	nc-PREF	{2 14 0 7 71}	ENUMERATED	–		o.11		–		–		–		–		
8	nc-Right	{2 14 0 7 75}	ENUMERATED	–		o.11		–		–		–		–		
9	ncRecoveries	{2 14 0 7 74}	INTEGER	–		o.11		–		–		–		–		
10	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectClass	{2 9 3 2 7 65}	ObjectClass	o.11		o.11		–		–		–		–		
11	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packages	{2 9 3 2 7 66}	SET OF OBJECT IDENTIFIER	o.11		o.11		–		–		–		–		
12	ttrNCTime	{2 14 0 7 79}	SEQUENCE	–		o.11		–		–		–		–		
13	tpdNCTime	{2 14 0 7 78}	SEQUENCE	–		o.11		–		–		–		–		
14	tfrNCTime	{2 14 0 7 77}	SEQUENCE	–		o.11		–		–		–		–		
15	sourceOfAllocation	{2 14 0 7 76}	ENUMERATED	–		o.11		–		–		–		–		
16	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: underlyingConnectionNames	{2 9 3 5 7 14}	SET OF ObjectInstance	–		o.11		–		–		–		–		

Reemplazada por una versión más reciente

E.4.1.11 The Network Connection Control Initial Value managed object

TABLE E.11/X.284

nccIVMO Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace		Add		Remove		Set to default		Additional information
				Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphs	{2 9 3 2 7 50}	SET OF ObjectClass	o.11		o.11		–		–		–		–		
2	nccIVMOId	{2 14 0 7 69}	GraphicString	o.11		o.11		–		–		–		–		
3	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: nameBinding	{2 9 3 2 7 63}	OBJECT IDENTIFIER	o.11		o.11		–		–		–		–		
4	ncc-COL	{2 14 0 7 70}	ENUMERATED	o.11		o.11		o.11		–		–		o.11		
5	nc-REC	{2 14 0 7 72}	ENUMERATED	o.11		o.11		o.11		–		–		o.11		
6	nc-PREF	{2 14 0 7 71}	ENUMERATED	o.11		o.11		o.11		–		–		o.11		
7	nc-Right	{2 14 0 7 75}	ENUMERATED	o.11		o.11		o.11		–		–		o.11		
8	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectClass	{2 9 3 2 7 65}	ObjectClass	o.11		o.11		–		–		–		–		
9	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packages	{2 9 3 2 7 66}	SET OF OBJECT IDENTIFIER	o.11		o.11		–		–		–		–		
10	ttrNCTime	{2 14 0 7 79}	SEQUENCE	o.11		o.11		o.11		–		–		o.11		
11	tpdNCTime	{2 14 0 7 78}	SEQUENCE	o.11		o.11		o.11		–		–		o.11		
12	tfrNCTime	{2 14 0 7 77}	SEQUENCE	o.11		o.11		o.11		–		–		o.11		

Reemplazada por una versión más reciente

E.4.2 Attribute groups

The specifier of a manager role implementation that claims to support management operations on the attribute groups specified in this Recommendation shall import a copy of the following tables and complete them.

E.4.2.1 The transport entity managed object

TABLE E.12/X.284

transportEntity Attribute group support

Index	Attribute group template label	Value of object identifier for attribute group	Constraints and values	Get		Set to default		Additional information
				Status	Support	Status	Support	
1	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: counters	{2 9 3 5 8 0}	checksumErrorsDetected protocolErrors undecodedNSDUs	o.11		–		

E.4.2.2 The connectionless-mode transport protocol machine managed object

TABLE E.13/X.284

clmodeTPM Attribute group support

Index	Attribute group template label	Value of object identifier for attribute group	Constraints and values	Get		Set to default		Additional information
				Status	Support	Status	Support	
1	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: counters	{2 9 3 5 8 0}	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: octetsReceivedCounter “CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: octetsSentCounter “CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: pdusReceivedCounter “CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: pdusSentCounter undeliverablePDUsCounter	o.11		–		
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: state	{2 9 3 2 8 1}	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: administrativeState “CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: operationalState	o.11		–		

Reemplazada por una versión más reciente

E.4.2.3 The connection-oriented transport protocol machine managed object

TABLE E.14/X.284

comodeTPM Attribute group support

Index	Attribute group template label	Value of object identifier for attribute group	Constraints and values	Get		Set to default		Additional information
				Status	Support	Status	Support	
1	"ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994": counters	{2 9 3 5 8 0}	localErrorDisconnects localSuccessfulConnections localUnsuccessfulConnections maxOpenConnections "CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992": octetsReceivedCounter "CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992": octetsSentCounter openConnections remoteErrorDisconnects remoteSuccessfulConnections remoteUnsuccessfulConnections unassociatedTPDUs	o.11		–		
2	"CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992": state	{2 9 3 2 8 1}	"CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992": administrativeState "CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992": operationalState	o.11		–		

E.4.2.4 The transport connection managed object

TABLE E.15/X.284

transportConnection Attribute group support

Index	Attribute group template label	Value of object identifier for attribute group	Constraints and values	Get		Set to default		Additional information
				Status	Support	Status	Support	
1	"ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994": counters	{2 9 3 5 8 0}	"CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992": octetsReceivedCounter "CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992": octetsSentCounter "CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992": pdusReceivedCounter "CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992": pdusRetransmittedErrorCounter "CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992": pdusSentCounter protocolErrors	o.11		–		

Reemplazada por una versión más reciente

E.4.3 Create and delete management operations

The specifier of a manager role implementation that claims to support the create or delete management operations on the managed objects specified in this Recommendation shall import a copy of the following tables and complete them.

E.4.3.1 The transport entity managed object

TABLE E.16/X.284

Create and delete support

Index	Operation	Constraints and values	Status	Support	Additional information
1	Create support	transportEntity MO	o		
1.1	Create with reference object	–	–		
2	Delete support	transportEntity MO	o		

E.4.3.2 The connectionless-mode transport protocol machine managed object

TABLE E.17/X.284

Create and delete support

Index	Operation	Constraints and values	Status	Support	Additional information
1	Create support	clmodeTPM MO	o		
1.1	Create with reference object	–	–		
2	Delete support	clmodeTPM MO	o		

E.4.3.3 The connection-oriented transport protocol machine managed object

TABLE E.18/X.284

Create and delete support

Index	Operation	Constraints and values	Status	Support	Additional information
1	Create support	comodeTPM MO	o		
1.1	Create with reference object	–	–		
2	Delete support	comodeTPM MO	o		

E.4.3.4 The TSAP managed object

TABLE E.19/X.284

Create and delete support

Index	Operation	Constraints and values	Status	Support	Additional information
1	Create support	tSAP MO	o		
1.1	Create with reference object	–	–		
2	Delete support	tSAP MO	o		

Reemplazada por una versión más reciente

E.4.3.5 The transport connection IVMO

TABLE E.20/X.284

Create and delete support

Index	Operation	Constraints and values	Status	Support	Additional information
1	Create support	transportConnection IVMO	o.11		
1.1	Create with reference object	–	o.11		
2	Delete support	transportConnection IVMO	o.11		

E.4.3.6 The NCMS Protocol Machine managed object

TABLE E.21/X.284

Create and delete support

Index	Operation	Constraints and values	Status	Support	Additional information
1	Create support	ncmsPM MO	o		
1.1	Create with reference object	–	–		
2	Delete support	ncmsPM MO	o		

E.4.3.7 The Network Connection Control managed object

TABLE E.22/X.284

Create and delete support

Index	Operation	Constraints and values	Status	Support	Additional information
1	Create support	ncc MO	o.11		
1.1	Create with reference object	–	o.11		
2	Delete support	ncc MO	o.11		

E.4.3.8 The Network Connection Control Initial Value managed object

TABLE E.23/X.284

Create and delete support

Index	Operation	Constraints and values	Status	Support	Additional information
1	Create support	ncc IVMO MO	o.11		
1.1	Create with reference object	–	o.11		
2	Delete support	ncc IVMO MO	o.11		

Reemplazada por una versión más reciente

E.4.4 Notifications

The specifier of a manager role implementation that claims to support the notifications specified in this Recommendation shall import a copy of Table E.24 and complete it.

TABLE E.24/X.284

Notification support

Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Support		Additional information	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
					Con- firmed	Non-con- firmed								
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: communicationsAlarm	{2 9 3 2 10 2}		c6				1.1	AlarmInfo		Information Syntax SEQUENCE	c6		
								1.1.1	probableCause	{2 9 3 2 7 18}	CHOICE	c:m		
								1.1.1.1	globalValue	–	OBJECT IDENTIFIER	c:m		
								1.1.1.2	localValue	–	INTEGER	c:m		
								1.1.2	specificProblems	{2 9 3 2 7 27}	SET OF CHOICE	c:m		
								1.1.2.1	OBJECT IDENTIFIER	–	OBJECT IDENTIFIER	c:m		
								1.1.2.2	INTEGER	–	INTEGER	c:m		
								1.1.3	perceivedSeverity	{2 9 3 2 7 17}	ENUMERATED	c:m		
								1.1.4	backedUpStatus	{2 9 3 2 7 11}	BOOLEAN	c:m		
								1.1.5	backUpObject	{2 9 3 2 7 40}	ObjectInstance	c:m		
								1.1.6	trendIndication	{2 9 3 2 7 30}	ENUMERATED	c:m		
								1.1.7	thresholdInfo	{2 9 3 2 7 29}	SEQUENCE	c:m		

Reemplazada por una versión más reciente

TABLE E.24/X.284 (continued)

Notification support

Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Support		Additional information	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
					Con-firmed	Non-con-firmed								
								1.1.7.1	triggeredThreshold	–	AttributeId	c:m		
								1.1.7.2	observedValue	–	CHOICE	c:m		
								1.1.7.2.1	integer	–	INTEGER	c:m		
								1.1.7.2.2	real	–	REAL	c:m		
								1.1.7.3	thresholdLevel	–	CHOICE	c:m		
								1.1.7.3.1	up	–	SEQUENCE	c:m		
								1.1.7.3.1.1	high	–	CHOICE	c:m		
								1.1.7.3.1.1.1	integer	–	INTEGER	c:m		
								1.1.7.3.1.1.2	real	–	REAL	c:m		
								1.1.7.3.1.2	low	–	CHOICE	c:m		
								1.1.7.3.1.2.1	integer	–	INTEGER	c:m		
								1.1.7.3.1.2.2	real	–	REAL	c:m		
								1.1.7.3.2	down	–	SEQUENCE	c:m		
								1.1.7.3.2.1	high	–	CHOICE	c:m		
								1.1.7.3.2.1.1	integer	–	INTEGER	c:m		
								1.1.7.3.2.1.2	real	–	REAL	c:m		
								1.1.7.3.2.2	low	–	CHOICE	c:m		
								1.1.7.3.2.2.1	integer	–	INTEGER	c:m		
								1.1.7.3.2.2.2	real	–	REAL	c:m		
								1.1.7.4	armTime	–	Generalized Time	c:m		
								1.1.8	notificationIdentifier	{2 9 3 2 7 16}	INTEGER	c:m		

Reemplazada por una versión más reciente

TABLE E.24/X.284 (continued)

Notification support

Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Support		Additional information	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
					Con-firmed	Non-con-firmed								
								1.1.9	correlatedNoti-fications	{2 9 3 2 7 12}	SET OF SEQUENCE	c:m		
								1.1.9.1	correlatedNoti-fications	{2 9 3 2 7 12}	SET OF INTEGER	c:m		
								1.1.9.2	sourceObjec-tInst	–	ObjectInstance	c:m		
								1.1.10	stateChan-geDefinition	{2 9 3 2 7 28}	SET OF SEQUENCE	c:m		
								1.1.10.1	attributeID	–	AttributeId	c:m		
								1.1.10.2	oldAttribu-teValue	–	ANY DEFINED BY attributeID	c:m		
								1.1.10.3	newAttribu-teValue	–	ANY DEFINED BY attributeID	c:m		
								1.1.11	monitoredAt-tributes	{2 9 3 2 7 15}	SET OF Attribute	c:m		
								1.1.12	proposedRepa-irActions	{2 9 3 2 7 19}	SET OF CHOICE	c:m		
								1.1.12.1	OBJECT IDENTIFIER	–	OBJECT IDENTIFIER	c:m		
								1.1.12.2	INTEGER	–	INTEGER	c:m		
								1.1.13	additionalText	{2 9 3 2 7 7}	GraphicString	c:m		
								1.1.14	additionalInf-ormation	{2 9 3 2 7 6}	SET OF SEQUENCE	c:m		
								1.1.14.1	identifier	–	OBJECT IDENTIFIER	c:m		
								1.1.14.2	significance	–	BOOLEAN	c:m		
								1.1.14.3	information	–	ANY DEFINED BY identifier	c:m		

Reemplazada por una versión más reciente

TABLE E.24/X.284 (continued)

Notification support

Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Support		Additional information	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
					Con-firmed	Non-con-firmed								
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectCreation	{2 9 3 2 10 6}		c7				2.1	ObjectInfo		Information Syntax SEQUENCE	c7		
								2.1.1	sourceIndicator	{2 9 3 2 7 26}	ENUMERATED	c:m		
								2.1.2	attributeList	{2 9 3 2 7 9}	SET OF Attribute	c:m		
								2.1.3	notificationId entifier	{2 9 3 2 7 16}	INTEGER	c:m		
								2.1.4	correlatedNoti fications	{2 9 3 2 7 12}	SET OF SEQUENCE	c:m		
								2.1.4.1	correlatedNoti fications	{2 9 3 2 7 12}	SET OF INTEGER	c:m		
								2.1.4.2	sourceObje ctInst	–	ObjectInstance	c:m		
								2.1.5	additionalText	{2 9 3 2 7 7}	GraphicString	c:m		
								2.1.6	additionalInf ormation	{2 9 3 2 7 6}	SET OF SEQUENCE	c:m		
								2.1.6.1	identifier	–	OBJECT IDENTIFIER	c:m		
								2.1.6.2	significance	–	BOOLEAN	c:m		
								2.1.6.3	information	–	ANY DEFINED BY identifier	c:m		

Reemplazada por una versión más reciente

TABLE E.24/X.284 (continued)

Notification support

Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Support		Additional information	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
					Con-firmed	Non-con-firmed								
3	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectDeletion	{2 9 3 2 10 7}		c8				3.1	ObjectInfo		Information Syntax SEQUENCE	c8		
								3.1.1	sourceIndicator	{2 9 3 2 7 26}	ENUMERATED	c:m		
								3.1.2	attributeList	{2 9 3 2 7 9}	SET OF Attribute	c:m		
								3.1.3	notificationId entifier	{2 9 3 2 7 16}	INTEGER	c:m		
								3.1.4	correlatedNoti fications	{2 9 3 2 7 12}	SET OF SEQUENCE	c:m		
								3.1.4.1	correlatedNoti fications	{2 9 3 2 7 12}	SET OF INTEGER	c:m		
								3.1.4.2	sourceObje ctInst	–	ObjectInstance	c:m		
								3.1.5	additionalText	{2 9 3 2 7 7}	GraphicString	c:m		
								3.1.6	additionalInf ormation	{2 9 3 2 7 6}	SET OF SEQUENCE	c:m		
								3.1.6.1	identifier	–	OBJECT IDENTIFIER	c:m		
								3.1.6.2	significance	–	BOOLEAN	c:m		
								3.1.6.3	information	–	ANY DEFINED BY identifier	c:m		

Reemplazada por una versión más reciente

TABLE E.24/X.284 (continued)

Notification support

Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Support		Additional information	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
					Con-firmed	Non-con-firmed								
4	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: stateChange	{2 9 3 2 10 14}		c9				4.1	StateChangeInfo		Information Syntax SEQUENCE	c9		
								4.1.1	sourceIndicator	{2 9 3 2 7 26}	ENUMERATED	c:m		
								4.1.2	attributeIdentifierList	{2 9 3 2 7 8}	SET OF AttributeId	c:m		
								4.1.3	stateChangeDefinition	{2 9 3 2 7 28}	SET OF SEQUENCE	c:m		
								4.1.3.1	attributeID	–	AttributeId	c:m		
								4.1.3.2	oldAttributeValue	–	ANY DEFINED BY attributeID	c:m		
								4.1.3.3	newAttributeValue	–	ANY DEFINED BY attributeID	c:m		
								4.1.4	notificationIdentifier	{2 9 3 2 7 16}	INTEGER	c:m		
								4.1.5	correlatedNotifications	{2 9 3 2 7 12}	SET OF SEQUENCE	c:m		
								4.1.5.1	correlatedNotifications	{2 9 3 2 7 12}	SET OF INTEGER	c:m		
								4.1.5.2	sourceObjectInst	–	ObjectInstance	c:m		
								4.1.6	additionalText	{2 9 3 2 7 7}	GraphicString	c:m		
								4.1.7	additionalInformation	{2 9 3 2 7 6}	SET OF SEQUENCE	c:m		
								4.1.7.1	identifier	–	OBJECT IDENTIFIER	c:m		
								4.1.7.2	significance	–	BOOLEAN	c:m		
								4.1.7.3	information	–	ANY DEFINED BY identifier	c:m		

Reemplazada por una versión más reciente

TABLE E.24/X.284 (concluded)

Notification support

					Support									
Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Con- firmed	Non-con- firmed	Additional information	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
5	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: communicationsInformation	{2 9 3 5 10 0}		c10				5.1	CommunicationsInformation		Information Syntax SEQUENCE	c10		
								5.1.1	informationType	{2 9 3 5 7 5}	OBJECT IDENTIFIER	c:m		
								5.1.2	informationData	{2 9 3 5 7 4}	SET OF SEQUENCE	c:m		
								5.1.2.1	identifier	–	OBJECT IDENTIFIER	c:m		
								5.1.2.2	significance	–	BOOLEAN	c:m		
								5.1.2.3	information	–	ANY DEFINED BY identifier	c:m		
c6: if D.3/4a or D.3/8a then m else – c7: if D.3/2a or D.3/5a or D.3/12a or D.3/17a or D.3/20a or D.3/23a or D.3/28a then m else – c8: if D.3/3a or D.3/6a or D.3/13a or D.3/18a or D.3/21a or D.3/24a or D.3/29a then m else – c9: if D.3/7a or D.3/14a or D.3/25a then m else – c10: if D.3/11 or D.3/19 or D.3/22a then m else –														

Reemplazada por una versión más reciente

E.4.5 Actions

The specifier of a manager role implementation that claims to support the actions specified in this Recommendation shall import a copy of Table E.25 and complete it.

TABLE E.25/X.284

Action support

Index	Action type template label	Value of object identifier for action type	Constraints and values	Status	Support	Additional information	Subindex	Action field name label	Constraints and values	Status	Support	Additional information
1	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: activate	{2 9 3 5 9 0}		c11			1.1	ActionInfo	Information Syntax SET OF SEQUENCE	c11		
							1.1.1	identifier	OBJECT IDENTIFIER	c:m		
							1.1.2	significance	BOOLEAN	c:o		
							1.1.3	information	ANY DEFINED BY identifier	c:m		
							1.2	ActionReply	Reply Syntax SET OF SEQUENCE	c:m		
							1.2.1	identifier	OBJECT IDENTIFIER	c:m		
							1.2.2	significance	BOOLEAN	c:m		
							1.2.3	information	ANY DEFINED BY identifier	c:m		
2	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: deactivate	{2 9 3 5 9 1}		c12			2.1	ActionInfo	Information Syntax SET OF SEQUENCE	c12		
							2.1.1	identifier	OBJECT IDENTIFIER	c:m		
							2.1.2	significance	BOOLEAN	c:o		

Reemplazada por una versión más reciente

TABLE E.25/X.284 (*concluded*)

Action support

Index	Action type template label	Value of object identifier for action type	Constraints and values	Status	Support	Additional information	Subindex	Action field name label	Constraints and values	Status	Support	Additional information
							2.1.3	information	ANY DEFINED BY identifier	c:m		
							2.2	ActionReply	Reply Syntax SET OF SEQUENCE	c:m		
							2.2.1	identifier	OBJECT IDENTIFIER	c:m		
							2.2.2	significance	BOOLEAN	c:m		
							2.2.3	information	ANY DEFINED BY identifier	c:m		
c11: if D.3/9a or D.3/15a or D.3/26a then m else – c12: if D.3/10a or D.3/16a or D.3/27a then m else –												

Reemplazada por una versión más reciente

E.4.6 Parameters

The specifier of a manager role implementation that claims to support the parameters specified in this Recommendation shall import a copy of Table E.26 and complete it.

TABLE E.26/X.284

Parameter support

Index	Parameter template label	Value of object identifier for parameter	Constraints and values	Status	Support	Additional information
1	tEProtocolErrorPDUHeader	{2 14 0 5 1}	EVENT-INFO communicationsAlarm	c13		
2	tEProtocolErrorReasonCode	{2 14 0 5 3}	EVENT-INFO communicationsAlarm	c13		
3	tEProtocolErrorSourceAddress	{2 14 0 5 2}	EVENT-INFO communicationsAlarm	c13		
4	clPMPDUHeader	{2 14 0 5 4}	EVENT-INFO communicationsAlarm	c14		
5	clPMSourceAddress	{2 14 0 5 5}	EVENT-INFO communicationsAlarm	c14		
6	calledNSAPAddress-PAR	(Not registered)	EVENT-INFO communicationsInformation	c15		
7	calledTSelector-PAR	(Not registered)	EVENT-INFO communicationsInformation	c15		
8	callingNSAPAddress-PAR	(Not registered)	EVENT-INFO communicationsInformation	c15		
9	callingTSelector-PAR	(Not registered)	EVENT-INFO communicationsInformation	c15		
10	networkConnectionIDs-PAR	(Not registered)	EVENT-INFO communicationsInformation	c15		
11	rejectionCause	{2 14 0 5 7}	EVENT-INFO communicationsInformation	c15		
12	calledNSAPAddress-PAR	(Not registered)	EVENT-INFO communicationsInformation	c16		
13	calledTSelector-PAR	(Not registered)	EVENT-INFO communicationsInformation	c16		
14	callingNSAPAddress-PAR	(Not registered)	EVENT-INFO communicationsInformation	c16		
15	callingTSelector-PAR	(Not registered)	EVENT-INFO communicationsInformation	c16		
16	networkConnectionIDs-PAR	(Not registered)	EVENT-INFO communicationsInformation	c16		
17	connectionDirection-PAR	(Not registered)	EVENT-INFO communicationsInformation	c16		
18	maxTPDUSize-PAR	(Not registered)	EVENT-INFO communicationsInformation	c16		
19	protocolClass-PAR	(Not registered)	EVENT-INFO communicationsInformation	c16		
20	respondingNSAPAddress-PAR	(Not registered)	EVENT-INFO communicationsInformation	c16		
21	transportConnectionName	(Not registered)	EVENT-INFO communicationsInformation	c16		
22	calledNSAPAddress-PAR	(Not registered)	EVENT-INFO objectCreation	c17		
23	calledTSelector-PAR	(Not registered)	EVENT-INFO objectCreation	c17		
24	callingNSAPAddress-PAR	(Not registered)	EVENT-INFO objectCreation	c17		
25	callingTSelector-PAR	(Not registered)	EVENT-INFO objectCreation	c17		
26	connectionDirection-PAR	(Not registered)	EVENT-INFO objectCreation	c17		
27	maxTPDUSize-PAR	(Not registered)	EVENT-INFO objectCreation	c17		

Reemplazada por una versión más reciente

TABLE E.26/X.284 (concluded)

Parameter support

Index	Parameter template label	Value of object identifier for parameter	Constraints and values	Status	Support	Additional information
28	networkConnectionIDs-PAR	(Not registered)	EVENT-INFO objectCreation	c17		
29	protocolClass-PAR	(Not registered)	EVENT-INFO objectCreation	c17		
30	respondingNSAPAddress-PAR	(Not registered)	EVENT-INFO objectCreation	c17		
31	transportConnectionName	(Not registered)	EVENT-INFO objectCreation	c18		
32	calledNSAPAddress-PAR	(Not registered)	EVENT-INFO objectDeletion	c18		
33	calledTSelector-PAR	(Not registered)	EVENT-INFO objectDeletion	c18		
34	callingNSAPAddress-PAR	(Not registered)	EVENT-INFO objectDeletion	c18		
35	callingTSelector-PAR	(Not registered)	EVENT-INFO objectDeletion	c18		
36	connectionDirection-PAR	(Not registered)	EVENT-INFO objectDeletion	c18		
37	maxTPDUSize-PAR	(Not registered)	EVENT-INFO objectDeletion	c18		
38	networkConnectionIDs-PAR	(Not registered)	EVENT-INFO objectDeletion	c18		
39	objectDeletionCause	{2 14 0 5 6}	EVENT-INFO objectDeletion	c18		
40	protocolClass-PAR	(Not registered)	EVENT-INFO objectDeletion	c18		
41	respondingNSAPAddress-PAR	(Not registered)	EVENT-INFO objectDeletion	c18		
42	transportConnectionName	(Not registered)	EVENT-INFO objectDeletion	c18		
43	ncmsPMPDUHeader	(Not registered)	EVENT-INFO communicationsInformation	c19		
44	ncmsPMSourceAddress	(Not registered)	EVENT-INFO communicationsInformation	c19		
c13: if D.3/4a then m else – c14: if D.3/8a then m else – c15: if D.3/11a then m else – c16: if D.3/19a then m else – c17: if D.3/20a then m else – c18: if D.3/21a then m else – c19: if D.3/22a then m else –						

Reemplazada por una versión más reciente

Anexo F⁴⁾

Formulario de MOCS

F.1 Introduction

The purpose of this MOCS proforma is to provide a mechanism for a supplier of an implementation of a Recommendation which claims conformance to a managed object class, to provide conformance information in a standard form.

F.1.1 Instructions for completing the MOCS proforma to produce a MOCS⁵⁾

The MOCS proforma contained in this annex is comprised of information in tabular form, in accordance with ITU-T Rec. X.724 | ISO/IEC 10165-6. The supplier of the implementation shall state which items are supported in the tables below and if necessary provide additional information.

F.1.2 Symbols, abbreviations and terms

The MOCS proforma contained in this annex is comprised of information in tabular form, in accordance with CCITT Rec. X.291 and ISO/IEC 9646-2.

The notations used in the Status and Support columns are specified in D.1.3.

F.2 The transport subsystem managed object

F.2.1 Statement of conformance to the managed object class

TABLE F.1/X.284

transportSubsystem Managed object class support

Index	Managed object class template label	Value of object identifier for class	Support of all mandatory features? (Y/N)	Is the actual class the same as the managed object class to which conformance is claimed? (Y/N)
1	transportSubsystem	{2 14 0 3 1}		

If the answer to the actual class question in Table F.1 is no, the supplier of the implementation shall fill in the actual class support Table F.2.

TABLE F.2/X.284

transportSubsystem Actual class support

Index	Managed object class template for actual class	Value of object identifier for managed object class definition of actual class	Additional information

⁴⁾ **Comunicado sobre derechos de autor del formulario de MOCS**

Los usuarios de esta Recomendación pueden producir libremente el formulario de MOCS de este anexo a fin de que pueda ser utilizado para los fines previstos, y pueden además publicar el MOCS cumplimentado.

⁵⁾ Instructions for completing the MOCS proforma are specified in ITU-T Rec. X.724 | ISO/IEC 10165-6.

Reemplazada por una versión más reciente

F.2.2 Packages

The supplier of the implementation shall state whether or not the packages specified by this managed object of this class are supported, in Table F.3.

TABLE F.3/X.284

transportSubsystem Package support

Index	Package template label	Value of object identifier for package	Constraints and values	Status	Support	Additional information
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphicPackage	{2 9 3 2 4 17}	“if an object supports allomorphism”	c1		
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packagesPackage	{2 9 3 2 4 16}	“any registered package, other than this package has been instantiated”	c2		
3	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: subsystemP1		Mandatory	m		
4	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: topPackage		Mandatory	m		
5	transportSubsystem-P		Mandatory	m		
c1: if F.1/1b then – else m c2: if F.3/1a then m else –						

F.2.3 Attributes

The supplier of the implementation shall state whether or not the attributes specified by all of the packages instantiated in a managed object of this class are supported, in the Support and Additional information columns of Table F.4. The supplier of the implementation shall indicate support for each of the operations for each attribute supported.

Reemplazada por una versión más reciente

TABLE F.4/X.284

transportSubsystem Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace		Add		Remove		Set to default		Additional information
				Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphs	{2 9 3 2 7 50}	SET OF ObjectClass	c3		c4		–		–		–		–		
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: nameBinding	{2 9 3 2 7 63}	OBJECT IDENTIFIER	x		m		x		–		–		x		
3	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectClass	{2 9 3 2 7 65}	ObjectClass	x		m		x		–		–		x		
4	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packages	{2 9 3 2 7 66}	SET OF OBJECT IDENTIFIER	c5		c6		c5		c5		c5		c5		
5	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: subsystemId	{2 9 3 5 7 11}	GraphicString	x		m		x		–		–		–		
c3: if F.3/1a then x else – c4: if F.3/1a then m else – c5: if F.3/2a then x else – c6: if F.3/2a then m else –																

Reemplazada por una versión más reciente

F.3 The transport entity managed object

F.3.1 Statement of conformance to the managed object class

TABLE F.5/X.284

transportEntity Managed object class support

Index	Managed object class template label	Value of object identifier for class	Support of all mandatory features? (Y/N)	Is the actual class the same as the managed object class to which conformance is claimed? (Y/N)
1	transportEntity	{2 14 0 3 2}		

If the answer to the actual class question in Table F.5 is no, the supplier of the implementation shall fill in the actual class support Table F.6.

TABLE F.6/X.284

transportEntity Actual class support

Index	Managed object class template for actual class	Value of object identifier for managed object class definition of actual class	Additional information

F.3.2 Packages

The supplier of the implementation shall state whether or not the packages specified by this managed object of this class are supported, in Table F.7.

TABLE F.7/X.284

transportEntity Package support

Index	Package template label	Value of object identifier for package	Constraints and values	Status	Support	Additional information
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphicPackage	{2 9 3 2 4 17}	“if an object supports allomorphism”	c7		
2	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: communicationsEntityP1		Mandatory	m		
3	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packagesPackage	{2 9 3 2 4 16}	“any registered package, other than this package has been instantiated”	c8		
4	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: topPackage		Mandatory	m		
5	transportEntity-P		Mandatory	m		
c7: if F.5/1b then – else m c8: if F.7/1a then m else –						

F.3.3 Attributes

The supplier of the implementation shall state whether or not the attributes specified by all of the packages instantiated in a managed object of this class are supported, in the Support and Additional information columns of Table F.8. The supplier of the implementation shall indicate support for each of the operations for each attribute supported.

Reemplazada por una versión más reciente

TABLE F.8/X.284

transportEntity Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace		Add		Remove		Set to default		Additional information
				Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	
1	actualNSAP	{2 14 0 7 4}	SET OF other	c9		m		c10		c10		c10		c10		
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphs	{2 9 3 2 7 50}	SET OF ObjectClass	c11		c12		–		–		–		–		
3	checksumErrorsDetected	{2 14 0 7 6}	INTEGER	c9		m		c10		–		–		c10		
4	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: communicationsEntityId	{2 9 3 5 7 0}	GraphicString	c13		m		x		–		–		x		
5	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: localSapNames	{2 9 3 5 7 6}	SET OF ObjectInstance	c9		m		c10		c10		c10		c10		
6	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: nameBinding	{2 9 3 2 7 63}	OBJECT IDENTIFIER	c13		m		x		–		–		x		
7	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectClass	{2 9 3 2 7 65}	ObjectClass	c14		m		x		–		–		x		
8	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: operationalState	{2 9 3 2 7 35}	ENUMERATED	x		m		x		–		–		x		
9	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packages	{2 9 3 2 7 66}	SET OF OBJECT IDENTIFIER	c15		c16		c17		c17		c17		c17		
10	protocolErrors	{2 14 0 7 7}	INTEGER	c9		m		c10		–		–		c10		
11	targetNSAP	{2 14 0 7 3}	SET OF other	c14		m		m		m		m		c10		
12	undecodedNSDUs	{2 14 0 7 5}	INTEGER	c9		m		c10		–		–		c10		
c9: if F.5/1b or G.1/3a or G.1/4a then x else – c10: if F.5/1b then x else – c11: if F.7/1a then (if G.1/4a then o else x) else – c12: if F.7/1a then m else – c13: if G.1/4a then o else x c14: if G.1/4a then m else x c15: if F.7/3a then (if G.1/4a then o else x) else – c16: if F.7/3a then m else – c17: if F.7/3a then x else –																

Reemplazada por una versión más reciente

F.3.4 Attribute group

TABLE F.9/X.284
transportEntity Attribute group support

Index	Attribute group template label	Value of object identifier for attribute group	Constraints and values	Get		Set to default		Additional information
				Status	Support	Status	Support	
1	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: counters	{2 9 3 5 8 0}	checksumErrorsDetected protocolErrors undecodedNSDUs	m		c10		

Reemplazada por una versión más reciente

F.3.5 Notifications

TABLE F.10/X.284

transportEntity Notification support

					Support									
Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Con-firmed	Non-con-firmed	Additional information	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: communicationsAlarm	{2 9 3 2 10 2}		m			tEProtocolErrorPDUHeader tEProtocolErrorReasonCode tEProtocolErrorSourceAddress	1.1	AlarmInfo		Information Syntax SEQUENCE	m		
								1.1.1	probableCause	{2 9 3 2 7 18}	CHOICE	m		
								1.1.1.1	globalValue	–	OBJECT IDENTIFIER	o.1		
								1.1.1.2	localValue	–	INTEGER	o.1		
								1.1.2	specificProblems	{2 9 3 2 7 27}	SET OF CHOICE	o		
								1.1.2.1	OBJECT IDENTIFIER	–	OBJECT IDENTIFIER	c:o.2		
								1.1.2.2	INTEGER	–	INTEGER	c:o.2		
								1.1.3	perceivedSeverity	{2 9 3 2 7 17}	ENUMERATED	m		
								1.1.4	backedUpStatus	{2 9 3 2 7 11}	BOOLEAN	o		
								1.1.5	backUpObject	{2 9 3 2 7 40}	ObjectInstance	o		
								1.1.6	trendIndication	{2 9 3 2 7 30}	ENUMERATED	o		
								1.1.7	thresholdInfo	{2 9 3 2 7 29}	SEQUENCE	o		
								1.1.7.1	triggeredThreshold	–	AttributeId	c:m		
								1.1.7.2	observedValue		CHOICE	c:m		
								1.1.7.2.1	integer	–	INTEGER	c:o.3		
								1.1.7.2.2	real	–	REAL	c:o.3		
								1.1.7.3	thresholdLevel	–	CHOICE	c:o		
								1.1.7.3.1	up	–	SEQUENCE	c:o.4		

Reemplazada por una versión más reciente

TABLE F.10/X.284 (continued)

transportEntity Notification support

Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Support		Additional information	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
					Con- firmed	Non-con- firmed								
								1.1.7.3.1.1	high	–	CHOICE	c:m		
								1.1.7.3.1.1.1	integer	–	INTEGER	c:o.5		
								1.1.7.3.1.1.2	real	–	REAL	c:o.5		
								1.1.7.3.1.2	low	–	CHOICE	c:o		
								1.1.7.3.1.2.1	integer	–	INTEGER	c:o.6		
								1.1.7.3.1.2.2	real	–	REAL	c:o.6		
								1.1.7.3.2	down	–	SEQUENCE	c:o.4		
								1.1.7.3.2.1	high	–	CHOICE	c:m		
								1.1.7.3.2.1.1	integer	–	INTEGER	c:o.7		
								1.1.7.3.2.1.2	real	–	REAL	c:o.7		
								1.1.7.3.2.2	low	–	CHOICE	c:m		
								1.1.7.3.2.2.1	integer	–	INTEGER	c:o.8		
								1.1.7.3.2.2.2	real	–	REAL	c:o.8		
								1.1.7.4	armTime	–	GeneralizedTime	c:o		
								1.1.8	notificationIdentifier	{2 9 3 2 7 16}	INTEGER	o		
								1.1.9	correlatedNotifications	{2 9 3 2 7 12}	SET OF SEQUENCE	o		
								1.1.9.1	correlatedNotifications	{2 9 3 2 7 12}	SET OF INTEGER	c:m		
								1.1.9.2	sourceObjectInstance	–	ObjectInstance	c:o		
								1.1.10	stateChangeDefinition	{2 9 3 2 7 28}	SET OF SEQUENCE	o		
								1.1.10.1	attributeID	–	AttributeID	c:m		
								1.1.10.2	oldAttributeValue	–	ANY DEFINED BY attributeID	c:o		
								1.1.10.3	newAttributeValue	–	ANY DEFINED BY attributeID	c:m		
								1.1.11	monitoredAttributes	{2 9 3 2 7 15}	SET OF Attribute	o		
								1.1.12	proposedRepairActions	{2 9 3 2 7 19}	SET OF CHOICE	o		

Reemplazada por una versión más reciente

TABLE F.10/X.284 (continued)

transportEntity Notification support

Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Support		Additional information	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
					Con-firmed	Non-con-firmed								
								1.1.12.1	OBJECT IDENTIFIER	–	OBJECT IDENTIFIER	c:o.9		
								1.1.12.2	INTEGER	–	INTEGER	c:o.9		
								1.1.13	additionalText	{2 9 3 2 7 7}	GraphicString	o		
								1.1.14	additionalInfor-mation	{2 9 3 2 7 6}	SET OF SEQUENCE	o		
								1.1.14.1	identifier	–	OBJECT IDENTIFIER	c:m		
								1.1.14.2	significance	–	BOOLEAN	c:o		
								1.1.14.3	information	–	ANY DEFINED BY identifier	c:m		
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectCreation	{2 9 3 2 10 6}		m				2.1	ObjectInfo		Information Syntax SEQUENCE	m		
								2.1.1	sourceIndicator	{2 9 3 2 7 26}	ENUMERATED	o		
								2.1.2	attributeList	{2 9 3 2 7 9}	SET OF Attribute	o		
								2.1.3	notificationIden-tifier	{2 9 3 2 7 16}	INTEGER	o		
								2.1.4	correlatedNotifi-cations	{2 9 3 2 7 12}	SET OF SEQUENCE	o		
								2.1.4.1	correlatedNotifi-cations	{2 9 3 2 7 12}	SET OF INTEGER	c:m		
								2.1.4.2	sourceObjectInst	–	ObjectInstance	c:o		
								2.1.5	additionalText	{2 9 3 2 7 7}	GraphicString	o		
								2.1.6	additionalInfor-mation	{2 9 3 2 7 6}	SET OF SEQUENCE	o		
								2.1.6.1	identifier	–	OBJECT IDENTIFIER	c:m		
								2.1.6.2	significance	–	BOOLEAN	c:o		
								2.1.6.3	information	–	ANY DEFINED BY identifier	c:m		

Reemplazada por una versión más reciente

TABLE F.10/X.284 (concluded)

transportEntity Notification support

Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Support		Additional information	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
					Con-firmed	Non-con-firmed								
3	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectDeletion	{2 9 3 2 10 7}		m				3.1	ObjectInfo		Information Syntax SEQUENCE	m		
								3.1.1	sourceIndicator	{2 9 3 2 7 26}	ENUMERATED	o		
								3.1.2	attributeList	{2 9 3 2 7 9}	SET OF Attribute	o		
								3.1.3	notificationIdentifier	{2 9 3 2 7 16}	INTEGER	o		
								3.1.4	correlatedNotifications	{2 9 3 2 7 12}	SET OF SEQUENCE	o		
								3.1.4.1	correlatedNotifications	{2 9 3 2 7 12}	SET OF INTEGER	c:m		
								3.1.4.2	sourceObjectInst	–	ObjectInstance	c:o		
								3.1.5	additionalText	{2 9 3 2 7 7}	GraphicString	o		
								3.1.6	additionalInformation	{2 9 3 2 7 6}	SET OF SEQUENCE	o		
								3.1.6.1	identifier	–	OBJECT IDENTIFIER	c:m		
								3.1.6.2	significance	–	BOOLEAN	c:o		
								3.1.6.3	information	–	ANY DEFINED BY identifier	c:m		

Reemplazada por una versión más reciente

F.3.6 Parameters

TABLE F.11/X.284

transportEntity Parameter support

Index	Parameter template label	Value of object identifier for parameter	Constraints and values	Status	Support	Additional information
1	tEProtocolErrorPDUHeader	{2 14 0 5 1}	EVENT-INFO communicationsAlarm	m		
2	tEProtocolErrorReasonCode	{2 14 0 5 3}	EVENT-INFO communicationsAlarm	m		
3	tEProtocolErrorSourceAddress	{2 14 0 5 2}	EVENT-INFO communicationsAlarm	m		

F.4 The connectionless-mode transport protocol machine managed object

F.4.1 Statement of conformance to the managed object class

TABLE F.12/X.284

clmodeTPM Managed object class support

Index	Managed object class template label	Value of object identifier for class	Support of all mandatory features? (Y/N)	Is the actual class the same as the managed object class to which conformance is claimed? (Y/N)
1	clmodeTPM	{2 14 0 3 3}		

If the answer to the actual class question in Table F.12 is no, the supplier of the implementation shall fill in the actual class support Table F.13.

TABLE F.13/X.284

clmodeTPM Actual class support

Index	Managed object class template for actual class	Value of object identifier for managed object class definition of actual class	Additional information

Reemplazada por una versión más reciente

F.4.2 Packages

The supplier of the implementation shall state whether or not the packages specified by this managed object of this class are supported, in Table F.14.

TABLE F.14/X.284

clmodeTPM Package support

Index	Package template label	Value of object identifier for package	Constraints and values	Status	Support	Additional information
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphicPackage	{2 9 3 2 4 17}	“if an object supports allomorphism”	c18		
2	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: clProtocolMachineP1		Mandatory	m		
3	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: clProtocolMachineP2	{2 9 3 5 4 1}	“there is a requirement to keep statistics concerning remote connectionless protocol machines that this protocol machine communicates with”	o		
4	clmodeTPM-P		Mandatory	m		
5	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packagesPackage	{2 9 3 2 4 16}	“any registered package, other than this package has been instantiated”	c19		
6	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: topPackage		Mandatory	m		
c18: if F.12/1b then – else m						
c19: if F.14/1a or F.14/3a then m else –						

F.4.3 Attributes

The supplier of the implementation shall state whether or not the attributes specified by all of the packages instantiated in a managed object of this class are supported, in the Support and Additional information columns of Table F.15. The supplier of the implementation shall indicate support for each of the operations for each attribute supported.

Reemplazada por una versión más reciente

TABLE F.15/X.284

clmodeTPM Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace		Add		Remove		Set to default		Additional information
				Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: administrativeState	{2 9 3 2 7 31}	ENUMERATED	c20		m		m		–		–		c21		
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphs	{2 9 3 2 7 50}	SET OF ObjectClass	c22		c23		–		–		–		–		
3	clChecksumOption	{2 14 0 7 9}	BOOLEAN	c20		m		m		–		–		m		
4	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: clProtocolMachineId	{2 9 3 5 7 2}	GraphicString	c24		m		x		–		–		x		
5	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: nameBinding	{2 9 3 2 7 63}	OBJECT IDENTIFIER	c24		m		x		–		–		x		
6	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectClass	{2 9 3 2 7 65}	ObjectClass	c20		m		x		–		–		x		
7	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: octetsReceivedCounter	{2 9 3 2 7 78}	INTEGER	c25		m		c21		–		–		c21		
8	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: octetsSentCounter	{2 9 3 2 7 80}	INTEGER	c25		m		c21		–		–		c21		
9	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: operationalState	{2 9 3 2 7 35}	ENUMERATED	x		m		x		–		–		x		
10	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packages	{2 9 3 2 7 66}	SET OF OBJECT IDENTIFIER	c26		c27		c28		c28		c28		c28		

Reemplazada por una versión más reciente

TABLE F.15/X.284 (concluded)

clmodeTPM Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace		Add		Remove		Set to default		Additional information
				Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	
11	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: pdusReceivedCounter	{2 9 3 2 7 86}	INTEGER	c25		m		c21		–		–		c21		
12	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: pdusSentCounter	{2 9 3 2 7 88}	INTEGER	c25		m		c21		–		–		c21		
13	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: totalRemoteSAPs	{2 9 3 5 7 13}	INTEGER	c29		c30		c21		–		–		c21		
14	undeliverablePDUsCounter	{2 14 0 7 10}	INTEGER	c25		m		c21		–		–		c21		
c20: if G.1/7a then m else x c21: if F.12/1b then x else – c22: if F.14/1a then (if G.1/7a then o else x) else – c23: if F.14/1a then m else – c24: if G.1/7a then o else x c25: if F.12/1b or G.1/6a or G.1/8a then x else – c26: if F.14/5a then (if G.1/7a then o else x) else – c27: if F.14/5a then m else – c28: if F.14/5a then x else – c29: if F.14/3a and (F.12/1b or G.1/6a or G.1/8a) then x else – c30: if F.14/3a then m else –																

Reemplazada por una versión más reciente

F.4.4 Attribute groups

TABLE F.16/X.284

clmodeTPM Attribute group support

Index	Attribute group template label	Value of object identifier for attribute group	Constraints and values	Get		Set to default		Additional information
				Status	Support	Status	Support	
1	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: counters	{2 9 3 5 8 0}	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: octetsReceivedCounter “CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: octetsSentCounter “CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: pdusReceivedCounter “CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: pdusSentCounter undeliverablePDUsCounter	m		c21		
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: state	{2 9 3 2 8 1}	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: administrativeState “CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: operationalState	m		c21		

Reemplazada por una versión más reciente

F.4.5 Notifications

TABLE F.17/X.284

clmodeTPM Notification support

					Support									
Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Con-firmed	Non-con-firmed	Additional information	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: communicationsAlarm	{2 9 3 2 10 2}		m			clPMPDUHeader clPMSourceAddress	1.1	AlarmInfo		Information Syntax SEQUENCE	m		
								1.1.1	probableCause	{2 9 3 2 7 18}	CHOICE	m		
								1.1.1.1	globalValue	–	OBJECT IDENTIFIER	o.1		
								1.1.1.2	localValue	–	INTEGER	o.1		
								1.1.2	specificProblems	{2 9 3 2 7 27}	SET OF CHOICE	o		
								1.1.2.1	OBJECT IDENTIFIER	–	OBJECT IDENTIFIER	c:o.2		
								1.1.2.2	INTEGER	–	INTEGER	c:o.2		
								1.1.3	perceivedSeverity	{2 9 3 2 7 17}	ENUMERATED	m		
								1.1.4	backedUpStatus	{2 9 3 2 7 11}	BOOLEAN	o		
								1.1.5	backUpObject	{2 9 3 2 7 40}	ObjectInstance	o		
								1.1.6	trendIndication	{2 9 3 2 7 30}	ENUMERATED	o		
								1.1.7	thresholdInfo	{2 9 3 2 7 29}	SEQUENCE	o		
								1.1.7.1	triggeredThreshold	–	Attributeld	c:m		
								1.1.7.2	observedValue	–	CHOICE	c:m		
								1.1.7.2.1	integer	–	INTEGER	c:o.3		
								1.1.7.2.2	real	–	REAL	c:o.3		
								1.1.7.3	thresholdLevel	–	CHOICE	c:o		
								1.1.7.3.1	up	–	SEQUENCE	c:o.4		
								1.1.7.3.1.1	high	–	CHOICE	c:m		
								1.1.7.3.1.1.1	integer	–	INTEGER	c:o.5		
								1.1.7.3.1.1.2	real	–	REAL	c:o.5		

Reemplazada por una versión más reciente

TABLE F.17/X.284 (continued)

clmodeTPM Notification support

Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Support		Additional information	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
					Con-firmed	Non-con-firmed								
								1.1.7.3.1.2	low	–	CHOICE	c:o		
								1.1.7.3.1.2.1	integer	–	INTEGER	c:o.6		
								1.1.7.3.1.2.2	real	–	REAL	c:o.6		
								1.1.7.3.2	down	–	SEQUENCE	c:o.4		
								1.1.7.3.2.1	high	–	CHOICE	c:m		
								1.1.7.3.2.1.1	integer	–	INTEGER	c:o.7		
								1.1.7.3.2.1.2	real	–	REAL	c:o.7		
								1.1.7.3.2.2	low	–	CHOICE	c:m		
								1.1.7.3.2.2.1	integer	–	INTEGER	c:o.8		
								1.1.7.3.2.2.2	real	–	REAL	c:o.8		
								1.1.7.4	armTime	–	GeneralizedTime	c:o		
								1.1.8	notificationIdentifier	{2 9 3 2 7 16}	INTEGER	o		
								1.1.9	correlatedNotifications	{2 9 3 2 7 12}	SET OF SEQUENCE	o		
								1.1.9.1	correlatedNotifications	{2 9 3 2 7 12}	SET OF INTEGER	c:m		
								1.1.9.2	sourceObjectInstance	–	ObjectInstance	c:o		
								1.1.10	stateChangeDefinition	{2 9 3 2 7 28}	SET OF SEQUENCE	o		
								1.1.10.1	attributeID	–	AttributeId	c:m		
								1.1.10.2	oldAttributeValue	–	ANY DEFINED BY attributeID	c:o		
								1.1.10.3	newAttributeValue	–	ANY DEFINED BY attributeID	c:m		
								1.1.11	monitoredAttributes	{2 9 3 2 7 15}	SET OF Attribute	o		
								1.1.12	proposedRepairActions	{2 9 3 2 7 19}	SET OF CHOICE	o		

Reemplazada por una versión más reciente

TABLE F.17/X.284 (continued)

clmodeTPM Notification support

Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Support		Additional information	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
					Con-firmed	Non-con-firmed								
								1.1.12.1	OBJECT IDENTIFIER	–	OBJECT IDENTIFIER	c:o.9		
								1.1.12.2	INTEGER	–	INTEGER	c:o.9		
								1.1.13	additionalText	{2 9 3 2 7 7}	GraphicString	o		
								1.1.14	additionalInformation	{2 9 3 2 7 6}	SET OF SEQUENCE	o		
								1.1.14.1	identifier	–	OBJECT IDENTIFIER	c:m		
								1.1.14.2	significance	–	BOOLEAN	c:o		
								1.1.14.3	information	–	ANY DEFINED BY identifier	c:m		
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectCreation	{2 9 3 2 10 6}		m				2.1	ObjectInfo		Information Syntax SEQUENCE	m		
								2.1.1	sourceIndicator	{2 9 3 2 7 26}	ENUMERATED	o		
								2.1.2	attributeList	{2 9 3 2 7 9}	SET OF Attribute	o		
								2.1.3	notificationIdentifier	{2 9 3 2 7 16}	INTEGER	o		
								2.1.4	correlatedNotifications	{2 9 3 2 7 12}	SET OF SEQUENCE	o		
								2.1.4.1	correlatedNotifications	{2 9 3 2 7 12}	SET OF INTEGER	c:m		
								2.1.4.2	sourceObjectInst	–	ObjectInstance	c:o		
								2.1.5	additionalText	{2 9 3 2 7 7}	GraphicString	o		
								2.1.6	additionalInformation	{2 9 3 2 7 6}	SET OF SEQUENCE	o		
								2.1.6.1	identifier	–	OBJECT IDENTIFIER	c:m		
								2.1.6.2	significance	–	BOOLEAN	c:o		
								2.1.6.3	information	–	ANY DEFINED BY identifier	c:m		

Reemplazada por una versión más reciente

TABLE F.17/X.284 (continued)

clmodeTPM Notification support

Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Support		Additional information	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
					Con-firmed	Non-con-firmed								
3	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectDeletion	{2 9 3 2 10 7}		m				3.1	ObjectInfo		Information Syntax SEQUENCE	m		
								3.1.1	sourceIndicator	{2 9 3 2 7 26}	ENUMERATED	o		
								3.1.2	attributeList	{2 9 3 2 7 9}	SET OF Attribute	o		
								3.1.3	notificationIdentifier	{2 9 3 2 7 16}	INTEGER	o		
								3.1.4	correlatedNotifications	{2 9 3 2 7 12}	SET OF SEQUENCE	o		
								3.1.4.1	correlatedNotifications	{2 9 3 2 7 12}	SET OF INTEGER	c:m		
								3.1.4.2	sourceObjectInstance	–	ObjectInstance	c:o		
								3.1.5	additionalText	{2 9 3 2 7 7}	GraphicString	o		
								3.1.6	additionalInformation	{2 9 3 2 7 6}	SET OF SEQUENCE	o		
								3.1.6.1	identifier	–	OBJECT IDENTIFIER	c:m		
								3.1.6.2	significance	–	BOOLEAN	c:o		
								3.1.6.3	information	–	ANY DEFINED BY identifier	c:m		
4	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: stateChange	{2 9 3 2 10 14}		m				4.1	StateChangeInfo		Information Syntax SEQUENCE	m		
								4.1.1	sourceIndicator	{2 9 3 2 7 26}	ENUMERATED	o		
								4.1.2	attributeIdentifierList	{2 9 3 2 7 8}	SET OF AttributeId	o		
								4.1.3	stateChangeDefinition	{2 9 3 2 7 28}	SET OF SEQUENCE	m		

Reemplazada por una versión más reciente

TABLE F.17/X.284 (concluded)

clmodeTPM Notification support

Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Support		Additional information	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
					Con- firmed	Non-con- firmed								
								4.1.3.1	attributeID	–	AttributeId	m		
								4.1.3.2	oldAttributeVal ue	–	ANY DEFINED BY attributeID	o		
								4.1.3.3	newAttributeVal ue	–	ANY DEFINED BY attributeID	m		
								4.1.4	notificationIdent ifier	{2 9 3 2 7 16}	INTEGER	o		
								4.1.5	correlatedNoti fications	{2 9 3 2 7 12}	SET OF SEQUENCE	o		
								4.1.5.1	correlatedNoti fications	{2 9 3 2 7 12}	SET OF INTEGER	c:m		
								4.1.5.2	sourceObjectInst	–	ObjectInstance	c:o		
								4.1.6	additionalText	{2 9 3 2 7 7}	GraphicString	o		
								4.1.7	additionalInform ation	{2 9 3 2 7 6}	SET OF SEQUENCE	o		
								4.1.7.1	identifier	–	OBJECT IDENTIFIER	c:m		
								4.1.7.2	significance	–	BOOLEAN	c:o		
								4.1.7.3	information	–	ANY DEFINED BY identifier	c:m		

Reemplazada por una versión más reciente

F.4.6 Actions

TABLE F.18/X.284

clmodeTPM Action support

Index	Action type template label	Value of object identifier for action type	Constraints and values	Status	Support	Additional information	Subindex	Action field name label	Constraints and values	Status	Support	Additional information
1	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: activate	{2 9 3 5 9 0}		m			1.1	ActionInfo	Information Syntax SET OF SEQUENCE	m		
							1.1.1	identifier	OBJECT IDENTIFIER	m		
							1.1.2	significance	BOOLEAN	o		
							1.1.3	information	ANY DEFINED BY identifier	m		
							1.2	ActionReply	Reply Syntax SET OF SEQUENCE	m		
							1.2.1	identifier	OBJECT IDENTIFIER	m		
							1.2.2	significance	BOOLEAN	o		
							1.2.3	information	ANY DEFINED BY identifier	m		
2	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: deactivate	{2 9 3 5 9 1}		m			2.1	ActionInfo	Information Syntax SET OF SEQUENCE	m		
							2.1.1	identifier	OBJECT IDENTIFIER	m		
							2.1.2	significance	BOOLEAN	o		
							2.1.3	information	ANY DEFINED BY identifier	m		
							2.2	ActionReply	Reply Syntax SET OF SEQUENCE	m		
							2.2.1	identifier	OBJECT IDENTIFIER	m		
							2.2.2	significance	BOOLEAN	o		
							2.2.3	information	ANY DEFINED BY identifier	m		

Reemplazada por una versión más reciente

F.4.7 Parameters

TABLE F.19/X.284

clmodeTPM Parameter support

Index	Package template label	Value of object identifier for parameter	Constraints and values	Status	Support	Additional information
1	clPMPDUHeader	{2 14 0 5 4}	EVENT-INFO communicationsAlarm	m		
2	clPMSourceAddress	{2 14 0 5 5}	EVENT-INFO communicationsAlarm	m		

F.5 The connection-oriented transport protocol machine managed object

F.5.1 Statement of conformance to the managed object class

TABLE F.20/X.284

comodeTPM Managed object class support

Index	Managed object class template label	Value of object identifier for class	Support of all mandatory features? (Y/N)	Is the actual class the same as the managed object class to which conformance is claimed? (Y/N)
1	comodeTPM	{2 14 0 3 4}		

If the answer to the actual class question in Table F.20 is no, the supplier of the implementation shall fill in the actual class support Table F.21.

TABLE F.21/X.284

comodeTPM Actual class support

Index	Managed object class template for actual class	Value of object identifier for managed object class definition of actual class	Additional information

Reemplazada por una versión más reciente

F.5.2 Packages

The supplier of the implementation shall state whether or not the packages specified by this managed object of this class are supported, in Table F.22.

TABLE F.22/X.284

comodeTPM Package support

Index	Package template label	Value of object identifier for package	Constraints and values	Status	Support	Additional information
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphicPackage	{2 9 3 2 4 17}	“if an object supports allomorhism”	c31		
2	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: coProtocolMachineP1		Mandatory	m		
3	comodeTPM-P		Mandatory	m		
4	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packagesPackage	{2 9 3 2 4 16}	“any registered package, other than this package has been instantiated”	c32		
5	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: topPackage		Mandatory	m		
c31: if F.20/1b then – else m c32: if F.22/1a then m else –						

F.5.3 Attributes

The supplier of the implementation shall state whether or not the attributes specified by all of the packages instantiated in a managed object of this class are supported, in the Support and Additional information columns of Table F.23. The supplier of the implementation shall indicate support for each of the operations for each attribute supported.

Reemplazada por una versión más reciente

TABLE F.23/X.284

comodeTPM Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace		Add		Remove		Set to default		Additional information
				Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: administrativeState	{2 9 3 2 7 31}	ENUMERATED	c33		m		m		–		–		c34		
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphs	{2 9 3 2 7 50}	SET OF ObjectClass	c35		c36		–		–		–		–		
3	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: coProtocolMachineId	{2 9 3 5 7 3}	GraphicString	c37		m		x		–		–		x		
4	localErrorDisconnects	{2 14 0 7 18}	INTEGER	c38		m		c34		–		–		c34		
5	localSuccessfulConnections	{2 14 0 7 14}	INTEGER	c38		m		c34		–		–		c34		
6	localUnsuccessfulConnections	{2 14 0 7 16}	INTEGER	c38		m		c34		–		–		c34		
7	maxConnections	{2 14 0 7 13}	INTEGER	c33		m		m		–		–		m		
8	maxOpenConnections	{2 14 0 7 21}	INTEGER	c33		m		c34		–		–		m		
9	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: nameBinding	{2 9 3 2 7 63}	OBJECT IDENTIFIER	c37		m		x		–		–		x		
10	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectClass	{2 9 3 2 7 65}	ObjectClass	c33		m		x		–		–		x		
11	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: octetsReceivedCounter	{2 9 3 2 7 78}	INTEGER	c38		m		c34		–		–		c34		
12	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: octetsSentCounter	{2 9 3 2 7 80}	INTEGER	c38		m		c34		–		–		c34		
13	openConnections	{2 14 0 7 12}	INTEGER	c38		m		c34		–		–		c34		
14	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: operationalState	{2 9 3 2 7 35}	ENUMERATED	x		m		x		–		–		x		

Reemplazada por una versión más reciente

TABLE F.23/X.284 (concluded)

comodeTPM Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace		Add		Remove		Set to default		Additional information
				Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	
15	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packages	{2 9 3 2 7 66}	SET OF OBJECT IDENTIFIER	c39		c40		c41		c41		c41		c41		
16	remoteErrorDisconnects	{2 14 0 7 19}	INTEGER	c38		m		c34		–		–		c34		
17	remoteSuccessfulConnections	{2 14 0 7 15}	INTEGER	c38		m		c34		–		–		c34		
18	remoteUnsuccessfulConnections	{2 14 0 7 17}	INTEGER	c38		m		c34		–		–		c34		
19	unassociatedTPDUs	{2 14 0 7 20}	INTEGER	c38		m		c34		–		–		c34		
c33: if G.1/10a then m else x c34: if F.20/1b then x else – c35: if F.22/1a then (if G.1/10a then o else x) else – c36: if F.22/1a then m else – c37: if G.1/10a then o else x c38: if F.20/1b or G.1/9a or G.1/11a then x else – c39: if F.22/4a then (if G.1/10a then o else x) else – c40: if F.22/4a then m else – c41: if F.22/4a then x else –																

Reemplazada por una versión más reciente

F.5.4 Attribute group

TABLE F.24/X.284

comodeTPM Attribute group support

Index	Attribute group template label	Value of object identifier for attribute group	Constraints and values	Get		Set to default		Additional information
				Status	Support	Status	Support	
1	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: counters	{2 9 3 5 8 0}	localErrorDisconnects localSuccessfulConnections localUnsuccessfulConnections maxOpenConnections “CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: octetsReceivedCounter “CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: octetsSentCounter openConnections remoteErrorDisconnects remoteSuccessfulConnections remoteUnsuccessfulConnections unassociatedTPDUs	m		c34		
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: state	{2 9 3 2 8 1}	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: administrativeState “CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: operationalState	m		c34		

Reemplazada por una versión más reciente

F.5.5 Notifications

TABLE F.25/X.284

comodeTPM Notification support

					Support									
Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Con-firmed	Non-con-firmed	Additional information	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
1	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: communicationsInformation	{2 9 3 5 10 0}		m			calledNSAPAddress-PAR calledTSelector-PAR callingNSAPAddress-PAR callingTSelector-PAR networkConnectionIDs-PAR rejectionCause	1.1	CommunicationInformation		Information Syntax SEQUENCE	m		
								1.1.1	informationType	{2 9 3 5 7 5}	OBJECT IDENTIFIER	m		
								1.1.2	informationData	{2 9 3 5 7 4}	SET OF SEQUENCE	o		
								1.1.2.1	identifier	–	OBJECT IDENTIFIER	c:m		
								1.1.2.2	significance	–	BOOLEAN	c:o		
								1.1.2.3	information	–	ANY DEFINED BY identifier	c:m		
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectCreation	{2 9 3 2 10 6}		m				2.1	ObjectInfo		Information Syntax SEQUENCE	m		
								2.1.1	sourceIndicator	{2 9 3 2 7 26}	ENUMERATED	o		
								2.1.2	attributeList	{2 9 3 2 7 9}	SET OF Attribute	o		

Reemplazada por una versión más reciente

TABLE F.25/X.284 (continued)

comodeTPM Notification support

Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Support		Additional information	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
					Con- firmed	Non-con- firmed								
								2.1.3	notificationIdentifier	{2 9 3 2 7 16}	INTEGER	o		
								2.1.4	correlatedNotifications	{2 9 3 2 7 12}	SET OF SEQUENCE	o		
								2.1.4.1	correlatedNotifications	{2 9 3 2 7 12}	SET OF INTEGER	c:m		
								2.1.4.2	sourceObjectInst	–	ObjectInstance	c:o		
								2.1.5	additionalText	{2 9 3 2 7 7}	GraphicString	o		
								2.1.6	additionalInformation	{2 9 3 2 7 6}	SET OF SEQUENCE	o		
								2.1.6.1	identifier	–	OBJECT IDENTIFIER	c:m		
								2.1.6.2	significance	–	BOOLEAN	c:o		
								2.1.6.3	information	–	ANY DEFINED BY identifier	c:m		
3	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectDeletion	{2 9 3 2 10 7}		m				3.1	ObjectInfo		Information Syntax SEQUENCE	m		
								3.1.1	sourceIndicator	{2 9 3 2 7 26}	ENUMERATED	o		
								3.1.2	attributeList	{2 9 3 2 7 9}	SET OF Attribute	o		
								3.1.3	notificationIdentifier	{2 9 3 2 7 16}	INTEGER	o		
								3.1.4	correlatedNotifications	{2 9 3 2 7 12}	SET OF SEQUENCE	o		
								3.1.4.1	correlatedNotifications	{2 9 3 2 7 12}	SET OF INTEGER	c:m		
								3.1.4.2	sourceObjectInst	–	ObjectInstance	c:o		
								3.1.5	additionalText	{2 9 3 2 7 7}	GraphicString	o		
								3.1.6	additionalInformation	{2 9 3 2 7 6}	SET OF SEQUENCE	o		

Reemplazada por una versión más reciente

TABLE F.25/X.284 (concluded)

comodeTPM Notification support

					Support									
Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Con-firmed	Non-con-firmed	Additional information	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
								3.1.6.1	identifier	–	OBJECT IDENTIFIER	c:m		
								3.1.6.2	significance	–	BOOLEAN	c:o		
								3.1.6.3	information	–	ANY DEFINED BY identifier	c:m		
4	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: stateChange	{2 9 3 2 10 14}		m				4.1	StateChangeInfo		Information Syntax SEQUENCE	m		
								4.1.1	sourceIndicator	{2 9 3 2 7 26}	ENUMERATED	o		
								4.1.2	attributeIdentifierList	{2 9 3 2 7 8}	SET OF AttributeId	o		
								4.1.3	stateChangeDefinition	{2 9 3 2 7 28}	SET OF SEQUENCE	m		
								4.1.3.1	attributeID	–	AttributeId	m		
								4.1.3.2	oldAttributeValue	–	ANY DEFINED BY attributeID	o		
								4.1.3.3	newAttributeValue	–	ANY DEFINED BY attributeID	m		
								4.1.4	notificationIdentifier	{2 9 3 2 7 16}	INTEGER	o		
								4.1.5	correlatedNotifications	{2 9 3 2 7 12}	SET OF SEQUENCE	o		
								4.1.5.1	correlatedNotifications	{2 9 3 2 7 12}	SET OF INTEGER	c:m		
								4.1.5.2	sourceObjectInst	–	ObjectInstance	c:o		
								4.1.6	additionalText	{2 9 3 2 7 7}	GraphicString	o		
								4.1.7	additionalInformation	{2 9 3 2 7 6}	SET OF SEQUENCE	o		
								4.1.7.1	identifier	–	OBJECT IDENTIFIER	c:m		
								4.1.7.2	significance	–	BOOLEAN	c:o		
								4.1.7.3	information	–	ANY DEFINED BY identifier	c:m		

Reemplazada por una versión más reciente

F.5.6 Actions

TABLE F.26/X.284
comodeTPM Action support

Index	Action type template label	Value of object identifier for action type	Constraints and values	Status	Support	Additional information	Subindex	Action field name label	Constraints and values	Status	Support	Additional information
1	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: activate	{2 9 3 5 9 0}		m			1.1	ActionInfo	Information Syntax SET OF SEQUENCE	m		
							1.1.1	identifier	OBJECT IDENTIFIER	m		
							1.1.2	significance	BOOLEAN	o		
							1.1.3	information	ANY DEFINED BY identifier	m		
							1.2	ActionReply	Reply Syntax SET OF SEQUENCE	m		
							1.2.1	identifier	OBJECT IDENTIFIER	m		
							1.2.2	significance	BOOLEAN	o		
							1.2.3	information	ANY DEFINED BY identifier	m		
2	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: deactivate	{2 9 3 5 9 1}		m			2.1	ActionInfo	Information Syntax SET OF SEQUENCE	m		
							2.1.1	identifier	OBJECT IDENTIFIER	m		
							2.1.2	significance	BOOLEAN	o		
							2.1.3	information	ANY DEFINED BY identifier	m		
							2.2	ActionReply	Reply Syntax SET OF SEQUENCE	m		
							2.2.1	identifier	OBJECT IDENTIFIER	m		
							2.2.2	significance	BOOLEAN	o		
							2.2.3	information	ANY DEFINED BY identifier	m		

Reemplazada por una versión más reciente

F.5.7 Parameters

TABLE F.27/X.284

comodeTPM Parameter support

Index	Parameter template label	Value of object identifier for parameter	Constraints and values	Status	Support	Additional information
1	calledNSAPAddress-PAR	(Not registered)	EVENT-INFO communicationsInformation	m		
2	calledTSelector-PAR	(Not registered)	EVENT-INFO communicationsInformation	m		
3	callingNSAPAddress-PAR	(Not registered)	EVENT-INFO communicationsInformation	m		
4	callingTSelector-PAR	(Not registered)	EVENT-INFO communicationsInformation	m		
5	networkConnectionIDs-PAR	(Not registered)	EVENT-INFO communicationsInformation	m		
6	rejectionCause	{2 14 0 5 7}	EVENT-INFO communicationsInformation	m		

F.6 The TSAP managed object

F.6.1 Statement of conformance to the managed object class

TABLE F.28/X.284

tSAP Managed object class support

Index	Managed object class template label	Value of object identifier for class	Support of all mandatory features? (Y/N)	Is the actual class the same as the managed object class to which conformance is claimed? (Y/N)
1	tSAP	{2 14 0 3 5}		

If the answer to the actual class question in Table F.28 is no, the supplier of the implementation shall fill in the actual class support Table F.29.

TABLE F.29/X.284

tSAP Actual class support

Index	Managed object class template for actual class	Value of object identifier for managed object class definition of actual class	Additional information

Reemplazada por una versión más reciente

F.6.2 Packages

The supplier of the implementation shall state whether or not the packages specified by this managed object of this class are supported, in Table F.30.

TABLE F.30/X.284

tSAP Package support

Index	Package template label	Value of object identifier for package	Constraints and values	Status	Support	Additional information
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphicPackage	{2 9 3 2 4 17}	“if an object supports allomorphism”	c42		
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packagesPackage	{2 9 3 2 4 16}	“any registered package, other than this package has been instantiated”	c43		
3	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: sap1P1		Mandatory	m		
4	tSAP-P		Mandatory	m		
5	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: topPackage		Mandatory	m		
c42: if F.28/1b then – else m c43: if F.30/1a then m else –						

F.6.3 Attributes

The supplier of the implementation shall state whether or not the attributes specified by all of the packages instantiated in a managed object of this class are supported, in the Support and Additional information columns of Table F.31. The supplier of the implementation shall indicate support for each of the operations for each attribute supported.

Reemplazada por una versión más reciente

TABLE F.31/X.284

tSAP Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace		Add		Remove		Set to default		Additional information
				Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphs	{2 9 3 2 7 50}	SET OF ObjectClass	c44		c45		–		–		–		–		
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: nameBinding	{2 9 3 2 7 63}	OBJECT IDENTIFIER	c46		m		x		–		–		x		
3	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectClass	{2 9 3 2 7 65}	ObjectClass	c47		m		x		–		–		x		
4	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packages	{2 9 3 2 7 66}	SET OF OBJECT IDENTIFIER	c48		c49		c50		c50		c50		c50		
5	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: sap1Address	{2 9 3 5 7 8}	INTEGER	c51		m		c52		–		–		c52		
6	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: sapId	{2 9 3 5 7 10}	GraphicString	c46		m		x		–		–		x		
7	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: userEntityNames	{2 9 3 5 7 15}	SET OF ObjectInstance	c51		m		c52		c52		c52		c52		
c44: if F.30/1a then (if G.1/13a then o else x) else – c45: if F.30/1a then m else – c46: if G.1/13a then o else x c47: if G.1/13a then m else x c48: if F.30/2a then (if G.1/13a then o else x) else – c49: if F.30/2a then m else – c50: if F.30/2a then x else – c51: if F.28/1b or G.1/12a or G.1/14a then x else – c52: if F.28/1b then x else –																

Reemplazada por una versión más reciente

F.6.4 Notifications

TABLE F.32/X.284
tSAP Notification support

					Support									
Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Con-firmed	Non-con-firmed	Additional information	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectCreation	{2 9 3 2 10 6}		m				1.1	ObjectInfo		Information Syntax SEQUENCE	m		
								1.1.1	sourceIndicator	{2 9 3 2 7 26}	ENUMERATED	o		
								1.1.2	attributeList	{2 9 3 2 7 9}	SET OF Attribute	o		
								1.1.3	notificationIdentifier	{2 9 3 2 7 16}	INTEGER	o		
								1.1.4	correlatedNotifications	{2 9 3 2 7 12}	SET OF SEQUENCE	o		
								1.1.4.1	correlatedNotifications	{2 9 3 2 7 12}	SET OF INTEGER	c:m		
								1.1.4.2	sourceObjectInst	–	ObjectInstance	c:o		
								1.1.5	additionalText	{2 9 3 2 7 7}	GraphicString	o		
								1.1.6	additionalInformation	{2 9 3 2 7 6}	SET OF SEQUENCE	o		
								1.1.6.1	identifier	–	OBJECT IDENTIFIER	c:m		
								1.1.6.2	significance	–	BOOLEAN	c:o		
								1.1.6.3	information	–	ANY DEFINED BY identifier	c:m		

Reemplazada por una versión más reciente

TABLE F.32/X.284 (concluded)

tSAP Notification support

Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Support		Additional information	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
					Con-firmed	Non-con-firmed								
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectDeletion	{2 9 3 2 10 7}		m				2.1	ObjectInfo		Information Syntax SEQUENCE	m		
								2.1.1	sourceIndicator	{2 9 3 2 7 26}	ENUMERATED	o		
								2.1.2	attributeList	{2 9 3 2 7 9}	SET OF Attribute	o		
								2.1.3	notificationIdentifier	{2 9 3 2 7 16}	INTEGER	o		
								2.1.4	correlatedNotifications	{2 9 3 2 7 12}	SET OF SEQUENCE	o		
								2.1.4.1	correlatedNotifications	{2 9 3 2 7 12}	SET OF INTEGER	c:m		
								2.1.4.2	sourceObjectInst	–	ObjectInstance	c:o		
								2.1.5	additionalText	{2 9 3 2 7 7}	GraphicString	o		
								2.1.6	additionalInformation	{2 9 3 2 7 6}	SET OF SEQUENCE	o		
								2.1.6.1	identifier	–	OBJECT IDENTIFIER	c:m		
								2.1.6.2	significance	–	BOOLEAN	c:o		
								2.1.6.3	information	–	ANY DEFINED BY identifier	c:m		

Reemplazada por una versión más reciente

F.7 The transport connection managed object

F.7.1 Statement of conformance to the managed object class

TABLE F.33/X.284

transportConnection Managed object class support

Index	Managed object class template label	Value of object identifier for class	Support of all mandatory features? (Y/N)	Is the actual class the same as the managed object class to which conformance is claimed? (Y/N)
1	transportConnection	{2 14 0 3 7}		

If the answer to the actual class question in Table F.33 is no, the supplier of the implementation shall fill in the actual class support Table F.34.

TABLE F.34/X.284

transportConnection Actual class support

Index	Managed object class template for actual class	Value of object identifier for managed object class definition of actual class	Additional information

F.7.2 Packages

The supplier of the implementation shall state whether or not the packages specified by this managed object of this class are supported, in Table F.35.

TABLE F.35/X.284

transportConnection Package support

Index	Package template label	Value of object identifier for package	Constraints and values	Status	Support	Additional information
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphicPackage	{2 9 3 2 4 17}	“if an object supports allomorphism”	c53		
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packagesPackage	{2 9 3 2 4 16}	“any registered package, other than this package has been instantiated”	c54		
3	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: singlePeerConnectionP1		Mandatory	m		
4	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: singlePeerConnectionP2	{2 9 3 5 4 2}	“The names of the connections supported by this connection can be provided”	o		

Reemplazada por una versión más reciente

TABLE F.35/X.284

transportConnection Package support

Index	Package template label	Value of object identifier for package	Constraints and values	Status	Support	Additional information
5	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: topPackage		Mandatory	m		
6	transportConnection-P		Mandatory	m		
7	transportConnectionClass1-P	{2 14 0 4 5}	“At the initiating side, present if class 1 is requested or can be accepted following class negotiation procedures. At the responding side, present if class 1 is chosen”	o		
8	transportConnectionClass2-P	{2 14 0 4 6}	“At the initiating side, present if class 2 is requested or can be accepted following class negotiation procedures. At the responding side, present if class 2 is chosen”	o		
9	transportConnectionClass3-P	{2 14 0 4 7}	“At the initiating side, present if class 3 is requested or can be accepted following class negotiation procedures. At the responding side, present if class 3 is chosen”	o		
10	transportConnectionClass4-P	{2 14 0 4 8}	“At the initiating side, present if class 4 is requested or can be accepted following class negotiation procedures. At the responding side, present if class 4 is chosen”	o		
11	transportConnectionNCMS-P	{2 14 0 4 9}	“NCMS is implemented”	o		
c53: if F.33/1b then – else m						
c54: if F.35/1a or F.35/2a or F.35/4a or F.35/7a or F.35/8a or F.35/9a or F.35/10a or F.35/11a then m else –						

F.7.3 Attributes

The supplier of the implementation shall state whether or not the attributes specified by all of the packages instantiated in a managed object of this class are supported, in the Support and Additional information columns of Table F.36. The supplier of the implementation shall indicate support for each of the operations for each attribute supported.

Reemplazada por una versión más reciente

TABLE F.36/X.284

transportConnection Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace		Add		Remove		Set to default		Additional information
				Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	
1	acknowledgeTime	{2 14 0 7 47}	SEQUENCE	c55		c56		c57		–		–		c57		
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphs	{2 9 3 2 7 50}	SET OF ObjectClass	c58		c59		–		–		–		–		
3	calledNSAPAddress	{2 14 0 7 58}	OCTET STRING	x		m		c60		–		–		c60		
4	calledTSelector	{2 14 0 7 56}	OCTET STRING	x		m		c60		–		–		c60		
5	callingNSAPAddress	{2 14 0 7 57}	OCTET STRING	x		m		c60		–		–		c60		
6	callingTSelector	{2 14 0 7 55}	OCTET STRING	x		m		c60		–		–		c60		
7	checksumNonuse	{2 14 0 7 43}	BOOLEAN	c55		c56		c57		–		–		c57		
8	connectionDirection	{2 14 0 7 60}	ENUMERATED	x		m		c60		–		–		c60		
9	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: connectionId	{2 9 3 5 7 1}	GraphicString	x		m		x		–		–		x		
10	explicitFlowControl	{2 14 0 7 45}	BOOLEAN	c61		c62		c63		–		–		c63		
11	extendedFormat	{2 14 0 7 41}	BOOLEAN	c55		c56		c57		–		–		c57		
12	inactivityTime	{2 14 0 7 46}	SEQUENCE	c55		c56		c57		–		–		c57		
13	localReference	{2 14 0 7 53}	INTEGER	x		m		c60		–		–		c60		
14	maxTPDUSize	{2 14 0 7 51}	INTEGER	x		m		c60		–		–		c60		
15	maxTransmissions	{2 14 0 7 52}	INTEGER	c55		c56		c57		–		–		c57		
16	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: nameBinding	{2 9 3 2 7 63}	OBJECT IDENTIFIER	x		m		x		–		–		x		
17	networkConnectionIDs	{2 14 0 7 61}	SET OF other	x		m		c60		c60		c60		c60		
18	networkExpeditedData	{2 14 0 7 42}	BOOLEAN	c64		c65		c66		–		–		c66		
19	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectClass	{2 9 3 2 7 65}	ObjectClass	x		m		x		–		–		x		

Reemplazada por una versión más reciente

TABLE F.36/X.284 (concluded)

transportConnection Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace		Add		Remove		Set to default		Additional information
				Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	
20	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: octetsReceivedCounter	{2 9 3 2 7 78}	INTEGER	x		m		c60		–		–		c60		
21	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: octetsSentCounter	{2 9 3 2 7 80}	INTEGER	x		m		c60		–		–		c60		
22	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packages	{2 9 3 2 7 66}	SET OF OBJECT IDENTIFIER	c67		c68		c67		c67		c67		c67		
23	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: pdusReceivedCounter	{2 9 3 2 7 86}	INTEGER	x		m		c60		–		–		c60		
24	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: pdusRetransmittedErrorCounter	{2 9 3 2 7 87}	INTEGER	x		m		c60		–		–		c60		
25	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: pdusSentCounter	{2 9 3 2 7 88}	INTEGER	x		m		c60		–		–		c60		
26	protocolClass	{2 14 0 7 40}	ENUMERATED	x		m		c60		–		–		c60		
27	protocolErrors	{2 14 0 7 7}	INTEGER	x		m		c60		–		–		c60		
28	reassignmentTime	{2 14 0 7 48}	SEQUENCE	c69		c70		c71		–		–		c71		
29	reassignmentsAfterFailure	{2 14 0 7 62}	INTEGER	c69		c70		c71		–		–		c71		
30	receiptConfirmation	{2 14 0 7 44}	BOOLEAN	c64		c65		c66		–		–		c66		
31	relatingNCCMONames	{2 14 0 7 66}	SET OF other	c72		c73		c74		c74		c74		c74		
32	remoteReference	{2 14 0 7 54}	INTEGER	x		m		c60		–		–		c60		
33	respondingNSAPAddress	{2 14 0 7 59}	OCTET STRING	x		m		c60		–		–		c60		

Reemplazada por una versión más reciente

TABLE F.36/X.284 (concluded)

transportConnection Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace		Add		Remove		Set to default		Additional information
				Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	
34	retransmissionTime	{2 14 0 7 49}	SEQUENCE	c55		c56		c57		–		–		c57		
35	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: supportedConnectionNames	{2 9 3 5 7 12}	SET OF ObjectInstance	c75		c76		c77		c77		c77		c77		
36	transportExpeditedService	{2 14 0 7 65}	BOOLEAN	c55		c56		c57		–		–		c57		
37	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: underlyingConnectionNames	{2 9 3 5 7 14}	SET OF ObjectInstance	x		m		c60		c60		c60		c60		
38	windowTimer	{2 14 0 7 50}	SEQUENCE	c61		c62		c63		–		–		c63		
c55: if F.35/10a then x else – c56: if F.35/10a then m else – c57: if F.33/1b and F.35/10a then x else – c58: if F.35/1a then x else – c59: if F.35/1a then m else – c60: if F.33/1b then x else – c61: if F.35/8a then x else – c62: if F.35/8a then m else – c63: if F.33/1b and F.35/8a then x else – c64: if F.35/7a then x else – c65: if F.35/7a then m else – c66: if F.33/1b and F.35/7a then x else – c67: if F.35/2a then x else – c68: if F.35/2a then m else – c69: if F.35/9a then x else – c70: if F.35/9a then m else – c71: if F.33/1b and F.35/9a then x else – c72: if F.35/11a then x else – c73: if F.35/11a then m else – c74: if F.33/1b and F.35/11a then x else – c75: if F.35/4a then x else – c76: if F.35/4a then m else – c77: if F.33/1b and F.35/4a then x else –																

Reemplazada por una versión más reciente

F.7.4 Attribute group

TABLE F.37/X.284

transportConnection Attribute group support

Index	Attribute group template label	Value of object identifier for attribute group	Constraints and values	Get		Set to default		Additional information
				Status	Support	Status	Support	
1	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: counters	{2 9 3 5 8 0}	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: octetsReceivedCounter “CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: octetsSentCounter “CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: pdusReceivedCounter “CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: pdusRetransmittedErrorCounter “CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: pdusSentCounter protocolErrors	m		c60		

Reemplazada por una versión más reciente

F.7.5 Notifications

TABLE F.38/X.284

transportConnection Notification support

					Support									
Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Con-firmed	Non-con-firmed	Additional information	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
1	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: communicationsInformation	{2 9 3 5 10 0}		m			calledNSAPAddress-PAR calledTSelector-PAR callingNSAPAddress-PAR callingTSelector-PAR connectionDirection-PAR maxTPDUSize-PAR networkConnectionIDs-PAR protocolClass-PAR respondingNSAPAddress-PAR transportConnectionName	1.1	Communication Information		Information Syntax SEQUENCE	m		

Reemplazada por una versión más reciente

TABLE F.38/X.284 (continued)

transportConnection Notification support

					Support									
Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Con- firmed	Non-con- firmed	Additional information	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
								1.1.1	informationType	{2 9 3 5 7 5}	OBJECT IDENTIFIER	m		
								1.1.2	informationData	{2 9 3 5 7 4}	SET OF SEQUENCE	o		
								1.1.2.1	identifier	–	OBJECT IDENTIFIER	c:m		
								1.1.2.2	significance	–	BOOLEAN	c:o		
								1.1.2.3	information	–	ANY DEFINED BY identifier	c:m		
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectCreation	{2 9 3 2 10 6}		m			calledNSAPAddress-PAR calledTSelector-PAR callingNSAPAddress-PAR callingTSelector-PAR connectionDirection-PAR maxTPDUSize-PAR networkConnectionIDs-PAR protocolClass-PAR respondingNSAPAddress-PAR transportConnectionName	2.1	ObjectInfo		Information Syntax SEQUENCE	m		

Reemplazada por una versión más reciente

TABLE F.38/X.284 (continued)

transportConnection Notification support

Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Support		Additional information	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
					Con-firmed	Non-con-firmed								
								2.1.1	sourceIndicator	{2 9 3 2 7 26}	ENUMERATED	o		
								2.1.2	attributeList	{2 9 3 2 7 9}	SET OF Attribute	o		
								2.1.3	notificationIdentifier	{2 9 3 2 7 16}	INTEGER	o		
								2.1.4	correlatedNotifications	{2 9 3 2 7 12}	SET OF SEQUENCE	o		
								2.1.4.1	correlatedNotifications	{2 9 3 2 7 12}	SET OF INTEGER	c:m		
								2.1.4.2	sourceObjectInst	–	ObjectInstance	c:o		
								2.1.5	additionalText	{2 9 3 2 7 7}	GraphicString	o		
								2.1.6	additionalInformation	{2 9 3 2 7 6}	SET OF SEQUENCE	o		
								2.1.6.1	identifier	–	OBJECT IDENTIFIER	c:m		
								2.1.6.2	significance	–	BOOLEAN	c:o		
								2.1.6.3	information	–	ANY DEFINED BY identifier	c:m		

Reemplazada por una versión más reciente

TABLE F.38/X.284 (continued)

transportConnection Notification support

Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Support		Additional information	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
					Con-firmed	Non-con-firmed								
3	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectDeletion	{2 9 3 2 10 7}		m			calledNSAPAddress-PAR calledTSelector-PAR callingNSAPAddress-PAR callingTSelector-PAR connectionDirection-PAR maxTPDUSize-PAR networkConnectionIDs-PAR objectDeletionCause protocolClass-PAR respondingNSAPAddress-PAR transportConnectionName	3.1	ObjectInfo		Information Syntax SEQUENCE	m		

Reemplazada por una versión más reciente

TABLE F.38/X.284 (concluded)

transportConnection Notification support

Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Support		Additional information	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
					Con-firmed	Non-con-firmed								
								3.1.1	sourceIndicator	{2 9 3 2 7 26}	ENUMERATED	o		
								3.1.2	attributeList	{2 9 3 2 7 9}	SET OF Attribute	o		
								3.1.3	notificationIdentifier	{2 9 3 2 7 16}	INTEGER	o		
								3.1.4	correlatedNotifications	{2 9 3 2 7 12}	SET OF SEQUENCE	o		
								3.1.4.1	correlatedNotifications	{2 9 3 2 7 12}	SET OF INTEGER	c:m		
								3.1.4.2	sourceObjectInst	–	ObjectInstance	c:o		
								3.1.5	additionalText	{2 9 3 2 7 7}	GraphicString	o		
								3.1.6	additionalInformation	{2 9 3 2 7 6}	SET OF SEQUENCE	o		
								3.1.6.1	identifier	–	OBJECT IDENTIFIER	c:m		
								3.1.6.2	significance	–	BOOLEAN	c:o		
								3.1.6.3	information	–	ANY DEFINED BY identifier	c:m		

Reemplazada por una versión más reciente

F.7.6 Parameters

TABLE F.39/X.284

transportConnection Parameter support

Index	Parameter template label	Value of object identifier for parameter	Constraints and values	Status	Support	Additional information
1	calledNSAPAddress-PAR	(Not registered)	EVENT-INFO communicationsInformation	m		
2	calledTSelector-PAR	(Not registered)	EVENT-INFO communicationsInformation	m		
3	callingNSAPAddress-PAR	(Not registered)	EVENT-INFO communicationsInformation	m		
4	callingTSelector-PAR	(Not registered)	EVENT-INFO communicationsInformation	m		
5	connectionDirection-PAR	(Not registered)	EVENT-INFO communicationsInformation	m		
6	maxTPDUSize-PAR	(Not registered)	EVENT-INFO communicationsInformation	m		
7	networkConnectionIDs-PAR	(Not registered)	EVENT-INFO communicationsInformation	m		
8	protocolClass-PAR	(Not registered)	EVENT-INFO communicationsInformation	m		
9	respondingNSAPAddress-PAR	(Not registered)	EVENT-INFO communicationsInformation	m		
10	transportConnectionName	(Not registered)	EVENT-INFO communicationsInformation	m		
11	calledNSAPAddress-PAR	(Not registered)	EVENT-INFO objectCreation	m		
12	calledTSelector-PAR	(Not registered)	EVENT-INFO objectCreation	m		
13	callingNSAPAddress-PAR	(Not registered)	EVENT-INFO objectCreation	m		
14	callingTSelector-PAR	(Not registered)	EVENT-INFO objectCreation	m		
15	connectionDirection-PAR	(Not registered)	EVENT-INFO objectCreation	m		
16	maxTPDUSize-PAR	(Not registered)	EVENT-INFO objectCreation	m		
17	networkConnectionIDs-PAR	(Not registered)	EVENT-INFO objectCreation	m		
18	protocolClass-PAR	(Not registered)	EVENT-INFO objectCreation	m		
19	respondingNSAPAddress-PAR	(Not registered)	EVENT-INFO objectCreation	m		
20	transportConnectionName	(Not registered)	EVENT-INFO objectCreation	m		
21	calledNSAPAddress-PAR	(Not registered)	EVENT-INFO objectDeletion	m		
22	calledTSelector-PAR	(Not registered)	EVENT-INFO objectDeletion	m		
23	callingNSAPAddress-PAR	(Not registered)	EVENT-INFO objectDeletion	m		
24	callingTSelector-PAR	(Not registered)	EVENT-INFO objectDeletion	m		
25	connectionDirection-PAR	(Not registered)	EVENT-INFO objectDeletion	m		
26	maxTPDUSize-PAR	(Not registered)	EVENT-INFO objectDeletion	m		
27	networkConnectionIDs-PAR	(Not registered)	EVENT-INFO objectDeletion	m		
28	objectDeletionCause	{2 14 0 5 6}	EVENT-INFO objectDeletion	m		
29	protocolClass-PAR	(Not registered)	EVENT-INFO objectDeletion	m		
30	respondingNSAPAddress-PAR	(Not registered)	EVENT-INFO objectDeletion	m		
31	transportConnectionName	(Not registered)	EVENT-INFO objectDeletion	m		

Reemplazada por una versión más reciente

F.8 The transport connection IVMO

F.8.1 Statement of conformance to the managed object class

TABLE F.40/X.284

transportConnectionIVMO Managed object class support

Index	Managed object class template label	Value of object identifier for class	Support of all mandatory features? (Y/N)	Is the actual class the same as the managed object class to which conformance is claimed? (Y/N)
1	transportConnectionIVMO	{2 14 0 3 6}		

If the answer to the actual class question in Table F.40 is no, the supplier of the implementation shall fill in the actual class support Table F.41.

TABLE F.41/X.284

transportConnectionIVMO Actual class support

Index	Managed object class template for actual class	Value of object identifier for managed object class definition of actual class	Additional information

F.8.2 Packages

The supplier of the implementation shall state whether or not the packages specified by this managed object of this class are supported, in Table F.42.

TABLE F.42/X.284

transportConnectionIVMO Package support

Index	Package template label	Value of object identifier for package	Constraints and values	Status	Support	Additional information
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphicPackage	{2 9 3 2 4 17}	“if an object supports allomorphy”	c78		
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packagesPackage	{2 9 3 2 4 16}	“any registered package, other than this package has been instantiated”	c79		
3	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: topPackage		Mandatory	m		
4	transportConnectionIVMO-P		Mandatory	m		
5	transportConnectionIVMOCClass1-P	{2 14 0 4 1}	“Transport Class 1 is implemented”	c80		

Reemplazada por una versión más reciente

TABLE F.42/X.284 (*concluded*)

transportConnectionIVMO Package support

Index	Package template label	Value of object identifier for package	Constraints and values	Status	Support	Additional information
6	transportConnectionIVMOClass2-P	{2 14 0 4 2}	“Transport Class 2 is implemented”	c81		
7	transportConnectionIVMOClass3-P	{2 14 0 4 3}	“Transport Class 3 is implemented”	c82		
8	transportConnectionIVMOClass4-P	{2 14 0 4 4}	“Transport Class 4 is implemented”	c83		
c78: if F.40/1b then – else m c79: if F.42/1a or F.42/5a or F.42/6a or F.42/7a or F.42/8a then m else – c80: if F.35/7a then m else o c81: if F.35/8a then m else o c82: if F.35/9a then m else o c83: if F.35/10a then m else o						

F.8.3 Attributes

The supplier of the implementation shall state whether or not the attributes specified by all of the packages instantiated in a managed object of this class are supported, in the Support and Additional information columns of Table F.43. The supplier of the implementation shall indicate support for each of the operations for each attribute supported.

Reemplazada por una versión más reciente

TABLE F.43/X.284

transportConnectionIVMO Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace		Add		Remove		Set to default		Additional information
				Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphs	{2 9 3 2 7 50}	SET OF ObjectClass	c84		c85		–		–		–		-		
2	checksumNonuse	{2 14 0 7 43}	BOOLEAN	c86		c86		c86		–		–		c86		
3	explicitFlowControl	{2 14 0 7 45}	BOOLEAN	c87		c87		c87		–		–		c87		
4	extendedFormat	{2 14 0 7 41}	BOOLEAN	c86		c86		c86		–		–		c86		
5	inactivityTime	{2 14 0 7 46}	SEQUENCE	c86		c86		c86		–		–		c86		
6	maxTPDUSize	{2 14 0 7 51}	INTEGER	m		m		m		–		–		m		
7	maxTransmissions	{2 14 0 7 52}	INTEGER	c86		c86		c86		–		–		c86		
8	maximumWindow	{2 14 0 7 36}	INTEGER	c86		c86		c86		–		–		c86		
9	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: nameBinding	{2 9 3 2 7 63}	OBJECT IDENTIFIER	o		m		x		–		–		x		
10	networkExpeditedData	{2 14 0 7 42}	BOOLEAN	c88		c88		c88		–		–		c88		
11	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectClass	{2 9 3 2 7 65}	ObjectClass	m		m		x		–		–		x		
12	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packages	{2 9 3 2 7 66}	SET OF OBJECT IDENTIFIER	c89		c90		c91		c91		c91		c91		
13	protocolClasses	{2 14 0 7 26}	SET OF ENUMERATED	m		m		m		c92		c92		m		
14	reassignmentTime	{2 14 0 7 48}	SEQUENCE	c93		c93		c93		–		–		c93		

Reemplazada por una versión más reciente

TABLE F.43/X.284 (*concluded*)

transportConnectionIVMO Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace		Add		Remove		Set to default		Additional information
				Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	
15	receiptConfirmation	{2 14 0 7 44}	BOOLEAN	c88		c88		c88		–		–		c88		
16	retransmissionTime	{2 14 0 7 49}	SEQUENCE	c86		c86		c86		–		–		c86		
17	transportConnectionIVMOId	{2 14 0 7 25}	GraphicString	o		m		x		–		–		x		
18	transportExpeditedService	{2 14 0 7 65}	BOOLEAN	c86		c86		c86		–		–		c86		
19	windowTimer	{2 14 0 7 50}	SEQUENCE	c86		c86		c86		–		–		c86		
c84: if F.42/1a then o else – c85: if F.42/1a then m else – c86: if F.42/8a then m else – c87: if F.42/6a then m else – c88: if F.42/5a then m else – c89: if F.42/2a then o else – c90: if F.42/2a then m else – c91: if F.42/2a then x else – c92: if F.40/1b then x else – c93: if F.42/7a then m else –																

Reemplazada por una versión más reciente

F.9 The communication information record managed object (ITU-T Rec. X.723 (1993) | ISO/IEC 10165-5:1994)

F.9.1 Statement of conformance to the managed object class

TABLE F.44/X.284

communicationInformationRecord Managed object class support

Index	Managed object class template label	Value of object identifier for class	Support of all mandatory features? (Y/N)	Is the actual class the same as the managed object class to which conformance is claimed? (Y/N)
1	communicationInformationRecord	{2 9 3 5 4 0}		

If the answer to the actual class question in Table F.44 is no, the supplier of the implementation shall fill in the actual class support Table F.45.

TABLE F.45/X.284

communicationInformationRecord Actual class support

Index	Managed object class template for actual class	Value of object identifier for managed object class definition of actual class	Additional information

F.9.2 Packages

The supplier of the implementation shall state whether or not the packages specified by this managed object of this class are supported, in Table F.46.

TABLE F.46/X.284

communicationInformationRecord Package support

Index	Package template label	Value of object identifier for package	Constraints and values	Status	Support	Additional information
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphicPackage	{2 9 3 2 4 17}	“if an object supports allomorphism”	c94		
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packagesPackage	{2 9 3 2 4 16}	“any registered package, other than this package has been instantiated”	c95		
3	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: topPackage		Mandatory	m		
4	logRecordPackage		Mandatory	m		
5	eventLogRecordPackage		Mandatory	m		
6	eventTimePackage	{2 9 3 2 4 11}	“the event time parameter was present in the received event report”	o		

Reemplazada por una versión más reciente

TABLE F.46/X.284 (concluded)

communicationInformationRecord Package support

Index	Package template label	Value of object identifier for package	Constraints and values	Status	Support	Additional information
7	notificationIdentifierPackage	{2 9 3 2 4 24}	“the notification identifier parameter is present in the notification or event report corresponding to the instance of an event record or an instance of its subclasses”	o		
8	correlatedNotificationsPackage	{2 9 3 2 4 23}	“the correlatedNotifications parameter is present in the notification or event report corresponding to the instance of an event record or an instance of its subclasses”	o		
9	additionalTextPackage	{2 9 3 2 4 19}	“the Additional text parameter is present in the notification or report corresponding to the instance of event record or an instance of its subclasses”	o		
10	additionalInformationPackage	{2 9 3 2 4 18}	“the Additional information parameter is present in the notification or report corresponding to the instance of event record or an instance of its subclasses”	o		
11	communicationInformationRecordP1		Mandatory	m		
12	informationDataPackage	{2 14 0 4 1}	“the informationData parameter is present in the communicationsInformation event report corresponding to the instance of communicationsInformationRecord”	o		
c94: if F.44/1b then – else m						
c95: if F.46/2a or F.46/6a or F.46/7a or F.46/8a or F.46/9a or F.46/10a or F.46/12a then m else –						

F.9.3 Attributes

The supplier of the implementation shall state whether or not the attributes specified by all of the packages instantiated in a managed object of this class are supported, in the Support and Additional information columns of Table F.40. The supplier of the implementation shall indicate support for each of the operations for each attribute supported.

Reemplazada por una versión más reciente

TABLE F.47/X.284

communicationInformationRecord Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace		Add		Remove		Set to default		Additional information
				Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphs	{2 9 3 2 7 50}	SET OF ObjectClass	c96		c97		–		–		–		–		
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: nameBinding	{2 9 3 2 7 63}	OBJECT IDENTIFIER	x		m		x		–		–		–		
3	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectClass	{2 9 3 2 7 65}	ObjectClass	x		m		x		–		–		–		
4	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packages	{2 9 3 2 7 66}	SET OF OBJECT IDENTIFIER	c98		c99		c98		c98		c98		–		
5	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: logRecordId	{2 9 3 2 7 3}		x		m		x		–		–		–		
6	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: loggingTime	{2 9 3 2 7 59}		x		m		x		–		–		–		
7	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: managedObjectClass	{2 9 3 2 7 60}		x		m		x		–		–		–		
8	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: managedObjectInstance	{2 9 3 2 7 61}		x		m		x		–		–		–		
9	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: eventType	{2 9 3 2 7 14}		x		m		x		–		–		–		
10	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: eventTime	{2 9 3 2 7 13}		c100		c101		c100		–		–		–		

Reemplazada por una versión más reciente

TABLE F.47/X.284 (concluded)

communicationInformationRecord Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace		Add		Remove		Set to default		Additional information
				Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	
11	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: notificationIdentifier	{2 9 3 2 7 16}		c102		c103		c102		–		–		–		
12	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: correlatedNotifications	{2 9 3 2 7 12}		c104		c105		c104		–		–		–		
13	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: additionalText	{2 9 3 2 7 7}		c106		c107		c106		–		–		–		
14	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: additionalInformation	{2 9 3 2 7 6}		c108		c109		c108		–		–		–		
15	informationType	{2 14 0 7 43}		x		m		x		–		–		–		
16	informationData	{2 14 0 7 45}		c110		c111		c110		c110		c110		–		
c96: if F.46/1a then x else – c97: if F.46/1a then m else – c98: if F.46/2a then x else – c99: if F.46/2a then m else – c100: if F.46/6a then m else – c101: if F.46/6a then x else – c102: if F.46/7a then m else – c103: if F.46/7a then x else – c104: if F.46/8a then m else – c105: if F.46/8a then x else – c106: if F.46/9a then m else – c107: if F.46/9a then x else – c108: if F.46/10a then m else – c109: if F.46/10a then x else – c110: if F.46/12a then x else – c111: if F.46/12a then m else –																

Reemplazada por una versión más reciente

F.10 The NCMS Protocol Machine managed object

F.10.1 Statement of conformance to the managed object class

TABLE F.48/X.284

ncmsPM Managed object class support

Index	Managed object class template label	Value of object identifier for class	Support of all mandatory features? (Y/N)	Is the actual class the same as the managed object class to which conformance is claimed? (Y/N)
1	ncmsPM	{2 14 0 3 8}		

If the answer to the actual class question in Table F.48 is no, the supplier of the implementation shall fill in the actual class support Table F.49.

TABLE F.49/X.284

ncmsPM Actual class support

Index	Managed object class template for actual class	Value of object identifier for managed object class definition of actual class	Additional information

F.10.2 Packages

The supplier of the implementation shall state whether or not the packages specified by this managed object of this class are supported, in Table F.50.

TABLE F.50/X.284

ncmsPM Package support

Index	Package template label	Value of object identifier for package	Constraints and values	Status	Support	Additional information
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphicPackage	{2 9 3 2 4 17}	“if an object supports allomorphism”	c112		
2	ncmsPM-P		Mandatory	m		
3	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packagesPackage	{2 9 3 2 4 16}	“any registered package, other than this package has been instantiated”	c113		
4	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: topPackage		Mandatory	m		
c112: if F.48/1b then – else m c113: if F.50/1a then m else –						

F.10.3 Attributes

The supplier of the implementation shall state whether or not the attributes specified by all of the packages instantiated in a managed object of this class are supported, in the Support and Additional information columns of Table F.51. The supplier of the implementation shall indicate support for each of the operations for each attribute supported.

Reemplazada por una versión más reciente

TABLE F.51/X.284

ncmsPM Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace		Add		Remove		Set to default		Additional information
				Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: administrativeState	{2 9 3 2 7 31}	ENUMERATED	c114		m		m		–		–		c115		
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphs	{2 9 3 2 7 50}	SET OF ObjectClass	c116		c117		–		–		–		–		
3	ncmsPMId	{2 14 0 7 67}	GraphicString	c118		m		x		–		–		x		
4	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: nameBinding	{2 9 3 2 7 63}	OBJECT IDENTIFIER	c118		m		x		–		–		x		
5	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectClass	{2 9 3 2 7 65}	ObjectClass	c114		m		x		–		–		x		
6	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: operationalState	{2 9 3 2 7 35}	ENUMERATED	x		m		x		–		–		x		
7	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packages	{2 9 3 2 7 66}	SET OF OBJECT IDENTIFIER	c119		c120		c121		c121		c121		c121		
c114: if G.1/19a then m else x c115: if F.48/1b then x else – c116: if F.50/1a then (if G.1/19a then o else x) else – c117: if F.50/1a then m else – c118: if G.1/19a then o else x c119: if F.50/3a then (if G.1/19a then o else x) else – c120: if F.50/3a then m else – c121: if F.50/3a then x else –																

Reemplazada por una versión más reciente

F.10.4 Notifications

TABLE F.52/X.284

ncmsPM Notification support

					Support									
Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Con-firmed	Non-con-firmed	Additional information	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
1	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: communicationsInformation	{2 9 3 5 10 0}		m			ncmsPMPD UHeader ncmsPMSourceAddress	1.1	Communication sInformation		Information Syntax SEQUENCE	m		
								1.1.1	informationType	{2 9 3 5 7 5}	OBJECT IDENTIFIER	m		
								1.1.2	informationData	{2 9 3 5 7 4}	SET OF SEQUENCE	o		
								1.1.2.1	identifier	–	OBJECT IDENTIFIER	c:m		
								1.1.2.2	significance	–	BOOLEAN	c:o		
								1.1.2.3	information	–	ANY DEFINED BY identifier	c:m		
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectCreation	{2 9 3 2 10 6}		m				2.1	ObjectInfo		Information Syntax SEQUENCE	m		
								2.1.1	sourceIndicator	{2 9 3 2 7 26}	ENUMERATED	o		
								2.1.2	attributeList	{2 9 3 2 7 9}	SET OF Attribute	o		
								2.1.3	notificationIdentifier	{2 9 3 2 7 16}	INTEGER	o		
								2.1.4	correlatedNotifications	{2 9 3 2 7 12}	SET OF SEQUENCE	o		
								2.1.4.1	correlatedNotifications	{2 9 3 2 7 12}	SET OF INTEGER	c:m		
								2.1.4.2	sourceObjectInst	–	ObjectInstance	c:o		

Reemplazada por una versión más reciente

TABLE F.52/X.284 (continued)

ncmsPM Notification support

Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Support		Additional information	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
					Con-firmed	Non-con-firmed								
								2.1.5	additionalText	{2 9 3 2 7 7}	GraphicString	o		
								2.1.6	additionalInfor-mation	{2 9 3 2 7 6}	SET OF SEQUENCE	o		
								2.1.6.1	identifier	–	OBJECT IDENTIFIER	c:m		
								2.1.6.2	significance	–	BOOLEAN	c:o		
								2.1.6.3	information	–	ANY DEFINED BY identifier	c:m		
3	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectDeletion	{2 9 3 2 10 7}		m				3.1	ObjectInfo		Information Syntax SEQUENCE	m		
								3.1.1	sourceIndicator	{2 9 3 2 7 26}	ENUMERATED	o		
								3.1.2	attributeList	{2 9 3 2 7 9}	SET OF Attribute	o		
								3.1.3	notificationIdentifier	{2 9 3 2 7 16}	INTEGER	o		
								3.1.4	correlatedNotifications	{2 9 3 2 7 12}	SET OF SEQUENCE	o		
								3.1.4.1	correlatedNotifications	{2 9 3 2 7 12}	SET OF INTEGER	c:m		
								3.1.4.2	sourceObjectInst	–	ObjectInstance	c:o		
								3.1.5	additionalText	{2 9 3 2 7 7}	GraphicString	o		
								3.1.6	additionalInfor-mation	{2 9 3 2 7 6}	SET OF SEQUENCE	o		
								3.1.6.1	identifier	–	OBJECT IDENTIFIER	c:m		
								3.1.6.2	significance	–	BOOLEAN	c:o		
								3.1.6.3	information	–	ANY DEFINED BY identifier	c:m		

Reemplazada por una versión más reciente

TABLE F.52/X.284 (concluded)

ncmsPM Notification support

Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Support		Additional information	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
					Con-firmed	Non-con-firmed								
4	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: stateChange	{2 9 3 2 10 14}		m				4.1	StateChangeInfo		Information Syntax SEQUENCE	m		
								4.1.1	sourceIndicator	{2 9 3 2 7 26}	ENUMERATED	o		
								4.1.2	attributeIdentifierList	{2 9 3 2 7 8}	SET OF AttributeId	o		
								4.1.3	stateChangeDefinition	{2 9 3 2 7 28}	SET OF SEQUENCE	m		
								4.1.3.1	attributeID	–	AttributeId	m		
								4.1.3.2	oldAttributeValue	–	ANY DEFINED BY attributeID	o		
								4.1.3.3	newAttributeValue	–	ANY DEFINED BY attributeID	m		
								4.1.4	notificationIdentifier	{2 9 3 2 7 16}	INTEGER	o		
								4.1.5	correlatedNotifications	{2 9 3 2 7 12}	SET OF SEQUENCE	o		
								4.1.5.1	correlatedNotifications	{2 9 3 2 7 12}	SET OF INTEGER	c:m		
								4.1.5.2	sourceObjectInstance	–	ObjectInstance	c:o		
								4.1.6	additionalText	{2 9 3 2 7 7}	GraphicString	o		
								4.1.7	additionalInformation	{2 9 3 2 7 6}	SET OF SEQUENCE	o		
								4.1.7.1	identifier	–	OBJECT IDENTIFIER	c:m		
								4.1.7.2	significance	–	BOOLEAN	c:o		
								4.1.7.3	information	–	ANY DEFINED BY identifier	c:m		

Reemplazada por una versión más reciente

F.10.5 Actions

TABLE F.53/X.284

ncmsPM Action support

Index	Action type template label	Value of object identifier for action type	Constraints and values	Status	Support	Additional information	Subindex	Action field name label	Constraints and values	Status	Support	Additional information
1	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: activate	{2 9 3 5 9 0}		m			1.1	ActionInfo	Information Syntax SET OF SEQUENCE	m		
							1.1.1	identifier	OBJECT IDENTIFIER	m		
							1.1.2	significance	BOOLEAN	o		
							1.1.3	information	ANY DEFINED BY identifier	m		
							1.2	ActionReply	Reply Syntax SET OF SEQUENCE	m		
							1.2.1	identifier	OBJECT IDENTIFIER	m		
							1.2.2	significance	BOOLEAN	o		
							1.2.3	information	ANY DEFINED BY identifier	m		
2	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: deactivate	{2 9 3 5 9 1}		m			2.1	ActionInfo	Information Syntax SET OF SEQUENCE	m		
							2.1.1	identifier	OBJECT IDENTIFIER	m		
							2.1.2	significance	BOOLEAN	o		
							2.1.3	information	ANY DEFINED BY identifier	m		
							2.2	ActionReply	Reply Syntax SET OF SEQUENCE	m		
							2.2.1	identifier	OBJECT IDENTIFIER	m		
							2.2.2	significance	BOOLEAN	o		
							2.2.3	information	ANY DEFINED BY identifier	m		

Reemplazada por una versión más reciente

F.10.6 Parameters

TABLE F.54/X.284

ncmsPM Parameter support

Index	Parameter template label	Value of object identifier for parameter	Constraints and values	Status	Support	Additional information
1	ncmsPMPDUHeader	{2 14 0 5 8}	EVENT-INFO communicationsInformation	m		
2	ncmsPMSourceAddress	{2 14 0 5 9}	EVENT-INFO communicationsInformation	m		

F.11 The Network Connection Control managed object

F.11.1 Statement of conformance to the managed object class

TABLE F.55/X.284

ncc Managed object class support

Index	Managed object class template label	Value of object identifier for class	Support of all mandatory features? (Y/N)	Is the actual class the same as the managed object class to which conformance is claimed? (Y/N)
1	ncc	{2 14 0 3 9}		

If the answer to the actual class question in Table F.55 is no, the supplier of the implementation shall fill in the actual class support Table F.56.

TABLE F.56/X.284

ncc Actual class support

Index	Managed object class template for actual class	Value of object identifier for managed object class definition of actual class	Additional information

F.11.2 Packages

The supplier of the implementation shall state whether or not the packages specified by this managed object of this class are supported, in Table F.57.

Reemplazada por una versión más reciente

TABLE F.57/X.284

ncc Package support

Index	Package template label	Value of object identifier for package	Constraints and values	Status	Support	Additional information
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphicPackage	{2 9 3 2 4 17}	“if an object supports allomorphism”	c122		
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packagesPackage	{2 9 3 2 4 16}	“any registered package, other than this package has been instantiated”	c123		
3	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: topPackage		Mandatory	m		
4	ncc-P		Mandatory	m		
c122: if F.55/1b then – else m c123: if F.57/1a then m else –						

F.11.3 Attributes

The supplier of the implementation shall state whether or not the attributes specified by all of the packages instantiated in a managed object of this class are supported, in the Support and Additional information columns of Table F.58. The supplier of the implementation shall indicate support for each of the operations for each attribute supported.

Reemplazada por una versión más reciente

TABLE F.58/X.284

ncc Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace		Add		Remove		Set to default		Additional information
				Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphs	{2 9 3 2 7 50}	SET OF ObjectClass	c124		c125		–		–		–		–		
2	nccId	{2 14 0 7 68}	GraphicString	o		m		x		–		–		x		
3	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: nameBinding	{2 9 3 2 7 63}	OBJECT IDENTIFIER	o		m		x		–		–		x		
4	ncc-COL	{2 14 0 7 70}	ENUMERATED	c126		m		c126		–		–		c126		
5	nc-REC	{2 14 0 7 72}	ENUMERATED	c126		m		c126		–		–		c126		
6	nc-REF	{2 14 0 7 73}	INTEGER	c126		m		c126		–		–		c126		
7	nc-PREF	{2 14 0 7 71}	ENUMERATED	c126		m		c126		–		–		c126		
8	nc-Right	{2 14 0 7 75}	ENUMERATED	c126		m		c126		–		–		c126		
9	ncRecoveries	{2 14 0 7 74}	INTEGER	c126		m		c126		–		–		c126		
10	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectClass	{2 9 3 2 7 65}	ObjectClass	m		m		x		–		–		x		
11	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packages	{2 9 3 2 7 66}	SET OF OBJECT IDENTIFIER	c127		c128		c129		c129		c129		c129		
12	ttrNCTime	{2 14 0 7 79}	SEQUENCE	c126		m		c126		–		–		c126		
13	tpdNCTime	{2 14 0 7 78}	SEQUENCE	c126		m		c126		–		–		c126		
14	tfrNCTime	{2 14 0 7 77}	SEQUENCE	c126		m		c126		–		–		c126		
15	sourceOfAllocation	{2 14 0 7 76}	ENUMERATED	c126		m		c126		–		–		c126		
16	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: underlyingConnectionNames	{2 9 3 5 7 14}	SET OF ObjectInstance	c126		m		c126		c126		c126		c126		
c124: if F.57/1a then o else – c125: if F.57/1a then m else – c126: if F.55/1b then x else – c127: if F.57/2a then o else – c128: if F.57/2a then m else – c129: if F.57/2a then x else –																

Reemplazada por una versión más reciente

F.11.4 Notifications

TABLE F.59/X.284
ncc Notification support

					Support									
Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Con- firmed	Non-con- firmed	Additional information	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectCreation	{2 9 3 2 10 6}		m				1.1	ObjectInfo		Information Syntax SEQUENCE	m		
								1.1.1	sourceIndicator	{2 9 3 2 7 26}	ENUMERATED	o		
								1.1.2	attributeList	{2 9 3 2 7 9}	SET OF Attribute	o		
								1.1.3	notificationIdentifier	{2 9 3 2 7 16}	INTEGER	o		
								1.1.4	correlatedNotifications	{2 9 3 2 7 12}	SET OF SEQUENCE	o		
								1.1.4.1	correlatedNotifications	{2 9 3 2 7 12}	SET OF INTEGER	c:m		
								1.1.4.2	sourceObjectInst	–	ObjectInstance	c:o		
								1.1.5	additionalText	{2 9 3 2 7 7}	GraphicString	o		
								1.1.6	additionalInformation	{2 9 3 2 7 6}	SET OF SEQUENCE	o		
								1.1.6.1	identifier	–	OBJECT IDENTIFIER	c:m		
								1.1.6.2	significance	–	BOOLEAN	c:o		
								1.1.6.3	information	–	ANY DEFINED BY identifier	c:m		

Reemplazada por una versión más reciente

TABLE F.59/X.284 (concluded)

ncc Notification support

Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Support		Additional information	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
					Con-firmed	Non-con-firmed								
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectDeletion	{2 9 3 2 10 7}		m				2.1	ObjectInfo		Information Syntax SEQUENCE	m		
								2.1.1	sourceIndicator	{2 9 3 2 7 26}	ENUMERATED	o		
								2.1.2	attributeList	{2 9 3 2 7 9}	SET OF Attribute	o		
								2.1.3	notificationIdentifier	{2 9 3 2 7 16}	INTEGER	o		
								2.1.4	correlatedNotifications	{2 9 3 2 7 12}	SET OF SEQUENCE	o		
								2.1.4.1	correlatedNotifications	{2 9 3 2 7 12}	SET OF INTEGER	c:m		
								2.1.4.2	sourceObjectInst	–	ObjectInstance	c:o		
								2.1.5	additionalText	{2 9 3 2 7 7}	GraphicString	o		
								2.1.6	additionalInformation	{2 9 3 2 7 6}	SET OF SEQUENCE	o		
								2.1.6.1	identifier	–	OBJECT IDENTIFIER	c:m		
								2.1.6.2	significance	–	BOOLEAN	c:o		
								2.1.6.3	information	–	ANY DEFINED BY identifier	c:m		

Reemplazada por una versión más reciente

F.12 The Network Connection Control Initial Value managed object

F.12.1 Statement of conformance to the managed object class

TABLE F.60/X.284

nccIVMO Managed object class support

Index	Managed object class template label	Value of object identifier for class	Support of all mandatory features? (Y/N)	Is the actual class the same as the managed object class to which conformance is claimed? (Y/N)
1	nccIVMO	{2 14 0 3 10}		

If the answer to the actual class question in Table F.60 is no, the supplier of the implementation shall fill in the actual class support Table F.61.

TABLE F.61/X.284

nccIVMO Actual class support

Index	Managed object class template for actual class	Value of object identifier for managed object class definition of actual class	Additional information

F.12.2 Packages

The supplier of the implementation shall state whether or not the packages specified by this managed object of this class are supported, in Table F.62.

TABLE F.62/X.284

nccIVMO Package support

Index	Package template label	Value of object identifier for package	Constraints and values	Status	Support	Additional information
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphicPackage	{2 9 3 2 4 17}	“if an object supports allomorphism”	c130		
2	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packagesPackage	{2 9 3 2 4 16}	“any registered package, other than this package has been instantiated”	c131		
3	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: topPackage		Mandatory	m		
4	nccIVMO-P		Mandatory	m		
c130: if F.60/1b then – else m						
c131: if F.62/1a then m else –						

F.12.3 Attributes

The supplier of the implementation shall state whether or not the attributes specified by all of the packages instantiated in a managed object of this class are supported, in the Support and Additional information columns of Table F.63. The supplier of the implementation shall indicate support for each of the operations for each attribute supported.

Reemplazada por una versión más reciente

TABLE F.63/X.284

nccIVMO Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace		Add		Remove		Set to default		Additional information
				Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	Status	Support	
1	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: allomorphs	{2 9 3 2 7 50}	SET OF ObjectClass	c132		c133		–		–		–		–		
2	nccIVMOId	{2 14 0 7 69}	GraphicString	o		m		x		–		–		x		
3	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: nameBinding	{2 9 3 2 7 63}	OBJECT IDENTIFIER	o		m		x		–		–		x		
4	ncc-COL	{2 14 0 7 70}	ENUMERATED	m		m		m		–		–		m		
5	nc-REC	{2 14 0 7 72}	ENUMERATED	m		m		m		–		–		m		
6	nc-PREF	{2 14 0 7 71}	ENUMERATED	m		m		m		–		–		m		
7	nc-Right	{2 14 0 7 75}	ENUMERATED	m		m		m		–		–		m		
8	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: objectClass	{2 9 3 2 7 65}	ObjectClass	m		m		x		–		–		x		
9	“CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: packages	{2 9 3 2 7 66}	SET OF OBJECT IDENTIFIER	c134		c135		c136		c136		c136		c136		
10	ttrNCTime	{2 14 0 7 79}	SEQUENCE	m		m		m		–		–		m		
11	tpdNCTime	{2 14 0 7 78}	SEQUENCE	m		m		m		–		–		m		
12	tfrNCTime	{2 14 0 7 77}	SEQUENCE	m		m		m		–		–		m		
c132: if F.62/1a then o else – c133: if F.62/1a then m else – c134: if F.62/2a then o else – c135: if F.62/2a then m else – c136: if F.62/2a then x else –																

Reemplazada por una versión más reciente

Anexo G⁶⁾

Formulario de MRCS para vinculación de nombres

G.1 Introduction

The purpose of this MRCS proforma for name bindings is to provide a mechanism for a supplier which claims conformance to a name binding to provide conformance information in a standard form.

G.2 Instructions for completing the MRCS proforma for name binding to produce a MRCS⁷⁾

The supplier of the implementation shall state which items are supported in the tables below and if necessary provide additional information.

⁶⁾ **Comunicado sobre derechos de autor del formulario de MRCS**

Los usuarios de esta Recomendación pueden producir libremente el formulario de MRCS de este anexo a fin de que pueda ser utilizado para los fines previstos, y pueden además publicar el MRCS cumplimentado.

⁷⁾ Instructions for completing the MRCS proforma are found in ITU-T Rec.X.724 | ISO/IEC 10165-6, clause 5.

Reemplazada por una versión más reciente

G.3 Statement of conformance to the name binding

TABLE G.1/X.284

Name Binding support

Index	Name binding template label	Value of object identifier for name binding	Constraints and values	Status	Support	Additional information	Subindex	Operation	Constraints and values	Status	Support	Additional information
1	transportSubsystem-system	{2 14 0 6 1}	Superior class: “CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: system AND SUBCLASSES	o			1.1	Create support		x		
							1.1.1	Create with reference object		—		
							1.1.2	Create with automatic instance naming		—		
							1.2	Delete support		x		
							1.2.1	Delete only if no contained objects		—		
							1.2.2	Delete contained objects		—		
2	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: subsystem-system	{2 9 3 5 6 6}	Superior class: “CCITT Rec. X.721 (1992) ISO/IEC 10165-2:1992”: system AND SUBCLASSES	o			2.1	Create support		x		
							2.1.2	Create with reference object		—		
							2.1.3	Create with automatic instance naming		—		
							2.2	Delete support		x		
							2.2.1	Delete only if no contained objects		—		
							2.2.2	Delete contained objects		—		
3	transportEntity-transportSubsystem-Automatic	{2 14 0 6 11}	Superior class: transportSubsystem AND SUBCLASSES	o			3.1	Create support		x		
							3.1.2	Create with reference object		—		
							3.1.2	Create with automatic instance naming		—		
							3.2	Delete support		x		
							3.2.1	Delete only if no contained objects		—		
							3.2.2	Delete contained objects		—		

Reemplazada por una versión más reciente

TABLE G.1/X.284 (continued)

Name Binding support

Index	Name binding template label	Value of object identifier for name binding	Constraints and values	Status	Support	Additional information	Subindex	Operation	Constraints and values	Status	Support	Additional information
4	transportEntity-transportSubsystem-Management	{2 14 0 6 12}	Superior class: transportSubsystem AND SUBCLASSES	o			4.1	Create support		m		
							4.1.1	Create with reference object		–		
							4.1.2	Create with automatic instance naming		–		
							4.2	Delete support		m		
							4.2.1	Delete only if no contained objects		–		
							4.2.2	Delete contained objects		–		
5	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: communicationsEntity-subsystem	{2 9 3 5 6 1}	Superior class: “UIT-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: subsystem AND SUBCLASSES	o			5.1	Create support		x		
							5.1.1	Create with reference object		–		
							5.1.2	Create with automatic instance naming		–		
							5.2	Delete support		x		
							5.2.1	Delete only if no contained objects		–		
							5.1.2	Delete contained objects		–		
6	clmodeTPM-transportEntity-Automatic	{2 14 0 6 9}	Superior class: transportEntity AND SUBCLASSES	o			6.1	Create support		x		
							6.1.1	Create with reference object		–		
							6.1.2	Create with automatic instance naming		–		
							6.2	Delete support		x		
							6.2.1	Delete only if no contained objects		–		
							6.2.2	Delete contained objects		–		

Reemplazada por una versión más reciente

TABLE G.1/X.284 (continued)

Name Binding support

Index	Name binding template label	Value of object identifier for name binding	Constraints and values	Status	Support	Additional information	Subindex	Operation	Constraints and values	Status	Support	Additional information
7	clmodeTPM-transportEntity-Management	{2 14 0 6 3}	Superior class: transportEntity AND SUBCLASSES	o			7.1	Create support		m		
							7.1.1	Create with reference object		–		
							7.1.2	Create with automatic instance naming		–		
							7.2	Delete support		m		
							7.2.1	Delete only if no contained objects		m		
							7.2.1	Delete contained objects		x		
8	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: clProtocolMachine-entity	{2 9 3 5 6 0}	Superior class: “ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: communicationsEntity AND SUBCLASSES	o			8.1	Create support		x		
							8.1.1	Create with reference object		–		
							8.1.2	Create with automatic instance naming		–		
							8.2	Delete support		x		
							8.2.1	Delete only if no contained objects		–		
							8.2.2	Delete contained objects		–		
9	comodeTPM-transportEntity-Automatic	{2 14 0 6 10}	Superior class: transportEntity AND SUBCLASSES	o			9.1	Create support		x		
							9.1.1	Create with reference object		–		
							9.1.2	Create with automatic instance naming		–		
							9.2	Delete support		x		
							9.2.1	Delete only if no contained objects		–		
							9.2.2	Delete contained objects		–		

Reemplazada por una versión más reciente

TABLE G.1/X.284 (continued)

Name Binding support

Index	Name binding template label	Value of object identifier for name binding	Constraints and values	Status	Support	Additional information	Subindex	Operation	Constraints and values	Status	Support	Additional information
10	comodeTPM-transportEntity-Management	{2 14 0 6 4}	Superior class: transportEntity AND SUBCLASSES	o			10.1	Create support		m		
							10.1.1	Create with reference object		–		
							10.1.2	Create with automatic instance naming		–		
							10.2	Delete support		m		
							10.2.1	Delete only if no contained objects		m		
							10.2.2	Delete contained objects		x		
11	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: coProtocolMachine-entity	{2 9 3 5 6 2}	Superior class: “ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: communicationsEntity AND SUBCLASSES	o			11.1	Create support		x		
							11.1.1	Create with reference object		–		
							11.1.2	Create with automatic instance naming		–		
							11.2	Delete support		x		
							11.2.1	Delete only if no contained objects		–		
							11.2.2	Delete contained objects		–		
12	tSAP-transportEntity-Automatic	{2 14 0 6 5}	Superior class: transportEntity AND SUBCLASSES	o			12.1	Create support		x		
							12.1.1	Create with reference object		–		
							12.1.2	Create with automatic instance naming		–		
							12.2	Delete support		x		
							12.2.1	Delete only if no contained objects		–		
							12.2.2	Delete contained objects		–		

Reemplazada por una versión más reciente

TABLE G.1/X.284 (continued)

Name Binding support

Index	Name binding template label	Value of object identifier for name binding	Constraints and values	Status	Support	Additional information	Subindex	Operation	Constraints and values	Status	Support	Additional information
13	tSAP-transportEntity-Management	{2 14 0 6 6}	Superior class: transportEntity AND SUBCLASSES	o			13.1	Create support		m		
							13.1.1	Create with reference object		–		
							13.1.2	Create with automatic instance naming		–		
							13.2	Delete support		m		
							13.2.1	Delete only if no contained objects		m		
							13.2.2	Delete contained objects		x		
14	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: sap1-communicationsEntity	{2 9 3 5 6 3}	Superior class: “ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: communicationsEntity AND SUBCLASSES	o			14.1	Create support		x		
							14.1.1	Create with reference object		–		
							14.1.2	Create with automatic instance naming		–		
							14.2	Delete support		x		
							14.2.1	Delete only if no contained objects		–		
							14.2.2	Delete contained objects		–		
15	transportConnection-comodeTPM	{2 14 0 6 8}	Superior class: comodeTPM AND SUBCLASSES	o			15.1	Create support		x		
							15.1.1	Create with reference object		–		
							15.1.2	Create with automatic instance naming		–		
							15.2	Delete support		x		
							15.2.1	Delete only if no contained objects		–		
							15.2.2	Delete contained objects		–		

Reemplazada por una versión más reciente

TABLE G.1/X.284 (continued)

Name Binding support

Index	Name binding template label	Value of object identifier for name binding	Constraints and values	Status	Support	Additional information	Subindex	Operation	Constraints and values	Status	Support	Additional information
16	“ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: singlePeerConnection-coProtocolMachine	{2 9 3 5 6 5}	Superior class: “ITU-T Rec. X.723 (1993) ISO/IEC 10165-5:1994”: coProtocolMachine AND SUBCLASSES	o			16.1	Create support		x		
							16.1.1	Create with reference object		–		
							16.1.2	Create with automatic instance naming		–		
							16.2	Delete support		x		
							16.2.1	Delete only if no contained objects		–		
							16.2.2	Delete contained objects		–		
17	transportConnection VMO-comodeTPM	{2 14 0 6 7}	Superior class: comodeTPM AND SUBCLASSES	o			17.1	Create support		m		
							17.1.1	Create with reference object		m		
							17.1.2	Create with automatic instance naming		–		
							17.2	Delete support		m		
							17.2.1	Delete only if no contained objects		m		
							17.2.2	Delete contained objects		x		
18	ncmsPM-transportEntity-Automatic	{2 14 0 6 14}	Superior class: transportEntity AND SUBCLASSES	o			18.1	Create support		x		
							18.1.1	Create with reference object		–		
							18.1.2	Create with automatic instance naming		–		
							18.2	Delete support		x		
							18.2.1	Delete only if no contained objects		–		
							18.2.2	Delete contained objects		–		

Reemplazada por una versión más reciente

TABLE G.1/X.284 (concluded)

Name Binding support

Index	Name binding template label	Value of object identifier for name binding	Constraints and values	Status	Support	Additional information	Subindex	Operation	Constraints and values	Status	Support	Additional information
19	ncmsPM-transportEntity-Management	{2 14 0 6 13}	Superior class: transportEntity AND SUBCLASSES	o			19.1	Create support		m		
							19.1.1	Create with reference object		–		
							19.1.2	Create with automatic instance naming		–		
							19.2	Delete support		m		
							19.2.1	Delete only if no contained objects		m		
							19.2.2	Delete contained objects		x		
20	ncc-ncmsPM	{2 14 0 6 15}	Superior class: ncmsPM AND SUBCLASSES	o			20.1	Create support		m		
							20.1.1	Create with reference object		m		
							20.1.2	Create with automatic instance naming		–		
							20.2	Delete support		m		
							20.2.1	Delete only if no contained objects		–		
							20.2.2	Delete contained objects		–		
21	nccIVMO-ncmsPM	{2 14 0 6 16}	Superior class: ncmsPM AND SUBCLASSES	o			21.1	Create support		m		
							21.1.1	Create with reference object		m		
							21.1.2	Create with automatic instance naming		–		
							21.2	Delete support		m		
							21.2.1	Delete only if no contained objects		–		
							21.2.2	Delete contained objects		–		

SERIES DE RECOMENDACIONES DEL UIT-T

Serie A	Organización del trabajo del UIT-T
Serie B	Medios de expresión
Serie C	Estadísticas generales de telecomunicaciones
Serie D	Principios generales de tarificación
Serie E	Red telefónica y RDSI
Serie F	Servicios de telecomunicación no telefónicos
Serie G	Sistemas y medios de transmisión
Serie H	Transmisión de señales no telefónicas
Serie I	Red digital de servicios integrados (RDSI)
Serie J	Transmisiones de señales radiofónicas y de televisión
Serie K	Protección contra las interferencias
Serie L	Construcción, instalación y protección de los cables y otros elementos de planta exterior
Serie M	Mantenimiento: sistemas de transmisión, circuitos telefónicos, telegrafía, facsímil y circuitos arrendados internacionales
Serie N	Mantenimiento: circuitos internacionales para transmisiones radiofónicas y de televisión
Serie O	Especificaciones de los aparatos de medida
Serie P	Calidad de transmisión telefónica
Serie Q	Conmutación y señalización
Serie R	Transmisión telegráfica
Serie S	Equipos terminales de telegrafía alfabética
Serie T	Equipos terminales y protocolos para los servicios de telemática
Serie U	Conmutación telegráfica
Serie V	Comunicación de datos por la red telefónica
Serie X	Redes de datos y comunicación entre sistemas abiertos
Serie Z	Lenguajes de programación