

**Remplacée par une version plus récente**



UNION INTERNATIONALE DES TÉLÉCOMMUNICATIONS

**UIT-T**

**X.486**

(10/96)

SECTEUR DE LA NORMALISATION  
DES TÉLÉCOMMUNICATIONS  
DE L'UIT

SÉRIE X: RÉSEAUX POUR DONNÉES ET  
COMMUNICATION ENTRE SYSTÈMES OUVERTS  
Systèmes de messagerie

---

**Systèmes de messagerie –  
Formulaire de déclaration de conformité  
d'instance de protocole Pedi**

Recommandation UIT-T X.486  
Remplacée par une version plus récente

(Antérieurement «Recommandation du CCITT»)

---

# Remplacée par une version plus récente

## RECOMMANDATIONS UIT-T DE LA SÉRIE X RÉSEAUX POUR DONNÉES ET COMMUNICATION ENTRE SYSTÈMES OUVERTS

RÉSEAUX PUBLICS POUR DONNÉES	X.1-X.199
Services et fonctionnalités	X.1-X.19
Interfaces	X.20-X.49
Transmission, signalisation et commutation	X.50-X.89
Aspects réseau	X.90-X.149
Maintenance	X.150-X.179
Dispositions administratives	X.180-X.199
INTERCONNEXION DES SYSTÈMES OUVERTS	X.200-X.299
Modèle et notation	X.200-X.209
Définitions des services	X.210-X.219
Spécifications des protocoles en mode connexion	X.220-X.229
Spécifications des protocoles en mode sans connexion	X.230-X.239
Formulaires PICS	X.240-X.259
Identification des protocoles	X.260-X.269
Protocoles de sécurité	X.270-X.279
Objets gérés de couche	X.280-X.289
Tests de conformité	X.290-X.299
INTERFONCTIONNEMENT DES RÉSEAUX	X.300-X.399
Généralités	X.300-X.349
Systèmes de transmission de données par satellite	X.350-X.399
<b>SYSTÈMES DE MESSAGERIE</b>	<b>X.400-X.499</b>
ANNUAIRE	X.500-X.599
RÉSEAUTAGE OSI ET ASPECTS DES SYSTÈMES	X.600-X.699
Réseautage	X.600-X.629
Efficacité	X.630-X.649
Dénomination, adressage et enregistrement	X.650-X.679
Notation de syntaxe abstraite numéro un (ASN.1)	X.680-X.699
GESTION OSI	X.700-X.799
Cadre général et architecture de la gestion-systèmes	X.700-X.709
Service et protocole de communication de gestion	X.710-X.719
Structure de l'information de gestion	X.720-X.729
Fonctions de gestion	X.730-X.799
SÉCURITÉ	X.800-X.849
APPLICATIONS OSI	X.850-X.899
Engagement, concomitance et rétablissement	X.850-X.859
Traitement transactionnel	X.860-X.879
Opérations distantes	X.880-X.899
TRAITEMENT OUVERT RÉPARTI	X.900-X.999

Pour plus de détails, voir la Liste des Recommandations de l'UIT-T.

# **Remplacée par une version plus récente**

## **AVANT-PROPOS**

L'UIT-T (Secteur de la normalisation des télécommunications) est un organe permanent de l'Union internationale des télécommunications (UIT). Il est chargé de l'étude des questions techniques, d'exploitation et de tarification, et émet à ce sujet des Recommandations en vue de la normalisation des télécommunications à l'échelle mondiale.

La Conférence mondiale de normalisation des télécommunications (CMNT), qui se réunit tous les quatre ans, détermine les thèmes d'études à traiter par les Commissions d'études de l'UIT-T lesquelles élaborent en retour des Recommandations sur ces thèmes.

L'approbation des Recommandations par les Membres de l'UIT-T s'effectue selon la procédure définie dans la Résolution n° 1 de la CMNT (Helsinki, 1<sup>er</sup>-12 mars 1993).

La Recommandation UIT-T X.486, que l'on doit à la Commission d'études 7 (1993-1996) de l'UIT-T, a été approuvée le 5 octobre 1996 selon la procédure définie dans la Résolution n° 1 de la CMNT.

---

## **NOTE**

Dans la présente Recommandation, l'expression «Administration» est utilisée pour désigner de façon abrégée aussi bien une administration de télécommunications qu'une exploitation reconnue de télécommunications.

© UIT 1997

Droits de reproduction réservés. Aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'UIT.

# **Remplacée par une version plus récente**

## **TABLE DES MATIÈRES**

	<i>Page</i>
1 Domaine d'application.....	1
2 Références normatives.....	1
3 Définitions .....	1
4 Abréviations .....	2
5 Conformité.....	2
Annexe A – Formulaire PICS pour le protocole du système de messagerie avec échange de données informatisé (Pedi) .....	2
Annexe B – Modifications et rectificatifs.....	20

# **Remplacée par une version plus récente**

## **RÉSUMÉ**

La présente Recommandation définit le formulaire de déclaration de conformité d'instance de protocole (PICS) pour le protocole Pedi spécifié dans la Rec. X.435 du CCITT | ISO/CEI 10021-9. Le formulaire PICS présente, sous forme de tableau, les éléments obligatoires et facultatifs du protocole Pedi.

## **INTRODUCTION**

La présente Recommandation fait partie d'une série de Recommandations définissant la messagerie dans un environnement de systèmes ouverts répartis.

La messagerie permet l'échange de messages entre usagers en mode enregistrement et retransmission. Un message déposé par un usager (l'expéditeur) est transféré par le système de transfert de message (MTS) et remis à un ou plusieurs usagers (les destinataires). Le MTS comprend un certain nombre d'agents de transfert de messages (MTA) qui transfèrent les messages et les remettent à leurs destinataires.

Pour évaluer les capacités d'une instance de protocole donnée, il est nécessaire de disposer d'une déclaration précisant les capacités et les options qui ont été incluses pour un protocole OSI donné. Cette déclaration est appelée déclaration de conformité d'instance de protocole (PICS).



# Remplacée par une version plus récente

Recommandation X.486

## SYSTÈMES DE MESSAGERIE – FORMULAIRE DE DÉCLARATION DE CONFORMITÉ D'INSTANCE DE PROTOCOLE PEDI

(Genève, 1996)

### 1 Domaine d'application

La présente Recommandation définit le formulaire de déclaration de conformité d'instance de protocole (PICS) pour le protocole Pedi, tel qu'il est spécifié dans la Rec. X.435 du CCITT | ISO/CEI 10021-9. Le formulaire de déclaration PICS présente, sous forme de tableau, les éléments obligatoires et facultatifs du protocole Pedi.

Ce formulaire de déclaration PICS est fondé sur les directives pertinentes applicables aux formulaires de déclaration PICS décrit dans la Recommandation X.296. On trouvera les détails concernant l'utilisation de ce formulaire dans l'Annexe A.

### 2 Références normatives

Les Recommandations et autres références suivantes contiennent des dispositions qui, par suite de la référence qui y est faite, constituent des dispositions valables pour la présente Recommandation. Au moment de la publication, les éditions indiquées étaient en vigueur. Toute Recommandation ou autre référence est sujette à révision; tous les utilisateurs de la présente Recommandation sont donc invités à rechercher la possibilité d'appliquer les éditions les plus récentes des Recommandations et autres références indiquées ci-après. Une liste des Recommandations UIT-T en vigueur est publiée régulièrement.

On trouvera à l'Annexe B la liste des modifications et des corrigendums aux normes fondamentales citées en référence.

NOTE – Les références à des articles particuliers des Recommandations UIT-T renvoient également aux articles correspondants des normes équivalentes de l'ISO/CEI (comme indiqué ci-dessous), sauf indication contraire.

- Recommandation UIT-T X.290 (1995), *Cadre général et méthodologie des tests de conformité d'interconnexion des systèmes ouverts pour les Recommandations sur les protocoles pour les applications de l'UIT-T – Concepts généraux* (voir également ISO/CEI 9646-1).
- Recommandation UIT-T X.296 (1995), *Cadre général et méthodologie des tests de conformité OSI pour les Recommandations sur les protocoles pour les applications de l'UIT-T – Déclarations de conformité d'instance* (voir également ISO/CEI 9646-7).
- Recommandation X.402 du CCITT (1992), *Systèmes de messagerie: Architecture globale* (voir également ISO/CEI 10021-2).
- Recommandation X.435 du CCITT (1991), *Systèmes de messagerie: Système de messagerie avec échange de données informatisées* (voir également ISO/CEI 10021-9).
- ISO/CEI 9646-1:1994, *Technologies de l'information – Interconnexion de systèmes ouverts – Cadre général et méthodologie des tests de conformité OSI – Partie 1: concepts généraux*.
- ISO/CEI 9646-7:1995, *Technologies de l'information – Interconnexion de systèmes ouverts (OSI) – Essai de conformité – Méthodologie générale et procédure – Partie 7: déclarations de conformité des mises en œuvre*.
- ISO/CEI 10021-2:1990, *Technologies de l'information – Communication de texte – Systèmes d'échange de texte en mode message – Partie 2: architecture générale*.
- ISO/CEI 10021-9:1995, *Technologies de l'information – Systèmes de messagerie (MHS) – Partie 9: Système de messagerie avec échange de données informatisées*.

### 3 Définitions

Les termes employés dans la présente Recommandation sont définis dans les normes fondamentales citées en référence.

# Remplacée par une version plus récente

## 4 Abréviations

La présente Recommandation utilise les abréviations suivantes.

CEI	Commission électrotechnique internationale
ISO	Organisation internationale de normalisation ( <i>international organization for standardization</i> )
ISP	Profil normalisé international ( <i>international standardized profile</i> )
MHS	Système de messagerie ( <i>message handling systems</i> )
MS	Mémoire de messages ( <i>message store</i> )
MTA	Agent de transfert de messages ( <i>message transfer agent</i> )
OSI	Interconnexion des systèmes ouverts ( <i>open systems interconnection</i> )
PDU	Unité de données de protocole ( <i>protocol data unit</i> )
PICS	Déclaration de conformité d'une instance de protocole ( <i>protocol implementation conformance statement</i> )
UA	Agent d'usager ( <i>user agent</i> )

Niveaux de prise en charge des éléments et des caractéristiques du protocole:

m	prise en charge totale obligatoire
o	prise en charge facultative
c	prise en charge conditionnelle
i	hors du domaine d'application
-	sans objet

## 5 Conformité

Un formulaire de déclaration PICS conforme doit être équivalent, sur le plan technique, au texte du formulaire de déclaration PICS défini dans la présente Recommandation et conserver la numérotation et l'ordre des rubriques du formulaire PICS décrit dans la présente Recommandation.

Un formulaire PICS conforme à la présente Recommandation doit:

- décrire une instance de protocole conforme aux dispositions de la Rec. X.435 du CCITT | ISO/CEI 10021-9;
- être un formulaire de déclaration PICS conforme, rempli conformément aux instructions données à cet effet dans l'Annexe A;
- inclure les renseignements requis pour identifier sans équivoque le fournisseur et l'instance de protocole.

## Annexe A<sup>1)</sup>

### Formulaire PICS pour le protocole du système de messagerie avec échange de données informatisées (Pedi)

(Cette annexe fait partie intégrante de la présente Recommandation)

In the event of a discrepancy becoming apparent in the body of this Recommendation and the tables in this annex, this annex is to take precedence.

Subclause A.1 specifies the basic requirements for conformance to this Recommendation. Subclause A.2 is allocated but not used, it is present to keep the numbering alignment with the corresponding ISP. Subclause A.3 allows additional information to be provided for certain aspects of an implementation where no specific requirements are included in the base specifications. All subclauses shall be completed as appropriate.

<sup>1)</sup> **Droits de reproduction du formulaire PICS**

Les utilisateurs de la présente Recommandation sont autorisés à reproduire le formulaire PICS de la présente annexe pour utiliser celui-ci conformément à son objet. Ils sont également autorisés à publier le formulaire une fois celui-ci complété.

# Remplacée par une version plus récente

NOTE – The numbering of subclauses and items in this annex is identical to the one in ISO/IEC 12063-2 “Information technology – International Standardized Profiles AMH3n – Message Handling Systems – EDI Messaging – Part 2: AMH31 – EDIMG Content”.

In each table, the “Base” column reflects the level of support required for conformance to the base standard, using the classification and notation defined in A.0.2.5.

The “Ref” column is provided for cross-referencing purposes. The notation employed for references also indicates composite elements which contain sub-elements (a sub-element reference is prefixed by the reference of the composite element).

## Contents of the PICS proforma

	<i>Page</i>
A.0 Identification of the implementation .....	3
A.0.1 Identification of PICS proforma corrigenda.....	3
A.0.2 Instructions .....	4
A.0.3 Identification of the implementation .....	5
A.1 Basic requirements.....	6
A.1.1 General objects and data types .....	6
A.1.2 EDIM heading fields .....	7
A.1.3 Body .....	11
A.1.4 EDIN fields .....	12
A.1.5 Body part types.....	14
A.1.6 O/R name forms .....	14
A.2 Optional functional groups .....	14
A.3 Additional information.....	15
A.3.1 Element of Service support .....	15
A.3.2 Miscellaneous information .....	18
A.3.3 Information related to forwarding .....	19
A.3.4 Externally defined body parts.....	19
A.3.5 EDI body part types for Privately defined syntaxes .....	19

## A.0 Identification of the implementation

### A.0.1 Identification of PICS proforma corrigenda

The supplier of the PICS proforma shall identify any corrigenda that have been applied (i.e. Technical Corrigendum or equivalent) to the published proforma. Suppliers of the proforma should modify the proforma, or attach relevant additional pages in order to apply the corrigenda and then record the application of the corrigenda in the table below.

Corrigenda to ITU-T Recommendation X.486 (1996)

Corr:
Corr:
Corr:
Corr:
Implementors' Guide version:

# Remplacée par une version plus récente

## A.0.2 Instructions

### A.0.2.1 Purpose of the proforma

The purpose of the PICS proforma is to provide suppliers of implementations of the Pedi protocol with a consistent means of stating which proforma has been implemented.

The proforma is in the form of a questionnaire and consists of a set of items. An item is provided for each capability for which an implementation choice is allowed. Items are also provided for mandatory capabilities for which no implementation choice is allowed. Each item includes an item number, an item description, a status value specifying the support requirement, and room for a support answer to be provided by the supplier.

### A.0.2.2 Symbols, terms and abbreviations

The following definitions apply.

### A.0.2.3 Item numbering

Each line in the PICS proforma which requires implementation detail to be entered is given a number in the first column. The item number column provides a means of uniquely referencing each possible answer within the PICS proforma.

A reference to a specific item is specified by the following sequence:

- a) if the reference is to an item in another document, then the reference starts with unambiguous identifier for that document;
- b) the number of the subclause enclosing the table, or the number of the table if they are numbered;
- c) a solidus character “/”;
- d) the item number, to identify the row in which the answer appears.

### A.0.2.4 Base column

The following classifications are used in this PICS to specify static conformance requirements – i.e. capability.

NOTE 1 – The Profile column is used for functional profiles and uses the same classification.

The classification of information objects and items (elements) is relative to that of the containing information element, if any. Where the constituent elements of a non-primitive element are not individually specified, then each shall be considered to have the classification of that element. Where the range of values to be supported for an element is not specified, then all values defined in the MHS base standards shall be supported.

**mandatory support (m):** The element shall be supported. An implementation shall be able to generate the element, and/or receive the element and perform all associated procedures (i.e. implying the ability to handle both the syntax and the semantics of the element) as relevant, as specified in the MHS base standards. Where support for origination (generation) and reception are not distinguished, then both capabilities shall be assumed.

NOTE 2 – In the case of character repertoires, mandatory support implies that the EDIMG UA implementation is able to generate and/or receive the encodings of all characters within those repertoires. How graphic characters are originated and rendered is outside the scope of this ISP.

NOTE 3 – Where required by the base standards, mandatory support also implies that the EDIMG UA implementation is able to pass the element on the origination port/reception port to/from the corresponding element on the submission port/delivery port/retrieval port.

**optional support (o):** An implementation is not required to support the element. If support is claimed, then the element shall be treated as if it were specified as mandatory support. If the element is not supported on reception, then it shall be ignored.

**conditional support (c):** The element shall be supported under the conditions specified in this Recommendation. If these conditions are met, the element shall be treated as if it were specified as mandatory support. If these conditions are not met, the element shall be treated as if it were specified as optional support (unless otherwise stated).

**out of scope (i):** The element is outside the scope of this Recommendation – i.e. it will not be the subject of a conformance test.

**not applicable (-):** The element is not applicable in the particular context in which this classification is used.

# Remplacée par une version plus récente

## A.0.2.5 Support column

The “Support” column is provided for completion by the supplier of the implementation as follows:

- Y        The element or feature is fully supported (i.e. satisfying the requirements of the m profile support classification).
- Y-      The element or feature is minimally supported (i.e. satisfying the requirements of the m- profile support classification).
- N        The element or feature is not supported, further qualified to indicate the action taken on receipt of such an element as follows:
  - ND – the element is discarded/ignored;
  - NR – the PDU is rejected (with an appropriate error indication where applicable).
- or blank    The element or feature is not applicable (i.e. a major feature or composite protocol element which includes this element or feature is not supported or is minimally supported).

## A.0.3 Identification of the implementation

### A.0.3.1 Date of statement

Ref.	Question	Response
1	Date of statement (DD/MM/YY)	

### A.0.3.2 Identification of IUT

Ref.	Question	Response
1	Implementation name	
2	Implementation version	
3	Hardware name	
4	Hardware version	
5	Operating system name	
6	Operating system version	
7	Special configuration	
8	Other information	

### A.0.3.3 Identification of supplier

Ref.	Question	Response
1	Organization name	
2	Contact name(s)	
3	Address	
4	Telephone number	
5	Telex number	
6	Fax number	
7	E-mail address	
8	Other information	

# Remplacée par une version plus récente

## A.0.3.4 Identification of protocol

Ref.	Question	Response
1	Title, reference number and date of publication of the protocol standard	
2	Protocol version(s)	not applicable
3	Addenda/amendments/corrigenda implemented	
4	MHS Implementors' Guide version implemented	

## A.0.3.5 Global statement of conformance

Ref.	Question	Response	Comments
1	Are all mandatory base standards requirements implemented?		

## A.1 Basic requirements

### A.1.1 General objects and data types

#### A.1.1.1 General information objects

The following table classifies the information objects for EDIMG.

Ref.	Element	Origination		Reception		Support	Notes/References
		Base		Base			
1	EDI Message (EDIM)	m		m			
1.1	heading	m		m			A.1.2
1.2	body	m		m			A.1.3.1
2	EDI Notification (EDIN)	m		m			
2.1	positive-notification	m		m			A.1.4.2
2.2	negative-notification	m		m			A.1.4.3
2.3	forwarded-notification	c <sup>1)</sup>		m			A.1.4.4

<sup>1)</sup> If forwarding is supported then m else -.

## Remplacée par une version plus récente

### A.1.1.2 Common data types

The following table classifies the common data types (subclause 7.1/X.435 and 7.2/X.435).

Ref.	Element	Origination		Reception		Support	Notes/References
		Base		Base			
1	EDIMIdentifier						
1.1	user	m		m			
1.2	user-relative-identifier	m		m			
2	Extension-field						
2.1	type	m		m			
2.2	criticality	m		m			
2.3	value	m		m			

### A.1.2 EDIM heading fields

This subclause expands A.1.1.1/1.1 (subclause 8.2/X.435).

Ref.	Element	Origination		Reception		Support	Notes/References
		Base		Base			
1	this-EDIM	m		m			
2	originator	m		m			
3	recipients	m		m			A.1.2.1
4	edin-receiver	o		m			A.1.2.6
5	responsibility-forwarded	o		m			
6	edi-bodypart-type	m		m			A.1.5
7	incomplete-copy	o		m			
8	expiry-time	o		m			
9	related-messages	o		m			A.1.2.7
10	obsolete-EDIMs	o		m			
11	edi-application-security-elements	o		o			A.1.2.8
12	cross-referencing-information	o		m			A.1.2.9
13	edi-message-type	m		m			
14	service-string-advice	o		o			A.1.2.10
15	syntax-identifier	o		o			A.1.2.11
16	interchange-sender	o		o			A.1.2.12
17	date-and-time-of-preparation	o		o			
18	application-reference	o		o			
19	heading-extensions	o		o			

# Remplacée par une version plus récente

## A.1.2.1 EDIM heading per-recipient fields

This subclause expands A.1.2/3 (subclause 8.2.3/X.435).

Ref.	Element	Origination		Reception		Support	Notes/References
		Base		Base			
1	recipient	m		m			
2	action-request	o		m			
3	edi-notification-request	m		m			A.1.2.2
4	responsibility-passing-allowed	m		m			
5	interchange-recipient	o		o			A.1.2.3
6	recipient-reference	o		o			A.1.2.4
7	interchange-control-reference	o		o			
8	processing-priority-code	o		o			
9	acknowledgement-request	o		o			
10	communications-agreement-id	o		o			
11	test-indicator	o		o			
12	authorization-information-field	o		o			A.1.2.5
13	recipient-extensions	o		o			

## A.1.2.2 EDI notification request field

This subclause expands A.1.2.1/3 (subclause 8.2.3.3/X.435).

Ref.	Element	Origination		Reception		Support	Notes/References
		Base		Base			
1	edi-notification-request	m		m			
2	edi-notification-security	o		o			
3	edi-reception-security	o		o			

## A.1.2.3 Interchange recipient field

This subclause expands A.1.2.1/5 (subclause 8.2.3.5/X.435).

Ref.	Element	Origination		Reception		Support	Notes/References
		Base		Base			
1	recipient-information	m		m			
2	identification-code-qualifier	o		m			
3	routing-address	o		m			

## Remplacée par une version plus récente

### A.1.2.4 Recipient reference field

This subclause expands A.1.2.1/6 (subclause 8.2.3.6/X.435).

Ref.	Element	Origination		Reception		Support	Notes/References
		Base		Base			
1	recipient-reference	m		m			
2	recipient-reference-qualifier	o		m			

### A.1.2.5 Authorization information field

This subclause expands A.1.2.1/12 (subclause 8.2.3.12/X.435).

Ref.	Element	Origination		Reception		Support	Notes/References
		Base		Base			
1	authorization-information	m		m			
2	authorization-information-qualifier	o		m			

### A.1.2.6 EDIN receiver field

This subclause expands A.1.2.4 (subclause 8.2.4/X.435).

Ref.	Element	Origination		Reception		Support	Notes/References
		Base		Base			
1	edin-receiver-name	m		m			
2	original-edim-identifier	o		o			
3	first-recipient	o		o			

### A.1.2.7 Related message reference

This subclause expands A.1.2.9 (subclause 8.2.9/X.435).

Ref.	Element	Origination		Reception		Support	Notes/References
		Base		Base			
1	edi-message-reference	o		m			
2	external-message-reference	o		o			

## Remplacée par une version plus récente

### A.1.2.8 EDI application security elements field

This subclause expands A.1.2/11 (subclause 8.2.11/X.435).

Ref.	Element	Origination		Reception		Support	Notes/References
		Base		Base			
1	edi-application-security-elements	o		m			
2	edi-encrypted-primary-bodypart	o		m			
3	edi-application-security-extensions	o		o			

### A.1.2.9 Cross reference information subfield

This subclause expands A.1.2/12 (subclause 8.2.12/X.435).

Ref.	Element	Origination		Reception		Support	Notes/References
		Base		Base			
1	application-cross-reference	m		m			
2	message-reference	o		m			
3	body-part-reference	m		m			

### A.1.2.10 Service string advice field

This subclause expands A.1.2/14 (subclause 8.2.14/X.435).

Ref.	Element	Origination		Reception		Support	Notes/References
		Base		Base			
1	component-data-element-separator	m		m			
2	data-element-separator	m		m			
3	decimal-notation	m		m			
4	release-indicator	o		m			
5	reserved	o		o			
6	segment-terminator	m		m			

### A.1.2.11 Syntax identifier field

This subclause expands A.1.2/15 (subclause 8.2.15/X.435).

Ref.	Element	Origination		Reception		Support	Notes/References
		Base		Base			
1	syntax-identifier	m		m			
2	syntax-version	m		m			

# Remplacée par une version plus récente

## A.1.2.12 Interchange sender field

This subclause expands A.1.2/16 (subclause 8.2.16/X.435).

Ref.	Element	Origination		Reception		Support	Notes/References
		Base		Base			
1	sender-identification	m		m			
2	identification-code-qualifier	o		m			
3	address-for-reverse-routing	o		m			

## A.1.3 Body

### A.1.3.1 EDIM body fields

This subclause expands A.1.1.1/1.2 (clause 8/X.435).

Ref.	Element	Origination		Reception		Support	Notes/References
		Base		Base			
1	primary-body-part	m		m			
1.1	edi-body-part	m		m			
1.2	forwarded-EDIM	o		o			A.1.3.2
2	additional-body-parts	o		m,1			A.1.3.3

### A.1.3.2 EDIM body part

This subclause expands A.1.3.1/1.2 (subclause 8.3.2/X.435).

Ref.	Element	Origination		Reception		Support	Notes/References
		Base		Base			
1	parameters	o		m			
1.1	delivery-time	o		m			
1.2	delivery-envelope	o		m			
1.3	other-parameters	o		o			
2	data	m		m			
2.1	heading	m		m			
2.2	body	m		m			
2.2.1	primary-or-removed	m		m			
2.2.1.1	removed-edi-body	o		m			
2.2.1.2	primary-body-part	m		m			A.1.3.1
2.2.2	additional-body-parts	o		m			
2.2.2.1	external-body-part	m		m			A.1.3.3
2.2.2.2	place-holder	o		m			

## Remplacée par une version plus récente

### A.1.3.3 EDIM externally defined body part

This subclause expands A.1.3.2/2.2.2.1 (subclause 8.3.3/X.435).

Ref.	Element	Origination		Reception		Support	Notes/References
		Base		Base			
1	body-part-reference	o		m			
2	external-body-part	m		m			A.3.4

### A.1.4 EDIN fields

#### A.1.4.1 EDIN common fields

This subclause expands A.1.4.2/1 and A.1.4.3/1 and A.1.4.4/1 (subclause 9.1/X.435).

Ref.	Element	Origination		Reception		Support	Notes/References
		Base		Base			
1	subject-edim	m		m			
2	edin-originator	m		m			
3	first-recipient	o		m			
4	notification-time	m		m			
5	notification-security-elements	o		o			
5.1	original-content	o		o			
5.2	original-content-integrity-check	o		o			
5.3	edi-application-security-elements	o		o			
5.4	security-extensions	o		o			
6	edin-initiator	m		m			
7	notification-extensions	o		o			

#### A.1.4.2 PN fields

This subclause expands A.1.1.1/2.1 (subclause 9.2/X.435).

Ref.	Element	Origination		Reception		Support	Notes/References
		Base		Base			
1	pn-common-fields	m		m			A.1.4.1
2	pn-supplementary-information	o		o			
3	pn-extensions	o		o			

## Remplacée par une version plus récente

### A.1.4.3 NN fields

This subclause expands A.1.1.1/2.2 (subclause 9.3/X.435).

Ref.	Element	Origination		Reception		Support	Notes/References
		Base		Base			
1	nn-common-fields	m		m			A.1.4.1
2	nn-reason-code	m		m			
2.1	nn-ua-ms-reason-code	o		m			
2.1.1	nn-user-basic-code	m		m			
2.1.2	nn-user-diagnostic	o		o			
2.2	nn-user-reason-code	o		m			
2.2.1	nn-user-basic-code	m		m			
2.2.2	nn-user-diagnostic	o		m			
2.3	nn-pdau-reason-code	o		m			
2.3.1	nn-pdau-basic-code	m		m			
2.3.2	nn-pdau-diagnostic	o		m			
3	nn-supplementary-information	o		o			
4	nn-extensions	o		o			

### A.1.4.4 FN fields

This subclause expands A.1.1.1/2.3 (subclause 9.4/X.435).

Ref.	Element	Origination		Reception		Support	Notes/References
		Base		Base			
1	fn-common-fields	m		m			A.1.4.1
2	forwarded-to	m		m			
3	fn-reason-code	m		m			
3.1	fn-ua-ms-reason-code	o		m			
3.1.1	fn-ua-ms-basic-code	m		m			
3.1.2	fn-ua-ms-diagnostic	o		m			
3.1.3	fn-security-check	o		m			
3.2	fn-user-reason-code	o		m			
3.2.1	fn-user-basic-code	m		m			
3.2.2	fn-user-diagnostic	o		m			
3.3	fn-pdau-reason-code	o		m			
3.3.1	fn-pdau-basic-code	m		m			
3.3.2	fn-pdau-diagnostic	o		m			
4	fn-supplementary-information	o		o			
5	fn-extensions	o		o			

## Remplacée par une version plus récente

### A.1.5 Body part types

This subclause expands A.1.2/6 (subclause 8.2.6/X.435).

It shall be indicated below which EDI body part types are supported. An implementation shall meet the requirements of one or both of body part type groups A and B.

EDI body part types for private defined syntaxes shall be specified in A.3.5.

Ref.	EDI body part type	Origination		Reception		Support	Notes/References
		A	B	A	B		
1	EDIFACT ISO 646	m	m	m	m		
2	EDIFACT T.61	o	o	o	o		
3	EDIFACT ISO 8859	o	m	o	m		
4	EDIFACT undefined octets	o	o	o	o		
5	ANSIX12 ISO 646	o	o	o	o		
6	ANSIX12 T.61	o	o	o	o		
7	ANSIX12 ISO 8859	o	o	o	o		
8	ANSIX12 undefined octets	o	o	o	o		
9	UNTDI ISO 646	o	o	o	o		
10	UNTDI T.61	o	o	o	o		
11	UNTDI undefined octets	o	o	o	o		
12	Private undefined octets <sup>1)</sup>	o	o	o	o		
13	Undefined undefined octets <sup>1)</sup>	o	o	o	o		
14	Privately defined	o	o	o	o		A.3.5

<sup>1)</sup> The use of this body part type is deprecated.

NOTE – The requirements for body part type group B derived from the sets of countries and languages are broadly represented by both the European Workshop for Open Systems (EWOS) and the North American OSE Implementors' Workshop (OIW). Further body part type groups may be defined in future versions of this ISP.

### A.1.6 O/R name forms

Ref.	Body part types and EITs	Origination		Reception		Support	Notes/References
		Base		Base			
1	mnemonic O/R address	o		o			
2	numeric O/R address	o		o			
3	terminal O/R address	o		o			

## A.2 Optional functional groups

Not applicable for the base standard PICS.

NOTE – The numbering of subclauses and items in this annex is identical to the one in ISO/IEC 12063-2.

# Remplacée par une version plus récente

## A.3 Additional information

### A.3.1 Element of Service support

The following table shall be completed to indicate (Y or ✓), for each Element of Service, whether the Element of Service is made available to the EDIMG-user and, if so, how this is achieved. Where support for origination and reception cannot be covered by a single indication, then both shall be indicated.

The columns have the following meanings:

Service the EoS can be made dynamically selectable by the EDIMG-user (i.e. for invocation and/or notification, as appropriate) without requiring reconfiguration of the UA or other intervention in each instance (whether the semantics of the EoS are available at a human user interface, programmatic interface or by other means may be specified in the Comments column).

Auto the EoS is automatically invoked/actions by the UA without reference to the EDIMG-user (whether selection is dynamically determined based on some other knowledge or criteria may be specified in the Comments column).

Config the UA may be configured to select the EoS by the execution of some off-line process.

Other any other means of using the EoS.

Ref.	Element of Service	Service	Auto	Config	Comments/Other
1	Access Management				
2	Additional Physical Rendition				
3	Alternate Recipient Allowed				
4	Alternate Recipient Assignment				
5	Application Security Element				
6	Basic Physical Rendition				
7	Character Set				
8	Content Confidentiality				
9	Content Integrity				
10	Content Type Indication				
11	Conversion Prohibition				
12	Conversion Prohibition in Case of Loss of Information				
13	Converted Indication				
14	Counter Collection				
15	Counter Collection with Advice				
16	Cross Reference Information				
17	Deferred Delivery				
18	Deferred Delivery Cancellation				
19	Delivery Notification				
20	Delivery Time Stamp Indication				
21	Delivery via Bureaufax Service				
22	Designation of Recipient by Directory Name				

## Remplacée par une version plus récente

Ref.	Element of Service	Service	Auto	Config	Comments/Other
23	Disclosure of Other Recipients				
24	DL Expansion History Indication				
25	DL Expansion Prohibited				
26	EDI Forwarding				
27	EDI Message Identification				
28	EDI Message Type(s)				
29	EDI Notification Request				
30	EDI Standard Indication				
31	EDIM Responsibility Forwarding Allowed Indication				
32	EDIN Receiver				
33	EMS (Express Mail Service)				
34	Expiry Date/Time Indication				
35	Explicit Conversion				
36	Grade of Delivery Selection				
37	Hold for Delivery				
38	Implicit Conversion				
39	Incomplete Copy Indication				
40	Interchange Header				
41	Latest Delivery Designation				
42	Message Flow Confidentiality				
43	Message Identification				
44	Message Origin Authentication				
45	Message Security Labelling				
46	Message Sequence Integrity				
47	MS Register				
48	Multi-destination Delivery				
49	Multi-part Body				
50	Non-delivery Notification				
51	Non-repudiation of Content Originated				
52	Non-repudiation of Content Received				
53	Non-repudiation of Content Received Request				
54	Non-repudiation of Delivery				

## Remplacée par une version plus récente

Ref.	Element of Service	Service	Auto	Config	Comments/Other
55	Non-repudiation of EDI Notification				
56	Non-repudiation of EDI Notification Request				
57	Non-repudiation of Origin				
58	Non-repudiation of Submission				
59	Obsoleting Indication				
60	Ordinary Mail				
61	Original Encoded Information Types Indication				
62	Originator Indication				
63	Originator Requested Alternate Recipient				
64	Physical Delivery Notification by MHS				
65	Physical Delivery Notification by PDS				
66	Physical Forwarding Allowed				
67	Physical Forwarding Prohibited				
68	Prevention of Non-delivery Notification				
69	Probe				
70	Probe Origin Authentication				
71	Proof of Content Received				
72	Proof of Content Received Request				
73	Proof of Delivery				
74	Proof of EDI Notification				
75	Proof of EDI Notification Request				
76	Proof of Submission				
77	Recipient Indication				
78	Redirection Disallowed by Originator				
79	Redirection of Incoming Messages				
80	Registered Mail				
81	Registered Mail to Addressee in Person				
82	Related Message(s)				
83	Report Origin Authentication				

## Remplacée par une version plus récente

Ref.	Element of Service	Service	Auto	Config	Comments/Other
84	Request for Forwarding Address				
85	Requested Preferred Delivery Method				
86	Restricted Delivery				
87	Return of Content				
88	Secure Access Management				
89	Services Indication				
90	Special Delivery				
91	Stored EDI Message Auto-forward				
92	Stored Message Alert				
93	Stored Message Auto-forward				
94	Stored Message Deletion				
95	Stored Message Fetching				
96	Stored Message Listing				
97	Stored Message Summary				
98	Submission Time Stamp Indication				
99	Typed Body				
100	Undeliverable Mail with Return of Physical Message				
101	Use of Distribution List				
102	User/UA Capabilities Registration				

### A.3.2 Miscellaneous information

	Question	Answer
1	Which EDIN reason codes values is the implementation able to generate?	
2	What is the maximum number of recipients that the implementation is able to handle on origination?	
3	What is the maximum number of recipients the implementation is able to handle on reception?	
4	What is the maximum message length the implementation is able to handle?	
5	Has the EDI-UA chosen to check for the semantic equivalence of elements common to the EDI information in the EDI body part and the EDIM header? (no checking, on origination, on reception or on origination and reception)	

## Remplacée par une version plus récente

### A.3.3 Information related to forwarding

	Question	Answer
1	Is there any limitation on the level of nesting of forwarded messages?	
2	Forwarding class AF What are the criteria available to the EDIMG-user to specify automatic forwarding?	
3	Forwarding class AF How is automatic forwarding invoked?	
4	Is removal of body parts supported?	

### A.3.4 Externally defined body parts

	Externally defined body parts	Origination	Reception
1	Any externally defined body part		
2	Specific externally defined body parts:		

### A.3.5 EDI body part types for Privately defined syntaxes

	EDI body part types	Origination	Reception
1	Any EDI body part type		
2	Specific EDI body part types:		

# **Remplacée par une version plus récente**

## **Annexe B**

### **Modifications et rectificatifs**

(Cette annexe fait partie intégrante de la présente Recommandation)

Les rectificatifs des Recommandations indiquées en référence figurent dans le Guide commun de mise en œuvre MHS, version 11, mars 1994 (Groupe spécial de Rapporteurs de l'UIT sur les systèmes de messagerie et Groupe SWG de l'ISO/CEI JTC1/SC18/WG4 sur la messagerie).

Les modifications et rectificatifs suivants des Normes internationales équivalentes sont considérés comme des références normatives de la présente Recommandation.

ISO/CEI 10021-1/Cor.1:1991	ISO/CEI 10021-2/Cor.1:1991	ISO/CEI 10021-1/Amd.2:1994
ISO/CEI 10021-1/Cor.2:1991	ISO/CEI 10021-2/Cor.2:1991	ISO/CEI 10021-2/Amd.1:1994
ISO/CEI 10021-1/Cor.3:1992	ISO/CEI 10021-2/Cor.3:1992	ISO/CEI 10021-2/Amd.2:1994
ISO/CEI 10021-1/Cor.4:1992	ISO/CEI 10021-2/Cor.4:1992	
ISO/CEI 10021-1/Cor.5:1992	ISO/CEI 10021-2/Cor.5:1993	
ISO/CEI 10021-1/Cor.6:1994	ISO/CEI 10021-2/Cor.6:1994	
	ISO/CEI 10021-2/Cor.7:1994	

# Remplacée par une version plus récente

## SÉRIES DES RECOMMANDATIONS UIT-T

- Série A      Organisation du travail de l'UIT-T
- Série B      Moyens d'expression
- Série C      Statistiques générales des télécommunications
- Série D      Principes généraux de tarification
- Série E      Réseau téléphonique et RNIS
- Série F      Services de télécommunication non téléphoniques
- Série G      Systèmes et supports de transmission
- Série H      Transmission des signaux autres que téléphoniques
- Série I      Réseau numérique à intégration de services
- Série J      Transmission des signaux radiophoniques et télévisuels
- Série K      Protection contre les perturbations
- Série L      Construction, installation et protection des câbles et autres éléments des installations extérieures
- Série M      Maintenance: systèmes de transmission, de télégraphie, de télécopie, circuits téléphoniques et circuits loués internationaux
- Série N      Maintenance: circuits internationaux de transmission radiophoniques et télévisuels
- Série O      Spécifications des appareils de mesure
- Série P      Qualité de transmission téléphonique
- Série Q      Commutation et signalisation
- Série R      Transmission télégraphique
- Série S      Equipements terminaux de télégraphie
- Série T      Equipements terminaux et protocoles des services télématiques
- Série U      Commutation télégraphique
- Série V      Communications de données sur le réseau téléphonique
- Série X      Réseaux pour données et communication entre systèmes ouverts**
- Série Z      Langages de programmation