



UNION INTERNATIONALE DES TÉLÉCOMMUNICATIONS

UIT-T

SECTEUR DE LA NORMALISATION
DES TÉLÉCOMMUNICATIONS
DE L'UIT

X.742

Amendement 1
(10/97)

SÉRIE X: RÉSEAUX POUR DONNÉES ET
COMMUNICATION ENTRE SYSTÈMES OUVERTS

Gestion OSI – Fonctions de gestion et fonctions ODMA

Technologies de l'information – Interconnexion des
systèmes ouverts – Gestion-systèmes: Fonction de
comptage d'utilisation aux fins de comptabilité

**Amendement 1: Formulaires de déclaration de
conformité d'implémentation**

Recommandation UIT-T X.742 – Amendement 1

(Antérieurement Recommandation du CCITT)

RECOMMANDATIONS UIT-T DE LA SÉRIE X

RÉSEAUX POUR DONNÉES ET COMMUNICATION ENTRE SYSTÈMES OUVERTS

RÉSEAUX PUBLICS POUR DONNÉES	
Services et fonctionnalités	X.1–X.19
Interfaces	X.20–X.49
Transmission, signalisation et commutation	X.50–X.89
Aspects réseau	X.90–X.149
Maintenance	X.150–X.179
Dispositions administratives	X.180–X.199
INTERCONNEXION DES SYSTÈMES OUVERTS	
Modèle et notation	X.200–X.209
Définitions des services	X.210–X.219
Spécifications des protocoles en mode connexion	X.220–X.229
Spécifications des protocoles en mode sans connexion	X.230–X.239
Formulaires PICS	X.240–X.259
Identification des protocoles	X.260–X.269
Protocoles de sécurité	X.270–X.279
Objets gérés de couche	X.280–X.289
Tests de conformité	X.290–X.299
INTERFONCTIONNEMENT DES RÉSEAUX	
Généralités	X.300–X.349
Systèmes de transmission de données par satellite	X.350–X.399
SYSTÈMES DE MESSAGERIE	X.400–X.499
ANNUAIRE	X.500–X.599
RÉSEAUTAGE OSI ET ASPECTS SYSTÈMES	
Réseautage	X.600–X.629
Efficacité	X.630–X.639
Qualité de service	X.640–X.649
Dénomination, adressage et enregistrement	X.650–X.679
Notation de syntaxe abstraite numéro un (ASN.1)	X.680–X.699
GESTION OSI	
Cadre général et architecture de la gestion-systèmes	X.700–X.709
Service et protocole de communication de gestion	X.710–X.719
Structure de l'information de gestion	X.720–X.729
Fonctions de gestion et fonctions ODMA	X.730–X.799
SÉCURITÉ	X.800–X.849
APPLICATIONS OSI	
Engagement, concomitance et rétablissement	X.850–X.859
Traitement transactionnel	X.860–X.879
Opérations distantes	X.880–X.899
TRAITEMENT RÉPARTI OUVERT	X.900–X.999

Pour plus de détails, voir la Liste des Recommandations de l'UIT-T.

NORME INTERNATIONALE 10164-10

RECOMMANDATION UIT-T X.742

**TECHNOLOGIES DE L'INFORMATION – INTERCONNEXION
DES SYSTÈMES OUVERTS – GESTION-SYSTÈMES:
FONCTION DE COMPTAGE D'UTILISATION
AUX FINS DE COMPTABILITÉ**

AMENDEMENT 1

Formulaires de déclaration de conformité d'implémentation

Source

La Recommandation X.742, Amendement 1, de l'UIT-T a été approuvée le 24 octobre 1997. Un texte identique est publié comme Norme internationale ISO/CEI 10164-10.

AVANT-PROPOS

L'UIT (Union internationale des télécommunications) est une institution spécialisée des Nations Unies dans le domaine des télécommunications. L'UIT-T (Secteur de la normalisation des télécommunications) est un organe permanent de l'UIT. Il est chargé de l'étude des questions techniques, d'exploitation et de tarification, et émet à ce sujet des Recommandations en vue de la normalisation des télécommunications à l'échelle mondiale.

La Conférence mondiale de normalisation des télécommunications (CMNT), qui se réunit tous les quatre ans, détermine les thèmes d'études à traiter par les Commissions d'études de l'UIT-T, lesquelles élaborent en retour des Recommandations sur ces thèmes.

L'approbation des Recommandations par les Membres de l'UIT-T s'effectue selon la procédure définie dans la Résolution n° 1 de la CMNT.

Dans certains secteurs des technologies de l'information qui correspondent à la sphère de compétence de l'UIT-T, les normes nécessaires se préparent en collaboration avec l'ISO et la CEI.

NOTE

Dans la présente Recommandation, l'expression "Administration" est utilisée pour désigner de façon abrégée aussi bien une administration de télécommunications qu'une exploitation reconnue.

DROITS DE PROPRIÉTÉ INTELLECTUELLE

L'UIT attire l'attention sur la possibilité que l'application ou la mise en œuvre de la présente Recommandation puisse donner lieu à l'utilisation d'un droit de propriété intellectuelle. L'UIT ne prend pas position en ce qui concerne l'existence, la validité ou l'applicabilité des droits de propriété intellectuelle, qu'ils soient revendiqués par un Membre de l'UIT ou par une tierce partie étrangère à la procédure d'élaboration des Recommandations.

A la date d'approbation de la présente Recommandation, l'UIT n'avait pas été avisée de l'existence d'une propriété intellectuelle protégée par des brevets à acquérir pour mettre en œuvre la présente Recommandation. Toutefois, comme il ne s'agit peut-être pas de renseignements les plus récents, il est vivement recommandé aux responsables de la mise en œuvre de consulter la base de données des brevets du TSB.

© UIT 1998

Droits de reproduction réservés. Aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'UIT, sauf mentions contraires explicites.

TABLE DES MATIÈRES

	<i>Page</i>
1) Paragraphe 2.1.....	1
2) Paragraphe 2.2.....	1
3) Nouveau paragraphe 3.7.....	2
4) Article 4	2
5) Nouvelles Annexes B, C, D et F	3
Annexe B – Formulaire MCS	3
Annexe C – Formulaire MICS.....	9
Annexe D – Formulaire MOCS.....	24
Annexe F – Formulaire MRCS pour les corrélations de noms	46

NORME INTERNATIONALE

RECOMMANDATION UIT-T

**TECHNOLOGIES DE L'INFORMATION – INTERCONNEXION
DES SYSTÈMES OUVERTS – GESTION-SYSTÈMES:
FONCTION DE COMPTAGE D'UTILISATION
AUX FINS DE COMPTABILITÉ**

AMENDEMENT 1
Formulaires de déclaration de conformité d'implémentation

1) Paragraphe 2.1

Remplacer la référence existante à la Recommandation X.724 par:

- Recommandation UIT-T X.724 (1996) | ISO/CEI 10165-6:1997, *Technologies de l'information – Interconnexion des systèmes ouverts – Structure de l'information de gestion: spécifications et directives pour l'établissement des formulaires de déclaration de conformité d'implémentations associés à la gestion OSI.*

2) Paragraphe 2.2

Ajouter les références suivantes:

- Recommandation UIT-T X.290 (1995), *Cadre général et méthodologie des tests de conformité d'interconnexion des systèmes ouverts pour les Recommandations sur les protocoles pour les applications de l'UIT-T – Concepts généraux.*

ISO/CEI 9646-1:1994, *Technologies de l'information – Interconnexion de systèmes ouverts (OSI) – Cadre général et méthodologie des tests de conformité – Partie 1: Concepts généraux.*
- Recommandation UIT-T X.291 (1995), *Cadre général et méthodologie des tests de conformité d'interconnexion des systèmes ouverts pour les Recommandations sur les protocoles pour les applications de l'UIT-T – Spécification de suite de tests abstraite.*

ISO/CEI 9646-2:1994, *Technologies de l'information – Interconnexion de systèmes ouverts (OSI) – Cadre général et méthodologie des tests de conformité – Partie 2: Spécification des suites de tests abstraite.*
- Recommandation UIT-T X.296 (1995), *Cadre général et méthodologie des tests de conformité OSI pour les Recommandations sur les protocoles pour les applications de l'UIT-T – Déclarations de conformité d'instance.*

ISO/CEI 9646-7:1995, *Technologies de l'information – Interconnexion de systèmes ouverts (OSI) – Essais de conformité – Méthodologie générale et procédures – Partie 7: Déclarations de conformité des mises en œuvre.*

3) Nouveau paragraphe 3.7

Ajouter un nouveau paragraphe 3.7 et renuméroter le paragraphe 3.7 existant en 3.8:

3.7 Définitions des tests de conformité OSI

La présente Recommandation | Norme internationale utilise les termes suivants définis dans la Rec. UIT-T X.290 | ISO/CEI 9646-1:

- a) formulaire PICS;
- b) déclaration de conformité d'implémentation de protocole;
- c) déclaration de conformité de système.

4) Article 4

Insérer les abréviations suivantes par ordre alphabétique:

ICS	Déclaration de conformité d'implémentation (<i>implementation conformance statement</i>)
MCS	Récapitulatif de conformité de gestion (<i>management conformance summary</i>)
MICS	Déclaration de conformité d'information de gestion (<i>management information conformance statement</i>)
MIDS	Déclaration de définition d'information de gestion (<i>management information definition statement</i>)
MOCS	Déclaration de conformité d'objet géré (<i>managed object conformance statement</i>)
MRCS	Déclaration de conformité de relation gérée (<i>managed relationship conformance statement</i>)
PICS	Déclaration de conformité d'implémentation de protocole (<i>protocol implementation conformance statement</i>)

5) Nouvelles Annexes B, C, D et F

Ajouter les annexes suivantes:

Annexe B¹⁾

Formulaire MCS

(Cette annexe fait partie intégrante de la présente Recommandation | Norme internationale)

B.1 Introduction

B.1.1 Purpose and structure

The Management Conformance Summary (MCS) is a statement by a supplier that identifies an implementation and provides information on whether the implementation claims conformance to any of the listed set of documents that specify conformance requirements to OSI management.

The MCS proforma is a document, in the form of a questionnaire that when completed by the supplier of an implementation becomes the MCS.

B.1.2 Instructions for completing the MCS proforma to produce an MCS

The supplier of the implementation shall enter an explicit statement in each of the boxes provided. Specific instruction is provided in the text which precedes each table.

B.1.3 Symbols, abbreviations and terms

For all annexes of this Recommendation | International Standard, the following common notations, defined in CCITT Rec. X.291 | ISO/IEC 9646-2 and ITU-T Rec. X.296 | ISO/IEC 9646-7 are used for the Status column:

- m Mandatory;
- o Optional;
- c Conditional;
- x Prohibited;
- Not applicable or out of scope.

NOTE 1 – 'c', 'm', and 'o' are prefixed by a 'c:' when nested under a conditional or optional item of the same table;

NOTE 2 – 'o' may be suffixed by '.N' (where N is a unique number) for mutually exclusive or selectable options among a set of status values. Support of at least one of the choices (from the items with the same values of N) is required.

For all annexes of this Recommendation | International Standard, the following common notations, defined in CCITT Rec. X.291 | ISO/IEC 9646-2 and ITU-T Rec. X.296 | ISO/IEC 9646-7 are used for the Support column:

- Y Implemented;
- N Not implemented;
- No answer required;
- Ig The item is ignored (i.e. processed syntactically but not semantically).

B.1.4 Table format

Some of the tables in this Recommendation | International Standard have been split because the information is too wide to fit on the page. Where this occurs, the index number of the first block of columns are the index numbers of the corresponding rows of the remaining blocks of columns. A complete table reconstructed from the constituent parts should have the following layout:

Index	First block of columns	Second block of columns	Etc.
-------	------------------------	-------------------------	------

1) Droits de reproduction du formulaire MCS

Les utilisateurs de la présente Recommandation | Norme internationale sont autorisés à reproduire le formulaire MCS de la présente annexe pour utiliser celui-ci conformément à son objet. Ils sont également autorisés à publier le formulaire une fois celui-ci complété. Les instructions pour remplir le formulaire MCS sont spécifiées dans la Rec. UIT-T X.724 | ISO/CEI 10165-6.

In this Recommendation | International Standard the constituent parts of the table appear consecutively, starting with the first block of columns.

When a table with subrows is too wide to fit on a page, the continuation tables(s) have been constructed with index numbers identical to the index numbers in the corresponding rows of the first table, and with subindex numbers corresponding to the subrows within each indexed row. For example, if Table X.1 has 2 rows and the continuation of Table X.1 has 2 subrows for each row, the tables are presented as follows:

Table X.1 – Title

					Support		
Index	A	B	C	D	E	F	G
1	a	b	–				
2	a	b	–				

Table X.1 (continued)

Index	Subindex	H	I	J	K	L
1	1.1	h	i	j		
	1.2	h	i	j		
2	2.1	h	i	j		
	2.2	h	i	j		

A complete table reconstructed from the constituent parts should have the following layout:

								Support					
Index	A	B	C	D	E	F	G	Subindex	H	I	J	K	L
1	a	b	–					1.1	h	i	j		
								1.2	h	i	j		
2	a	b	–					2.1	h	i	j		
								2.2	h	i	j		

References made to cells within tables shall be interpreted as references within reconstructed tables. In the example, above, the reference X.1/1d corresponds with the blank cell in the column G for row with Index 1, and X.1/1.2b corresponds to the blank cell in column L for row with Subindex 1.2

B.2 Identification of the implementation

B.2.1 Date of statement

The supplier of the implementation shall enter the date of this statement in the box below. Use the format DD-MM-YYYY.

Date of statement

B.2.2 Identification of the implementation

The supplier of the implementation shall enter information necessary to uniquely identify the implementation and the system(s) in which it may reside, in the box below.

--

B.2.3 Contact

The supplier of the implementation shall provide information on whom to contact if there are any queries concerning the content of the MCS, in the box below.

--

B.3 Identification of the Recommendation | International Standard in which the management information is defined

The supplier of the implementation shall enter the title, reference number and date of the publication of the Recommendation | International Standard which specifies the management information to which conformance is claimed, in the box below.

Recommendation International Standard to which conformance is claimed

B.3.1 Technical corrigenda implemented

The supplier of the implementation shall enter the reference numbers of implemented technical corrigenda which modify the identified Recommendation | International Standard, in the box below.

--

B.3.2 Amendments implemented

The supplier of the implementation shall state the titles and reference numbers of implemented amendments to the identified Recommendation | International Standard, in the box below.

--

B.4 Management conformance summary

The supplier of implementation shall state the capabilities and features supported and provide summary of conformance claims to Recommendations | International Standards using the tables in this annex.

The supplier of the implementation shall specify the roles that are supported, in Table B.1.

Table B.1 – Roles

Index	Roles supported	Status	Support	Additional information
1	Manager role support	o.1		
2	Agent role support	o.1		

The supplier of the implementation shall specify support for management information in the manager role, in Table B.2.

Table B.2 – Manager role minimum conformance requirement

Index	Item	Status	Support	Additional information
1	Operations on managed objects	c1		
2	Object creation notification from at least one usage metering managed object	c1		
3	Object deletion notification from at least one usage metering managed object	c1		
4	Attribute value change notification from at least one usage metering managed object	c1		
5	State change notification from at least usage metering managed object	c1		
6	Resume metering action to usage metering control object managed object	c1		
7	Start metering action to usage metering control object managed object	c1		
8	Suspend metering action to usage metering control object managed object	c1		
9	Metering resumed notification from usage metering control object managed object	c1		
10	Metering started notification from usage metering control object managed object	c1		
11	Metering suspended notification from usage metering control object managed object	c1		
12	Usage report notification from usage metering data object managed object	c1		
c1: if B.1/1a then o.2 else –				

The supplier of the implementation shall specify support for management information in the agent role, in Table B.3.

Table B.3 – Agent role minimum conformance requirement

Index	Item	Status	Support	Additional information
1	Usage metering control object object class	c2		
2	Usage metering data object object class	c2		
3	Usage metering record object class	c2		
c2: if B.1/2a then o.3 else –				

Table B.4 – Logging of event records

Index	Item	Status	Support	Additional information
1	Does the implementation support logging of event records in agent role?	c3		
c3: if B.1/2a then o.3 else –				

NOTE – Conformance to this Recommendation | International Standard does not require conformance to CCITT Rec. X.735 | ISO/IEC 10164-6.

The supplier of the implementation shall provide information on claims of conformance to any of the Recommendation | International Standards summarized in Tables B.5 to B.8. For each Recommendation | International Standard that the supplier of the implementation claims conformance to, the corresponding conformance statement(s) shall be completed, or referenced by, the MCS. The supplier of the implementation shall complete the Support, Table numbers and Additional information columns.

In Tables B.6 to B.8, the Status column is used to indicate whether the supplier of the implementation is required to complete the referenced tables or referenced items. Conformance requirements are as specified in the referenced tables or referenced items and are not changed by the value of the MCS Status column. Similarly, the Support column is used by the supplier of the implementation to indicate completion of the referenced tables or referenced items.

Table B.5 – PICS support summary

Index	Identification of the document that includes the PICS proforma	Table numbers of PICS proforma	Description	Constraints and values	Status	Support	Table numbers of PICS	Additional information
1	CCITT Rec. X.730 ISO/IEC 10164-1	Annex E all tables	SM application context		o			

Table B.6 – MOCS support summary

Index	Identification of the document that includes the MOCS proforma	Table numbers of MOCS proforma	Description	Constraints and values	Status	Support	Table numbers of MOCS	Additional information
1	CCITT Rec. X.730 ISO/IEC 10164-1	Annex C	objectCreation and objectDeletion records	–	c4			
2	CCITT Rec. X.730 ISO/IEC 10164-1	Annex C	attribute valueChange record	–	c5			
3	CCITT Rec. X.731 ISO/IEC 10164-2	Annex C all tables	stateChangeRecord	–	c5			
4	ITU-T Rec. X.742 ISO/IEC 10164-10	Annex D.4	usageMetering ControlObject	–	c6			
5	ITU-T Rec. X.742 ISO/IEC 10164-10	Annex D.5	usageMetering DataObject	–	c7			
6	ITU-T Rec. X.742 ISO/IEC 10164-10	Annex D.6	usageMeteringRecord	–	c8			
c4: if (B.3/1a or B.3/2a) and B.4/1a then m else – c5: if B.3/1a and B.4/1a then m else – c6: if B.3/1a then m else – c7: if B.3/2a then m else – c8: if (B.3/1a or B.3/3a) and B.4/1a then m else –								

Table B.7 – MRCS support summary

Index	Identification of the document that includes the MRCS proforma	Table numbers of MRCS proforma	Description	Constraints and values	Status	Support	Table numbers of MRCS	Additional information
1	ITU-T Rec. X.742 ISO/IEC 10164-10	Annex F all tables	usageMeter Control-system	–	c9			
2	CCITT Rec. X.735 ISO/IEC 10164-6	Annex D Item D.1/1	logRecord-log	–	c10			
c9: if B.3/1a then o else –								
c10: if B.3/3a then o else –								

Table B.8 – MICS support summary

Index	Identification of the document that includes the MICS proforma	Table numbers of MICS proforma	Description	Constraints and values	Status	Support	Table numbers of MICS	Additional information
1	ITU-T Rec. X.742 ISO/IEC 10164-10	Tables C.1 and C.4	management operations	–	c11			
2	ITU-T Rec. X.742 ISO/IEC 10164-10	Table C.5	attributeValueChange, objectCreation, objectDeletion meteringResumed, meteringStarted, meteringSuspended, and usageReport notifications	–	c12			
4	ITU-T Rec. X.742 ISO/IEC 10164-10	Table C.6	resumeMetering, startMetering and suspendMetering actions	–	c13			
c11: if B.2/1a then m else –								
c12: if B.2/2a or B.2/3a or B.2/4a or B.2/5a or B.2/9a or B.2/10a or B.2/11a or B.2/12a then m else –								
c13: if B.2/6a or B.2/7a or B.2/8a then m else –								

Annexe C²⁾**Formulaire MICS**

(Cette annexe fait partie intégrante de la présente Recommandation | Norme internationale)

C.1 Introduction

The purpose of this MICS proforma is to provide a mechanism for a supplier of an implementation which claims conformance, in the manager role, to management information specified in this Recommendation | International Standard, to provide conformance information in a standard form.

C.2 Instructions for completing the MICS proforma to produce a MICS

The MICS proforma contained in this annex is comprised of information in tabular form, in accordance with ITU-T Rec. X.724 | ISO/IEC 10165-6. In addition to the general guidance given in ITU-T Rec. X.724 | ISO/IEC 10165-6, the Additional information column shall be used to identify the object classes for which the management operations are supported. The supplier of the implementation shall state which items are supported in tables below and if necessary, provide additional information.

C.3 Symbols, abbreviations and terms

The following abbreviations are used throughout the MICS proforma:

smi2AttributeId	{joint-iso-itu-t ms(9) smi(3) part2(2) attribute(7)}
smi2Notification	{joint-iso-itu-t ms(9) smi(3) part2(2) notification(10)}
smi2Package	{joint-iso-itu-t ms(9) smi(3) part2(2) package(4)}
umf-act	{joint-iso-itu-t ms(9) function(2) part10(10) action(9)}
umf-att	{joint-iso-itu-t ms(9) function(2) part10(10) attribute(7)}
umf-mo	{joint-iso-itu-t ms(9) function(2) part10(10) managedObjectClass(3)}
umf-not	{joint-iso-itu-t ms(9) function(2) part10(10) notification(10)}
umf-par	{joint-iso-itu-t ms(9) function(2) part10(10) parameter(5)}
umf-pkg	{joint-iso-itu-t ms(9) function(2) part10(10) package(4)}

The notations used for the Status and Support columns are specified in B.1.3.

C.4 Statement of conformance to the management information**C.4.1 Attributes**

The specifier of a manager role implementation that claims to support management operations on the attributes specified in this Recommendation | International Standard shall import a copy of the following tables and complete them.

²⁾ **Droits de reproduction du formulaire MICS**

Les utilisateurs de la présente Recommandation | Norme internationale sont autorisés à reproduire le formulaire MICS de la présente annexe pour utiliser celui-ci conformément à son objet. Ils sont également autorisés à publier le formulaire une fois celui-ci complété. Les instructions pour remplir le formulaire MICS sont spécifiées dans la Rec. UIT-T X.724 | ISO/CEI 10165-6.

Table C.1 – Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace	
				Status	Support	Status	Support	Status	Support
1	accountableObjectReference	{umf-att 1}	d	–		o.1		–	
2	accountableObjectsReferenceList	{umf-att 2}		c1		o.1		–	
3	additionalInformation	{smi2AttributeID 6}		–		o.1		–	
4	additionalText	{smi2AttributeID 7}		–		o.1		–	
5	allomorphs	{smi2AttributeID 50}		–		o.1		–	
6	auditInfo	{umf-att 4}		–		o.1		–	
7	controlObjectId	{umf-att 5}		–		o.1		–	
8	controlStatus	{smi2AttributeID 34}		–		o.1		–	
9	correlatedNotifications	{smi2AttributeID 12}		–		o.1		–	
10	dataErrors	{umf-att 8}		–		o.1		–	
11	dataObjectId	{umf-att 6}		–		o.1		–	
12	dataObjectsReferenceList	{umf-att 7}		c1		o.1		–	
13	eventTime	{smi2AttributeID 13}		–		o.1		–	
14	eventType	{smi2AttributeID 14}		–		o.1		–	
15	loggingTime	{smi2AttributeID 59}		–		o.1		–	
16	logRecordId	{smi2AttributeID 3}		–		o.1		–	
17	managedObjectClass	{smi2AttributeID 60}		–		o.1		–	
18	managedObjectInstance	{smi2AttributeID 61}		–		o.1		–	
19	nameBinding	{smi2AttributeID 63}		–		o.1		–	
20	notificationIdentifier	{smi2AttributeID 16}		–		o.1		–	
21	objectClass	{smi2AttributeID 65}		–		o.1		–	
22	operationalState	{smi2AttributeID 35}		–		o.1		–	
23	packages	{smi2AttributeID 66}		–		o.1		–	
24	proceduralStatus	{smi2AttributeID 36}		–		o.1		–	
25	providerId	{umf-att 10}		–		o.1		–	
26	reportingTriggers	{umf-att 11}		c1		o.1		o.1	
27	usageInfo	{umf-att 12}		–		o.1		–	
c1: if C.2/1a then o.1 else –									

Table C.1 (concluded)

Index	Add		Remove		Set to default		Additional information
	Status	Support	Status	Support	Status	Support	
1	–		–		–		
2	–		–		–		
3	–		–		–		
4	–		–		–		
5	–		–		–		
6	–		–		–		
7	–		–		–		
8	–		–		–		
9	–		–		–		
10	–		–		–		
11	–		–		–		
12	–		–		–		
13	–		–		–		
14	–		–		–		
15	–		–		–		
16	–		–		–		
17	–		–		–		
18	–		–		–		
19	–		–		–		
20	–		–		–		
21	–		–		–		
22	–		–		–		
23	–		–		–		
24	–		–		–		
25	o.1		o.1		–		
26	–		–		–		

C.5 Create and delete management operations

The specifier of a manager role implementation that claims to support the create or delete management operations on the managed objects specified in this Recommendation | International Standard shall import a copy of the following tables and complete them.

C.5.1 Usage metering control object managed object class

Table C.2 – Create and delete support

Index	Operation	Constraints and values	Status	Support	Additional information
1	Create support	usageMeteringControlObject	o.4		
1.1	Create with reference object	–	c:0		
2	Delete support	–	o.4		

C.5.2 Usage metering data object managed object class**Table C.3 – Create and delete support**

Index	Operation	Constraints and values	Status	Support	Additional information
1	Create support	usageMeteringDataObject	o.4		
1.1	Create with reference object	–	c:o		
2	Delete support	–	o.4		

C.5.3 Usage metering record managed object classes**Table C.4 – Create and delete support**

Index	Operation	Constraints and values	Status	Support	Additional information
1	Create support	–	x		
1.1	Create with reference object	–	–		
2	Delete support	usageMeteringRecord	o.4		

C.6 Notifications

The specifier of a manager role implementation that claims to support notifications specified in this Recommendation | International Standard shall import a copy of Table C.5 and complete it.

Table C.5 – Notification support

					Support		Additional information
Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Confirmed	Non-confirmed	
1	attributeValueChange	{smi2Notification 1}		c2			
2	meteringResumed	{umf-not 2}		c3			
3	meteringStarted	{umf-not 3}		c4			
4	meteringSuspended	{umf-not 4}		c5			
5	objectCreation	{smi2Notification 6}		c6			
6	objectDeletion	{smi2Notification 7}		c7			
7	stateChange	{smi2Notification 14}		c8			
7	usageReport	{umf-not 1}		c9			
c2: if B.2/4a then o.1 else – c3: if B.2/9a then o.1 else – c4: if B.2/10a then o.1 else – c5: if B.2/11a then o.1 else – c6: if B.2/2a then o.1 else – c7: if B.2/3a then o.1 else – c8: if B.2/5a then o.1 else – c9: if B.2/512a then o.1 else –							

Table C.5 (continued)

Index	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
1	1.1	additionalInformation	{smi2AttributeID 6}		o		
	1.1.1	identifier	–		c:m		
	1.1.2	significance	–		c:m		
	1.1.3	information	–		c:m		
	1.2	additionalText	{smi2AttributeID 7}		o		
	1.3	attributeIdentifierList	{smi2AttributeID 8}		o		
	1.3.1	globalForm	–		c:o.1		
	1.3.2	localForm	–		c:o.1		
	1.4	attributeValueChangeDefinition	{smi2AttributeID 10}		m		
	1.4.1	attributeID	–		m		
	1.4.1.1	globalForm	–		c:o.2		
	1.4.1.2	localForm	–		c:o.2		
	1.4.2	oldAttributeValue	–		o		
	1.4.3	newAttributeValue	–		m		
	1.5	correlatedNotifications	{smi2AttributeID 12}		o		
	1.5.1	correlatedNotifications	–		c:m		
	1.5.2	sourceObjectInst	–		c:o		
	1.5.2.1	distinguishedName	–		c:o.3		
	1.5.2.1.1	AttributeType	–		c:m		
	1.5.2.1.2	AttributeValue	–		c:m		
	1.5.2.2	nonSpecificForm	–		c:o.3		
	1.5.2.3	localDistinguishedName	–		c:o.3		
	1.5.2.3.1	AttributeType	–		c:m		
	1.5.2.3.2	AttributeValue	–		c:m		
	1.6	notificationIdentifier	{smi2AttributeID 16}		o		
	1.7	sourceIndicator	{smi2AttributeID 26}		o		
2	2.1	actionResponse	{umf-att 3}		c:m		
	2.1.1	success	–		c:o		
	2.1.1.1	distinguishedName	–		c:o.4		
	2.1.1.1.1	AttributeType	–		c:m		
	2.1.1.1.2	AttributeValue	–		c:m		
	2.1.1.2	nonSpecificForm	–		c:o.4		
	2.1.1.3	localDistinguishedName	–		c:o.4		
	2.1.1.3.1	AttributeType	–		c:m		
	2.1.1.3.2	AttributeValue	–		c:m		
	2.1.2	failed	–		c:o		
	2.1.2.1	distinguishedName	–		c:o.5		
	2.1.2.1.1	AttributeType	–		c:m		
	2.1.2.1.2	AttributeValue	–		c:m		

Table C.5 (continued)

Index	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
	2.1.2.2	nonSpecificForm	—		c:o.5		
	2.1.2.3	localDistinguishedName	—		c:o.5		
	2.1.2.3.1	AttributeType	—		c:m		
	2.1.2.3.2	AttributeValue	—		c:m		
	2.1.3	indeterminate	—		c:o		
	2.1.3.1	distinguishedName	—		c:o.6		
	2.1.3.1.1	AttributeType	—		c:m		
	2.1.3.1.2	AttributeValue	—		c:m		
	2.1.3.2	nonSpecificForm	—		c:o.6		
	2.1.3.3	localDistinguishedName	—		c:o.6		
	2.1.3.3.1	AttributeType	—		c:m		
	2.1.3.3.2	AttributeValue	—		c:m		
	2.2	dataObjectsReferenceList	{umf-att 7}		c:m		
	2.2.1	distinguishedName	—		c:o.7		
	2.2.1.1	AttributeType	—		c:m		
	2.2.1.2	AttributeValue	—		c:m		
	2.2.2	nonSpecificForm	—		c:o.7		
	2.2.3	localDistinguishedName	—		c:o.7		
	2.2.3.1	AttributeType	—		c:m		
	2.2.3.2	AttributeValue	—		c:m		
	2.3	reportingTriggers	{umf-att 11}		c:o		
	2.3.1	periodic	—		c:o.8		
	2.3.1.1	days	—		c:o.9		
	2.3.1.2	hours	—		c:o.9		
	2.3.1.3	minutes	—		c:o.9		
	2.3.1.4	seconds	—		c:o.9		
	2.3.1.5	milliSeconds	—		c:o.9		
	2.3.1.6	microSeconds	—		c:o.9		
	2.3.1.7	nanoSeconds	—		c:o.9		
	2.3.1.8	picoSeconds	—		c:o.9		
	2.3.2	induced	—		c:o.8		
	2.3.3	event	—		c:o.8		
	2.3.4	stimulus	—		c:o.8		
3	3.1	actionResponse	{umf-att 3}		c:m		
	3.1.1	success	—		c:o		
	3.1.1.1	distinguishedName	—		c:o.10		
	3.1.1.1.1	AttributeType	—		c:m		
	3.1.1.1.2	AttributeValue	—		c:m		

Table C.5 (continued)

Index	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
	3.1.1.2	nonSpecificForm	–		c:o.10		
	3.1.1.3	localDistinguishedName	–		c:o.10		
	3.1.1.3.1	AttributeType	–		c:m		
	3.1.1.3.2	AttributeValue	–		c:m		
	3.1.2	failed	–		c:o		
	3.1.2.1	distinguishedName	–		c:o.11		
	3.1.2.1.1	AttributeType	–		c:m		
	3.1.2.1.2	AttributeValue	–		c:m		
	3.1.2.2	nonSpecificForm	–		c:o.11		
	3.1.2.3	localDistinguishedName	–		c:o.11		
	3.1.2.3.1	AttributeType	–		c:m		
	3.1.2.3.2	AttributeValue	–		c:m		
	3.1.3	indeterminate	–		c:o		
	3.1.3.1	distinguishedName	–		c:o.12		
	3.1.3.1.1	AttributeType	–		c:m		
	3.1.3.1.2	AttributeValue	–		c:m		
	3.1.3.2	nonSpecificForm	–		c:o.12		
	3.1.3.3	localDistinguishedName	–		c:o.12		
	3.1.3.3.1	AttributeType	–		c:m		
	3.1.3.3.2	AttributeValue	–		c:m		
	3.2	dataObjectsReferenceList	{umf-att 7}		c:m		
	3.2.1	distinguishedName	–		c:o.13		
	3.2.1.1	AttributeType	–		c:m		
	3.2.1.2	AttributeValue	–		c:m		
	3.2.2	nonSpecificForm	–		c:o.13		
	3.2.3	localDistinguishedName	–		c:o.13		
	3.2.3.1	AttributeType	–		c:m		
	3.2.3.2	AttributeValue	–		c:m		
	3.3	reportingTriggers	{umf-att 11}		c:o		
	3.3.1	periodic	–		c:o.14		
	3.3.1.1	days	–		c:o.15		
	3.3.1.2	hours	–		c:o.15		
	3.3.1.3	minutes	–		c:o.15		
	3.3.1.4	seconds	–		c:o.15		
	3.3.1.5	milliSeconds	–		c:o.15		
	3.3.1.6	microSeconds	–		c:o.15		
	3.3.1.7	nanoSeconds	–		c:o.15		
	3.3.1.8	picoSeconds	–		c:o.15		

Table C.5 (continued)

Index	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
	3.3.2	induced	—		c:o.14		
	3.3.3	event	—		c:o.14		
	3.3.4	stimulus	—		c:o.14		
4	4.1	actionResponse	{umf-att 3}		c:m		
	4.1.1	success	—		c:o		
	4.1.1.1	distinguishedName	—		c:o.16		
	4.1.1.1.1	AttributeType	—		c:m		
	4.1.1.1.2	AttributeValue	—		c:m		
	4.1.1.2	nonSpecificForm	—		c:o.16		
	4.1.1.3	localDistinguishedName	—		c:o.16		
	4.1.1.3.1	AttributeType	—		c:m		
	4.1.1.3.2	AttributeValue	—		c:m		
	4.1.2	failed	—		c:o		
	4.1.2.1	distinguishedName	—		c:o.17		
	4.1.2.1.1	AttributeType	—		c:m		
	4.1.2.1.2	AttributeValue	—		c:m		
	4.1.2.2	nonSpecificForm	—		c:o.17		
	4.1.2.3	localDistinguishedName	—		c:o.17		
	4.1.2.3.1	AttributeType	—		c:m		
	4.1.2.3.2	AttributeValue	—		c:m		
	4.1.3	indeterminate	—		c:o		
	4.1.3.1	distinguishedName	—		c:o.18		
	4.1.3.1.1	AttributeType	—		c:m		
	4.1.3.1.2	AttributeValue	—		c:m		
	4.1.3.2	nonSpecificForm	—		c:o.18		
	4.1.3.3	localDistinguishedName	—		c:o.18		
	4.1.3.3.1	AttributeType	—		c:m		
	4.1.3.3.2	AttributeValue	—		c:m		
	4.2	dataObjectsReferenceList	{umf-att 7}		c:m		
	4.2.1	distinguishedName	—		c:o.19		
	4.2.1.1	AttributeType	—		c:m		
	4.2.1.2	AttributeValue	—		c:m		
	4.2.2	nonSpecificForm	—		c:o.19		
	4.2.3	localDistinguishedName	—		c:o.19		
	4.2.3.1	AttributeType	—		c:m		
	4.2.3.2	AttributeValue	—		c:m		
	4.3	reportingTriggers	{umf-att 11}		c:o		
	4.3.1	periodic	—		c:o.20		

Table C.5 (continued)

Index	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
	4.3.1.1	days	—		c:o.21		
	4.3.1.2	hours	—		c:o.21		
	4.3.1.3	minutes	—		c:o.21		
	4.3.1.4	seconds	—		c:o.21		
	4.3.1.5	milliSeconds	—		c:o.21		
	4.3.1.6	microSeconds	—		c:o.21		
	4.3.1.7	nanoSeconds	—		c:o.21		
	4.3.1.8	picoSeconds	—		c:o.21		
	4.3.2	induced	—		c:o.20		
	4.3.3	event	—		c:o.20		
	4.3.4	stimulus	—		c:o.20		
	4.3.5	—	—		c:o.20		
5	5.1	additionalInformation	{smi2AttributeID 6}		o		
	5.1.1	identifier	—		c:m		
	5.1.2	significance	—		c:m		
	5.1.3	information	—		c:m		
	5.2	additionalText	{smi2AttributeID 7}		o		
	5.3	attributeList	{smi2AttributeID 9}		o		
	5.3.1	attributeId	—		c:m		
	5.3.1.1	globalForm	—		c:o.22		
	5.3.1.2	localForm	—		c:o.22		
	5.3.2	attributeValue	—		c:m		
	5.4	correlatedNotifications	{smi2AttributeID 12}		o		
	5.4.1	correlatedNotifications	—		c:m		
	5.4.2	sourceObjectInst	—		c:o		
	5.4.2.1	distinguishedName	—		c:o.23		
	5.4.2.1.1	AttributeType	—		c:m		
	5.4.2.1.2	AttributeValue	—		c:m		
	5.4.2.2	nonSpecificForm	—		c:o.23		
	5.4.2.3	localDistinguishedName	—		c:o.23		
	5.4.2.3.1	AttributeType	—		c:m		
	5.4.2.3.2	AttributeValue	—		c:m		
	5.5	notificationIdentifier	{smi2AttributeID 16}		o		
	5.6	sourceIndicator	{smi2AttributeID 26}		o		
6	6.1	additionalInformation	{smi2AttributeID 6}		o		
	6.1.1	identifier	—		c:m		
	6.1.2	significance	—		c:m		
	6.1.3	information	—		c:m		
	6.2	additionalText	{smi2AttributeID 7}		o		

Table C.5 (continued)

Index	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
	6.3	attributeList	{smi2AttributeID 9}		o		
	6.3.1	attributeId	—		c:m		
	6.3.1.1	globalForm	—		c:o.24		
	6.3.1.2	localForm	—		c:o.24		
	6.3.2	attributeValue	—		c:m		
	6.4	correlatedNotifications	{smi2AttributeID 12}		o		
	6.4.1	correlatedNotifications	—		c:m		
	6.4.2	sourceObjectInst	—		c:o		
	6.4.2.1	distinguishedName	—		c:o.25		
	6.4.2.1.1	AttributeType	—		c:m		
	6.4.2.1.2	AttributeValue	—		c:m		
	6.4.2.2	nonSpecificForm	—		c:o.25		
	6.4.2.3	localDistinguishedName	—		c:o.25		
	6.4.2.3.1	AttributeType	—		c:m		
	6.4.2.3.2	AttributeValue	—		c:m		
	6.5	notificationIdentifier	{smi2AttributeID 16}		o		
	6.6	sourceIndicator	{smi2AttributeID 26}		o		
7	7.1	additionalInformation	{smi2AttributeID 6}		o		
	7.1.1	identifier	—		c:m		
	7.1.2	significance	—		c:m		
	7.1.3	information	—		c:m		
	7.2	additionalText	{smi2AttributeID 7}		o		
	7.3	attributeIdentifierList	{smi2AttributeID 8}		o		
	7.3.1	globalForm	—		c:o.26		
	7.3.2	localForm	—		c:o.26		
	7.4	correlatedNotifications	{smi2AttributeID 12}		o		
	7.4.1	correlatedNotifications	—		c:m		
	7.4.2	sourceObjectInst	—		c:o		
	7.4.2.1	distinguishedName	—		c:o.27		
	7.4.2.1.1	AttributeType	—		c:m		
	7.4.2.1.2	AttributeValue	—		c:m		
	7.4.2.2	nonSpecificForm	—		c:o.27		
	7.4.2.3	localDistinguishedName	—		c:o.27		
	7.4.2.3.1	AttributeType	—		c:m		
	7.4.2.3.2	AttributeValue	—		c:m		
	7.5	notificationIdentifier	{smi2AttributeID 16}		o		
	7.6	sourceIndicator	{smi2AttributeID 26}		o		

Table C.5 (continued)

Index	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
	7.7	stateChangeDefinition	{smi2AttributeID 28}		m		
	7.7.1	attributeID	—		m		
	7.7.1.1	globalForm	—		c:o.28		
	7.7.1.2	localForm	—		c:o.28		
	7.7.2	oldAttributeValue	—		o		
	7.7.3	newAttributeValue	—		m		
8	8.1	accountableObjectReference	{umf-att 1}		m		
	8.1.1	distinguishedName	—		c:o.5		
	8.1.1.1	AttributeType	—		c:m		
	8.1.1.2	AttributeValue	—		c:m		
	8.1.2	nonSpecificForm	—		c:o.5		
	8.1.3	localDistinguishedName	—		c:o.5		
	8.1.3.1	AttributeType	—		c:m		
	8.1.3.2	AttributeValue	—		c:m		
	8.2	auditInfo	{umf-att 4}		o		
	8.2.1	service	—		c:m		
	8.2.2	auditDetails	—		c:m		
	8.3	dataErrors	{umf-att 8}		m		
	8.3.1	possibleErrors	—		c:o.6		
	8.3.2	noProblem	—		c:o.6		
	8.4	notificationCause	{umf-att 9}		m		
	8.4.1	periodic	—		c:o.7		
	8.4.1.1	days	—		c:o.8		
	8.4.1.2	hours	—		c:o.8		
	8.4.1.3	minutes	—		c:o.8		
	8.4.1.4	seconds	—		c:o.8		
	8.4.1.5	milliSeconds	—		c:o.8		
	8.4.1.6	microSeconds	—		c:o.8		
	8.4.1.7	nanoSeconds	—		c:o.8		
	8.4.1.8	picoSeconds	—		c:o.8		
	8.4.2	induced	—		c:o.7		
	8.4.3	event	—		c:o.7		
	8.4.4	stimulus	—		c:o.7		
	8.5	providerId	{umf-att 10}		o		
	8.5.1	objectReference	—		c:o.9		
	8.5.1.1	distinguishedName	—		c:o.10		
	8.5.1.1.1	AttributeType	—		c:m		
	8.5.1.1.2	AttributeValue	—		c:m		

Table C.5 (concluded)

Index	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
	8.5.1.2	nonSpecificForm	–		c:o.10		
	8.5.1.3	localDistinguishedName	–		c:o.10		
	8.5.1.3.1	AttributeType	–		c:m		
	8.5.1.3.2	AttributeValue	–		c:m		
	8.5.2	textualName	–		c:o.9		
	8.5.3	serviceSpecific	–		c:o.9		
	8.5.3.1	service	–		c:m		
	8.5.3.2	serviceSpecificId	–		c:m		
	8.5.4	unknown	–		c:o.9		
	8.6	usageInfo	{umf-att 12}		m		
	8.6.1	serviceType	–		m		
	8.6.2	usageData	–		m		

C.7 Actions

The specifier of a manager role implementation that claims to support actions specified in this Recommendation | International Standard shall import a copy of Table C.6 and complete it.

Table C.6 – Action support

Index	Action type template label	Value of object identifier for action type	Constraints and values	Status	Support	Additional information
1	resumeMetering	{umf-act 1}		c1		
2	startMetering	{umf-act 2}		c2		
3	suspendMetering	{umf-act 3}		c3		
c1: if B.2/6a then o.1 else – c2: if B.2/7a then o.1 else – c3: if B.2/8a then o.1 else –						

Table C.6 (continued)

Index	Subindex	Action field name label	Constraints and values	Status	Support	Additional information
1	1.1	ActionArgument		c1		
	1.1.1	selectedObjects		c:o.1		
	1.1.1.1	distinguishedName		c:o.2		
	1.1.1.1.1	AttributeType		c:m		
	1.1.1.1.2	AttributeValue		c:m		
	1.1.1.2	nonSpecificForm		c:o.2		
	1.1.1.3	localDistinguishedName		c:o.2		
	1.1.1.3.1	AttributeType		c:m		
	1.1.1.3.2	AttributeValue		c:m		
	1.1.2	allObjects		c:o.1		

Table C.6 (continued)

Index	Subindex	Action field name label	Constraints and values	Status	Support	Additional information
	1.2	ActionResponse		c1		
	1.2.1	success		c:o		
	1.2.1.1	distinguishedName		c:o.3		
	1.2.1.1.1	AttributeType		c:m		
	1.2.1.1.2	AttributeValue		c:m		
	1.2.1.2	nonSpecificForm		c:o.3		
	1.2.1.3	localDistinguishedName		c:o.3		
	1.2.1.3.1	AttributeType		c:m		
	1.2.1.3.2	AttributeValue		c:m		
	1.2.2	failed		c:o		
	1.2.2.1	distinguishedName		c:o.4		
	1.2.2.1.1	AttributeType		c:m		
	1.2.2.1.2	AttributeValue		c:m		
	1.2.2.2	nonSpecificForm		c:o.4		
	1.2.2.3	localDistinguishedName		c:o.4		
	1.2.2.3.1	AttributeType		c:m		
	1.2.2.3.2	AttributeValue		c:m		
	1.2.3	indeterminate		c:o		
	1.2.3.1	distinguishedName		c:o.5		
	1.2.3.1.1	AttributeType		c:m		
	1.2.3.1.2	AttributeValue		c:m		
	1.2.3.2	nonSpecificForm		c:o.5		
	1.2.3.3	localDistinguishedName		c:o.5		
	1.2.3.3.1	AttributeType		c:m		
	1.2.3.3.2	AttributeValue		c:m		
2	2.1	ActionArgument		c2		
	2.1.1	selectedObjects		c:o.6		
	2.1.1.1	distinguishedName		c:o.7		
	2.1.1.1.1	AttributeType		c:m		
	2.1.1.1.2	AttributeValue		c:m		
	2.1.1.2	nonSpecificForm		c:o.7		
	2.1.1.3	localDistinguishedName		c:o.7		
	2.1.1.3.1	AttributeType		c:m		
	2.1.1.3.2	AttributeValue		c:m		
	2.1.2	allObjects		c:o.6		
	2.2	ActionResponse		c2		
	2.2.1	success		c:o		
	2.2.1.1	distinguishedName		c:o.8		
	2.2.1.1.1	AttributeType		c:m		
	2.2.1.1.2	AttributeValue		c:m		

Table C.6 (continued)

Index	Subindex	Action field name label	Constraints and values	Status	Support	Additional information
	2.2.1.2	nonSpecificForm		c:o.8		
	2.2.1.3	localDistinguishedName		c:o.8		
	2.2.1.3.1	AttributeType		c:m		
	2.2.1.3.2	AttributeValue		c:m		
	2.2.2	failed		c:o		
	2.2.2.1	distinguishedName		c:o.9		
	2.2.2.1.1	AttributeType		c:m		
	2.2.2.1.2	AttributeValue		c:m		
	2.2.2.2	nonSpecificForm		c:o.9		
	2.2.2.3	localDistinguishedName		c:o.9		
	2.2.2.3.1	AttributeType		c:m		
	2.2.2.3.2	AttributeValue		c:m		
	2.2.3	indeterminate		c:o		
	2.2.3.1	distinguishedName		c:o.10		
	2.2.3.1.1	AttributeType		c:m		
	2.2.3.1.2	AttributeValue		c:m		
	2.2.3.2	nonSpecificForm		c:o.10		
	2.2.3.3	localDistinguishedName		c:o.10		
	2.2.3.3.1	AttributeType		c:m		
	2.2.3.3.2	AttributeValue		c:m		
3	3.1	ActionArgument		c1		
	3.1.1	selectedObjects		c:o.11		
	3.1.1.1	distinguishedName		c:o.12		
	3.1.1.1.1	AttributeType		c:m		
	3.1.1.1.2	AttributeValue		c:m		
	3.1.1.2	nonSpecificForm		c:o.12		
	3.1.1.3	localDistinguishedName		c:o.12		
	3.1.1.3.1	AttributeType		c:m		
	3.1.1.3.2	AttributeValue		c:m		
	3.1.2	allObjects		c:o.11		
	3.2	ActionResponse		c1		
	3.2.1	success		c:o		
	3.2.1.1	distinguishedName		c:o.13		
	3.2.1.1.1	AttributeType		c:m		
	3.2.1.1.2	AttributeValue		c:m		
	3.2.1.2	nonSpecificForm		c:o.13		
	3.2.1.3	localDistinguishedName		c:o.13		
	3.2.1.3.1	AttributeType		c:m		
	3.2.1.3.2	AttributeValue		c:m		

Table C.6 (concluded)

Index	Subindex	Action field name label	Constraints and values	Status	Support	Additional information
	3.2.2	failed		c:o		
	3.2.2.1	distinguishedName		c:o.14		
	3.2.2.1.1	AttributeType		c:m		
	3.2.2.1.2	AttributeValue		c:m		
	3.2.2.2	nonSpecificForm		c:o.14		
	3.2.2.3	localDistinguishedName		c:o.14		
	3.2.2.3.1	AttributeType		c:m		
	3.2.2.3.2	AttributeValue		c:m		
	3.2.3	indeterminate		c:o		
	3.2.3.1	distinguishedName		c:o.15		
	3.2.3.1.1	AttributeType		c:m		
	3.2.3.1.2	AttributeValue		c:m		
	3.2.3.2	nonSpecificForm		c:o.15		
	3.2.3.3	localDistinguishedName		c:o.15		
	3.2.3.3.1	AttributeType		c:m		
	3.2.3.3.2	AttributeValue		c:m		

C.8 Parameters

The supplier of the implementation shall state whether or not the parameters specified by all packages instantiated in a managed object of this class are supported, in the “Support” and “Additional information” columns in Table C.7.

Table C.7 – Parameter support

Index	Parameter template label	Value of object identifier for parameter	Constraints and values	Status	Support	Additional information
1	deniedMeteringAction	{umf-par 1}		c1		
c1: if C.6/1a or C.6/2a or C.6/3a then m else –						

Annexe D³⁾**Formulaire MOCS**

(Cette annexe fait partie intégrante de la présente Recommandation | Norme internationale)

D.1 Introduction

The purpose of this MOCS proforma is to provide a mechanism for a supplier of an implementation which claims conformance to a managed object class to provide conformance information in a standard form.

D.2 Instructions for completing the MOCS proforma to produce a MOCS

The MOCS proforma contained in this annex is comprised of information in tabular form, in accordance with ITU-T Rec. X.724 | ISO/IEC 10165-6. The supplier of the implementation shall state which items are supported in the tables below and if necessary provide additional information.

D.3 Symbols, abbreviations and terms

The following abbreviations are used throughout the MOCS proforma:

smi2AttributeId	{joint-iso-itu-t ms(9) smi(3) part2(2) attribute(7)}
smi2Notification	{joint-iso-itu-t ms(9) smi(3) part2(2) notification(10)}
smi2Package	{joint-iso-itu-t ms(9) smi(3) part2(2) package(4)}
umf-act	{joint-iso-itu-t ms(9) function(2) part10(10) action(9)}
umf-att	{joint-iso-itu-t ms(9) function(2) part10(10) attribute(7)}
umf-mo	{joint-iso-itu-t ms(9) function(2) part10(10) managedObjectClass(3)}
umf-not	{joint-iso-itu-t ms(9) function(2) part10(10) notification(10)}
umf-par	{joint-iso-itu-t ms(9) function(2) part10(10) parameter(5)}
umf-pkg	{joint-iso-itu-t ms(9) function(2) part10(10) package(4)}

The notations used for the Status and Support columns are specified in B.1.3.

D.4 Usage metering control object managed object class**D.4.1 Statement of conformance to the usageMeteringControlObject object class****Table D.1 – Managed object class support**

Index	Managed object class template label	Value of object identifier for class	Support of all mandatory features	Is the actual class the same as the managed object class to which conformance is claimed? (Y/N)
1	usageMeteringControlObject	{umf-mo 1}		

If the answer to the actual class question in the managed object class support Table D.1 is no, the supplier of the implementation shall fill in the actual class support in Table D.2.

³⁾ **Droits de reproduction du formulaire MOCS**

Les utilisateurs de la présente Recommandation | Norme internationale sont autorisés à reproduire le formulaire MOCS de la présente annexe pour utiliser celui-ci conformément à son objet. Ils sont également autorisés à publier le formulaire une fois celui-ci complété. Les instructions pour remplir le formulaire MOCS sont spécifiées dans la Rec. UIT-T X.724 | ISO/CEI 10165-6.

Table D.2 – Actual class support

Index	Actual managed object class template label	Value of object identifier for actual class	Additional information
1			
2			

D.4.2 Packages

The supplier of the implementation shall state whether or not the conditional packages specified by this class are supported by an instance of this class, in the “Support” and “Additional information” columns in Table D.3.

Table D.3 – Package support

Index	Package template label	Value of object identifier for package	Constraints and values	Status	Support	Additional Information
1	allomorphicPackage	{smi2Package 17}		c1		
2	controlNotification	{umf-pkg 4}		c2		
3	meteringControl	{umf-pkg 5}		c3		
4	meteringStart	{umf-pkg 7}		c4		
5	packagesPackage	{smi2Package 16}		c5		
6	startNotification	{umf-pkg 8}		c6		
c1: if NOT(D.1/1b) then m else – c2: if “there is a static requirement to advise manager(s) other than the one generating the action of the outcome of the action and the meteringControl package is supported” then m else – c3: if “suspend and resume operations are required and the corresponding data objects support the meteringDataCondition package” then m else – c4: if “corresponding data objects are explicitly created in a suspended condition” then m else – c5: if D.3/1 OR D.3/2 OR D.3/3 OR D.3/4 OR D.3/6 then m else – c6: if “there is a static requirement to advise manager(s) other than the one generating the action of the outcome of the action and the meteringStart package is supported” then m else –						

D.4.3 Attributes

The supplier of the implementation shall state whether or not the attributes specified by all packages instantiated in a managed object of this class are supported, in the “Support” and “Additional information” columns in Table D.4. The supplier of the implementation shall indicate support for each of the operations for each attribute supported.

Table D.4 – Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace	
				Status	Support	Status	Support	Status	Support
1	accountableObjects ReferenceList	{umf-att 2}		m		m		x	
2	allomorphs	{smi2AttributeID 50}		x		c1		x	
3	controlObjectId	{umf-att 5}		–		m		x	
4	dataObjectsReferenceList	{umf-att 7}		m		m		x	
5	nameBinding	{smi2AttributeID 63}		–		m		x	
6	objectClass	{smi2AttributeID 65}		–		m		x	
7	operationalState	{smi2AttributeID 35}		–		x		x	
8	packages	{smi2AttributeID 66}		–		m		x	
9	reportingTriggers	{umf-att 11}		m		m		m	

Table D.4 (concluded)

Index	Add		Remove		Set to default		Additional information
	Status	Support	Status	Support	Status	Support	
1	x		x		x		
2	x		x		x		
3	x		x		x		
4	x		x		x		
5	x		x		x		
6	x		x		x		
7	x		x		x		
8	x		x		x		
9	m		m		x		
c1: if not (D.1/1b) then m else –							

D.4.4 Attribute groups

There are no attribute groups defined for the managed object class.

D.4.5 Actions

The supplier of the implementation shall state whether or not the actions specified by all packages instantiated in a managed object of this class are supported, in the “Support” and “Additional information” columns in Table D.5.

Table D.5 – Action support

Index	Action type template label	Value of object identifier for action type	Constraints and values	Status	Support	Additional information
1	resumeMetering	{umf-act 1}		c1		
2	startMetering	{umf-act 2}		c2		
3	suspendMetering	{umf-act 3}		c1		
c1: if D.3/3 then m else –						
c2: if D.3/4 then m else –						

Table D.5 (continued)

Index	Subindex	Action field name label	Constraints and values	Status	Support	Additional information
1	1.1	ActionArgument		c1		
	1.1.1	selectedObjects		c:o.1		
	1.1.1.1	distinguishedName		c:o.2		
	1.1.1.1.1	AttributeType		c:m		
	1.1.1.1.2	AttributeValue		c:m		
	1.1.1.2	nonSpecificForm		c:o.2		
	1.1.1.3	localDistinguishedName		c:o.2		
	1.1.1.3.1	AttributeType		c:m		
	1.1.1.3.2	AttributeValue		c:m		
	1.1.2	allObjects		c:o.1		

Table D.5 (continued)

Index	Subindex	Action field name label	Constraints and values	Status	Support	Additional information
	1.2	ActionResponse		c1		
	1.2.1	success		c:o		
	1.2.1.1	distinguishedName		c:o.3		
	1.2.1.1.1	AttributeType		c:m		
	1.2.1.1.2	AttributeValue		c:m		
	1.2.1.2	nonSpecificForm		c:o.3		
	1.2.1.3	localDistinguishedName		c:o.3		
	1.2.1.3.1	AttributeType		c:m		
	1.2.1.3.2	AttributeValue		c:m		
	1.2.2	failed		c:o		
	1.2.2.1	distinguishedName		c:o.4		
	1.2.2.1.1	AttributeType		c:m		
	1.2.2.1.2	AttributeValue		c:m		
	1.2.2.2	nonSpecificForm		c:o.4		
	1.2.2.3	localDistinguishedName		c:o.4		
	1.2.2.3.1	AttributeType		c:m		
	1.2.2.3.2	AttributeValue		c:m		
	1.2.3	indeterminate		c:o		
	1.2.3.1	distinguishedName		c:o.5		
	1.2.3.1.1	AttributeType		c:m		
	1.2.3.1.2	AttributeValue		c:m		
	1.2.3.2	nonSpecificForm		c:o.5		
	1.2.3.3	localDistinguishedName		c:o.5		
	1.2.3.3.1	AttributeType		c:m		
	1.2.3.3.2	AttributeValue		c:m		
2	2.1	ActionArgument		c2		
	2.1.1	selectedObjects		c:o.6		
	2.1.1.1	distinguishedName		c:o.7		
	2.1.1.1.1	AttributeType		c:m		
	2.1.1.1.2	AttributeValue		c:m		
	2.1.1.2	nonSpecificForm		c:o.7		
	2.1.1.3	localDistinguishedName		c:o.7		
	2.1.1.3.1	AttributeType		c:m		
	2.1.1.3.2	AttributeValue		c:m		
	2.1.2	allObjects		c:o.6		
	2.2	ActionResponse		c2		
	2.2.1	success		c:o		
	2.2.1.1	distinguishedName		c:o.8		
	2.2.1.1.1	AttributeType		c:m		
	2.2.1.1.2	AttributeValue		c:m		

Table D.5 (continued)

Index	Subindex	Action field name label	Constraints and values	Status	Support	Additional information
	2.2.1.2	nonSpecificForm		c:o.8		
	2.2.1.3	localDistinguishedName		c:o.8		
	2.2.1.3.1	AttributeType		c:m		
	2.2.1.3.2	AttributeValue		c:m		
	2.2.2	failed		c:o		
	2.2.2.1	distinguishedName		c:o.9		
	2.2.2.1.1	AttributeType		c:m		
	2.2.2.1.2	AttributeValue		c:m		
	2.2.2.2	nonSpecificForm		c:o.9		
	2.2.2.3	localDistinguishedName		c:o.9		
	2.2.2.3.1	AttributeType		c:m		
	2.2.2.3.2	AttributeValue		c:m		
	2.2.3	indeterminate		c:o		
	2.2.3.1	distinguishedName		c:o.10		
	2.2.3.1.1	AttributeType		c:m		
	2.2.3.1.2	AttributeValue		c:m		
	2.2.3.2	nonSpecificForm		c:o.10		
	2.2.3.3	localDistinguishedName		c:o.10		
	2.2.3.3.1	AttributeType		c:m		
	2.2.3.3.2	AttributeValue		c:m		
3	3.1	ActionArgument		c1		
	3.1.1	selectedObjects		c:o.11		
	3.1.1.1	distinguishedName		c:o.12		
	3.1.1.1.1	AttributeType		c:m		
	3.1.1.1.2	AttributeValue		c:m		
	3.1.1.2	nonSpecificForm		c:o.12		
	3.1.1.3	localDistinguishedName		c:o.12		
	3.1.1.3.1	AttributeType		c:m		
	3.1.1.3.2	AttributeValue		c:m		
	3.1.2	allObjects		c:o.11		
	3.2	ActionResponse		c1		
	3.2.1	success		c:o		
	3.2.1.1	distinguishedName		c:o.13		
	3.2.1.1.1	AttributeType		c:m		
	3.2.1.1.2	AttributeValue		c:m		
	3.2.1.2	nonSpecificForm		c:o.13		
	3.2.1.3	localDistinguishedName		c:o.13		
	3.2.1.3.1	AttributeType		c:m		
	3.2.1.3.2	AttributeValue		c:m		

Table D.5 (concluded)

Index	Subindex	Action field name label	Constraints and values	Status	Support	Additional information
	3.2.2	failed		c:o		
	3.2.2.1	distinguishedName		c:o.14		
	3.2.2.1.1	AttributeType		c:m		
	3.2.2.1.2	AttributeValue		c:m		
	3.2.2.2	nonSpecificForm		c:o.14		
	3.2.2.3	localDistinguishedName		c:o.14		
	3.2.2.3.1	AttributeType		c:m		
	3.2.2.3.2	AttributeValue		c:m		
	3.2.3	indeterminate		c:o		
	3.2.3.1	distinguishedName		c:o.15		
	3.2.3.1.1	AttributeType		c:m		
	3.2.3.1.2	AttributeValue		c:m		
	3.2.3.2	nonSpecificForm		c:o.15		
	3.2.3.3	localDistinguishedName		c:o.15		
	3.2.3.3.1	AttributeType		c:m		
	3.2.3.3.2	AttributeValue		c:m		

D.4.6 Notifications

The supplier of the implementation shall state whether or not the notifications specified by all packages instantiated in a managed object of this class are supported, in the “Support” and “Additional information” columns in Table D.6. The supplier of the implementation shall indicate support in terms of the confirmed and non-confirmed modes.

Table D.6 – Notification support

Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Support		Additional information
					Con- firmed	Non-con- firmed	
1	attributeValueChange	{smi2Notification 1}		m			
2	meteringResumed	{umf-not 2}		c1			
3	meteringStarted	{umf-not 3}		c2			
4	meteringSuspended	{umf-not 4}		c1			
5	objectCreation	{smi2Notification 6}		m			
6	objectDeletion	{smi2Notification 7}		m			
7	stateChange	{smi2Notification 14}		m			
c1: if D.3/2 then m else –							
c2: if D.3/6 then m else –							

Table D.6 (continued)

Index	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
1	1.1	additionalInformation	{smi2AttributeID 6}		o		
	1.1.1	identifier	–		c:m		
	1.1.2	significance	–		c:m		
	1.1.3	information	–		c:m		
	1.2	additionalText	{smi2AttributeID 7}		o		
	1.3	attributeIdentifierList	{smi2AttributeID 8}		o		
	1.3.1	globalForm	–		c:o.1		
	1.3.2	localForm	–		c:o.1		
	1.4	attributeValueChangeDefinition	{smi2AttributeID 10}		m		
	1.4.1	attributeID	–		m		
	1.4.1.1	globalForm	–		c:o.2		
	1.4.1.2	localForm	–		c:o.2		
	1.4.2	oldAttributeValue	–		o		
	1.4.3	newAttributeValue	–		m		
	1.5	correlatedNotifications	{smi2AttributeID 12}		o		
	1.5.1	correlatedNotifications	–		c:m		
	1.5.2	sourceObjectInst	–		c:o		
	1.5.2.1	distinguishedName	–		c:o.3		
	1.5.2.1.1	AttributeType	–		c:m		
	1.5.2.1.2	AttributeValue	–		c:m		
	1.5.2.2	nonSpecificForm	–		c:o.3		
	1.5.2.3	localDistinguishedName	–		c:o.3		
	1.5.2.3.1	AttributeType	–		c:m		
	1.5.2.3.2	AttributeValue	–		c:m		
	1.6	notificationIdentifier	{smi2AttributeID 16}		o		
	1.7	sourceIndicator	{smi2AttributeID 26}		o		
2	2.1	actionResponse	{umf-att 3}		c:m		
	2.1.1	success	–		c:o		
	2.1.1.1	distinguishedName	–		c:o.4		
	2.1.1.1.1	AttributeType	–		c:m		
	2.1.1.1.2	AttributeValue	–		c:m		
	2.1.1.2	nonSpecificForm	–		c:o.4		
	2.1.1.3	localDistinguishedName	–		c:o.4		
	2.1.1.3.1	AttributeType	–		c:m		
	2.1.1.3.2	AttributeValue	–		c:m		
	2.1.2	failed	–		c:o		
	2.1.2.1	distinguishedName	–		c:o.5		
	2.1.2.1.1	AttributeType	–		c:m		
	2.1.2.1.2	AttributeValue	–		c:m		

Table D.6 (continued)

Index	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
	2.1.2.2	nonSpecificForm	—		c:o.5		
	2.1.2.3	localDistinguishedName	—		c:o.5		
	2.1.2.3.1	AttributeType	—		c:m		
	2.1.2.3.2	AttributeValue	—		c:m		
	2.1.3	indeterminate	—		c:o		
	2.1.3.1	distinguishedName	—		c:o.6		
	2.1.3.1.1	AttributeType	—		c:m		
	2.1.3.1.2	AttributeValue	—		c:m		
	2.1.3.2	nonSpecificForm	—		c:o.6		
	2.1.3.3	localDistinguishedName	—		c:o.6		
	2.1.3.3.1	AttributeType	—		c:m		
	2.1.3.3.2	AttributeValue	—		c:m		
	2.2	dataObjectsReferenceList	{umf-att 7}		c:m		
	2.2.1	distinguishedName	—		c:o.7		
	2.2.1.1	AttributeType	—		c:m		
	2.2.1.2	AttributeValue	—		c:m		
	2.2.2	nonSpecificForm	—		c:o.7		
	2.2.3	localDistinguishedName	—		c:o.7		
	2.2.3.1	AttributeType	—		c:m		
	2.2.3.2	AttributeValue	—		c:m		
	2.3	reportingTriggers	{umf-att 11}		c:o		
	2.3.1	periodic	—		c:o.8		
	2.3.1.1	days	—		c:o.9		
	2.3.1.2	hours	—		c:o.9		
	2.3.1.3	minutes	—		c:o.9		
	2.3.1.4	seconds	—		c:o.9		
	2.3.1.5	milliSeconds	—		c:o.9		
	2.3.1.6	microSeconds	—		c:o.9		
	2.3.1.7	nanoSeconds	—		c:o.9		
	2.3.1.8	picoSeconds	—		c:o.9		
	2.3.2	induced	—		c:o.8		
	2.3.3	event	—		c:o.8		
	2.3.4	stimulus	—		c:o.8		
3	3.1	actionResponse	{umf-att 3}		c:m		
	3.1.1	success	—		c:o		
	3.1.1.1	distinguishedName	—		c:o.10		
	3.1.1.1.1	AttributeType	—		c:m		
	3.1.1.1.2	AttributeValue	—		c:m		

Table D.6 (continued)

Index	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
	3.1.1.2	nonSpecificForm	—		c:o.10		
	3.1.1.3	localDistinguishedName	—		c:o.10		
	3.1.1.3.1	AttributeType	—		c:m		
	3.1.1.3.2	AttributeValue	—		c:m		
	3.1.2	failed	—		c:o		
	3.1.2.1	distinguishedName	—		c:o.11		
	3.1.2.1.1	AttributeType	—		c:m		
	3.1.2.1.2	AttributeValue	—		c:m		
	3.1.2.2	nonSpecificForm	—		c:o.11		
	3.1.2.3	localDistinguishedName	—		c:o.11		
	3.1.2.3.1	AttributeType	—		c:m		
	3.1.2.3.2	AttributeValue	—		c:m		
	3.1.3	indeterminate	—		c:o		
	3.1.3.1	distinguishedName	—		c:o.12		
	3.1.3.1.1	AttributeType	—		c:m		
	3.1.3.1.2	AttributeValue	—		c:m		
	3.1.3.2	nonSpecificForm	—		c:o.12		
	3.1.3.3	localDistinguishedName	—		c:o.12		
	3.1.3.3.1	AttributeType	—		c:m		
	3.1.3.3.2	AttributeValue	—		c:m		
	3.2	dataObjectsReferenceList	{umf-att 7}		c:m		
	3.2.1	distinguishedName	—		c:o.13		
	3.2.1.1	AttributeType	—		c:m		
	3.2.1.2	AttributeValue	—		c:m		
	3.2.2	nonSpecificForm	—		c:o.13		
	3.2.3	localDistinguishedName	—		c:o.13		
	3.2.3.1	AttributeType	—		c:m		
	3.2.3.2	AttributeValue	—		c:m		
	3.3	reportingTriggers	{umf-att 11}		c:o		
	3.3.1	periodic	—		c:o.14		
	3.3.1.1	days	—		c:o.15		
	3.3.1.2	hours	—		c:o.15		
	3.3.1.3	minutes	—		c:o.15		
	3.3.1.4	seconds	—		c:o.15		
	3.3.1.5	milliSeconds	—		c:o.15		
	3.3.1.6	microSeconds	—		c:o.15		
	3.3.1.7	nanoSeconds	—		c:o.15		
	3.3.1.8	picoSeconds	—		c:o.15		

Table D.6 (continued)

Index	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
	3.3.2	induced	—		c:o.14		
	3.3.3	event	—		c:o.14		
	3.3.4	stimulus	—		c:o.14		
4	4.1	actionResponse	{umf-att 3}		c:m		
	4.1.1	success	—		c:o		
	4.1.1.1	distinguishedName	—		c:o.16		
	4.1.1.1.1	AttributeType	—		c:m		
	4.1.1.1.2	AttributeValue	—		c:m		
	4.1.1.2	nonSpecificForm	—		c:o.16		
	4.1.1.3	localDistinguishedName	—		c:o.16		
	4.1.1.3.1	AttributeType	—		c:m		
	4.1.1.3.2	AttributeValue	—		c:m		
	4.1.2	failed	—		c:o		
	4.1.2.1	distinguishedName	—		c:o.17		
	4.1.2.1.1	AttributeType	—		c:m		
	4.1.2.1.2	AttributeValue	—		c:m		
	4.1.2.2	nonSpecificForm	—		c:o.17		
	4.1.2.3	localDistinguishedName	—		c:o.17		
	4.1.2.3.1	AttributeType	—		c:m		
	4.1.2.3.2	AttributeValue	—		c:m		
	4.1.3	indeterminate	—		c:o		
	4.1.3.1	distinguishedName	—		c:o.18		
	4.1.3.1.1	AttributeType	—		c:m		
	4.1.3.1.2	AttributeValue	—		c:m		
	4.1.3.2	nonSpecificForm	—		c:o.18		
	4.1.3.3	localDistinguishedName	—		c:o.18		
	4.1.3.3.1	AttributeType	—		c:m		
	4.1.3.3.2	AttributeValue	—		c:m		
	4.2	dataObjectsReferenceList	{umf-att 7}		c:m		
	4.2.1	distinguishedName	—		c:o.19		
	4.2.1.1	AttributeType	—		c:m		
	4.2.1.2	AttributeValue	—		c:m		
	4.2.2	nonSpecificForm	—		c:o.19		
	4.2.3	localDistinguishedName	—		c:o.19		
	4.2.3.1	AttributeType	—		c:m		
	4.2.3.2	AttributeValue	—		c:m		

Table D.6 (continued)

Index	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
	4.3	reportingTriggers	{umf-att 11}		c:o		
	4.3.1	periodic	—		c:o.20		
	4.3.1.1	days	—		c:o.21		
	4.3.1.2	hours	—		c:o.21		
	4.3.1.3	minutes	—		c:o.21		
	4.3.1.4	seconds	—		c:o.21		
	4.3.1.5	milliSeconds	—		c:o.21		
	4.3.1.6	microSeconds	—		c:o.21		
	4.3.1.7	nanoSeconds	—		c:o.21		
	4.3.1.8	picoSeconds	—		c:o.21		
	4.3.2	induced	—		c:o.20		
	4.3.3	event	—		c:o.20		
	4.3.4	stimulus	—		c:o.20		
5	5.1	additionalInformation	{smi2AttributeID 6}		o		
	5.1.1	identifier	—		c:m		
	5.1.2	significance	—		c:m		
	5.1.3	information	—		c:m		
	5.2	additionalText	{smi2AttributeID 7}		o		
	5.3	attributeList	{smi2AttributeID 9}		o		
	5.3.1	attributeId	—		c:m		
	5.3.1.1	globalForm	—		c:o.22		
	5.3.1.2	localForm	—		c:o.22		
	5.3.2	attributeValue	—		c:m		
	5.4	correlatedNotifications	{smi2AttributeID 12}		o		
	5.4.1	correlatedNotifications	—		c:m		
	5.4.2	sourceObjectInst	—		c:o		
	5.4.2.1	distinguishedName	—		c:o.23		
	5.4.2.1.1	AttributeType	—		c:m		
	5.4.2.1.2	AttributeValue	—		c:m		
	5.4.2.2	nonSpecificForm	—		c:o.23		
	5.4.2.3	localDistinguishedName	—		c:o.23		
	5.4.2.3.1	AttributeType	—		c:m		
	5.4.2.3.2	AttributeValue	—		c:m		
	5.5	notificationIdentifier	{smi2AttributeID 16}		o		
	5.6	sourceIndicator	{smi2AttributeID 26}		o		
6	6.1	additionalInformation	{smi2AttributeID 6}		o		
	6.1.1	identifier	—		c:m		
	6.1.2	significance	—		c:m		
	6.1.3	information	—		c:m		

Table D.6 (continued)

Index	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
	6.2	additionalText	{smi2AttributeID 7}		o		
	6.3	attributeList	{smi2AttributeID 9}		o		
	6.3.1	attributeId	—		c:m		
	6.3.1.1	globalForm	—		c:o.24		
	6.3.1.2	localForm	—		c:o.24		
	6.3.2	attributeValue	—		c:m		
	6.4	correlatedNotifications	{smi2AttributeID 12}		o		
	6.4.1	correlatedNotifications	—		c:m		
	6.4.2	sourceObjectInst	—		c:o		
	6.4.2.1	distinguishedName	—		c:o.25		
	6.4.2.1.1	AttributeType	—		c:m		
	6.4.2.1.2	AttributeValue	—		c:m		
	6.4.2.2	nonSpecificForm	—		c:o.25		
	6.4.2.3	localDistinguishedName	—		c:o.25		
	6.4.2.3.1	AttributeType	—		c:m		
	6.4.2.3.2	AttributeValue	—		c:m		
	6.5	notificationIdentifier	{smi2AttributeID 16}		o		
	6.6	sourceIndicator	{smi2AttributeID 26}		o		
7	7.1	additionalInformation	{smi2AttributeID 6}		o		
	7.1.1	identifier	—		c:m		
	7.1.2	significance	—		c:m		
	7.1.3	information	—		c:m		
	7.2	additionalText	{smi2AttributeID 7}		o		
	7.3	attributeIdentifierList	{smi2AttributeID 8}		o		
	7.3.1	globalForm	—		c:o.26		
	7.3.2	localForm	—		c:o.26		
	7.4	correlatedNotifications	{smi2AttributeID 12}		o		
	7.4.1	correlatedNotifications	—		c:m		
	7.4.2	sourceObjectInst	—		c:o		
	7.4.2.1	distinguishedName	—		c:o.27		
	7.4.2.1.1	AttributeType	—		c:m		
	7.4.2.1.2	AttributeValue	—		c:m		
	7.4.2.2	nonSpecificForm	—		c:o.27		
	7.4.2.3	localDistinguishedName	—		c:o.27		
	7.4.2.3.1	AttributeType	—		c:m		
	7.4.2.3.2	AttributeValue	—		c:m		
	7.5	notificationIdentifier	{smi2AttributeID 16}		o		
	7.6	sourceIndicator	{smi2AttributeID 26}		o		

Table D.6 (continued)

Index	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
	7.7	stateChangeDefinition	{smi2AttributeID 28}		m		
	7.7.1	attributeID	—		m		
	7.7.1.1	globalForm	—		c:o.28		
	7.7.1.2	localForm	—		c:o.28		
	7.7.2	oldAttributeValue	—		o		
	7.7.3	newAttributeValue	—		m		
8	8.1	accountableObjectReference	{umf-att 1}		m		
	8.1.1	distinguishedName	—		c:o.5		
	8.1.1.1	AttributeType	—		c:m		
	8.1.1.2	AttributeValue	—		c:m		
	8.1.2	nonSpecificForm	—		c:o.5		
	8.1.3	localDistinguishedName	—		c:o.5		
	8.1.3.1	AttributeType	—		c:m		
	8.1.3.2	AttributeValue	—		c:m		
	8.2	auditInfo	{umf-att 4}		o		
	8.2.1	service	—		c:m		
	8.2.2	auditDetails	—		c:m		
	8.3	dataErrors	{umf-att 8}		m		
	8.3.1	possibleErrors	—		c:o.6		
	8.3.2	noProblem	—		c:o.6		
	8.4	notificationCause	{umf-att 9}		m		
	8.4.1	periodic	—		c:o.7		
	8.4.1.1	days	—		c:o.8		
	8.4.1.2	hours	—		c:o.8		
	8.4.1.3	minutes	—		c:o.8		
	8.4.1.4	seconds	—		c:o.8		
	8.4.1.5	milliSeconds	—		c:o.8		
	8.4.1.6	microSeconds	—		c:o.8		
	8.4.1.7	nanoSeconds	—		c:o.8		
	8.4.1.8	picoSeconds	—		c:o.8		
	8.4.2	induced	—		c:o.7		
	8.4.3	event	—		c:o.7		
	8.4.4	stimulus	—		c:o.7		
	8.5	providerId	{umf-att 10}		o		
	8.5.1	objectReference	—		c:o.9		
	8.5.1.1	distinguishedName	—		c:o.10		
	8.5.1.1.1	AttributeType	—		c:m		
	8.5.1.1.2	AttributeValue	—		c:m		

Table D.6 (concluded)

Index	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
	8.5.1.2	nonSpecificForm	–		c:o.10		
	8.5.1.3	localDistinguishedName	–		c:o.10		
	8.5.1.3.1	AttributeType	–		c:m		
	8.5.1.3.2	AttributeValue	–		c:m		
	8.5.2	textualName	–		c:o.9		
	8.5.3	serviceSpecific	–		c:o.9		
	8.5.3.1	service	–		c:m		
	8.5.3.2	serviceSpecificId	–		c:m		
	8.5.4	unknown	–		c:o.9		
	8.6	usageInfo	{umf-att 12}		m		
	8.6.1	serviceType	–		m		
	8.6.2	usageData	–		m		

D.4.7 Parameters

The supplier of the implementation shall state whether or not the parameters specified by all packages instantiated in a managed object of this class are supported, in the “Support” and “Additional information” columns in Table D.7.

Table D.7 – Parameter support

Index	Parameter template label	Value of object identifier for parameter	Constraints and values	Status	Support	Additional information
1	deniedMeteringAction	{umf-par 1}		c1		
c1: if D.3/3 or D.3/4 then m else –						

D.5 Usage metering data object managed object class**D.5.1 Statement of conformance to the usageMeteringDataObject object class****Table D.8 – Managed object class support**

Index	Managed object class template label	Value of object identifier for class	Support of all mandatory features	Is the actual class the same as the managed object class to which conformance is claimed? (Y/N)
1	usageMeteringDataObject	{umf-mo 2}		

If the answer to the actual class question in the managed object class support Table D.8 is no, the supplier of the implementation shall fill in the actual class support in Table D.9.

Table D.9 – Actual class support

Index	Actual managed object class template label	Value of object identifier for actual class	Additional information
1			
2			

D.5.2 Packages

The supplier of the implementation shall state whether or not the conditional packages specified by this class are supported by an instance of this class, in the “Support” and “Additional information” columns in Table D.10.

Table D.10 – Package support

Index	Package template label	Value of object identifier for package	Constraints and values	Status	Support	Additional information
1	allomorphicPackage	{smi2Package 17}		c1		
2	auditInformation	{umf-pkg 3}		c2		
3	meteringDataCondition	{umf-pkg 6}		c3		
4	packagesPackage	{smi2Package 16}		c4		
c1: if not (D.8/1b) then m else – c2: if “the accounting activity requires the measurement of certain source information for audit purposes” then m else – c3: if “the accounting activity can be suspended or can exist in a terminating condition pending the emission of a usageReport notification” then m else – c4: if D.10/1 or D.10/2 or D.10/3 then m else –						

D.5.3 Attributes

The supplier of the implementation shall state whether or not the attributes specified by all packages instantiated in a managed object of this class are supported, in the “Support” and “Additional information” columns in Table D.11. The supplier of the implementation shall indicate support for each of the operations for each attribute supported.

Table D.11 – Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace	
				Status	Support	Status	Support	Status	Support
1	accountableObjectReference	{umf-att 1}		–		m		x	
2	allomorphs	{smi2AttributeID 50}		x		c1		x	
3	auditInfo	{umf-att 4}		–		c2		x	
4	controlStatus	{smi2AttributeID 34}		–		c3		x	
5	dataErrors	{umf-att 8}		–		m		x	
6	dataObjectId	{umf-att 6}		–		m		x	
7	nameBinding	{smi2AttributeID 63}		–		m		x	
8	objectClass	{smi2AttributeID 65}		–		m		x	
9	packages	{smi2AttributeID 66}		–		m		x	
10	proceduralStatus	{smi2AttributeID 36}		–		c3		x	
11	providerId	{umf-att 10}		–		m		x	
12	usageInfo	{umf-att 12}		–		m		x	

Table D.11 – (concluded)

Index	Add		Remove		Set to default		Additional information
	Status	Support	Status	Support	Status	Support	
1	x		x		x		
2	x		x		x		
3	x		x		x		
4	x		x		x		
5	x		x		x		
6	x		x		x		
7	x		x		x		
8	x		x		x		
9	x		x		x		
10	x		x		x		
11	x		x		x		
12	x		x		x		
c1: if not (D.8/1b) then m else – c2: if D.10/2 then m else – c3: if D.10/3 then m else –							

D.5.4 Attribute groups

There are no attribute groups defined for the managed object class.

D.5.5 Actions

There are no actions defined for this object class.

D.5.6 Notifications

The supplier of the implementation shall state whether or not the notifications specified by all packages instantiated in a managed object of this class are supported, in the “Support” and “Additional information” columns in Table D.12. The supplier of the implementation shall indicate support in terms of the confirmed and non-confirmed modes.

Table D.12 – Notification support

Index	Notification type template label	Value of object identifier for notification type	Constraints and values	Status	Support		Additional information
					Con- firmed	Non-con- firmed	
1	objectCreation	{smi2Notification 6}		m			
2	objectDeletion	{smi2Notification 7}		m			
3	usageReport	{umf-not 1}		m			

Table D.12 (continued)

Index	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
1	1.1	additionalInformation	{smi2AttributeID 6}		o		
	1.1.1	identifier	—		c:m		
	1.1.2	significance	—		c:m		
	1.1.3	information	—		c:m		
	1.2	additionalText	{smi2AttributeID 7}		o		
	1.3	attributeList	{smi2AttributeID 9}		o		
	1.3.1	attributeId	—		c:m		
	1.3.1.1	globalForm	—		c:o.1		
	1.3.1.2	localForm	—		c:o.1		
	1.3.2	attributeValue	—		c:m		
	1.4	correlatedNotifications	{smi2AttributeID 12}		o		
	1.4.1	correlatedNotifications	—		c:m		
	1.4.2	sourceObjectInst	—		c:o		
	1.4.2.1	distinguishedName	—		c:o.2		
	1.4.2.1.1	AttributeType	—		c:m		
	1.4.2.1.2	AttributeValue	—		c:m		
	1.4.2.2	nonSpecificForm	—		c:o.2		
	1.4.2.3	localDistinguishedName	—		c:o.2		
	1.4.2.3.1	AttributeType	—		c:m		
	1.4.2.3.2	AttributeValue	—		c:m		
	1.5	notificationIdentifier	{smi2AttributeID 16}		o		
	1.6	sourceIndicator	{smi2AttributeID 26}		o		
2	2.1	additionalInformation	{smi2AttributeID 6}		o		
	2.1.1	identifier	—		c:m		
	2.1.2	significance	—		c:m		
	2.1.3	information	—		c:m		
	2.2	additionalText	{smi2AttributeID 7}		o		
	2.3	attributeList	{smi2AttributeID 9}		o		
	2.3.1	attributeId	—		c:m		
	2.3.1.1	globalForm	—		c:o.3		
	2.3.1.2	localForm	—		c:o.3		
	2.3.2	attributeValue	—		c:m		
	2.4	correlatedNotifications	{smi2AttributeID 12}		o		
	2.4.1	correlatedNotifications	—		c:m		
	2.4.2	sourceObjectInst	—		c:o		
	2.4.2.1	distinguishedName	—		c:o.4		
	2.4.2.1.1	AttributeType	—		c:m		
	2.4.2.1.2	AttributeValue	—		c:m		

Table D.12 (continued)

Index	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
	2.4.2.2	nonSpecificForm	–		c:o.4		
	2.4.2.3	localDistinguishedName	–		c:o.4		
	2.4.2.3.1	AttributeType	–		c:m		
	2.4.2.3.2	AttributeValue	–		c:m		
	2.5	notificationIdentifier	{smi2AttributeID 16}		o		
	2.6	sourceIndicator	{smi2AttributeID 26}		o		
3	3.1	accountableObjectReference	{umf-att 1}		m		
	3.1.1	distinguishedName	–		c:o.5		
	3.1.1.1	AttributeType	–		c:m		
	3.1.1.2	AttributeValue	–		c:m		
	3.1.2	nonSpecificForm	–		c:o.5		
	3.1.3	localDistinguishedName	–		c:o.5		
	3.1.3.1	AttributeType	–		c:m		
	3.1.3.2	AttributeValue	–		c:m		
	3.2	auditInfo	{umf-att 4}		o		
	3.2.1	service	–		c:m		
	3.2.2	auditDetails	–		c:m		
	3.3	dataErrors	{umf-att 8}		m		
	3.3.1	possibleErrors	–		c:o.6		
	3.3.2	noProblem	–		c:o.6		
	3.4	notificationCause	{umf-att 9}		m		
	3.4.1	periodic	–		c:o.7		
	3.4.1.1	days	–		c:o.8		
	3.4.1.2	hours	–		c:o.8		
	3.4.1.3	minutes	–		c:o.8		
	3.4.1.4	seconds	–		c:o.8		
	3.4.1.5	milliSeconds	–		c:o.8		
	3.4.1.6	microSeconds	–		c:o.8		
	3.4.1.7	nanoSeconds	–		c:o.8		
	3.4.1.8	picoSeconds	–		c:o.8		
	3.4.2	induced	–		c:o.7		
	3.4.3	event	–		c:o.7		
	3.4.4	stimulus	–		c:o.7		
	3.5	providerId	{umf-att 10}		o		
	3.5.1	objectReference	–		c:o.9		
	3.5.1.1	distinguishedName	–		c:o.10		
	3.5.1.1.1	AttributeType	–		c:m		
	3.5.1.1.2	AttributeValue	–		c:m		

Table D.12 (concluded)

Index	Subindex	Notification field name label	Value of object identifier of attribute type associated with field	Constraints and values	Status	Support	Additional information
	3.5.1.2	nonSpecificForm	–		c:o.10		
	3.5.1.3	localDistinguishedName	–		c:o.10		
	3.5.1.3.1	AttributeType	–		c:m		
	3.5.1.3.2	AttributeValue	–		c:m		
	3.5.2	textualName	–		c:o.9		
	3.5.3	serviceSpecific	–		c:o.9		
	3.5.3.1	service	–		c:m		
	3.5.3.2	serviceSpecificId	–		c:m		
	3.5.4	unknown	–		c:o.9		
	3.6	usageInfo	{umf-att 12}		m		
	3.6.1	serviceType	–		m		
	3.6.2	usageData	–		m		

D.5.7 Parameters

There are no parameters defined for this object class.

D.6 Usage metering record managed object class**D.6.1 Statement of conformance to the usageMeteringRecord object class****Table D.13 – Managed object class support**

Index	Managed object class template label	Value of object identifier for class	Support of all mandatory features	Is the actual class the same as the managed object class to which conformance is claimed? (Y/N)
1	usageMeteringRecord	{umf-mo 3}		

If the answer to the actual class question in the managed object class support Table D.13 is no, the supplier of the implementation shall fill in the actual class support in Table D.14.

Table D.14 – Actual class support

Index	Actual managed object class template label	Value of object identifier for actual class	Additional information
1			
2			

D.6.2 Packages

The supplier of the implementation shall state whether or not the conditional packages specified by this class are supported by an instance of this class, in the “Support” and “Additional information” columns in Table D.15.

Table D.15 – Package support

Index	Package template label	Value of object identifier for package	Constraints and values	Status	Support	Additional information
1	additionalInformationPackage	{smi2Package 18}		c1		
2	additionalTextPackage	{smi2Package 19}		c2		
3	allomorphicPackage	{smi2Package 17}		c3		
4	auditInformation	{umf-pkg 3}		c4		
5	correlatedNotificationsPackage	{smi2Package 23}		c5		
6	eventTimePackage	{smi2Package 11}		c6		
7	notificationIdentifierPackage	{smi2Package 24}		c7		
8	packagesPackage	{smi2Package 16}		c8		
c1: if “the Additional information parameter is present in the notification or event report corresponding to the instance of event record or an instance of its subclasses” then m else – c2: if “the Additional text parameter is present in the notification or event report corresponding to the instance of event record or an instance of its subclasses” then m else – c3: if not (D.13/1b) then m else – c4: if “this package has been included in the usageMeteringData object emitting the notification to be stored in this record managed object” then m else – c5: if “the correlatedNotifications parameter is present in the notification or event report corresponding to the instance of an event record or an instance of its subclasses” then m else – c6: if “the event time parameter was present in the received event report” then m else – c7: if “the notification Identifier parameter is present in the notification or event report corresponding to the instance of an event record or an instance of its subclasses” then m else – c8: if D.15/1 or D.15/2 or D.15/3 or D.15/4 or D.15/5 or D.15/6 or D.15/7 then m else –						

D.6.3 Attributes

The supplier of the implementation shall state whether or not the attributes specified by all packages instantiated in a managed object of this class are supported, in the “Support” and “Additional information” columns in Table D.16. The supplier of the implementation shall indicate support for each of the operations for each attribute supported.

Table D.16 – Attribute support

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace	
				Status	Support	Status	Support	Status	Support
1	accountableObjectReference	{umf-att 1}		–		m		x	
2	additionalInformation	{smi2AttributeID 6}		–		c1		x	
3	additionalText	{smi2AttributeID 7}		–		c2		x	
4	allomorphs	{smi2AttributeID 50}		x		c3		x	
5	auditInfo	{umf-att 4}		–		c4		x	
6	correlatedNotifications	{smi2AttributeID 12}		–		c5		x	
7	dataErrors	{umf-att 8}		–		m		x	
8	eventTime	{smi2AttributeID 13}		–		c6		x	
9	eventType	{smi2AttributeID 14}		–		m		x	
10	loggingTime	{smi2AttributeID 59}		–		m		x	

Table D.16 (continued)

Index	Attribute template label	Value of object identifier for attribute	Constraints and values	Set by create		Get		Replace	
				Status	Support	Status	Support	Status	Support
11	logRecordId	{smi2AttributeID 3}		–		m		x	
12	managedObjectClass	{smi2AttributeID 60}		–		m		x	
13	managedObjectInstance	{smi2AttributeID 61}		–		m		x	
14	nameBinding	{smi2AttributeID 63}		–		m		x	
15	notificationIdentifier	{smi2AttributeID 16}		–		c7		x	
16	objectClass	{smi2AttributeID 65}		–		m		x	
17	packages	{smi2AttributeID 66}		–		c8		x	
18	providerId	{umf-att 10}		–		m		x	
19	usageInfo	{umf-att 12}		–		m		x	

Table D.16 (concluded)

Index	Add		Remove		Set to default		Additional information
	Status	Support	Status	Support	Status	Support	
1	x		x		x		
2	x		x		x		
3	x		x		x		
4	x		x		x		
5	x		x		x		
6	x		x		x		
7	x		x		x		
8	x		x		x		
9	x		x		x		
10	x		x		x		
11	x		x		x		
12	x		x		x		
13	x		x		x		
14	x		x		x		
15	x		x		x		
16	x		x		x		
17	x		x		x		
18	x		x		x		
19	x		x		x		
c1: if D.15/1 then m else – c2: if D.15/2 then m else – c3: if not (D.13/1b) then m else – c4: if D.15/4 then m else – c5: if D.15/5 then m else – c6: if D.15/6 then m else – c7: if D.15/7 then m else – c8: if D.15/8 then m else –							

D.6.4 Attribute groups

There are no attribute groups defined for the managed object class.

D.6.5 Actions

There are no actions defined for this object class.

D.6.6 Notifications

There are no notifications defined for this object class.

D.6.7 Parameters

There are no parameters defined for this object class.

Annexe F⁴⁾**Formulaire MRCS pour les corrélations de noms**

(Cette annexe fait partie intégrante de la présente Recommandation | Norme internationale)

F.1 Introduction

The purpose of this MRCS proforma for name bindings is to provide a mechanism for a supplier which claims conformance to a name binding to provide conformance information in a standard form.

The following abbreviation is used in this proforma:

umf-nb joint-iso-itu-t ms(9) function(2) part10(01) nameBinding(6)

F.2 Instructions for completing the MRCS proforma for name binding to produce a MRCS

The supplier of the implementation shall state which items are supported in the tables below and if necessary provide additional information.

The notations used in the Status and Support columns are specified in B.1.3.

F.3 Statement of conformance to the name binding**Table F.1 – Name binding support**

Index	Name binding template label	Value of object identifier for name binding	Constraints and values	Status	Support	Additional information
1	usageMeterControl–system	{moa-nb 1}	–	o		

Table F.1 (concluded)

Index	Subindex	Operation	Constraints and values	Status	Support	Additional information
1	1.1	Create support	–	–		
	1.1.1	Create with reference object	–	–		
	1.1.2	Create with automatic instance naming	–	–		
	1.2	Delete support	–	c:m		
	1.2.1	Delete only if no contained objects	–	c:x		
	1.2.2	Delete contained objects	–	c:m		

⁴⁾ Droits de reproduction du formulaire MRCS

Les utilisateurs de la présente Recommandation | Norme internationale sont autorisés à reproduire le formulaire MRCS de la présente annexe pour utiliser celui-ci conformément à son objet. Ils sont également autorisés à publier le formulaire une fois celui-ci complété. Les instructions pour remplir le formulaire MRCS sont spécifiées dans la Rec. UIT-T X.724 | ISO/CEI 10165-6.

SÉRIES DES RECOMMANDATIONS UIT-T

Série A	Organisation du travail de l'UIT-T
Série B	Moyens d'expression: définitions, symboles, classification
Série C	Statistiques générales des télécommunications
Série D	Principes généraux de tarification
Série E	Exploitation générale du réseau, service téléphonique, exploitation des services et facteurs humains
Série F	Services de télécommunication non téléphoniques
Série G	Systèmes et supports de transmission, systèmes et réseaux numériques
Série H	Systèmes audiovisuels et multimédias
Série I	Réseau numérique à intégration de services
Série J	Transmission des signaux radiophoniques, télévisuels et autres signaux multimédias
Série K	Protection contre les perturbations
Série L	Construction, installation et protection des câbles et autres éléments des installations extérieures
Série M	RGT et maintenance des réseaux: systèmes de transmission, de télégraphie, de télécopie, circuits téléphoniques et circuits loués internationaux
Série N	Maintenance: circuits internationaux de transmission radiophonique et télévisuelle
Série O	Spécifications des appareils de mesure
Série P	Qualité de transmission téléphonique, installations téléphoniques et réseaux locaux
Série Q	Commutation et signalisation
Série R	Transmission télégraphique
Série S	Equipements terminaux de télégraphie
Série T	Terminaux des services télématiques
Série U	Commutation télégraphique
Série V	Communications de données sur le réseau téléphonique
Série X	Réseaux pour données et communication entre systèmes ouverts
Série Y	Infrastructure mondiale de l'information
Série Z	Langages de programmation