



INTERNATIONAL TELECOMMUNICATION UNION

**ITU-T**

TELECOMMUNICATION  
STANDARDIZATION SECTOR  
OF ITU

**Y.2902**

**Amendment 4**  
(11/2008)

SERIES Y: GLOBAL INFORMATION  
INFRASTRUCTURE, INTERNET PROTOCOL ASPECTS  
AND NEXT-GENERATION NETWORKS

Next Generation Networks – Available

---

Carrier grade open environment components  
**Amendment 4**

***CAUTION !***

***PREPUBLISHED RECOMMENDATION***

This prepublication is an unedited version of a recently approved Recommendation. It will be replaced by the published version after editing. Therefore, there will be differences between this prepublication and the published version.

## FOREWORD

The International Telecommunication Union (ITU) is the United Nations specialized agency in the field of telecommunications, information and communication technologies (ICTs). The ITU Telecommunication Standardization Sector (ITU-T) is a permanent organ of ITU. ITU-T is responsible for studying technical, operating and tariff questions and issuing Recommendations on them with a view to standardizing telecommunications on a worldwide basis.

The World Telecommunication Standardization Assembly (WTSA), which meets every four years, establishes the topics for study by the ITU-T study groups which, in turn, produce Recommendations on these topics.

The approval of ITU-T Recommendations is covered by the procedure laid down in WTSA Resolution 1.

In some areas of information technology which fall within ITU-T's purview, the necessary standards are prepared on a collaborative basis with ISO and IEC.

## NOTE

In this Recommendation, the expression "Administration" is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

Compliance with this Recommendation is voluntary. However, the Recommendation may contain certain mandatory provisions (to ensure e.g. interoperability or applicability) and compliance with the Recommendation is achieved when all of these mandatory provisions are met. The words "shall" or some other obligatory language such as "must" and the negative equivalents are used to express requirements. The use of such words does not suggest that compliance with the Recommendation is required of any party.

## INTELLECTUAL PROPERTY RIGHTS

ITU draws attention to the possibility that the practice or implementation of this Recommendation may involve the use of a claimed Intellectual Property Right. ITU takes no position concerning the evidence, validity or applicability of claimed Intellectual Property Rights, whether asserted by ITU members or others outside of the Recommendation development process.

As of the date of approval of this Recommendation, ITU [had/had not] received notice of intellectual property, protected by patents, which may be required to implement this Recommendation. However, implementers are cautioned that this may not represent the latest information and are therefore strongly urged to consult the TSB patent database at <http://www.itu.int/ITU-T/ipr/>.

© ITU 2008

All rights reserved. No part of this publication may be reproduced, by any means whatsoever, without the prior written permission of ITU.

# Recommendation ITU-T Y.2902, Carrier grade open environment components – Amendment 4

## Annex D, The FTP server CGOE component

(This annex forms an integral part of this Recommendation)

### Summary

This Annex specifies the FTP server CGOE component.

### D.1 Scope

This Annex specifies the FTP server CGOE component.

### D.2 References

The following ITU-T Recommendations and other references contain provisions, which, through reference in this text, constitute provisions of this Recommendation. At the time of publication, the editions indicated were valid. All Recommendations and other references are subject to revision; users of this Recommendation are therefore encouraged to investigate the possibility of applying the most recent edition of the Recommendations and other references listed below. A list of the currently valid ITU-T Recommendations is regularly published.

The reference to a document within this Recommendation does not give it, as a stand-alone document, the status of a Recommendation

[RFC 0854] IETF RFC (1983), *Telnet Protocol Specification*

[RFC 0855] IETF RFC (1983), *Telnet Option Specifications*

[RFC 0959] IETF RFC (1985), *File Transfer Protocol*

[RFC 2228] IETF RFC (1997), *FTP Security Extensions*

[RFC 2640] IETF RFC (1999), *Internationalization of the File Transfer Protocol*

[RFC 2773] IETF RFC (2000), *Encryption using KEA and SKIPJACK*

[RFC 3659] (2007), *Extensions to FTP*

## 3 Definitions

### D.3.1 Terms defined elsewhere

This Recommendation uses the following terms defined elsewhere:

**D.3.1.1 application [ITU-T Y.2901]:** An application is a piece of software answering a set of user's requirements using telecommunication network services via an IT system.

**D.3.1.2 carrier grade [ITU-T Y.2901]:** Colloquially, a "carrier grade" implementation of a solution, building block, or a COTS component exhibits particular qualities beyond regular information technology (IT) reliability, availability, serviceability, and manageability (RASM) features enabling its mission-critical use in a service provider's offering.

**D.3.1.3 CGOE component [ITU-T Y.2901]:** A CGOE component is an abstract description of technical tasks, interfaces and properties.

**D.3.1.4 functional requirements [ITU-T Y.2901]:** The set of interfaces, capabilities, and features, developed with respect to a service architecture associated with a building block.

**D.3.1.5 middleware [ITU-T Y.2901]:** The mediating entity between two information elements. Such an element can be, for example, an application, infrastructure component, or another mediating entity.

**D.3.1.6 non-functional requirements [ITU-T Y.2901]:** A list of features that a building block must provide in order to ensure certain behaviour within the service architecture.

NOTE: This list mostly represents requirements to allow for smooth operations and life cycle management.

**D.3.2** This Recommendation defines the following terms:

None

#### **D.4 Abbreviations**

AAA	Authentication, Authorization and Accounting
CGOE	Carrier Grade Open Environment
FTP	File Transfer Protocol
OAM&P	Operations, Administration, Maintenance and Provisioning
RASM	Reliability, availability, serviceability and manageability

#### **D.5 Conventions**

This Recommendation uses the CGOE component diagram conventions detailed in clause 5 of the main body of this Recommendation.

#### **D.6 The FTP server CGOE component**

##### **D.6.1 General**

A File Transfer Protocol (FTP) is a component that operates as an interface. It allows and is used 1) to promote sharing of files (computer programs and/or data), 2) to encourage indirect or implicit (via programs) use of remote computers, 3) to shield a user from variations in file storage systems among hosts, and 4) to transfer data reliably and efficiently. FTP, though usable directly by a user at a terminal, is designed mainly for use by programs. The security of FTP can be increased by the use of FTP security extensions.

The component FTP acts as a server, which provides a concrete communication facility.

A technology independent description is in Figure D.1.




Figure D.1 - Technology independent view

This shows that FTP offers the capability for communication based on commands. This is the primary interface for a FTP component.

FTP has a Client-Server-Architecture. A principle description is in Figure D.2.




Figure D.2 - FTP Client-Server-Architecture

This document focuses on the server part of the FTP component. However most of the description holds also for the client part of the FTP component.

### D.6.2 Relationship with other CGOE components

A CGOE compliant FTP server component makes use of other interfaces as shown in Figure D.3. These are secondary interfaces which are described in the CGOE documentation for each component. Each of these secondary interfaces will have one or more technology-specific instances.

The CGOE component FTP server is used by the CGOE component OAM&P middleware. FTP is an optional interface which may be present or not to the OAM&P middleware.




Figure D.3 - Secondary interfaces

### D.6.3 Internal functional properties

#### D.6.3.1 Data connection

A data connection is used to transfer files.

Standard

[RFC 959] updated by [RFC 2228], [RFC 2640], [RFC 2773]

#### D.6.3.2 Tracing

Tracing deals with monitoring communication traffic for the purpose of error finding

Standards

None

### D.6.4 Non-functional properties

This sub-clause addresses non-functional properties which may be used to facilitate in the specification of non-functional requirements. However, non-functional requirements are outside the scope of this Recommendation.

#### D.6.4.1 Transaction performance

This property measures how many data can be transferred per second on a data connection

Unit of measure: bytes/second

#### D.6.4.2 Modification of multitude data records

This property measures if a command of the interface operation supports modifying more than one data record.

Unit of measure: Yes/No

#### D.6.4.3 Recovery

This property measures the behaviour of the components if there is no response or confirmation e.g. due to a temporary outage.

Unit of measure: Yes / Partly / No

## **D.6.5 Interfaces**

### **D.6.5.1 FTP server-IF-01 <FTP Commands>**

Provides the communication commands.

NOTE: This also includes command sequences.

Standard

[RFC 959] updated by [RFC 2228], [RFC 2640], [RFC 2773]

### **D.6.5.2 FTP server-IF-02 <Logging>**

Provides the capability to log any transaction in relation to the component FTP.

Standard

GAP (Possible solution the logging component of the specific middleware can be used)

### **D.6.5.3 FTP server-IF-03 <Security IF>**

The <Security IF> is the interface to the component security. Security also includes access control to files and directories.

Standard

GAP

### **D.6.5.4 FTP server-IF-04 <Registration>**

Registration is the interface to the component lifecycle manager.

Standard

GAP

### **D.6.5.5 FTP Server-IF-05 <Telnet>**

The purpose of the TELNET Protocol is to provide a fairly general, bi-directional, eight-bit byte oriented communications facility. A TELNET connection is a Transmission Control Protocol (TCP) connection used to transmit data with interspersed TELNET control information.

Standard

[RFC 854]

[RFC855]

## **6.5.6 FTP Server-IF-06 <File System>**

Provides the capability to create, delete, read, write and modify files and directories. This includes also access rights.

Standard

[RFC 854]

[RFC 855]

## **7 Security**

Should security be required, consideration should be given to the use of the security extensions described in RFC 2228. These extensions may be used to provide strong authentication, integrity, and confidentiality on both the control and data channels.