



INTERNATIONAL TELECOMMUNICATION UNION

CCITT

THE INTERNATIONAL
TELEGRAPH AND TELEPHONE
CONSULTATIVE COMMITTEE

E.428

(11/1988)

SERIES E: OVERALL NETWORK OPERATION,
TELEPHONE SERVICE, SERVICE OPERATION AND
HUMAN FACTORS

International telephone network management and
checking of service quality – Checking the quality of the
international telephone service

CONNECTION RETENTION

Reedition of CCITT Recommendation E.428 published in
the Blue Book, Fascicle II.3 (1988)

NOTES

1 CCITT Recommendation E.428 was published in Fascicle II.3 of the *Blue Book*. This file is an extract from the *Blue Book*. While the presentation and layout of the text might be slightly different from the *Blue Book* version, the contents of the file are identical to the *Blue Book* version and copyright conditions remain unchanged (see below).

2 In this Recommendation, the expression “Administration” is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

CONNECTION RETENTION

1 Introduction

Connection retention is one of the parameters influencing the quality of service (QOS) after the call has been set up. As the assessment of this parameter is difficult and costly, it is recommended to investigate only after information from sources such as operator trouble reports, subscriber complaints, interviews and/or service observations indicate that there is a problem.

2 Cut-off call ratio

The cut-off call ratio is the percentage of the established calls that are released for a reason other than intentional by any of the parties involved in the call. The cut-off call ratio can only be measured by placing test calls (see Recommendation G.181).

3 Investigations required

Before measuring the cut-off call ratio the source information leading to the investigation should be utilized to the extent possible (see Annex B to Recommendation E.420) and the outcome should be compared with other relevant sources. For example, subscriber complaints can be followed up by investigating operator trouble reports.

These investigations should lead to a suspect part of the network.

4 Exchange of information

In case the suspect part of the network is outside the territory of an Administration, the Administration which has responsibility for the suspect part of the network should be contacted and informed of the results of the investigations. In the information given, the type of cut-offs should be classified by causes such as "absence of answer signal", "artificial clearback signal", etc.

5 Further investigation required

Within the suspect part of the network, the Administration should look for obvious causes of cut-offs such as exchange or facility failures. If obvious causes cannot be identified the Administration should consider test calls.

6 Test calls

One or both Administrations may decide to set up a test call programme.

International standardized test call types are contained in Recommendation E.424. As stated in that Recommendation, before applying type 3 test calls or subscriber-to-subscriber type test calls, it should be verified that there are no evident faults in the national network. This verification can easily be undertaken by applying non-standardized test calls, for example from the international centre to a subscriber number in the national network of the same country (see Recommendation E.424, 4) of § 1).

The usefulness of standardization in these kinds of test calls is under study in several Administrations.

For making test calls on connection retention, the responding equipment used should send an answer signal after 10 seconds followed by a continuous tone in conformity with Recommendation 0.61. The threshold level of the detector in the directing equipment should also be in conformity with Recommendation 0.61.

7 Objectives

The long-term objectives as well as the allocations are given in Recommendation G.181. In the intermediate time the following requirements should apply: the cut-off call ratio for subscriber-to-subscriber tests should, measured over 24-hour periods, be below 0.5% for 5 minute calls. In any time-consistent hour the call cut-off rate may not exceed 3%.

It should be noted that, in general, cut-off problems have a more severe impact on customers' perception of service on routes with a low answer seizure ratio than on routes with a low completion rate.

ITU-T E-SERIES RECOMMENDATIONS
**OVERALL NETWORK OPERATION, TELEPHONE SERVICE,
 SERVICE OPERATION AND HUMAN FACTORS**

OPERATION, NUMBERING, ROUTING AND MOBILE SERVICES

INTERNATIONAL OPERATION

Definitions	E.100–E.103
General provisions concerning Administrations	E.104–E.119
General provisions concerning users	E.120–E.139
Operation of international telephone services	E.140–E.159
Numbering plan of the international telephone service	E.160–E.169
International routing plan	E.170–E.179
Tones in national signalling systems	E.180–E.189
Numbering plan of the international telephone service	E.190–E.199
Maritime mobile service and public land mobile service	E.200–E.229

OPERATIONAL PROVISIONS RELATING TO CHARGING AND ACCOUNTING IN THE INTERNATIONAL TELEPHONE SERVICE

Charging in the international telephone service	E.230–E.249
Measuring and recording call durations for accounting purposes	E.260–E.269

UTILIZATION OF THE INTERNATIONAL TELEPHONE NETWORK FOR NON-TELEPHONY APPLICATIONS

General	E.300–E.319
Phototelegraphy	E.320–E.329

ISDN PROVISIONS CONCERNING USERS

International routing plan	E.350–E.399
----------------------------	-------------

QUALITY OF SERVICE, NETWORK MANAGEMENT AND TRAFFIC ENGINEERING

NETWORK MANAGEMENT

International service statistics	E.400–E.409
International network management	E.410–E.419

Checking the quality of the international telephone service **E.420–E.489**

TRAFFIC ENGINEERING

Measurement and recording of traffic	E.490–E.505
Forecasting of traffic	E.506–E.509
Determination of the number of circuits in manual operation	E.510–E.519
Determination of the number of circuits in automatic and semi-automatic operation	E.520–E.539
Grade of service	E.540–E.599
Definitions	E.600–E.649
ISDN traffic engineering	E.700–E.749
Mobile network traffic engineering	E.750–E.799

QUALITY OF TELECOMMUNICATION SERVICES: CONCEPTS, MODELS, OBJECTIVES AND DEPENDABILITY PLANNING

Terms and definitions related to the quality of telecommunication services	E.800–E.809
Models for telecommunication services	E.810–E.844
Objectives for quality of service and related concepts of telecommunication services	E.845–E.859
Use of quality of service objectives for planning of telecommunication networks	E.860–E.879
Field data collection and evaluation on the performance of equipment, networks and services	E.880–E.899

ITU-T RECOMMENDATIONS SERIES

Series A	Organization of the work of the ITU-T
Series B	Means of expression: definitions, symbols, classification
Series C	General telecommunication statistics
Series D	General tariff principles
Series E	Overall network operation, telephone service, service operation and human factors
Series F	Non-telephone telecommunication services
Series G	Transmission systems and media, digital systems and networks
Series H	Audiovisual and multimedia systems
Series I	Integrated services digital network
Series J	Transmission of television, sound programme and other multimedia signals
Series K	Protection against interference
Series L	Construction, installation and protection of cables and other elements of outside plant
Series M	TMN and network maintenance: international transmission systems, telephone circuits, telegraphy, facsimile and leased circuits
Series N	Maintenance: international sound programme and television transmission circuits
Series O	Specifications of measuring equipment
Series P	Telephone transmission quality, telephone installations, local line networks
Series Q	Switching and signalling
Series R	Telegraph transmission
Series S	Telegraph services terminal equipment
Series T	Terminals for telematic services
Series U	Telegraph switching
Series V	Data communication over the telephone network
Series X	Data networks and open system communications
Series Y	Global information infrastructure and Internet protocol aspects
Series Z	Languages and general software aspects for telecommunication systems