

TU-FT

TELECOMMUNICATION STANDARDIZATION SECTOR OF ITU



SERIES G: TRANSMISSION SYSTEMS AND MEDIA, DIGITAL SYSTEMS AND NETWORKS

Digital sections and digital line system – Access networks

Asymmetric digital subscriber line (ADSL) transceivers – Extended bandwidth ADSL2 (ADSL2plus)

Amendment 4: Definition of power cutback

ITU-T Recommendation G.992.5 (2005) - Amendment 4



ITU-T G-SERIES RECOMMENDATIONS TRANSMISSION SYSTEMS AND MEDIA, DIGITAL SYSTEMS AND NETWORKS

INTERNATIONAL TELEPHONE CONNECTIONS AND CIRCUITS	G.100–G.199
GENERAL CHARACTERISTICS COMMON TO ALL ANALOGUE CARRIER- TRANSMISSION SYSTEMS	G.200–G.299
INDIVIDUAL CHARACTERISTICS OF INTERNATIONAL CARRIER TELEPHONE SYSTEMS ON METALLIC LINES	G.300–G.399
GENERAL CHARACTERISTICS OF INTERNATIONAL CARRIER TELEPHONE SYSTEMS ON RADIO-RELAY OR SATELLITE LINKS AND INTERCONNECTION WITH METALLIC LINES	G.400–G.449
COORDINATION OF RADIOTELEPHONY AND LINE TELEPHONY	G.450-G.499
TRANSMISSION MEDIA AND OPTICAL SYSTEMS CHARACTERISTICS	G.600–G.699
DIGITAL TERMINAL EQUIPMENTS	G.700–G.799
DIGITAL NETWORKS	G.800–G.899
DIGITAL SECTIONS AND DIGITAL LINE SYSTEM	G.900-G.999
General	G.900-G.909
Parameters for optical fibre cable systems	G.910–G.919
Digital sections at hierarchical bit rates based on a bit rate of 2048 kbit/s	G.920-G.929
Digital line transmission systems on cable at non-hierarchical bit rates	G.930-G.939
Digital line systems provided by FDM transmission bearers	G.940-G.949
Digital line systems	G.950–G.959
Digital section and digital transmission systems for customer access to ISDN	G.960–G.969
Optical fibre submarine cable systems	G.970-G.979
Optical line systems for local and access networks	G.980–G.989
Access networks	G.990-G.999
QUALITY OF SERVICE AND PERFORMANCE – GENERIC AND USER-RELATED ASPECTS	G.1000–G.1999
TRANSMISSION MEDIA CHARACTERISTICS	G.6000–G.6999
DATA OVER TRANSPORT – GENERIC ASPECTS	G.7000–G.7999
PACKET OVER TRANSPORT ASPECTS	G.8000–G.8999
ACCESS NETWORKS	G.9000–G.9999

For further details, please refer to the list of ITU-T Recommendations.

ITU-T Recommendation G.992.5

Asymmetric digital subscriber line (ADSL) transceivers – Extended bandwidth ADSL2 (ADSL2plus)

Amendment 4

Definition of power cutback

Summary

Amendment 4 to ITU-T Recommendation G.992.5 contains the following items:

- Definition of power cutback.
- Accuracy of test parameters (delta to Amendment 4 of ITU-T Recommendation G.992.3).
- New Appendix VIII (reference to new Appendix VIII of ITU-T Recommendation G.992.3).

Source

Amendment 4 to ITU-T Recommendation G.992.5 (2005) was approved on 29 July 2007 by ITU-T Study Group 15 (2005-2008) under the ITU-T Recommendation A.8 procedure.

i

FOREWORD

The International Telecommunication Union (ITU) is the United Nations specialized agency in the field of telecommunications. The ITU Telecommunication Standardization Sector (ITU-T) is a permanent organ of ITU. ITU-T is responsible for studying technical, operating and tariff questions and issuing Recommendations on them with a view to standardizing telecommunications on a worldwide basis.

The World Telecommunication Standardization Assembly (WTSA), which meets every four years, establishes the topics for study by the ITU-T study groups which, in turn, produce Recommendations on these topics.

The approval of ITU-T Recommendations is covered by the procedure laid down in WTSA Resolution 1.

In some areas of information technology which fall within ITU-T's purview, the necessary standards are prepared on a collaborative basis with ISO and IEC.

NOTE

In this Recommendation, the expression "Administration" is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

Compliance with this Recommendation is voluntary. However, the Recommendation may contain certain mandatory provisions (to ensure e.g. interoperability or applicability) and compliance with the Recommendation is achieved when all of these mandatory provisions are met. The words "shall" or some other obligatory language such as "must" and the negative equivalents are used to express requirements. The use of such words does not suggest that compliance with the Recommendation is required of any party.

INTELLECTUAL PROPERTY RIGHTS

ITU draws attention to the possibility that the practice or implementation of this Recommendation may involve the use of a claimed Intellectual Property Right. ITU takes no position concerning the evidence, validity or applicability of claimed Intellectual Property Rights, whether asserted by ITU members or others outside of the Recommendation development process.

As of the date of approval of this Recommendation, ITU had received notice of intellectual property, protected by patents, which may be required to implement this Recommendation. However, implementers are cautioned that this may not represent the latest information and are therefore strongly urged to consult the TSB patent database at <u>http://www.itu.int/ITU-T/ipr/</u>.

© ITU 2007

All rights reserved. No part of this publication may be reproduced, by any means whatsoever, without the prior written permission of ITU.

CONTENTS

Page

1)	Clause 3	1
2)	Clause 8.12	1
3)	New Appendix VIII	2

ITU-T Recommendation G.992.5

Asymmetric digital subscriber line (ADSL) transceivers – Extended bandwidth ADSL2 (ADSL2plus)

Amendment 4

Definition of power cutback

NOTE – Revision marks show differences from approved text in G.992.5 and Amendments 1, 2 and 3.

1) Clause 3

Change clause 3 as follows:

3 Definitions

ITU-T Rec. G.992.3 defines terms applicable to this Recommendation, with the following exceptions:-

3.31 power cutback (PCB): Scalar valued parameter controlling the difference (expressed in dB), between the nominal transmit PSD level and the reference transmit PSD level (REFPSD), in any one direction. In case of non-unity tss_i , a frequency dependent transmit PSD level reduction could result (i.e., ceiled cutback).

3.33 reference transmit PSD level (REFPSD): The nominal transmit PSD level, lowered by the power cutback (PCB), in any one direction.

2) Clause 8.12

Change clause 8.12 as follows:

8.12 Management plane procedures

See 8.12/G.992.3.

The requirements of G.992.3 clause 8.12 apply, with differences defined in this clause.

8.12.5 Accuracy of test parameters

The downstream HLOGps reference value shall be defined for each subcarrier as follows:

<u>HLOGps_reference_ds(i) = PSDps_UR2(i) - (REFPSDds + ceiled_log_tss_i(i))</u>

The accuracy requirements for the downstream HLOGps (HLOGps ds) shall apply only to the following subcarriers (with the corresponding frequency ranges being a part of the passband), and only if not within the downstream BLACKOUTset (see 8.13.2.4):

G.992.5 Annexes A and I
Subcarriers 46 to 463

• G.992.5 Annexes B, J and M Subcarriers 92 to 463

The accuracy requirements for upstream HLOGps (HLOGps_us) shall apply to the subcarriers within the following frequency ranges (defined as a part of the passband), and not within the upstream BLACKOUTset (see § 8.13.2.4):

•	G.992.5 Annexes A and I	Subcarriers 11 to 23
•	G.992.5 Annex B	Subcarriers 36 to 53
•	G.992.5 Annexes J and M	Subcarriers 11 to 53

3) New Appendix VIII

Add the following new Appendix VIII:

Appendix VIII

Impact of loop and ATU impedance mismatch on the Hlog accuracy

See G.992.3 Appendix VIII.

SERIES OF ITU-T RECOMMENDATIONS

- Series A Organization of the work of ITU-T
- Series D General tariff principles
- Series E Overall network operation, telephone service, service operation and human factors
- Series F Non-telephone telecommunication services
- Series G Transmission systems and media, digital systems and networks
- Series H Audiovisual and multimedia systems
- Series I Integrated services digital network
- Series J Cable networks and transmission of television, sound programme and other multimedia signals
- Series K Protection against interference
- Series L Construction, installation and protection of cables and other elements of outside plant
- Series M Telecommunication management, including TMN and network maintenance
- Series N Maintenance: international sound programme and television transmission circuits
- Series O Specifications of measuring equipment
- Series P Telephone transmission quality, telephone installations, local line networks
- Series Q Switching and signalling
- Series R Telegraph transmission
- Series S Telegraph services terminal equipment
- Series T Terminals for telematic services
- Series U Telegraph switching
- Series V Data communication over the telephone network
- Series X Data networks, open system communications and security
- Series Y Global information infrastructure, Internet protocol aspects and next-generation networks
- Series Z Languages and general software aspects for telecommunication systems