



INTERNATIONAL TELECOMMUNICATION UNION

CCITT

I.252.3

THE INTERNATIONAL
TELEGRAPH AND TELEPHONE
CONSULTATIVE COMMITTEE

(08/92)

**INTEGRATED SERVICES DIGITAL
NETWORK (ISDN)**

**GENERAL STRUCTURE AND SERVICE
CAPABILITIES**

CALL FORWARDING NO REPLY

Recommendation I.252.3



Geneva, 1992

FOREWORD

The CCITT (the International Telegraph and Telephone Consultative Committee) is a permanent organ of the International Telecommunication Union (ITU). CCITT is responsible for studying technical, operating and tariff questions and issuing Recommendations on them with a view to standardizing telecommunications on a worldwide basis.

The Plenary Assembly of CCITT which meets every four years, establishes the topics for study and approves Recommendations prepared by its Study Groups. The approval of Recommendations by the members of CCITT between Plenary Assemblies is covered by the procedure laid down in CCITT Resolution No. 2 (Melbourne, 1988).

Recommendation I.252.3 was revised by Study Group I and was approved under the Resolution No. 2 procedure on the 4th of August 1992.

CCITT NOTES

- 1) In this Recommendation, the expression "Administration" is used for conciseness to indicate both a telecommunication Administration and a recognized private operating agency.
- 2) A list of abbreviations used in this Recommendation can be found in Annex A.

© ITU 1992

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the ITU.

Recommendation I.252.3

CALL FORWARDING NO REPLY

(revised 1992)

1 Definition

Call Forwarding No Reply permits a “served user” (see § 2.2) to have the network send to another number all incoming calls for the served user’s ISDN number which meet no reply, or just those associated with a specified basic service which meet no reply. The served user’s originating service is unaffected.

The forwarded-to number is registered with the network for use on all calls.

Note – In normal situations, the Call Forwarding No Reply service is provided on a per access basis. (In these situations, there is a one-to-one relationship between ISDN number and access.) However, the network may recognize multiple numbers on a single interface; in addition, it may not understand a complete ISDN number (e.g. Direct-Dialling-In). In these cases, the Call Forwarding No Reply service is offered on the basis of the part of the ISDN number which the network can recognize.

2 Description

2.1 General description

For a given ISDN number, the Call Forwarding No Reply (CFNR) service (including options), may be subscribed to for each basic service to which the user(s) of the number subscribes, or collectively for all the basic services to which the user(s) subscribes. Since subscription is on an ISDN number basis, the same call forwarding subscriptions will apply to all terminals using this number.

Two conditions of CFNR are possible as follows:

- 1) the call is offered and no indication of a compatible terminal is received; or
- 2) the call is offered and an indication of a compatible terminal is received.

Only case 2) is considered here. Case 1) is for further study.

Note – In this service description, it is assumed that a single ISDN number is not shared across multiple interfaces. A single ISDN number may, however, be shared by multiple terminals on the same interface. Procedures permitting an ISDN number to be shared across multiple interfaces are for further study. For multiple access installations, it may be possible for the user to specify, on activation, if the service is applicable to a specific access or all accesses associated with that installation.

The served user can request a different forwarded-to number for each basic service subscription parameter value to which he has subscribed.

An indication that the CFNR service is activated on a number may, as an option, be given to the user who has forwarding activated, each time an outgoing call is made. This may take the form of a special indication in the proceed response.

2.2 Specific terminology

Served user: User of a particular ISDN number who is requesting that calls to his number be forwarded. This user may also be referred to as the forwarding user or the called user.

Forwarded-to-user: User to whom the call shall be forwarded.

2.3 Qualifications on the applicability to telecommunications services

No restrictions identified.

3 Procedures

3.1 Provision/withdrawal

CFNR shall be provided after pre-arrangement with the service provider.

The service can be offered with five subscription options. Options apply separately to each basic service subscribed to on each ISDN number. For each subscription option, only one value can be selected. Subscription options are summarized below:

Subscription options	Value
Served user receives notification that the call has been forwarded	No Yes (see § 3.2.2)
Calling user receives notification that the call has been forwarded (see Note)	No Yes, without the forwarded-to user number Yes, with the forwarded-to user number
No reply condition timer	5-60 seconds, in steps of 5 seconds
Served user receives notification that CFNR is currently activated	No Yes
Served user releases his/her number to forward-to user	No Yes

Note – Notification of diversion to the calling user A may be provided as a network provider option.

This service will be withdrawn by the service provider at the subscriber's request or for administrative reasons.


3.2 Normal procedures

3.2.1 Activation/deactivation/registration

Same as for Call Forwarding Unconditional (CFU) (see Recommendation I.252.4).

3.2.2 Invocation and operation

The following illustration clarifies the CFNR procedures. Assume that A calls B₁, who forwards the call to B₂, ..., B_m, ..., B_x. The final receiver of the call is C.



T0102430-92

When forwarding occurs, the network may either:

- a) retain the call at the served user until alerting commences at the forwarded-to user (that alerting causing the call to be removed from the served user's access); or
- b) clear the call to the served user on acceptance of the call forwarding request.

3.2.2.1 *Served user B_m's perspective*

When CFNR is active, incoming calls will be offered to the served user. Normal call offering information is provided to the served user. If the served user does not reply within a subscribed time interval, the call will be forwarded. The served user, as a subscription option, may receive notification that a call has been forwarded. This notification is given as soon as the forwarding attempt is stated. No further notification is given.

3.2.2.2 *Forwarded-to user C's perspective*

The forwarded-to user C will receive an indication that the call has been forwarded.

As an option he may also receive:

- 1) originally called number B₁;
- 2) cause for original forwarding;
- 3) last forwarding number B_x;
- 4) cause for last forwarding.

(Depending on the use of other supplementary services, the forwarded-to user C may also receive information such as the calling party A number and user-to-user signalling. See the description of interactions with other supplementary services.)

3.2.2.3 *Calling user A's perspective*

The following notification procedures for the calling user A are a network provider option. The notification procedures for calling user A shall only operate if the served user has subscribed to the option "calling user receives a notification that call has been forwarded".

For the initial diversion and for any subsequent CFNR or call deflection (CD) after alerting has commenced, the network will take the following actions depending on the subscription option parameter of the served user.

- 1) If this parameter is set to "calling user does not receive notification", no notification is given to the calling user.
- 2) If this parameter is set to "notify calling user, without forwarded-to number", then the calling user will receive a notification that the call has been forwarded without the forwarded-to number, providing a previous diverting user has not requested that no notification is given as under item 1) above.
- 3) If this parameter is set to "notify calling user, with forwarded-to number", then the calling user will receive a notification that the call has been forwarded, providing a previous diverting user has not requested that no notification is given as under item 1) above. In addition, if alerting takes place (e.g. at user C), notification of the current forwarded-to number will be given when alerting commences if all served users in all previous diversions subscribe to "notify calling user, with forwarded-to number".

Transfer of the forwarded-to user's number may be subject to number notification restrictions due to the invocation of other supplementary services at the forwarded-to user.

3.3 *Exceptional procedures*

3.3.1 *Activation/deactivation/registration*

Same as CFU (see Recommendation I.252.4).

3.3.2 *Invocation and operation*

Call forwarding applies only to subscribed basic services. Calls to an ISDN number requesting a basic service which is not subscribed to will never be forwarded.

In cases where a user may be given the address of users involved in the call [e.g. when the calling user may receive the forwarded-to user's address, or when the forwarded-to user may receive the forwarding user's address and originally forwarding address (multiple forwarding), or when the served user may receive user's addresses] as part of that user's notification and this address information is unavailable (e.g. due to address presentation restriction or interworking), the user who would have been given the address shall get an indication on the reason why no number can be given.

Within an ISDN, or tandem ISDNs, the total number of all forwardings for each call should be limited. The maximum number of such connections should be limited to a value between three and five for each call. This is to prevent infinite looping.

If the limit is reached and an attempt is made to forward the call an additional time, then the forwarded call shall be treated as follows:

If the forwarded call cannot be completed to the forwarded-to destination, then as a service provider option the network may either:

- a) Clear the forwarded leg of the call and continue to alert the served user. The calling user will, in the case of a telephony call, continue to receive in-band ringing tone. [The "no reply" timer need not be restarted. However, as a network option, the "no reply" timer may be restarted at this point.] (Note that, with this option, during the invocation of CFNR the forwarding user shall continue to be alerted until alerting commences at the forwarded-to user).
- b) Clear the call back towards the calling user and the calling user would be sent a cause to indicate that the call cannot be completed (i.e. because of network congestion, invalid number, facility not available, etc.). This information shall not explicitly reveal that the call has been forwarded. If CFNR or CD, after alerting, has previously occurred, then the call would be cleared back towards that served user; refer to Recommendations I.252.3 or I.252.5 respectively, for these cases. (Note that, with this option, the alerting of the forwarding user shall have ceased on invocation of CFNR.)

3.4 *Alternative procedures*

None identified.

4 Network capabilities for charging

This Recommendation does not cover charging principles. Future Recommendations in the D-Series are expected to contain that information.

It shall be possible to charge the subscriber accurately for the service.

5 Interworking requirements

With diversion invoked across more than one network, e.g. from public switched telephone network (PSTN) via ISDN to another PSTN or between ISDNs of different countries, or even different continents, a decrease in Quality of Service parameters may arise. For example, the parameters that may be influenced are:

- Call Establishment Time;
- Transmission Delay;
- Bit Error Ratio;
- Attenuation of Audio Signals.

Depending on national implementations, the network may provide some precautions, e.g. limit the number of forwarding legs, limit the number of international border crossings, limit the number of satellite hops, etc.

5.1 *Interworking with non-ISDN networks*

If the forwarded-to number is not within the ISDN, then an interworking situation is said to exist.

The number of times a call will be forwarded once it has exited the ISDN network cannot be limited by this ISDN network.

If a forwarded call meets an interworking situation, then an interworking indication should be sent to the calling party. This indication shall not explicitly reveal that the call has been forwarded.

In case of interworking, appropriate tones and/or announcements should be provided.

Note – Once a call has been forwarded to a non-ISDN network, then further forwardings and/or notifications to the calling user are outside the scope of this Recommendation.

5.2 *Interworking with private ISDN*

This assumes cooperation between the public and private networks. The forwarded-to number may be registered with the public network or the private ISDN. Further study is required to determine whether the latter should be a service provider option.

If the private network detects forwarding back to a destination in the public network, the private network could request that forwarding is performed by the public network.

The private network may also optionally specify either a transit network or a network specific facility or both to be used for that forwarding.

Within ISDNs (public or private) the total number of forwardings for each call should be limited (see Recommendation I.252.4, § 3.3.2).

If a private ISDN employs the other types of service interactions than specified under § 6, e.g. with Completion of Calls to Busy Subscribers (CCBS), the private ISDN shall supply the necessary precautions against such consequences.

Where a remote user is on a different network, notifications to the remote user, if applicable, shall be sent to the remote user's network for forwarding to the remote user.

6 Interaction with other supplementary services

The ways in which Call Forwarding No Reply interacts with other supplementary services are in general identical to the ways in which Call Forwarding Unconditional interacts with other supplementary services. Thus, if the interactions are described to be "same as CFU", the CFU text should be taken verbatim, except that the expression "Call Forwarding Unconditional" should be replaced by "Call Forwarding No Reply".

6.1 *Call Waiting*

Refer to Recommendation I.253.1, § 6.10, Interaction with CFNR.

6.2 *Call Transfer*

Same as CFU (see Recommendation I.252.4).

6.3 *Connected Line Identification Presentation*

Calling user notification of the diverted-to number is part of the diversion service and should not be considered to require an invocation of Connected Line Identification Presentation (COLP) by the calling user.

If the served (diverting) user selects the option that the calling user is not notified of call forwarding, then the calling user will receive no forwarding notification. In addition, the calling user will not receive the connected user's identity when the call is answered, unless the calling user has override capability.

If the served (diverting) user selects the option that the calling user is notified, but without the forwarded-to user number, then the calling user will not receive the connected user's identity when the call is answered, unless the calling user has override capability.

6.4 *Connected Line Identification Restriction*

If a forwarded-to user subscribes to Connected Line Identification Restriction (COLR) "permanent mode", then the forwarded-to user's number shall not be provided with the notification that the call has been forwarded.

If the forwarded-to user subscribes to COLR "temporary mode", the provision of the forwarded-to-user's number to the calling user shall not be allowed during the alerting condition of the call. The forwarded-to-user's connected number may still be provided on answer based on COLR temporary mode operation.

In each of the above situations, a calling user that subscribes to COLP and having override capability shall not be able to receive the forwarded-to user number as part of the diverting notification information, but can invoke COLP in order to receive the connected line identity when the call is answered.

6.5 *Calling Line Identification Presentation*

Called user: If subscribed to, the called user can receive the calling line identification of all calls which have been forwarded.

Forwarded-to users, who have subscribed to Calling Line Identification Presentation (CLIP) may receive the calling user's number if the calling user has not subscribed/invoked CLIR.

6.6 *Calling Line Identification Restriction*

Calling user: When Calling Line Identification Restriction (CLIR) is applicable and activated, the calling line identification will not be presented to the forwarded-to user unless the forwarded-to user is in the override category. The latter is a national option.

6.7 *Closed User Group*

Same as CFU (see Recommendation I.252.4).

6.8 *Conference Calling*

Same as CFU (see Recommendation I.252.4).

6.9 *Direct-Dialling-In (DDI)*

No impact, i.e. neither supplementary service affects the operation of the other supplementary service.

6.10 *Call diversion services*

6.10.1 *Call Forwarding Busy*

No impact, i.e. neither supplementary service affects the operation of the other supplementary service (because these invocation criteria are mutually exclusive).

6.10.2 *Call Forwarding No Reply*

Not applicable.

6.10.3 *Call Forwarding Unconditional*

The invocation of CFU takes precedence over CFNR.

6.10.4 *Call Deflection*

The incoming call is offered to the called user and invocation of either Call Deflection or CFNR depends on the user's response.

6.11 *Line Hunting*

No impact, i.e. neither supplementary service affects the operation of the other supplementary service.

6.12 *Three-Party Service*

No impact, i.e. neither supplementary service affects the operation of the other supplementary service.

6.13 *User-to-User Signalling*

Refer to Recommendation I.257.1, Annex B, for more details of the interaction with the User-to-User Signalling (UUS) service.

Calls originated by a user with call forwarding no reply activated:

Since call forwarding no reply does not affect the forwarding user's ability to make outgoing calls, a user with call forwarding no reply activated can send User-to-User Information (UUI) in association with an ongoing call or at the set-up of a new call.

Calls incoming to a user with call forwarding no reply activated:

UUS service 1: If the UUS service is explicitly requested and the forwarding user explicitly rejects the request, the UUS request and the UUI (if any) shall not be forwarded with the call. However, if the request was indicated as "UUI required", and either the forwarding or forwarded-to user explicitly rejects the request, the call shall be rejected. In all other cases the UUS request and/or UUI shall be forwarded or delivered with the call.

UUS service 2: If the UUS service is requested as "UUI not required", the call will be forwarded without the UUS request. If the UUS service is requested as "UUI required", call forwarding no reply shall be overridden (i.e. the call is treated as if call forwarding no reply was not activated).

UUS service 3: Any request for UUS service 3 that accompanies the set-up request shall be forwarded with the call.

Note – As a network provider option, the forwarding of UUI and/or UUS requests can be restricted to forwarding users who subscribe to the relevant UUS supplementary service.

After forwarding:

UUS service 3 may be requested during the active phase of the call.

6.14 *Multiple Subscriber Number*

No impact, i.e. neither supplementary service affects the operation of the other supplementary service.

6.15 *Call Hold*

No impact, i.e. neither supplementary service affects the operation of the other supplementary service.

6.16 *Advice of Charge*

Refer to Recommendation I.256.2, §§ 1.6.10, 2.6.10, 3.6.10, Interaction with CFNR.

6.17 *Multi-level Precedence and Preemption*

The precedence level of calls is preserved during the forwarding process, and the forwarded-to user may be preempted.

Call Forwarding No Reply will not apply to a precedence call if an alternate party is specified by the called party. Unanswered precedence calls will be diverted to the alternate party if that option is subscribed to by the called user. Calls of the lowest level of precedence will be forwarded in the normal manner.

6.18 *Priority*

Priority service is restricted to A-B connections.

6.19 *Malicious Call Identification*

The Malicious Call Identification (MCID) supplementary service can be invoked for a forwarded call. In addition to the normal operation of the MCID supplementary service, the identity of the called user shall be registered and, as a network option, the last diverting user can be registered.

Once forwarding has taken place, the forwarding user cannot invoke the MCID supplementary service.

6.20 *Outgoing Call Barring*

When CFNR has been activated prior to the activation of Outgoing Call Barring OCB, the calls are forwarded regardless of the limitations of the version of OCB that has been activated; i.e. in this case there exists no interaction between the two services.

After OCB has been activated, calls can only be forwarded to destinations which are within the limitations of the OCB version, that has been activated.

6.21 *Reverse Charging*

If parties A, B and C are all in different countries, reverse charging for all charges to C should not be permitted.

Where charging on diverted calls occurs on a per leg basis, reverse charging should occur only on the leg on which it is requested.

A request for Reverse Charging (REV), case B, made by the calling user should always be rejected on calls which have been diverted.

REV, case B, requested by the called user and REV, case C, can only be requested on a final leg.

With respect to REV, cases A and D, the following restrictions apply:

- a) on leg A-B₁, REV will come into operation only if user B₁ subscribes to REV, case D. User A may or may not have requested REV, case A, in addition;
- b) on leg B_m-B_{m+1}, REV will come into operation only if user B_{m+1} subscribes to REV, case D. User B_m may or may not have requested REV, case A, together with a deflection request;

Note – In other cases of diversion, user B_m cannot make a request for REV on the outgoing leg.

c) on leg B_n-C, the following applies:

- if user C subscribes to REV, case D, REV will always come into operation. User B_n may or may not have requested REV, case A, together with a deflection request;

Note – In other cases of diversion, user B_n cannot make a request for REV on the outgoing leg.

- if user C does not subscribe to REV, case D, then REV will come into operation only if user B_n has requested REV, case A, together with a deflection request and user C accepts the REV request when connecting the call.

6.22 *Sub-addressing*

The sub-address associated with the original called party number shall not be forwarded if the call is forwarded.

7 **Dynamic description**

Refer to the Call Forwarding Busy (CFB) service dynamic description (which covers CFU, CFB, CFNR and CD) in Recommendation I.252.2.

ANNEX A

(to Recommendation I.252.3)

Alphabetical list of abbreviations used in this Recommendation

CCBS	Completion of calls to busy subscribers
CFB	Call forwarding busy
CFNR	Call forwarding no reply
CLIP	Calling line identification presentation
CLIR	Calling line identification restriction
COLP	Connected line identification presentation
COLR	Connected line identification restriction
ISDN	Integrated services digital network
MCID	Malicious call identification
OCB	Outgoing call barring
PSTN	Public switched telephone network
REV	Reverse charging
UUI	User-to-user information
UUS	User-to-user signalling