



INTERNATIONAL TELECOMMUNICATION UNION

ITU-T

TELECOMMUNICATION
STANDARDIZATION SECTOR
OF ITU

I.420

**INTEGRATED SERVICES DIGITAL
NETWORK (ISDN)
ISDN USER-NETWORK INTERFACES**

BASIC USER-NETWORK INTERFACE

ITU-T Recommendation I.420

(Extract from the *Blue Book*)

NOTES

1 ITU-T Recommendation I.420 was published in Fascicle III.8 of the *Blue Book*. This file is an extract from the *Blue Book*. While the presentation and layout of the text might be slightly different from the *Blue Book* version, the contents of the file are identical to the *Blue Book* version and copyright conditions remain unchanged (see below).

2 In this Recommendation, the expression “Administration” is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

© ITU 1988, 1993

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the ITU.

Recommendation I.420

BASIC USER-NETWORK INTERFACE

(Malaga-Torremolinos, 1984)

The basic user-network interface structure is defined in Recommendation I.412. The detailed specifications are contained in Recommendations I.430 (layer 1), I.440 and I.441 (layer 2), I.450, I.451 and I.452 (layer 3).