



INTERNATIONAL TELECOMMUNICATION UNION

CCITT

THE INTERNATIONAL
TELEGRAPH AND TELEPHONE
CONSULTATIVE COMMITTEE

V.25 *bis*

(11/1988)

SERIES V: DATA COMMUNICATION OVER THE
TELEPHONE NETWORK

Interfaces and voice-band modems

**AUTOMATIC CALLING AND/OR ANSWERING
EQUIPMENT ON THE GENERAL SWITCHED
TELEPHONE NETWORK (GSTN) USING THE
100-SERIES INTERCHANGE CIRCUITS**

Reedition of CCITT Recommendation V.25 *bis* published
in the Blue Book, Fascicle VIII.1 (1988)

NOTES

- 1 CCITT Recommendation V.25 *bis* was published in Fascicle VIII.1 of the *Blue Book*. This file is an extract from the *Blue Book*. While the presentation and layout of the text might be slightly different from the *Blue Book* version, the contents of the file are identical to the *Blue Book* version and copyright conditions remain unchanged (see below).
- 2 In this Recommendation, the expression “Administration” is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

Recommendation V.25 bis

**AUTOMATIC CALLING AND/OR ANSWERING EQUIPMENT
ON THE GENERAL SWITCHED TELEPHONE NETWORK (GSTN)
USING THE 100-SERIES INTERCHANGE CIRCUITS**

(Malaga-Torremolinos, 1984; modified at Melbourne, 1988)

1 Scope

1.1 This Recommendation is concerned with the setting up of a data connection on the general switched telephone network where the automatic calling equipment used interfaces to the data terminal equipment via the 100-series interchange circuits.

This procedure is known as serial automatic calling. Procedures for parallel automatic calling are defined in Recommendation V.25.

1.2 The Recommendation describes the sequence of events involved in establishing a connection between a serial automatic calling data station¹⁾ and an automatic answering data station for Series V Recommendation modems specified for general switched telephone operation. The system configuration is shown in Figure 1/V.25 bis.




FIGURE 1/V.25 bis

1.3 The procedures are intended to be suitable for the following three types of call:

- a) serial automatic calling data station to automatic answering data station;
- b) manual calling data station to automatic answering data station;
- c) serial automatic calling data station to manual answering data station.

It is intended that data terminal equipment designed to control automatic calling equipment in accordance with this Recommendation will also be suitable for use with manually controlled data circuit-terminating equipment, and also that data circuit-terminating equipment incorporating serial automatic calling equipment may be manually controlled where necessary.

1.4 The procedures described should allow automatic calling equipment conforming to this Recommendation to interwork with automatic answering equipment conforming to Recommendation V.25. Similarly, the procedures herein described for automatic answering allow interworking with automatic calling equipment conforming to Recommendation V.25.

1.5 The data terminal equipment is responsible:

- a) during call establishment:
 - i) for ensuring that the data circuit-terminating equipment is available for operation,
 - ii) for providing the telephone number or selecting a telephone number pre-programmed into the data circuit-terminating equipment,
 - iii) for deciding to abandon the call if it is unsuccessfully completed;

¹⁾ In this Recommendation, the term "data station" is synonymous with the term "terminal installation for data transmission".

- b) after call establishment:
 - i) for controlling data transfer,
 - ii) for initiating disconnect at calling or answering data stations.

1.6 This Recommendation deals with call establishment and clearing. Any specific use of Recommendation V.24 interchange circuits herein described only applies during these phases. The management of interchange circuits and the line during the data transmission phase is not part of this Recommendation.

Details of interface procedures following the OFF to ON transition of circuit 107 on entry of the data transmission phase can be found in the relevant modem Recommendations.

1.7 Annex A gives guidance on the maintenance facilities which may be associated with an automatic calling data circuit-terminating equipment. Methods for testing the automatic calling functions of the data circuit-terminating equipment are included.

1.8 References to automatic calling in the remainder of this Recommendation may be taken as serial automatic calling unless otherwise stated.

2 Abbreviations and definitions

The following abbreviations are used in this Recommendation:

DCE = Data circuit-terminating equipment

DTE = Data terminal equipment.

The following definitions apply to this Recommendation:

command

An instruction issued by the DTE to the DCE as part of the automatic calling procedure.

indication

An instruction or response issued by the DCE to the DTE as part of the automatic calling procedure.

Note – In this Recommendation the terms “indication” and “response” are not to be taken in the sense defined in Recommendation X.210.

parameter

A variable which may accompany Commands or Indications.

parallel automatic calling

A procedure by which a DTE, by use of the 200-series interchange circuits, may instruct a DCE to perform the call establishment function. The transmission, from DTE to DCE, of each digit to be dialled is achieved in parallel form on interchange circuits 206 to 209.

serial automatic calling

A procedure by which a DTE, by use of the 100-series interchange circuits, may instruct a DCE to perform the call establishment function. The transmission, from DTE to DCE, of each digit to be dialled is achieved in serial form on circuit 103.

3 General

3.1 The automatic calling and/or answering data stations can be operated, according to this Recommendation, in two modes:

- The “addressed call and/or answer authorized by the DTE (circuit 108/2)” mode gives at a calling data station extensive facilities by means of instructions exchanged between the DTE and the DCE on circuits 103 and 104. It gives an answering data station the capacity to accept “a priori” an incoming call.
- The “direct call and/or answer controlled by the DTE (circuit 108/1)” mode gives at a calling data station the capacity of calling a number (or a sequence of numbers) pre-recorded in the DCE, by means of the 108/1 control circuit. It gives to an answering data station the capacity of accepting incoming calls on a “per call” basis.

3.2 Though automatic answering data stations as well as automatic calling and answering data stations may implement both modes of operation, they are configured at installation to operate in either one or the other of the two modes.

4 Addressed call and/or answer authorized by the DTE (circuit 108/2)

4.1 Interface procedure

4.1.1 Interchange circuits involved

The interchange circuits used in this automatic calling/answering procedure are listed in Table 1/V.25 bis. Their use during the automatic calling/answering procedures is described below.

TABLE 1/V.25 bis

Interchange circuit		Direction	
Number	Name	from DCE	to DCE
103	Transmitted data		X
104	Received data	X	
106	Ready for sending	X	
107	Data set ready	X	
108/2	Data terminal ready		X
125	Calling indicator	X	

4.1.1.1 Circuit 103 – Transmitted data

The instructions issued by the DTE during the automatic calling procedure, known as *commands*, are transmitted to the DCE on this circuit.

4.1.1.2 Circuit 104 – Received data

Responses from the DCE to DTE Commands, known as *indications*, are transmitted to the DTE on this circuit. Optionally, circuit 104 may convey the echo of the commands transmitted on circuit 103 (for further study).

4.1.1.3 Circuit 106 – Ready for sending

The DCE shall turn circuit 106 ON in response to the DTEs circuit 108/2 being ON.

The DCE shall turn circuit 106 OFF:

- i) on connection to line when answering tone is detected;
- ii) when the DCE aborts the call set-up under the control of DTE by turning 108/2 in the OFF condition.

4.1.1.4 Circuit 107 – Data set ready

The DCE shall turn circuit 107 ON:

- i) at the end of the automatic call set-up procedure, to indicate to the DTE that the connection is established and the DCE connected to line;
- ii) on completion of manual call set-up procedure.

The DCE shall turn circuit 107 OFF:

- i) to indicate to the DTE that the connection has been cleared down during the data transfer phase (to be permitted where national regulations require it);
- ii) in response to a clear request by the DTE turning OFF circuit 108/2.

4.1.1.5 Circuit 108/2 – Data terminal ready

The DTE turns circuit 108/2 ON:

- i) to enable the DCE to set up a connection either manually or automatically;
- ii) to indicate to the DCE that it is ready to accept an incoming call.

The DTE shall turn circuit 108/2 OFF:

- i) to instruct the DCE to clear down the connection during data transfer;
- ii) to instruct the DCE to abort the call set-up procedure;
- iii) to indicate to the DCE that it is not ready to accept an incoming call.

4.1.1.6 *Circuit 125 – Calling indicator*

The DCE should provide circuit 125 to indicate to the DTE an incoming call. This incoming call will override a call request prior to seizure of the line. The usage of circuit 125 in the DTE is optional.

4.1.1.7 *Other interchange circuits*

The state of other interchange circuits is not part of the procedure. However, to ensure maximum compatibility with existing equipment, the other interchange circuits provided should retain their normal function during the automatic calling procedure.

Particularly to ensure correct operation of the DTE, the condition of circuit 109 should follow the condition of circuit 106.

The DTE may choose to hold circuit 105 ON during the automatic calling procedure, but the DCE is not required to recognize this condition.

4.1.2 *Control information format*

Call set-up is achieved by the use of interchange circuits 106, 107 and 108 together with messages exchanged between the DTE and the DCE on circuits 103 and 104. These messages consist of commands or indications from the DTE or DCE respectively, and may be accompanied by *parameters* where necessary. The commands/indications required for the automatic calling procedure are outlined in Table 2/V.25 *bis* and Table 3/V.25 *bis* together with their parameters.

The use of commands/indications other than one of the call request commands (CR-) and the invalid indication (INV) is optional in the DTE and DCE respectively.

The commands/indications and their parameters are described below.

4.1.2.1 *Call request commands*

These commands from the DTE instruct the DCE to initiate a call set-up procedure. The commands shall include a suffix to indicate the type of call request concerned (see Table 3/V.25 *bis*) and shall be accompanied by one or more of the following parameters:

- i) the number to be dialled. (In applications where additional dial tones are required, separators, “wait tone”, etc., may be included in this number);
- ii) the identification number of the data station;
- iii) the DCE memory address which contains the number to be dialled, this having been previously programmed;

Note – Manufacturers should note that the response time to a Call Request Command is determined by the time required to execute line procedures (see § 6.1).

4.1.2.2 *Program commands*

These commands from the DTE instruct the DCE to enter a programming state. The commands shall be accompanied by one or more of the following parameters:

- i) the DCE memory address into which the number to be dialled is to be stored;
- ii) the number which is to be stored;
- iii) the identification number of the data station.

Where a DCE does not contain the programming capability, this DCE shall reply to a program command by an *invalid* indication.

Where a DTE is not capable of programming the DCE, it may still initiate call attempts using the *call request* command in the normal way.

4.1.2.3 *List request commands*

These commands from the DTE instruct the DCE to list the numbers that have been programmed in its memory with or without their status. The commands shall include a suffix to indicate the type of list concerned. The command may be accompanied by parameters to select items to be listed. These parameters are for further study.

4.1.2.4 *Disregard incoming call command*

This command from the DTE instructs the DCE not to answer the current incoming call which is, or has been, signalled from the DCE to the DTE.

4.1.2.5 *Connect incoming call command*

This command from the DTE instructs the DCE to connect an incoming call that has been disregarded due to a previous disregard incoming call command.

4.1.2.6 *Call failure indication*

This indication may be issued by the DCE in response to a *call request* command from the DTE and may be accompanied by a parameter stating the reason for the failure of the call.

The following parameters indicate the possible conditions that may result in a call failure on the GSTN:

- i) engaged tone;
- ii) number not stored;
- iii) local DCE busy, (e.g. DCE involved in an operation invoked from the front panel);
- iv) ring tone, (the remote end was ringing but the call is aborted on time-out)
- v) abort call, (the call is aborted on time-out)
- vi) answer tone not detected, (the other end was recognized as going off hook but the V.25 answer tone was not detected);
- vii) forbidden call, (call attempts to this number are blocked by the DCE due to national regulations) (Note);
- viii) other parameters dependent on national network variations.

Note – Procedure for clearance of forbidden call numbers is not covered in this Recommendation.

The provision of the *call failure* indication is optional in the DCE. For this reason, the DTE should also be capable of recognizing call failure by means of a time out.

4.1.2.7 *Delayed call indication*

This indication from the DCE may be implemented depending on national regulations, and informs the DTE that, for example, owing to repeated unsuccessful call attempts, call attempts to this number are blocked by the DCE for a time given by the accompanying parameter.

4.1.2.8 *Incoming call indication*

This indication may be provided by the DCE to inform the DTE that a ring tone has been detected on the telephone line.

Note – In the event of collision between an incoming call and a call request, the incoming call will have priority.

4.1.2.9 *Valid indication*

This indication may be provided by the DCE to acknowledge call request, program, disregard incoming call and correct incoming call commands, and to inform the DTE that the command has been accepted.

4.1.2.10 *Invalid indication*

This indication shall be provided by the DCE when it receives an invalid command, or receives a command which it is incapable of executing either because it does not implement the function or because the function is invoked at a wrong time in the V.25 *bis* process. This indication may be accompanied by a parameter stating the reason for the invalid situation.

The following parameters indicate the possible conditions that may result in an invalid situation:

- i) command unknown error,
- ii) message syntax error,
- iii) parameter syntax error,
- iv) parameter value error.

4.1.2.11 List indications

A series of such indications may be provided by the DCE to list specific items stored in its memory according to the *list request* command previously made by the DTE. These indications will be accompanied by one or more of the following parameters:

- i) the DCE memory address into which the number is stored;
- ii) the number stored;
- iii) the status of this number (for further study);
- iv) the identification number of the data station.

Note – When the list request command invokes edition of an empty list, a list indication with no parameter may be issued.

4.1.2.12 Call connecting indication

This indication may be provided by the DCE to inform the DTE that the connection procedures are about to be completed.

TABLE 2/V.25 bis

Set of commands and indications (Note 1)

Command/indication	DTE to DCE (command)	DCE to DTE (indication)	Parameters
Call request	X		<ul style="list-style-type: none"> – Number to be dialled – Memory address of the number to be dialled
Program	X		<ul style="list-style-type: none"> – Identification number – Number to be dialled – Memory address for the number to be dialled – Identification number
List request	X		– (Note 2)
Disregard incoming call	X		– None
Connect incoming call	X		– None
Call failure		X	<ul style="list-style-type: none"> – Engaged tone – Number not stored – Local DCE busy – Ring tone (time out) – Abort call (time out) – V.25 answer tone not detected – Forbidden call (nationally dependent parameters)
Delayed call		X	– Time to permissible call request (minutes)
Incoming call		X	– None
Valid		X	– None
Invalid		X	– Optionally, error code
List		X	<ul style="list-style-type: none"> – Memory address – Number to be dialled – Status (Note 2) – Identification number
Call connecting		X	– (Note 2)

Note 1 – DTE manufacturers should note that a set of indications may not be implemented in a DCE, and allowance for this, by use of suitable time-outs, should be made.

Note 2 – This item is for further study.

TABLE 3/V.25 bis

Encoding of commands and indications

Command/indication	IA5 characters	Parameter format		
Call request with:				
number provided:	CRN	CRN	Number to be dialed XXXXX XXXX	
number provided with the identification number:	CRI	CRI	XXXXX . . XXXX	Identification number ; YY YY
memory address provided:	CRS	CRS	Memory address XXXXX . . . XX	
Program:				
normal:	PRN	PRN	XXXXX . . XX	Number to be dialed ; XXXXX XXXX
identification:	PRI	PRI	identification number XXXXX XX	
List request of:				
stored number:	RLN	RLN	For further study ZZZ Z	
forbidden numbers:	RLF	RLF	For further study ZZZ Z	
delayed call numbers:	RLD	RLD	For further study ZZZ Z	
identification number:	RLI	RLI		
Disregard incoming call:	DIC	DIC		
Connect incoming call:	CIC	CIC		
Call failure indication:	CFI	CFI	Failure type XX	
Delayed call:	DLC	DLC	Time duration (in minutes) XXX . . . XX	
Incoming call:	INC	INC		
Valid:	VAL	VAL		
Invalid:	INV	INV	Optionally, error type XX	
List of:				
stored numbers:	LSN	LSN	XXXX . . XX	Number to be dialled ; YYYY YYY ; Status (for further study) ZZZZ (Note)
forbidden numbers:	LSF	LSF	XXXX . . XX	; YYYY YYY ; ZZZZ (Note)
delayed call numbers:	LSD	LSD	XXXX . . XX	; YYYY YYY ; ZZZZ (Note)
identification number:	LSI	LSI	Identification number XXXX XX (Note)	
Call connecting:	CNX	CNX	ZZZ Z (for further study)	


Note – When the list request command invokes edition of an empty list, a list indication with no parameter may be issued.

4.1.3 *Format for commands and indications*

Commands and indications may be encoded in the formats specified below, according to application.

4.1.3.1 *Asynchronous operation*

The format for asynchronous operation shall be as shown in Figure 2/V.25 bis.



Note – In commands from the DTE the *new line* function may sometimes be encoded in a way other than CR + LF (see Recommendation T.50, § 4.1.2.2) and allowance for this should be provided.

FIGURE 2/V.25 bis

In this mode of operation, the character format shall be one start element followed by 8-bit data units and one-unit stop element. The 8-bit data units are formed by a 7-bit IA5 character in accordance with Recommendation T.50 together with an even parity unit in accordance with Recommendation V.4.

Where the DCE operating rate is variable, the transmission rate for commands and parameters should be the maximum data rate permitted by the modem Recommendation, i.e.: 300, 600, 1200 and 2400 bit/s.

Note – These bit rates are the minimum which should be provided. The addition of other bit rates is for further study.

Depending on the application, characters may or may not be echoed by the DCE (for further study).

4.1.3.2 Synchronous character oriented operation

The format for synchronous character oriented operation shall be in accordance with ISO 1745, and shall be as shown in Figure 3/V.25 bis.




FIGURE 3/V.25 bis

Generally the command/indication is terminated by ETX. However, when a succession of indications is transmitted (e.g. succession of LSN indications), ETB should be used instead of ETX with all but the last indication of the succession, to indicate that other indications are coming.

In this mode of operation, consecutive 8-bit data units are used. The 8-bit data units are formed by a 7-bit IA5 character in accordance with Recommendation T.50 with an odd parity bit in accordance with Recommendation V.4.

The bit rate used for the data transfer shall apply.

4.1.3.3 Synchronous bit oriented operation

HDLC (High Level Data Link Control) format shall be used for synchronous bit oriented operation, and shall be as shown in Figure 4/V.25 bis.




FIGURE 4/V.25 bis

The message is the information field of a UI frame transmitted with the global address. Generally the P/F bit is set to 1. Consequently, the A and C fields are generally as follows:

$$A = 11111111 \quad C = 11001000$$

LSB MSB

However, when a succession of indications is transmitted (e.g. succession of LSN indications), the P/F bit should be set to 0, i.e. the control field is changed to:

$$C = 11000000$$

LSB MSB

with all but the last indication of the succession, to indicate that other indications are coming.

The introduction of other addresses is for further study.

Within the message, consecutive 8-bit data units are used and submitted to the HDLC framing (zero insertion). The 8-bit data units are formed by a 7-bit IA5 character in accordance with Recommendation T.50 together with an eighth bit set indifferently either to “one” or “zero”, or the odd parity. No parity checking will be done on reception.

The transmission mode and the bit rate used for the data transfer shall apply.

4.1.4 Message format and encoding

The message format shall comprise:

- i) a three-character command/indication (see Table 3/V.25 bis);
- ii) one or more parameters separated by “;” characters (see Tables 4/V.25 bis and 5/V.25 bis); these parameters may include “ ” and “.” as presentation characters (see Table 6/V.25 bis).

A detailed description of the command/indication syntax is contained in Table 6/V.25 bis. A general presentation of this syntax is offered in Appendix I.

4.1.5 Command/indication exchange protocol

The exchange of commands and indications between the DTE and the DCE can be regarded as asynchronous and balanced.

4.1.5.1 The following basic rules apply:

- Every command is to be followed by, at least, one indication or by circuit 107 going ON in the case of successful call.
- Several indications may be issued by the DCE one after the other, either of the same nature or of a different nature.
- The issue by the DTE of new commands other than DIC prior to the reception of the indication to the previous command may abort the execution of this previous command and should therefore be avoided.

TABLE 4/V.25 bis

Parameter encoding
(Number to be dialled)

Alphabet for number to be dialled	IA5 coding
0	0
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
Wait tone	:
Pause (Note 1)	<
Separator 3 (Note 2)	=
Separator 4 (Note 2)	>
Dialling to be continued in pulse mode (Note 4)	P
Dialling to be continued in DTMF mode (Note 4)	T
Flash (Notes 3 and 4)	&

Note 1 – Usage and duration of this parameter are a national matter.

Note 2 – For national use.

Note 3 – The flash duration is a national matter.

Note 4 – Optionally accepted parameter.

TABLE 5/V.25 *bis*
Parameter encoding
 (Failure and error types)

Parameter	IA5 coding
Engaged tone	ET
Number not stored	NS
Local DCE busy	CB
Ring tone	RT
Abort call	AB
Answer tone not detected	NT
Forbidden call	FC
Command unknown/Unexpected error	CU
Message syntax error	MS
Parameter syntax error	PS
Parameter value error	PV

TABLE 6/V.25 bis

Detailed description of the V.25 bis command/indication syntax

description language:	
a b	denotes the set (a, b)
a b	denotes the set (ab)
a*	denotes the set (e, a, aa, aaa, . . .) (e = empty)
description:	
message	= command indication
command	= CR_command PR_command RL_command DIC_command CIC_command
indication	= LS_indication CFI_indication DLC_indication INC_indication VAL_indication INV_indication CNX_indication
CR_command	= CRN_command CRI_command CRS_command
PR_command	= PRN_command PRI_command
RL_command	= RLN_command RLF_command RLD_command RLI_command
LS_indication	= LSN_indication LSF_indication LSD_indication LSI_indication
CRN_command	= 'CRN' number
CRI_command	= 'CRI' number delimiter identification
CRS_command	= 'CRS' address
PRN_command	= 'PRN' address delimiter number
PRI_command	= 'PRI' identification
RLN_command	= 'RLN' ('RLN' RL_parameter)
RLF_command	= 'RLF' ('RLF' RL_parameter)
RLD_command	= 'RLD' ('RLD' RL_parameter)
RLI_command	= 'RLI'
DIC_command	= 'DIC'
CIC_command	= 'CIC'
LSN_indication	= ('LSN' address delimiter number) ('LSN' address delimiter number delimiter status) 'LSN'
LSF_indication	= ('LSF' address delimiter number) ('LSF' address delimiter number delimiter status) 'LSF'
LSD_indication	= ('LSD' address delimiter number) ('LSD' address delimiter number delimiter status) 'LSD'
LSI_indication	= 'LSI' identification 'LSI'
CFI_indication	= 'CFI' failureype
DLC_indication	= 'DLC' time_duration
INC_indication	= 'INC'
VAL_indication	= 'VAL'
INV_indication	= 'INV' ('INV' errorype)
CNX_indication	= 'CNX' ('CNX' CNX_parameter)
number	= presentation* (digit special) (digit special presentation)*
identification	= presentation* digit (digit presentation)*
address	= presentation* digit (digit presentation)*
failure_type	= presentation* ('ET' 'NS' 'CB' 'RT' 'AB' 'NT' 'FC')
RL_parameter	= to be defined *****
time_duration	= presentation* digit (digit presentation)*
error_type	= presentation* ('MS' 'CU' 'PS' 'PV')
status	= to be defined *****
CNX_parameter	= to be defined *****
digit	= '0' '1' '2' '3' '4' '5' '6' '7' '8' '9'
special	= '&' ':' '>' '<' '=' 'P' 'T'
presentation	= `` ''
delimiter	= ';' ;

4.1.5.2 *Erroneous command/indication*

- Whenever a command/indication is detected with a level II framing error (incorrect framing, parity or FCS, see § 4.1.3), this command/indication is disregarded.
- Whenever a DCE detects an error in the message of a command or receive a command which cannot be executed, it acknowledges negatively this command by issuing an *invalid* indication (INV). The letters

within opcodes for commands and indications shall be upper case letters. Optionally, DCEs are allowed to accept the presence of corresponding lower case letters in place of specified upper case letters within the three letter opcode of a command.

4.1.5.3 Command/indication succession

Table 7/V.25 bis lists for all the commands defined:

- the state of the interface in which the command may be issued,
- the state to which the interface moves after the issue of the command,
- the indications pertinent to that command,
- the state to which the interface moves after the issue of the indication,
- the consequence of this indication for the action initiated by the command.

Note – The state diagram of the interface is shown in Figure 5/V.25 bis. In addition an SDL description of the message exchange, as per the Z.100 serie Recommendations, is offered in Annex B.

TABLE 7/V.25 bis

Commands, indications and their consequences

DTE command	From state	To state	DCE response	To state	Consequence
Call Request (CR_)	3	NC	VAL/CFI VAL/CNX VAL/INC VAL_ VAL/DLC	4/3 4/5 4/10 4/10 4/3	Failed Accepted Aborted Aborted Failed
Program (PR_) ^{a)}	3/10/14	NC	VAL CNX(10)	NC 11	Accepted Aborted
List Request (RL_) ^{a)}	3/10/14	NC	LS_ CNX(10)	NC 11	Accepted Aborted
Disregard Incoming Call (DIC)	10	NC	VAL	14	Incoming call not accepted
Connect Incoming Call (CIC)	14	NC	VAL/CNX VAL	11 3	Incoming call accepted Incoming call not accepted
Any command	X	NC	INV	NC	Failed

NC No change

^{a)} Reception of INC – circuit 125 turning ON or OFF and/or the issue of DIC – does not interfere with Program and List commands and their responses.

- The DCE signals to the DTE that it is ready to enter the dialogue with the DTE by signalling 106 = ON, state 3, *DTE-DCE dialogue*. In this state, the DTE can issue commands and the DCE may issue indications.
- To initiate a call set-up, the DTE shall issue a *call request* command which should be acknowledged by the DCE either with an invalid or a valid indication. In the latter case the interface moves to state 4, call establishment. If the *call request* command contains a PSTN (public switched telephone network) number, the DCE shall proceed with the call set-up procedure. If it contains a DCE memory address, the DCE shall use its stored number.
- The DCE remains in state 4 during the dialling process.
- If the call is established and the answering tone is detected (see § 6.1), a call connecting indication should be issued by the DCE, the interface moves to state 5, *answer tone detected*, and circuit 106 is turned OFF.
- If the call fails, the DCE may issue a *call failure* or a delayed call indication while in state 4 and return to state 3. During transmission of a calling station identification and the subsequent disconnection from the line following a call failure, the DCE may turn circuit 106 OFF and return to state 2, when it is not capable of handling new commands from the DTE.
- On completion of the line procedures (see § 6.1), circuit 107 is turned ON and the interface moves to state 6, *call connected*. From this state the DTE may enter the *data transfer* phase, state 12, in the normal manner.
- While the DCE is in state 3 or state 4, prior to going *off hook*, an incoming call shall be signalled to the DTE using circuit 125 and/or using the *incoming call* indication. The interface then moves to state 10, *incoming call accepting*. If in this state the DTE wishes not to answer the incoming call, it may issue a *disregard incoming call* command. In this case the interface will move to state 14 and allow exchange of indications and commands other than *call request*. The collision of a call request with an incoming call before the latter has been detected is for further study.
- The DTE may clear a call or call attempt at any time by turning circuit 108/2 OFF, state 7, *clearing by DTE*. The interface will then move to state 1 or 8 for circuit 125 OFF or ON respectively.

4.3 Interface procedures at the answering data station

The DTE/DCE interface procedure for automatic calling and answering is shown in the state diagram in Figure 5/V.25 bis. The procedure is as follows:

- When the DTE is not ready to answer an incoming call or to enter the dialogue with the DCE, the interface is in state 1, *DTE not ready*.
- Prior to entering the dialogue with the DCE, the DTE shall signal 108/2 = ON and the interface is then in state 2, *DTE ready*.
- The DCE signals to the DTE that it is ready to enter the dialogue with the DTE by signalling 106 = ON, state 3, *DTE-DCE dialogue*. In this state the DTE can issue commands and the DCE may issue indications.
- An incoming call is indicated to the DTE using circuit 125 and/or with an *incoming call* indication, and by this means the interface will move from state 3 or 4 to state 10, *incoming call accepting*. (In the case of state 4, the incoming call may only be detected prior to the DCE going *off hook*.)
- If an incoming call occurs when the DTE is in state 1, *DTE not ready*, the DCE moves to state 8, *incoming call*. The DTE may then turn circuit 108/2 ON, in response to this call or in order to enter the dialogue with the DCE. The interface thus moves to state 9, *incoming call recognized*. The DCE will respond by turning circuit 106 ON and thus also in this case the interface moves to state 10.
- While in state 10, the DTE may reject the incoming call by turning circuit 108/2 OFF or issue a *disregard incoming call* command which should be acknowledged by the DCE either with an invalid or valid indication. In the latter case, the interface will move to state 14 and allow exchange of indications and commands other than *call request*. If no *disregard incoming call* command has been issued within a period determined by national regulations, or when this command is reset by a subsequent *connect incoming call* command which should be acknowledged by the DCE either with an invalid or a valid indication, the DCE shall accept the incoming call, may issue a Call Connecting indication and move to state 11, *incoming call accepted* turning circuit 106 OFF, and from there to state 13, *line seized*, by turning circuit 125 OFF.
- Simple DCEs, having no programming capabilities, have in the past, been provided which do not respond to the DIC and CIC commands.

- In this case the DCE will connect the incoming call immediately or after a predetermined period dependent on national regulations, thus moving directly from state 9, *incoming call recognized* to state 13, *line seized*.
- On completion of the line procedures (see § 6.1), circuit 107 is turned ON and the interface moves to state 6, *call connected*. From this state the DTE may enter the *data transfer* phase, state 12 in the normal manner.

5 Direct call and/or answer controlled by the DTE (circuit 108/1)

The *direct call* operating mode provides the DTE with the facility of setting up a call on the PSTN to a predefined data station, without a message exchange between the DTE and the DCE. The PSTN number to be called (or sequence of PSTN numbers) is recorded in the DCE. This Recommendation does not cover the method for recording the number in the DCE.

5.1 Interchange circuits involved

The interchange circuits used in this automatic calling/answering procedure are listed in Table 8/V.25 bis.

TABLE 8/V.25 bis

Interchange circuit		Direction	
Number	Name	from DCE	to DCE
107	Data set ready	X	
108/1	Connect data set to line		X
125	Calling indicator	X	

5.1.1 Circuit 107 – Data set ready

The DCE shall turn circuit 107 ON:

- i) at the end of the automatic call set-up procedure, to indicate to the DTE that the connection is established and the DCE connected to line;
- ii) on completion of manual call set-up procedure.

The DCE shall turn circuit 107 OFF:

- i) to indicate to the DTE that the connection has been cleared down during the data transfer phase (to be permitted where national regulations require it);
- ii) in response to a clear request by the DTE turning OFF circuit 108/1 while in the data transfer state.

5.1.2 Circuit 108/1 – Connect data set to line

The DTE shall turn circuit 108/1 ON:

- i) to instruct the DCE to seize the line, dial the pre-recorded number and execute the connection procedure on the PSTN as the caller party;
- ii) to instruct the DCE to seize the line and execute the connection procedure on the PSTN as the called party if circuit 125 is in the ON condition.

The DTE shall turn circuit 108/1 OFF:

- i) to instruct the DCE to clear down the connection during data transfer;
- ii) to instruct the DCE to abort the call set-up procedure;
- iii) to indicate to the DCE that it is not ready to accept an incoming call.

5.1.3 Circuit 125 – Calling indicator

The DCE shall provide circuit 125.

5.2 *Interface procedure at the calling data station*

The state diagram shown in Figure 6/V.25 *bis* displays the allowed transitions between the different interface states. The call set-up appears on the left side of Figure 6/V.25 *bis* and proceeds as follows:

- The DTE, whenever it wishes to initiate a call, checks that circuit 125 is in the OFF condition, then turns ON circuit 108/1. A timer (T1) is started on the transition from state 1, *idle* to state 2.
- The DCE turns ON circuit 107 when it has recognized the successful establishment of the call, thus moving to state 3, *data transfer*.
- If the first call attempt is unsuccessful, the DCE may make further attempts according to its programming and national regulations. During this period, the interface remains in state 2.
- When in state 1, the DCE will turn circuit 125 ON whenever an incoming call occurs, and the interface moves to state 5, *incoming call*. State 6, *incoming call accepted*, is reached when the DTE turns ON circuit 108/1 to accept the call, which in turn leads to state 7, *answering station connecting*. The DCE may abort the incoming call by turning OFF circuit 108/1 when in state 7, and return to state 1.
- When in state 2, the DCE will turn circuit 125 ON whenever an incoming call has been detected prior to the DCE seizing the line. The interface then moves to state 6 as incoming calls have priority over call set-up attempts. The DCE should remain in state 6 for at least 100 ms (this value is for further study) before entering state 7, to allow the DTE to recognize the ON condition on circuit 125.
- While in state 2, the DTE can abort the call attempt by turning OFF circuit 108/1. This may be done if timer T1 expires with circuit 107 remaining in the OFF condition.

Note – Timeout T1 could range from 1 to 5 minutes depending on the programming of the DCE and national regulations.

5.3 *Interface procedure at the answering data station*

This mode provides the DTE with the facility of accepting an incoming call on a “per call” basis.

This operating mode is shown on the right hand side of the state diagram shown in Figure 6/V.25 *bis* and proceeds as follows:

- The DCE turns ON circuit 125 whenever it detects a ringing signal on the line and moves from state 1, *idle*, to state 5, *incoming call*.
- If the DTE does not want to accept the call, it may hold circuit 108/1 in the OFF condition. After the end of the ringing signal, the interface returns to state 1.
- If the DTE wishes to accept the call, it turns circuit 108/1 ON, and moves from state 5, *incoming call*, to state 6, *incoming call accepted*, and then to state 7, *answering station connecting*.
- In state 7, *answering station connecting*, the DCE accepts the call as detailed in § 6. While in this state the DTE may abort the connection by turning OFF circuit 108/1.
- On completion of the connection procedure, the DCE turns ON circuit 107, moving then from state 7, *answering station connecting*, to state 3, *data transfer*.




FIGURE 6/V.25 bis

Simplified procedure for direct call 108/1 answer mode

6 Line procedures

6.1 *Line procedure at the calling DCE*

- Whenever the DCE has received the *call request* (see Figure 5/V.25 bis and Figure 6/V.25 bis), the DCE seizes the line by going *off hook*.
- Dialling may proceed when dial tone has been detected, or, where national regulations permit this, after a fixed time delay. The value of this delay will be dependent on the national network.
- On completion of dialling, or, where possible, on recognizing the other end going off hook, a calling tone as specified in Recommendation V.25 is transmitted.
- During interruptions of the calling tone, the DCE monitors the line in order to detect call progress tones from the network and/or the answering tone, as specified in Recommendation V.25 provided by the remote DCE. If no answering tone is detected within a time-out, the DCE may go on hook and may issue an appropriate *call failure* indication. It may also issue *call failure* indication on recognition of specific signalling tones from the network.
- When the answering tone has been recognized by the DCE as detailed in Recommendation V.25, the DCE should issue a call connecting indication and then turn circuit 106 to the OFF condition.
- All other actions including the turning ON of circuit 107 and the completion of the connection procedure, are as detailed in Recommendation V.25.

The policy for handling unsuccessful calls may be dependent on the national networks. In this respect, a first level action by the call originating data station, which could involve blocking, by either the DCE or the DTE, of call attempts is not part of this Recommendation.

A second level action, which could permit the Administrations to trace erroneous calls when a subscriber complains, should be, where required by the Administration, implemented in the following way:

6.1.1 *Calling station identification (where required by the Administration)*

To enable the Administrations to have means to trace the originator of erroneous calls, an identification message has to be transmitted on the line by the call originating data station.

6.1.1.1 *Criteria for transmission of identification information*

The calling station identification information should be transmitted after the transmission of the calling tone when:

- the answering tone is not received within a time interval T2 from the end of the last digit dialled, or
- the answering tone is not received within a time interval T3 from detection of the remote end by DCE going *off hook*.

The choice of time outs T2 and T3 and their durations is dependent on national regulations.

Whenever the DCE enters the transmission of the identification information on the line, it will defer the execution of any *clearing request* made by the DTE which puts circuit 108 in the OFF condition until the transmission of this identification information is completed.

The complete identification information should be transmitted successively 3 times or more.

6.1.1.2 *Modulation method*

The identification signal should be asynchronously frequency modulated with the frequencies 1300 Hz (mark) and 2100 Hz (space) in such a way that it is possible to receive this signal with a modem according to Recommendation V.23.

The modulation rate should be 1200 bauds. In cases where this rate cannot be realized, a modulation rate of 300 bauds should be used.

6.1.1.3 *Format of identification information*

The identification information should be encoded according to International Alphabet No. 5 with one start bit, one stop bit and an even parity bit according to Recommendations T.50 and V.4. The first digits of the identification number should contain the country code of the subscriber's telephone number.

6.1.1.4 *Implementation*

In addition to the contents of this Recommendation, the regulations of the national Administrations must also be complied with. The additional requirements may be:

- the use of the CRI command with or without the identification number;
- generation and storage of the identification number;
- complete structure and content of the identification number (except the first two digits);
- recording and detection of the identification information.

6.2 *Line procedure at the answering DCE*

- When ringing is received on the line, the DCE turns ON circuit 125 and where implemented, issues an *incoming call* indication if circuits 108/2 and 106 are in the ON condition.
- If circuit 108/1 or circuit 108/2 is OFF, the DCE waits for circuit 108 to be turned ON.
- If circuit 108/2 is ON, and the *disregard incoming call* command is not received within a period of time determined by national regulations, the DCE may issue, where implemented, a call connecting indication and then goes *off hook*.
- When circuit 108/1 is ON, the DCE goes *off hook* after a period of time determined by national regulations.
- If circuit 108 is not turned ON, then the call is not answered.
- Whenever the DCE goes *off hook*, it turns OFF circuit 106 if not already OFF.
- After going *off hook*, the DCE completes the connection procedure and turns circuit 107 ON, as detailed in Recommendation V.25.

7 **Manual calling and answering**

The operational procedures for manual calling to an automatic answering data station, and automatic calling to a manual answering data station, are the same as detailed in Recommendation V.25, §§ 6 and 7, with the exception that

circuit 106 has to be turned OFF before turning ON circuit 107, in the mode *addressed call and/or answer authorized by the DTE*.

Where the answering data station is expected to have a manual answering mode, this may be indicated to the calling DCE. The method for doing this is for further study.

ANNEX A

(to Recommendation V.25 *bis*)

Test facilities

Guidance on maintenance facilities

This annex contains information on test facilities thought to be desirable in relation to implementations of Recommendation V.25 *bis* automatic calling procedures.

The adoption of such procedures and especially the provision of centralized maintenance facilities by Administrations may not be assumed.

In order to enable a fault to be located in either the DTE or the DCE, the DTE should not be involved in the test. The test may be initiated, e.g. by pressing a button on the DCE, whereas indication of the test result may be presented, e.g. by means of a visual indicator.

The actual test consists of two stages: a DCE self-test and a test in cooperation with a maintenance centre. In which order these two stages are activated is not specified in this Recommendation. The test of the modem part of the DCE will not be part of this Recommendation, but should be performed separately according to Recommendation V.54.

A.1 *DCE self-test stage*

In this stage, the DCE will test as many functions and hardware as reasonably possible.

The test should comprise a loop at the DTE-DCE interface similar to Recommendation V.54 loop 2 including all circuits normally exercised during the call set-up and clear phase. Further parts of the test depend on the DCE implementation, e.g. in case of a microprocessor-based design a functional test of the CPU, RAM and ROM would be appropriate.

A.2 *DCE test with maintenance centre*

In this stage, the procedure is as follows:

A.2.1 The user sets up manually a call with the maintenance centre (MC).

A.2.2 On answering the call, the MC will send an answering tone of appropriate length to ensure detection by the DCE.

A.2.3 As soon as the answering tone is detected, the DCE should be connected with the line.

A.2.4 After detecting the end of the answering tone, the DCE starts sending the dialling digits 1, 2, 3, 4, 5, 6, 7, 8, 9, 0 in accordance with the regulations of the Administration involved.

Note – They shall have the same spacing as during the automatic call set-up.

A.2.5 In case not all numbers are detected faultlessly, the MC will send a 2100 Hz tone for 0.4 ± 0.1 s indicating a negative test result and disconnect from the line.

A.2.6 On detecting the 2100 Hz tone, the DCE will end the test procedure and indicate a negative test result.

A.2.7 If all numbers are received correctly, the MC will send a 1300 Hz tone for 0.4 ± 0.1 s and start sending towards the DCE signalling tone to be defined by the Administration involved.

A.2.8 At the end of this sequence, a 2100 Hz tone will be sent for 0.4 ± 0.1 s and the MC will disconnect.

A.2.9 The DCE receiving the 2100 Hz tone will give a positive or negative indication depending on the test result and end the procedure.

Note – For pulse dialling, the open contact shall be coded by a 2100 Hz tone and the closed contact by no signal at all.

ANNEX B

(to Recommendation V.25 bis)

SDL Description of the addressed call – 108/2 Response Mode

This Annex provides an SDL description, as per the Z.100 serie Recommendations, of the message exchanges specified in the present Recommendation for the addressed call – 108/2 response mode. This part of the automatic calling procedure is specified in § 4 and Figure 5/V.25 bis, which have to be taken as the master in case of any ambiguity.

The process described hereafter in Figure B-2/V.25 bis the key of which is Figure B-1/V.25 bis, is invoked when the DCE enters state 3 “DTE-DCE dialogue”, or state 10 “Incoming call accepting”. It is terminated when the DCE enters state 5 “Answer tone detected”, or state 11 “Incoming call accepted”.




FIGURE B-1/V.25 bis

Key to SDL-diagram in Figure B-2/V.25 bis




FIGURE B-2/V.25 bis

Detailed SDL-diagram, DCE-side

APPENDIX I

(to Recommendation V.25 bis)

General description of the V.25 bis command/indication syntax

The following table is a general presentation of the V.25 bis message syntax which is offered for guidance in the development of any application where harmonization with Recommendation V.25 bis is sought (Detailed description of the V.25 bis syntax is presented in Table 6/V.25 bis).

TABLE I-1/V.25 bis

General description of the V.25 bis message syntax

description language:	
a b	denotes the set (a, b)
a b	denotes the set (ab)
a*	denotes the set (e, a, aa, aaa, . . .) (e = empty)
description:	
message	= (opcode) (opcode parameter_list)
opcode	= letter letter letter
parameter list	= parameter (delimiter parameter)*
parameter	= (letter digit special presentation) (letter digit special presentation)*
letter	= 'A' 'B' 'C' 'D' 'E' 'F' 'G' 'H' 'I' 'J' 'K' 'L' 'M' 'N' 'O' 'P' 'Q' 'R' 'S' 'T' 'U' 'V' 'W' 'X' 'Y' 'Z'
digit	= '0' '1' '2' '3' '4' '5' '6' '7' '8' '9'
special	= '&' ':' '>' '<' '=' 'P' 'T'
presentation	= `` ''
delimiter	= ';' ;

Note – The syntax of the parameters depends on the message and should be specified in the message description.

ITU-T RECOMMENDATIONS SERIES

Series A	Organization of the work of the ITU-T
Series B	Means of expression: definitions, symbols, classification
Series C	General telecommunication statistics
Series D	General tariff principles
Series E	Overall network operation, telephone service, service operation and human factors
Series F	Non-telephone telecommunication services
Series G	Transmission systems and media, digital systems and networks
Series H	Audiovisual and multimedia systems
Series I	Integrated services digital network
Series J	Transmission of television, sound programme and other multimedia signals
Series K	Protection against interference
Series L	Construction, installation and protection of cables and other elements of outside plant
Series M	TMN and network maintenance: international transmission systems, telephone circuits, telegraphy, facsimile and leased circuits
Series N	Maintenance: international sound programme and television transmission circuits
Series O	Specifications of measuring equipment
Series P	Telephone transmission quality, telephone installations, local line networks
Series Q	Switching and signalling
Series R	Telegraph transmission
Series S	Telegraph services terminal equipment
Series T	Terminals for telematic services
Series U	Telegraph switching
Series V	Data communication over the telephone network
Series X	Data networks and open system communications
Series Y	Global information infrastructure and Internet protocol aspects
Series Z	Languages and general software aspects for telecommunication systems