



INTERNATIONAL TELECOMMUNICATION UNION

**ITU-T**

TELECOMMUNICATION  
STANDARDIZATION SECTOR  
OF ITU

**Q.665**

**INTERWORKING OF SIGNALLING SYSTEMS**

---

**LOGIC PROCEDURES FOR  
INTERWORKING OF SIGNALLING  
SYSTEM No. 7 (TUP) TO R1**

**ITU-T Recommendation Q.665**

(Extract from the *Blue Book*)

---


## NOTES

1 ITU-T Recommendation Q.665 was published in Fascicle VI.6 of the *Blue Book*. This file is an extract from the *Blue Book*. While the presentation and layout of the text might be slightly different from the *Blue Book* version, the contents of the file are identical to the *Blue Book* version and copyright conditions remain unchanged (see below).

2 In this Recommendation, the expression “Administration” is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

**Recommendation Q.665**

**LOGIC PROCEDURES FOR INTERWORKING OF SIGNALLING SYSTEM No. 7 (TUP) TO R1**



<i>State number</i>	<i>State description</i>	<i>Sheet reference</i>
00	Idle	1, 2
01	Wait for continuity check	1
02	Wait for address-complete	1
03	Wait for register deactivation	1
04	Wait for answer	2
05	Answered	2
06	Clear-back	2

FIGURE 1/Q.665

**State overview diagram for interworking of Signalling System No. 7 (TUP) to R1**


*Procedures not shown*

P<sub>1</sub> - No transit working is defined for R1.

FIGURE 2/Q.665

**Note to the interworking of Signalling System No. 7 (TUP) to R1**

Connector reference



T1104880-87

FIGURE 3/Q.665 (Sheet 1 of 2)

Interworking of Signalling System No. 7 (TUP) to R1

Connector reference

7, 4

2, 2

5

3


4

2

2

3, 4

4, 5



T1104885-87

FIGURE 3/Q.665 (Sheet 2 of 2)

Interworking of Signalling System No. 7 (TUP) to R1